Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce Department of Information Technology (B.Sc.I.T Semester V)
Enterprise Java

Practical – VII

Roll No. : 45	Name: Omkar Thukarul
Class : TYIT	Date/Time of Submission : 7/08/2026

AIM:Implement the following EJB Applications

a. Create a Currency Converter application using EJB

CODE:

index.html

```
<!DOCTYPE html>
<html>
 <head>
 <title>Currency Converter</title>
 </head>
 <body>
 <form action="CCServlet">
 Enter Amount<input type="text" name="amt"><br>
 Select Conversion Type
 <input type="radio" name="type" value="r2d" checked>Rupees to Dollar
 <input type="radio" name="type" value="d2r">Dollar to Rupees<br>
 <input type="reset"><input type="submit" value="CONVERT"><br>
 <p>Omkar45</p>
 </form>
 </body>
</html>
```


CCBean.java

```
package EJPracts;
import javax.ejb.Stateless;
@Stateless
public class CCBean {
 public CCBean() {
 }
 public double r2Dollar(double r) {
 return r / 83.85;
 }
 public double d2Rupees(double d) {
 return d * 83.85;
 }
}
```

CCServlet.java

```
import java.io.IOException;
import java.io.PrintWriter;
import javax.ejb.EJB;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import EJPracts.CCBean;
```

OUTPUT:



```
@WebServlet(urlPatterns = {"/CCServlet"})
public class CCServlet extends HttpServlet {
 @EJB
 CCBean obj;
 public void doGet(HttpServletRequest request, HttpServletResponse response) throws ServletException,
IOException {
 PrintWriter out = response.getWriter();
 double amt = Double.parseDouble(request.getParameter("amt"));
 if (request.getParameter("type").equals("r2d")) {
 out.println("<h1>" + amt + "Rupees=" + obj.r2Dollar(amt) + "Dollars</h1>");  }
 if (request.getParameter("type").equals("d2r"))
 out.println("<h1>" + amt + "Dollars=" + obj.d2Rupees(amt) + "Rupees</h1>");  }
 out.println("Omkar45");
 }
}
```

b. Develop a Simple Room Reservation System Application Using EJB

CODE:

Index.jsp

```
<html>
<head>
<title>Room Reservation</title>
</head>
<body>
<p><b>Enter Details For Room Reservation.</b></p>
<form method="post" action="ReservationServlet">
Customers Name:
<input type="text" name="cname" value="" size="20">
<br><br>
Address:
<input type="text" name="cadd" value="" size="20">
<br><br>
Phone Number:
<input type="text" name="cph" value="" size="12">
<br><br>
Room Type:
<select name="roomtype">
<option value="General">General</option>
<option value="Deluxe">Deluxe</option>
<option value="Suite">Suite</option>
</select>
<br><br>
Check In Date (DD/MM/YYYY):
<input type="text" name="checkindate">
<br><br>
Check Out Date (DD/MM/YYYY):
<input type="text" name="checkoutdate">
<br><br>
Payment Mode:
<select name="paymode">
<option value="CASH">CASH</option>
<option value="CREDIT CARD">CREDIT CARD</option>
</select>
<br><br>
<input type="submit" value="Submit">
</form>
</body>
</html>
```

ReservationBean.java

```
package EJPracts;
import java.util.ArrayList;
import javax.ejb.Stateless;
@Stateless
public class ReservationBean {
public String welcome(String customer) {
return "Hello " + customer.toUpperCase() + " Welcome to Our Hotel"; }
```

OUTPUT:



```
public String roomType(String roomtype) {
return "You have Selected " + roomtype.toUpperCase() + " Room"; }
public String payment(String roomtype) {
if (roomtype.equalsIgnoreCase("SUITE")) {
return "You have to pay 8000 Rs";
}
else if (roomtype.equalsIgnoreCase("DELUXE")) {
return "You have to pay 4000 Rs";
}
else {
return "You have to pay 2000 Rs";
}
}
public ArrayList<String> reserve(
String customer,
String add,
String ph,
String checkin,
String checkout,
String roomtype,
String paymode) {
ArrayList<String> a = new ArrayList<String>();
a.add(customer);
a.add(add);
a.add(ph);
a.add(checkin);
a.add(checkout);
a.add(roomtype);
a.add(paymode);
return a;
}
}
```

ReservationServlet.java

```
package servlet;
import EJPracts.ReservationBean;
import java.io.IOException;
import java.io.PrintWriter;
import java.util.ArrayList;
import javax.ejb.EJB;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
@WebServlet(name = "ReservationServlet",
urlPatterns = {"/ReservationServlet"})
public class ReservationServlet extends HttpServlet {
@EJB
ReservationBean rb;
protected void processRequest(HttpServletRequest request,
HttpServletResponse response)
throws ServletException, IOException {
response.setContentType("text/html;charset=UTF-8");
String cname = request.getParameter("cname"); String add
= request.getParameter("cadd");
String ph = request.getParameter("cph");
String roomtype = request.getParameter("roomtype");
String chkin = request.getParameter("checkindate"); String
chkout = request.getParameter("checkoutdate"); String
paymode = request.getParameter("paymode"); PrintWriter
out = response.getWriter();
ArrayList<String> list1 =
rb.reserve(cname, add, ph, chkin, chkout,
roomtype, paymode);
try {
out.println("<html>");
out.println("<head>");
out.println("<title>Reservation EJB</title>");
out.println("</head>");
```

```
out.println("<body>");
out.println("<h2>" + rb.welcome(cname) + "</h2>");
out.println("<br/>");
out.println(rb.roomType(roomtype));
out.println("<br/><br/>");
out.println(rb.payment(roomtype));
out.println("<br/><br/>");
out.println("<hr>");
out.println("Your Details :");
out.println("<br/><br/>");
out.println("<table border='1'>");
out.println("<tr>");
out.println("<th>Name</th>");
out.println("<th>Address</th>");
out.println("<th>Phone</th>");
out.println("<th>Check In Date</th>");
out.println("<th>Check Out Date</th>");
out.println("<th>Room</th>");
out.println("<th>Payment Mode</th>");
out.println("</tr>");
out.println("<tr>");
for (int i = 0; i < list1.size(); i++) {
out.println("<td>");
out.println(list1.get(i));
out.println("</td>");
}
out.println("</tr>");
out.println("</table>");
out.println("<br/>");
out.println("Click ");
out.println("<a href='index.jsp'>here</a>");
out.println(" to go back");
out.println("</body>");
out.println("</html>");
}
finally {
out.close();
}
}
@Override
protected void doGet(HttpServletRequest request,
HttpServletResponse response)
throws ServletException, IOException {
processRequest(request, response);
}
@Override
protected void doPost(HttpServletRequest request,
HttpServletResponse response)
throws ServletException, IOException {
processRequest(request, response);
}
}
```