

Product Requirements Document (PRD)

1. Product Overview

Product Name

Verified Internship Lifecycle Platform

Product Type

Web-first, mobile-ready Internship Lifecycle Management Platform

Primary Goal

Build a secure, transparent and data-driven platform that manages the complete internship lifecycle for students, companies, faculty mentors and Training & Placement (T&P) teams—from identity verification and eligibility through application, selection, internship progress, completion and PPO.

The product is designed around the GHR Inter-Track Hackathon requirement to build a working MVP that reduces paperwork, automates eligibility, supports company recruitment, tracks internships, manages documents, provides role-specific visibility and generates useful analytics.

Core Product Proposition

One verified platform for the complete internship journey, from student identity and company verification to internship completion and PPO.

The platform's primary differentiator is a **Trust + Lifecycle + Intelligence** model:

Trust: verified students, companies, internships and documents

Lifecycle: one connected workflow from registration to PPO

Intelligence: eligibility engine, AI recommendations, resume scoring and skill-gap analysis

Analytics: real-time institutional internship insights

2. Problem Statement

Internship management in educational institutions is frequently fragmented across:

- registration forms
- spreadsheets
- emails
- messaging applications
- manually submitted documents

- disconnected company communication
- paper-based approvals

This creates several problems:

1. Difficulty verifying whether students are genuine and institutionally eligible.
2. Difficulty verifying whether companies and internship opportunities are legitimate.
3. Repeated data entry by students and T&P staff.
4. Manual eligibility checking.
5. Lack of visibility into application and selection status.
6. Difficulty tracking weekly internship progress.
7. Delayed document verification.
8. Poor coordination between students, companies, mentors and T&P.
9. Limited institutional analytics.
10. No single verifiable lifecycle record for an internship.

The hackathon specifically expects the system to reduce manual paperwork, automate eligibility, support company recruitment, track internships, organize documents, provide real-time status and produce useful analytics.

3. Product Vision

Create a platform that allows a college to manage internships as a **verified digital lifecycle rather than a collection of disconnected activities**.

The system should make it possible to answer:

- Who is the student?**
 - Is the student eligible?**
 - Is the company legitimate?**
 - Is the internship verified?**
 - Why was the student eligible or rejected?**
 - What is the application status?**
 - Who is responsible for monitoring the student?**
 - What progress has been made?**
 - Have the required documents been verified?**
 - Was the internship completed?**
 - Was a PPO received?**
-

4. Target Users

The platform will support six primary roles.

4.1 Student

The student can:

- register and authenticate
- create a profile
- submit identity/academic proof
- request institutional verification
- maintain skills and certifications
- upload resume
- view eligibility
- discover internships
- receive AI recommendations
- apply for internships
- track application status
- receive offer letters
- submit joining documents
- submit weekly progress
- maintain digital internship logbook
- track attendance/progress
- receive mentor/company feedback
- view evaluation results
- receive completion verification
- access verified certificates
- view PPO status

4.2 Company

The company can:

- register organization
- complete company verification
- create internship opportunities
- define eligibility criteria
- specify skills
- define stipend
- specify duration and mode
- specify vacancies
- specify application deadline
- view eligible applicants
- shortlist candidates
- evaluate candidates
- select students
- upload offer documentation
- evaluate interns
- upload completion documentation

4.3 Faculty Mentor

The mentor can:

- view assigned students
- view student internship details
- monitor weekly reports
- review progress
- record attendance/progress where applicable
- provide feedback
- evaluate students
- flag concerns
- recommend completion

4.4 T&P Officer

The T&P officer can:

- verify students
- verify company information
- verify internships
- approve/reject applications where institutionally required
- verify documents
- assign faculty mentors
- monitor internship progress
- manage internship status
- manage exceptions
- view analytics
- audit workflow activity

4.5 T&P Head / Institutional Admin

The T&P Head can:

- manage institutional internship operations
- approve high-level verifications
- manage users and permissions
- configure eligibility rules
- review company/internship activity
- monitor department-wise performance
- view organization-wide analytics
- review audit history

4.6 Super Admin

The Super Admin is the highest-privilege role and should be highly restricted.

Capabilities:

- system configuration
 - role management
 - institution configuration
 - security configuration
 - audit access
 - platform-level administration
-

5. Product Principles

Principle 1 — Working functionality over feature count

The hackathon guide explicitly recommends implementing a small number of features properly rather than presenting many incomplete features.

Principle 2 — Deterministic decisions, AI-assisted recommendations

Critical decisions such as eligibility, verification and access control must use explicit rules.

AI should primarily assist with:

- recommendations
- matching
- scoring
- skill-gap analysis
- suggestions

AI should **not** independently approve students, companies or internships.

Principle 3 — Every important workflow action should be traceable

The platform should maintain an audit trail for sensitive actions.

Principle 4 — Mobile-ready architecture

The first implementation will prioritize a responsive web application/PWA while keeping the backend API-first so the same APIs can later support a mobile application.

Principle 5 — Explain every important decision

Instead of simply displaying:

Not Eligible


the platform should provide the reason, such as:

CGPA requirement not satisfied.

Required skill missing.

This directly follows the hackathon guide.

6. High-Level User Journey



Completion Verification
↓
Certificate
↓
PPO Status
↓
Institutional Analytics

This closely aligns with the internship journey specified by the hackathon guide.

7. Functional Requirements

7.1 Authentication & Registration

Objective

Ensure that only authenticated and institutionally verified users gain access to relevant platform functionality.

Requirements

FR-AUTH-001 Users shall be able to register using email/password authentication.

FR-AUTH-002 Users shall be able to authenticate using Google authentication.

FR-AUTH-003 Existing users shall be able to log in.

FR-AUTH-004 The system shall implement role-based access control.

FR-AUTH-005 A newly registered student shall have an initial status:

PENDING_VERIFICATION

FR-AUTH-006 The system shall support submission of identity/academic proof.

FR-AUTH-007 The system shall allow authorized T&P personnel to verify or reject submitted information.

FR-AUTH-008 The system shall record verification actions in an audit log.

Verification states

REGISTERED
↓

DOCUMENT_SUBMITTED



UNDER_REVIEW



VERIFIED

Possible rejection state:

REJECTED

Important MVP decision

DigiLocker should be designed as an **optional integration**, not a hard dependency for the initial hackathon MVP unless a working integration is available and tested.

The MVP can demonstrate institutional verification through authentication, submitted proof and T&P approval.

8. Student Profile Module

The profile shall contain:

Personal information

- full name
- email
- phone
- profile photo where appropriate

Academic information

- student ID
- department
- branch
- semester/year
- CGPA
- backlogs
- passing year

Professional information

- skills
- certifications
- projects

- experience
- interests
- resume

Internship information

- current internship
- internship history
- completed internships
- PPO history

The hackathon explicitly expects student profiles to include details such as skills, CGPA, backlogs, resume and internship history.

9. Company Verification

Objective

Prevent unverified organizations from publishing potentially fraudulent internship opportunities.

Company onboarding

```
graph TD; A[Company Registration] --> B[Company Profile]; B --> C[Organization Proof]; C --> D[Contact Verification]; D --> E[T&P Review]; E --> F[VERIFIED COMPANY];
```

Company states

```
PENDING
UNDER_REVIEW
VERIFIED
REJECTED
SUSPENDED
```

Only **VERIFIED** companies should be permitted to publish internship opportunities in the MVP.

10. Internship Posting Module

Companies shall be able to create internships with:

- internship title
- description
- company
- location
- work mode
- start date
- end date
- duration
- stipend
- vacancies
- application deadline
- eligible departments
- minimum CGPA
- maximum allowed backlogs
- required skills
- required certifications
- required experience
- passing-year constraints
- additional criteria

These criteria are directly consistent with the challenge's requested company portal and eligibility requirements.

11. Eligibility Engine

Objective

Automatically determine whether a student satisfies internship requirements.

Example

Internship Requirements

Minimum CGPA: 7.00

Maximum Backlogs: 0

Department: IT

Passing Year: 2028

Required Skills:

- Java
- Spring Boot

Student:

CGPA: 7.82
Backlogs: 0
Department: IT
Passing Year: 2028
Skills:

- Java
- SQL
- React

Result:

NOT ELIGIBLE

Reason:
Required skill missing: Spring Boot

Rules

The engine must support:

- CGPA
- backlogs
- department/branch
- passing year
- skills
- certifications
- experience
- company-specific criteria

Output

```
{  
  "status": "NOT_ELIGIBLE",  
  "reasons": [  
    "Required skill missing: Spring Boot"  
  ]  
}
```

This must be rules-based and explainable.

12. AI Internship Recommendation

Objective

Recommend internships based on student profile and verified internship requirements.

Inputs

- student skills
- resume
- CGPA
- academic branch
- interests
- certifications
- experience
- internship requirements

Output

Example:

Recommended Internship

Backend Developer Intern
XYZ Technologies

Match Score: 91%

Why:

- ✓ Java
- ✓ SQL
- ✓ Required CGPA
- ✓ IT branch
- ✓ Interest: Backend Development

Skill Gap:

- Spring Boot

The hackathon guide specifically suggests AI-based company recommendation and AI skill-gap analysis.

13. Resume Scoring

The AI service may score resumes against internship requirements.

Example:

Resume Score: 82/100	
Technical Skills	35/40
Relevant Experience	18/25
Projects	17/20
Certifications	7/10
Resume Quality	5/5

The system should provide improvement suggestions.

Important constraint:

Resume score must be advisory, not an automatic selection decision.

14. Internship Application Module

Students shall be able to:

- view internship details
- view eligibility
- view AI match score
- apply
- withdraw where permitted
- track status

Application states

APPLIED
SHORTLISTED
INTERVIEW
SELECTED
REJECTED
WITHDRAWN

15. Company Selection Module

Company users shall be able to:

- view applications
 - filter candidates
 - view eligibility
 - view profile
 - view resume
 - shortlist
 - update status
 - select/reject candidates
-

16. Offer Letter & T&P Verification

After company selection:

```
Company Selects Student
      ↓
Offer Letter Uploaded
      ↓
T&P Review
      ↓
Internship Verified
```

The offer can move through:

```
PENDING
T&P_REVIEW
VERIFIED
REJECTED
```

17. Internship Trust Layer

This is one of the major differentiating features.

Every verified internship should have a unique identifier.

Example:

Internship ID
INT-2026-00452

Verification state

Company Verified	✓
Student Verified	✓
Offer Verified	✓
T&P Approved	✓
Mentor Assigned	✓

The guide specifically identifies QR-based offer-letter verification as an innovation opportunity.

18. QR Verification

A QR code shall be generated for verified internship/offer records.

Scanning the QR should open a public verification page containing safe verification information such as:

Internship Authenticity

Internship ID: INT-2026-00452
Company: XYZ Technologies
Student: [Appropriate verified display name]

Company Status: Verified
Internship Status: Verified
T&P Approval: Verified

Sensitive private student data should not be exposed through the public endpoint.

19. Mentor Assignment

T&P users shall be able to assign faculty mentors to selected students.

Assignment model

Internship
↓

Student



Faculty Mentor

Mentors should see only students assigned to them unless additional permission is explicitly granted.

20. Digital Internship Logbook

Students shall be able to submit weekly entries containing:

- week number
- work completed
- tasks
- learning
- challenges
- next week's plan
- optional attachments

Example:

Week 3

Tasks:

Implemented authentication API.

Learning:

Spring Security and JWT.

Challenges:

Token refresh handling.

Next:

Implement role-based authorization.

21. Attendance / Progress Tracking

The platform can optionally support:

- weekly attendance
- progress percentage
- milestone tracking

- missed reports
- progress status

Example:

```
Internship Progress: 64%  
  
Weeks Completed: 7/10  
Reports Submitted: 7/7  
Attendance: 96%  
Mentor Evaluation: Good
```

Attendance should remain a secondary MVP feature unless a reliable data source is available.

22. Notification & Automation System

n8n shall act as the automation layer.

Example event

```
Student Selected  
  ↓  
Backend Event  
  ↓  
n8n  
  ↓  
Student Email  
Mentor Email  
T&P Notification
```

Other workflows

Offer uploaded

→ notify T&P

Offer verified

→ notify student and company

Mentor assigned

→ notify mentor and student

Weekly report overdue

→ notify student and mentor

Internship completed

→ notify T&P and student

PPO status updated

→ notify student

23. Evaluation Module

The system shall support:

Mentor evaluation

- technical performance
- communication
- discipline
- progress
- comments
- recommendation

Company evaluation

- performance
 - professionalism
 - technical contribution
 - overall rating
 - remarks
-

24. Completion Module

Completion requires validation of relevant documents and evaluation.

Example:

Weekly Reports	✓
Mentor Evaluation	✓
Company Evaluation	✓
Completion Document	✓
T&P Verification	✓

Then:

INTERNSHIP COMPLETED

25. PPO Module

Track:

PPO Offered
PPO Not Offered
Under Review
Accepted
Declined

Institutional analytics should include PPO conversions.

The hackathon guide specifically identifies PPO recommendations/conversions as a useful analytics metric.

26. Certificate Verification

The system shall support verified completion certificates.

Possible workflow:

```
Completion Approved
  ↓
Certificate Generated/Uploaded
  ↓
Unique Verification ID
  ↓
QR Code
```

27. Dashboards

27.1 Student Dashboard

Display:

- verification status
- profile completion
- eligibility summary
- recommended internships
- applications
- active internship
- progress
- notifications
- PPO status

27.2 Company Dashboard

Display:

- active internships
- applications
- shortlisted students
- selected students
- pending actions
- internship evaluations

27.3 Mentor Dashboard

Display:

- assigned students
- active internships
- pending weekly reports
- progress
- evaluation tasks
- flagged students

27.4 T&P Dashboard

Display:

- total students
- verified students
- active internships
- companies
- applications
- selections
- completed internships
- pending verifications
- PPO conversions

The hackathon expects dashboards with meaningful statistics rather than purely decorative graphs.

28. Analytics Requirements

The system should answer:

- How many students applied?
- How many were selected?
- How many completed internships?
- Which branches have the most internships?
- Which companies hired students?
- Where are students getting internships?
- What is the application-to-selection conversion rate?
- What skills are missing?
- What are the highest/average/lowest stipends?
- How many PPOs were generated?
- Which documents are pending?
- Which internships are pending verification?

These questions are directly aligned with the hackathon's analytics guidance.

29. Role-Based Access Control

Role	Student	Company	Mentor	T&P Officer	T&P Head	Super Admin
Own Profile	✓	✓	✓	✓	✓	✓
Internship Posting		✓			✓	✓

Role	Student	Company	Mentor	T&P Officer	T&P Head	Super Admin
Apply	✓					
View Assigned Students			✓	✓	✓	✓
Verify Students				✓	✓	✓
Verify Companies				✓	✓	✓
Verify Internship				✓	✓	✓
Assign Mentor				✓	✓	✓
View Institution Analytics			Limited	✓	✓	✓
System Configuration					Limited	✓

30. Security Requirements

Authentication

- secure password authentication
- Google OAuth
- session/token management
- logout
- password reset

Authorization

Use RBAC and server-side authorization checks.

Never depend only on frontend route protection.

Data Protection

- encrypted transport using HTTPS
- secure password hashing
- document access control
- signed/authorized file access
- validation of uploaded documents
- file size/type restrictions

Audit Logging

Track sensitive actions:

```
actor
timestamp
action
resource
previous status
new status
result
```

Security controls

Recommended:

- JWT/access tokens
- refresh-token strategy where appropriate
- rate limiting
- CORS policy
- input validation
- SQL injection protection through ORM/parameterized queries
- CSRF protection where applicable
- secure HTTP headers
- least-privilege authorization

The hackathon explicitly includes database/security and responsible data access in its judging criteria.

31. Technical Architecture

Frontend

```
React
TypeScript
Vite
Responsive UI
PWA support
```

Backend

```
Java
Spring Boot
Spring Security
REST API
JPA / Hibernate
```

Database

```
PostgreSQL
```

File Storage

Use object/file storage for:

- resumes
- offer letters
- joining letters
- internship reports
- certificates
- verification documents

AI Layer

Separate AI service/API for:

- internship recommendation
- resume analysis
- skill-gap analysis


Automation

```
Spring Boot
  ↓
Webhook
  ↓
n8n
  ↓
Email / Notifications
```


QR

Verification ID
↓
QR Generator
↓
Public Verification Endpoint

32. High-Level System Architecture



33. Core Data Entities

The initial database should contain approximately these core entities:

```
User
Role
Student
Faculty
Company
TnpOfficer
Department

StudentSkill
Certification
Resume

Internship
InternshipRequirement
Application
Selection

Offer
Document
Verification

MentorAssignment
ProgressLog
Attendance
Evaluation

Completion
PPO

Notification
AuditLog

AIRecommendation
SkillGapReport
```

The schema should remain minimal until the core workflow works end-to-end.

34. Internship State Machine

The internship lifecycle should use controlled status transitions.

```
DRAFT
↓
PUBLISHED
↓
APPLICATION_OPEN
↓
APPLICATION_CLOSED
↓
STUDENTS_SELECTED
↓
OFFER_PENDING
↓
TNP_VERIFICATION
↓
VERIFIED
↓
ONGOING
↓
COMPLETION_REVIEW
↓
COMPLETED
↓
PPO_UPDATED
```

Invalid status transitions should be rejected by the backend.

35. MVP Scope for Hackathon

Must Have

Authentication

- email login
- Google login
- role-based access

Verification

- student verification

- company verification
- T&P verification workflow

Student

- profile
- resume
- skills
- academic information
- eligibility

Company

- internship creation
- eligibility criteria
- applicant management
- selection

T&P

- verification
- mentor assignment
- internship monitoring

Workflow

- application
- shortlist
- selection
- offer
- progress
- evaluation
- completion
- PPO status

Innovation

At minimum:

1. **AI internship/company recommendation**
2. **QR internship/offer verification**

Analytics

At least one meaningful institutional dashboard.

Automation

At least one working n8n workflow.

Security

- RBAC
- backend authorization
- audit log
- protected documents

The official final checklist explicitly expects working eligibility, company posting, application/selection, document status, progress/completion, dashboard, roles/security, innovation, sample data and a tested live demo.

36. Post-MVP Features

These should not block the hackathon MVP:

- DigiLocker integration
 - advanced WhatsApp integration
 - advanced attendance integrations
 - real-time chat
 - native mobile app
 - advanced certificate verification
 - advanced company ATS
 - predictive analytics
 - advanced ML recommendation engine
 - multi-institution support
 - automated interview scheduling
 - external HR integrations
-

37. Non-Functional Requirements

Performance

Target:

- typical API response under 500 ms for simple operations
- pagination for large datasets
- indexed search fields

Availability

System should remain usable during the hackathon demo even if optional external AI/automation services fail.

Scalability

Backend should be stateless where practical and expose clean APIs so a mobile client can later use the same services.

Maintainability

- modular Spring Boot packages
- DTO/service/repository separation
- centralized exception handling
- API documentation
- environment-based configuration

Accessibility

- keyboard-friendly interface
 - readable contrast
 - responsive layouts
 - clear form validation
 - meaningful error messages
-

38. UI/UX Requirements

The UI should feel like an institutional product rather than a generic AI dashboard.

Design priorities

- simple navigation
- role-specific dashboards
- clear status indicators
- timeline-based internship workflow
- progressive disclosure
- minimal unnecessary screens
- clear document states
- responsive design

Important UI component

The internship detail page should combine:

Company
Internship
Eligibility
AI Match

Skills Required
Stipend
Duration
Mode
Deadline
Verification Status
Application Status

This gives students enough information to decide whether to apply.

39. Key Innovation

The central innovation is not "AI everywhere."

It is:

Verified Internship Lifecycle

```
Verified Student
      +
Verified Company
      +
Verified Internship
      +
Verified Offer
      +
Verified Progress
      +
Verified Completion
      ↓
Trusted Internship Record
```

AI then operates on top of this trusted data.

This produces a stronger product architecture than adding unrelated AI chatbots.

40. Hackathon Demo Scenario

The 15-minute jury format gives approximately:

- first 2 minutes: problem + solution

- next 5 minutes: live main workflow
- next 3 minutes: innovation + dashboard
- final 5 minutes: questions.

Recommended Demo

Character: One student + one company + one mentor + one T&P officer.

Demo flow

1. Student logs in
2. Student verification shown
3. Student profile displayed
4. Eligibility calculated
5. AI recommends internship
6. Student applies
7. Company sees eligible applicant
8. Company selects student
9. Offer uploaded
10. T&P verifies internship
11. Mentor assigned
12. Student submits progress
13. Mentor evaluates
14. Internship marked completed
15. QR verification shown
16. T&P analytics dashboard displayed

This demonstrates the strongest parts of the required lifecycle without wasting time on secondary screens.

41. Success Metrics

Product metrics

- percentage of verified students
- percentage of verified companies
- internships posted
- application count
- selection rate
- completion rate
- document verification turnaround
- average internship stipend
- PPO conversion rate

Platform metrics

- successful registration rate
 - successful eligibility evaluation rate
 - notification delivery rate
 - AI recommendation usage
 - QR verification requests
 - unresolved verification cases
-

42. Acceptance Criteria for MVP

The MVP should be considered successful only when a jury can perform the following without manual database manipulation:

Student

- register
- log in
- submit profile
- view verification status
- view eligibility
- receive recommendations
- apply
- track application
- submit progress

Company

- log in
- create internship
- define eligibility
- view applicants
- shortlist
- select

T&P

- verify student
- verify company
- verify internship
- assign mentor
- monitor progress
- view analytics

Mentor

- view assigned student
- review progress
- evaluate student

End-to-end

Student

- Internship
- Eligibility
- Application
- Selection
- Offer
- T&P Verification
- Mentor Assignment
- Progress
- Evaluation
- Completion
- QR Verification
- Analytics

must work using demonstration data.

43. Prioritization

P0 — Critical

- authentication
- RBAC
- student profile
- company profile
- internship posting
- eligibility engine
- application
- selection
- offer
- T&P verification
- mentor assignment
- progress
- evaluation
- completion
- dashboard

P1 — High Value

- AI recommendations
- QR verification
- resume scoring
- skill-gap analysis
- n8n notifications
- audit logs

P2 — Optional

- digital attendance
- advanced certificate verification
- chat
- WhatsApp
- DigiLocker
- mobile application

44. Risks & Mitigation

Risk	Impact	Mitigation
Too many features	High	Freeze P0 scope early
AI unavailable	Medium	Core workflow must work without AI
n8n failure	Medium	Notifications must not block workflow
External verification dependency	High	Make external integrations optional
Security gaps	High	Server-side RBAC and validation
Fake demo data	Medium	Use clearly structured sample data
Database complexity	Medium	Start with core entities
UI consumes development time	High	Build workflow-first UI
Broken live demo	High	Test complete flow before presentation

45. Development Strategy

The correct implementation order is:

Phase 1
Architecture + Database + Authentication

Phase 2
RBAC + Student + Company + T&P

Phase 3
Internship + Eligibility + Application

Phase 4
Selection + Offer + Verification

Phase 5
Mentor + Progress + Evaluation + Completion

Phase 6
Dashboard + Analytics

Phase 7
AI Recommendation + Resume/Skill Analysis

Phase 8
QR Verification + n8n Automation

Phase 9
Security Hardening + Demo Data

Phase 10
Full End-to-End Testing

Do not start with AI.

The foundation is the workflow and data model.

46. Definition of Done

The hackathon MVP is done when:

- all P0 modules are functional
- role-based access works
- eligibility is automatic
- reasons for ineligibility are shown
- company internship posting works
- students can apply

- companies can shortlist/select
- offer documents can be uploaded/status-tracked
- T&P can verify internships
- mentors can be assigned
- weekly progress works
- evaluations work
- completion works
- PPO status can be recorded
- at least one dashboard provides useful analytics
- at least one AI feature works
- QR verification works
- at least one n8n workflow works
- sample data is available
- security controls are demonstrable
- the entire journey can be demonstrated live

This matches the official final checklist and the guide's emphasis on a tested working prototype.

47. Final Product Positioning


One-line description

A secure and intelligent internship lifecycle platform that verifies students and companies, automates eligibility and internship workflows, tracks progress, and provides trusted internship records from application to PPO.

Core differentiator

We don't just help students find internships; we create a verifiable digital record of the entire internship lifecycle.

Core architecture



▼
Registration → Eligibility
→ Application → Selection
→ Offer → Verification
→ Mentor → Progress
→ Evaluation → Completion
→ PPO

|
▼
INTELLIGENCE

|
▼
AI Recommendation
Resume Scoring
Skill Gap Analysis

|
▼
ANALYTICS

|
▼
Institutional Decisions

Product success criterion

The product should not be judged by the number of screens or AI features.

The strongest demonstration is:

A jury member can take one student from registration all the way to a verified completed internship and then see that internship reflected correctly in the institutional analytics dashboard.

That directly addresses the hackathon's required internship journey, technical implementation, security, analytics, scalability and practical impact criteria.