

PHP x PHP x PHP x PHP x local x +

localhost:8080/abs.php

6.7

C:\laragon\www\abs.php - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

logical.php em_dm_opt.php lds.php comparison.php assignment_operator.php abs.php

```
1 <?php
2 echo(abs(-6.7)); // returns 6.7
3 ?>
```

length: 43 lines: 3 Ln: 1 Col: 1 Pos: 1 Windows (CR LF) UTF-8

PHP x PHP x PHP x PHP x local x +

localhost:8080/ao.php

Array ([a] => red [b] => green [c] => blue [d] => yellow) bool(false) bool(false) bool(true)
bool(true) bool(true)


C:\laragon\www\ao.php - Notepad++


File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?


50.php ao.php cao.php f.php f_els.php f_elseif.php


```
14 var_dump($x == $y);
15 ?>
16
17 <?php
18 $x = array("a" => "red", "b" => "green");
19 $y = array("c" => "blue", "d" => "yellow");
20
21 var_dump($x === $y);
22 ?>
23
24 <?php
25 $x = array("a" => "red", "b" => "green");
26 $y = array("c" => "blue", "d" => "yellow");
27
28 var_dump($x !== $y);
29 ?>
30
31 <?php
32 $x = array("a" => "red", "b" => "green");
33 $y = array("c" => "blue", "d" => "yellow");
34
35 var_dump($x <> $y);
36 ?>
37
38 <?php
39 $x = array("a" => "red", "b" => "green");
40 $y = array("c" => "blue", "d" => "yellow");
41
42 var_dump($x != $y);
43 ?>
44
45
46 </body>
47 </html>
48
```


length: 838 lines: 48 Ln: 45 Col: 1 Pos: 819 Windows (CR LF) UTF-8



















PHP x PHP x PHP x PHP x local x +

localhost:8080/if_elseif.php

The hour (of the server) is 14, and will give the following message:

Have a good day!

C:\laragon\www\if_elseif.php - Notepad++

```
1 <?php
2 <body>
3
4 <?php
5 $t = date("H");
6 echo "<p>The hour (of the server) is " . $t;
7 echo ", and will give the following message:</p>";
8
9 if ($t < "10") {
10     echo "Have a good morning!";
11 } elseif ($t < "20") {
12     echo "Have a good day!";
13 } else {
14     echo "Have a good night!";
15 }
16 ?>
17 </body>
18 </html>
19
```

length: 311 lines: 19 Ln: 19 Col: 8 Pos: 312 Windows (CR LF) UTF-8

PHP x PHP x PHP x PHP x local x +



localhost:8080/infinity.php



float(INF)



C:\laragon\www\infinity.php - Notepad++

```
1 <?php
2 $x = 1.9e411;
3 var_dump($x);
4 ?>
```

length: 39 lines: 4 Ln: 4 Col: 3 Pos: 40 Windows (CR LF) UTF-8







PHP x PHP x PHP x PHP x local x +

localhost:8080/object.php

My car is a black Volvo!
My car is a red Toyota!

C:\laragon\www\object.php - Notepad++

```
1 <?php
2 class Car {
3     public $color;
4     public $model;
5     public function __construct($color, $model) {
6         $this->color = $color;
7         $this->model = $model;
8     }
9     public function message() {
10        return "My car is a " . $this->color . " " . $this->model . "!";
11    }
12 }
13
14 $myCar = new Car("black", "Volvo");
15 echo $myCar -> message();
16 echo "<br>";
17 $myCar = new Car("red", "Toyota");
18 echo $myCar -> message();
19
20
```

length: 422 lines: 20 Ln: 20 Col: 1 Pos: 423 Windows (CR LF) UTF-8

PHP x PHP x PHP x PHP x local x +

localhost:8080/pi.php

3.1415926535898

C:\laragon\www\pi.php - Notepad++

```
1 <?php
2 echo(pi()); // returns 3.1415926535898
3
```

length: 49 lines: 3 Ln: 3 Col: 3 Pos: 50 Windows (CR LF) UTF-8

