


Experiment 7

7.1.1 Inverted Star Pattern

Algorithm :

```
Step 1: Start
Step 2: Input n
Step 3: while(n>0)
        then
            print ("*" * n)
Step 4 : n=n-1
Step 5 : Go to step 3
Step 6 : Stop
```

Flowchart :



Write a Python program to print an inverted right-angled triangle star pattern.

For a given number n , the program should print n rows of stars where the first row contains n stars, the second row contains $n - 1$ stars, and each subsequent row has one less star than the previous row, ending with 1 star in the last row.

All rows should be left-aligned with no spaces between the stars.

Input Format:

- Single line contains an integer n representing the number of rows

Output Format:

- Print an inverted right-angled triangle star pattern with n rows

Note:

- Refer to sample test cases for better understanding.

Sample Test Cases

+

Code :

```
n = int(input())
while n>0:
    print("*"*n)
    n=n-1
```

Execution :

om.mahajan.batch2025@sitnagpur.siu.edu.inSupportLogout

starPrint.py

```
1 n = int(input())
2 while n>0:
3     print("*"*n)
4     n=n-1
```

Average time0.005 s5.33 msMaximum time0.010 s10.00 ms

3 out of 3 shown test case(s) passed3 out of 3 hidden test case(s) passed

Test case 110 ms

Expected output3***

Actual output3***

Test case 25 ms

Test case 34 ms

TerminalTest cases

SubmitResetPrevNext