

## Assignment -2

1. Write a HTML program to display the table having the columns(highlighted) as Decimal ,English, Spanish, Korean, Binary .

Following are the data to be in each rows respective of their columns :

Decimals : {1,2,3,4,5}

English : {one,two,three,four,five}

Spanish:{uno,dos,tres,quarto,cinco}

Korean:{hanna,dool,set,net,daset}

Binary:{0001,0010,0011,0100,0101}

Each element is the data which will be our rows for the corresponding columns.

Apply the style, font: Times New Roman

### Answer :

```
<!DOCTYPE html>

<html>

<head>

    <title>Number Table</title>

</head>

<body style="font-family: 'Times New Roman';" >

    <h2 style="text-align:center;">Numbers in Different Languages & Binary</h2>

    <table border="2" cellpadding="10" cellspacing="1" align="center">

        <thead bgcolor="lightblue">

            <tr>

                <th>Decimal</th>

                <th>English</th>

                <th>Spanish</th>

                <th>Korean</th>

                <th>Binary</th>

            </tr>

        </thead>

        <tbody>

            <tr>

                <td>1</td>

                <td>one</td>

                <td>uno</td>

                <td>hanna</td>

                <td>0001</td>

            </tr>
```

```

<tr>
  <td>2</td>
  <td>two</td>
  <td>dos</td>
  <td>dool</td>
  <td>0010</td>
</tr>
<tr>
  <td>3</td>
  <td>three</td>
  <td>tres</td>
  <td>set</td>
  <td>0011</td>
</tr>
<tr>
  <td>4</td>
  <td>four</td>
  <td>quarto</td>
  <td>net</td>
  <td>0100</td>
</tr>
<tr>
  <td>5</td>
  <td>five</td>
  <td>cinco</td>
  <td>daset</td>
  <td>0101</td>
</tr>
<tfoot>
  <tr>
    <td colspan="5" align="center"> <font color="pink"> End of Table </font> </td>
  </tr>
</table>
</body>
</html>

```

## **OUTPUT :**

**Numbers in Different Languages & Binary**

| Decimal      | English | Spanish | Korean | Binary |
|--------------|---------|---------|--------|--------|
| 1            | one     | uno     | hanna  | 0001   |
| 2            | two     | dos     | dool   | 0010   |
| 3            | three   | tres    | set    | 0011   |
| 4            | four    | quarto  | net    | 0100   |
| 5            | five    | cinco   | daset  | 0101   |
| End of Table |         |         |        |        |

2. Write a HTML program to create visitor information capture. The page should have the heading "Visitors information" and should ask the following information from the user :
- Email address using a textbox ,
  - User's interest web for research or purchase as check box.
  - Occupation as drop down box and preselected value should be given as (select one).
  - Check "want us to send you junk emails?" and the options given are "absolutely" and "no way man" using the radio button.
  - A horizontal line divides the heading and the body content. Once all the inputs are given, the user should be able to submit or reset.
  - This whole form should be tabulated using table tag.
  - Group on Forms to a single web page providing separate div tags for each forms.
  - Apply the HTML 5 attributes on Forms Sample Attributes : email, placeholder, required, multiple.

**Answer :**

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <title>Visitors Information</title>
</head>
<body>

  <h1>Visitors Information</h1>
  <hr>
  <form method="post">
    <div>
      <table border="1" cellpadding="10">
        <!-- Email Address -->
        <tr>
          <td><label for="email">Email Address:</label></td>
          <td><input type="email" id="email" name="email" required> </td>
        </tr>

        <!-- User's Interest -->
        <tr>
          <td>User's interest (web for):</td>
          <td>
            <input type="checkbox" id="research" name="interest" value="research">
            <label for="research">Research</label><br>
            <input type="checkbox" id="purchase" name="interest" value="purchase">
            <label for="purchase">Purchase</label>
          </td>
        </tr>

        <!-- Occupation Dropdown -->
        <tr>
```

```

<td><label for="occupation">Occupation:</label></td>
<td>
  <select id="occupation" name="occupation" required>
    <option value="" selected disabled>(select one)</option>
    <option value="student">Student</option>
    <option value="teacher">Teacher</option>
    <option value="developer">Developer</option>
    <option value="other">Other</option>
  </select>
</td>
</tr>

<!-- Junk Emails Radio Buttons -->
<tr>
<td>Want us to send you junk emails?</td>
<td>
  <input type="radio" id="absolutely" name="junk_email" value="absolutely" required>
  <label for="absolutely">Absolutely</label><br>
  <input type="radio" id="noway" name="junk_email" value="no_way_man">
  <label for="noway">No way man</label>
</td>
</tr>

<!-- Submit and Reset -->
<tr>
<td colspan="2" align="center">
  <input type="submit" value="Submit">
  <input type="reset" value="Reset">
</td>
</tr>
</table>
</div>
</form>
</body>
</html>

```

**OUTPUT :**

## Visitors Information

|                                                                           |                                                                        |
|---------------------------------------------------------------------------|------------------------------------------------------------------------|
| Email Address:                                                            | <input type="text"/>                                                   |
| User's interest (web for):                                                | <input type="checkbox"/> Research<br><input type="checkbox"/> Purchase |
| Occupation:                                                               | (select one) ▾                                                         |
| Want us to send you junk emails?                                          | <input type="radio"/> Absolutely<br><input type="radio"/> No way man   |
| <input type="submit" value="Submit"/> <input type="reset" value="Reset"/> |                                                                        |

3. Write a HTML program to create an online registration form which captures the following data:
- Username, Password, Confirm password, Name using textboxes.
  - Gender by radio buttons.
  - Address should be taken by multiple line inputs from the user.
  - Finally the Profession should be provided by selecting from the drop down box.
  - Make sure the contents of the page is aligned in the middle.
  - Group on Forms to a single web page providing separate div tags for each forms.
  - Apply the HTML 5 attributes on Forms Sample Attributes : email, placeholder, required, multiple.

**Answer :**

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <title>Online Registration Form</title>
</head>

<body>
  <center>
    <h1 style="text-align: center;">Online Registration Form</h1>
    <hr>
    <form method="post" style="max-width: 400px; ">
      <div>
        <label for="username">Username:</label>
        <input type="text" id="username" name="username" required><br><br>
      </div>

      <div>
        <label for="password">Password:</label>
        <input type="password" id="password" name="password" required><br><br>
      </div>

      <div>
        <label for="confirm_password">Confirm Password:</label>
        <input type="password" id="confirm_password" name="confirm_password"
required><br><br>
      </div>

      <div>
        <label for="name">Name:</label>
        <input type="text" id="name" name="name" required><br><br>
      </div>

      <div>
        Gender:<br>
```

```

        <input type="radio" id="male" name="gender" value="male" required>
        <label for="male">Male</label><br>
        <input type="radio" id="female" name="gender" value="female">
        <label for="female">Female</label><br>
        <input type="radio" id="other" name="gender" value="other">
        <label for="other">Other</label><br><br>
    </div>

    <div>
        <label for="address">Address:</label><br>
        <textarea id="address" name="address" rows="4" cols="40" required></textarea><br><br>
    </div>

    <div>
        <label for="profession">Profession:</label><br>
        <select id="profession" name="profession" required>
            <option value="" selected disabled>(select one)</option>
            <option value="student">Student</option>
            <option value="engineer">Engineer</option>
            <option value="teacher">Teacher</option>
            <option value="designer">Designer</option>
            <option value="other">Other</option>
        </select><br><br>
    </div>

    <div>
        <input type="submit" value="Register">
        <input type="reset" value="Reset">
    </div>
</form>
</center>
</body>
</html>

```

### OUTPUT :

## Online Registration Form

Username:

Password:

Confirm Password:

Name:

Gender:

- ☐ Male  
☐ Female  
☐ Other

Address:

Profession:  
(select one) ▼

4. Write a HTML program to display the HTML page as described below:
- Create a page which is divided in 3 parts. 30% horizontally on top and the rest 70 % below is split vertically in 2 parts again 30 % and 70% each
  - The Top header frame should display an image
  - Left side below frame should have a menu of “Font” and “Alignment”.
  - If we click on “Font” link a different page which contains 5 different fonts with font’s names should be shown on the RHS
  - If we click on “Alignment” link a different page which contains a different alignment type should be shown on the RHS frame.
  - For this create 2 webpages named Font and Alignment.
  - Font page should have 5 names of different fonts displayed like this  
Agency FB  
Cambria  
Elephant
  - Alignment page should have sample text aligned to different alignments

Answer :

header.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Header</title>
</head>
<body>
  
</body>
</html>
```

font.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Fonts</title>
</head>
<body>
  <p style="font-family:Agency FB;">Agency FB</p>
  <p style="font-family:Cambria;">Cambria</p>
  <p style="font-family:Elephant;">Elephant</p>
  <p style="font-family:Arial;">Arial</p>
  <p style="font-family:Courier New;">Courier New</p>
</body>
</html>
```

### alignment.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Alignment</title>
</head>
<body>
  <p align="left">This is Left aligned text.</p>
  <p align="center">This is Center aligned text.</p>
  <p align="right">This is Right aligned text.</p>
  <p align="justify">This is Justified text that spreads evenly across the width of the page.</p>
</body>
</html>
```

### blank.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Blank</title>
</head>
<body>
  <p>Select an option from the menu.</p>
</body>
</html>
```

### menu.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Menu</title>
</head>
<body>
  <h3>Menu</h3>
  <a href="font.html" target="rightFrame">Font</a><br><br>
  <a href="alignment.html" target="rightFrame">Alignment</a>
</body>
</html>
```



## index.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Frames Example</title>
</head>
<frameset rows="30%,70%">
  <!-- Top frame (image) -->
  <frame src="header.html" name="topFrame">

  <!-- Bottom frames (left menu + right content) -->
  <frameset cols="30%,70%">
    <frame src="menu.html" name="leftFrame">
    <frame src="blank.html" name="rightFrame">
  </frameset>
</frameset>
</html>
```

## OUTPUT :

