

Assignment – 5

1. Create a webpage that displays the paragraph with a total width of 250pixels.

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <title>Paragraph_Style1</title>
  <style>
    p {
      width: 250px;
      border: 1px solid #000000;
    }
  </style>
</head>
<body>
  <p>
    A paragraph whose content container (width)
    is set to 250 pixels.
  </p>
</body>
</html>
```

2. Create a webpage that displays the paragraph with the following properties.

- Set the width of the border as 10 Pixels.
- Set the style of the border as dotted.
- Set the color of the border as #0000ff

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <title>Paragraph_Style2</title>
  <style>
    p {
      border-width: 10px;
      border-style: dotted;
      border-color: #0000ff;
      width: 300px;
      padding: 10px;
    }
  </style>
</head>
<body>
  <p>
    This paragraph has a 10-pixel dotted border
    in blue (#0000ff).
  </p>
</body>
</html>
```

3. Create a webpage that displays the paragraph with the following margin properties.

- Set the top margin as 2em
- Set the bottom margin as 25%

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <title>Paragraph_Style3</title>
  <style>
    p {
      margin-top: 2em;
      margin-bottom: 25%;
      width: 300px;
      border: 1px solid #999;
      padding: 5px;
    }
  </style>
</head>
<body>
  <p>
    This paragraph has a top margin of 2 em and
    a bottom margin of 25%.
  </p>
</body>
</html>
```

4. Create a webpage that displays three paragraphs with the following margin properties.

- Set the top margin as 3cm for first paragraph
- Set the bottom margin as 5cm for first paragraph
- Set the left margin as 2cm for second paragraph
- Set the top margin as 25% for third paragraph

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <title>Paragraph_Style4</title>
  <style>
    .first {
      margin-top: 3cm;
      margin-bottom: 5cm;
      border: 1px solid #666;
      padding: 5px;
    }
    .second {
      margin-left: 2cm;
      border: 1px solid #666;
      padding: 5px;
    }
    .third {
      margin-top: 25%;
      border: 1px solid #666;
      padding: 5px;
    }
  </style>
</head>
<body>
  <p class="first">
```

First paragraph: top margin 3 cm, bottom margin 5 cm.

</p>

<p class="second">

Second paragraph: left margin 2 cm.

</p>

<p class="third">

Third paragraph: top margin 25%.

</p>

</body>

</html>

5. Create a webpage that displays four paragraphs with the following padding properties.

- Set the left padding as 3cm for first paragraph
- Set the right padding as 50% for second paragraph
- Set the bottom padding as 25% for third paragraph
- Set the top padding as 25% for fourth paragraph

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <title>Paragraph_Style5</title>
  <style>
    .one {
      padding-left: 3cm;
      border: 1px solid #444;
    }
    .two {
      padding-right: 50%;
      border: 1px solid #444;
    }
    .three {
      padding-bottom: 25%;
      border: 1px solid #444;
    }
    .four {
      padding-top: 25%;
      border: 1px solid #444;
    }
    p {
      margin: 10px 0;
    }
  </style>
```

```
</head>
<body>
  <p class="one">
    Paragraph 1: left padding 3 cm.
  </p>
  <p class="two">
    Paragraph 2: right padding 50%.
  </p>
  <p class="three">
    Paragraph 3: bottom padding 25%.
  </p>
  <p class="four">
    Paragraph 4: top padding 25%.
  </p>
</body>
</html>
```