1. The probability of a leap year selected at random contain 53						
Sunday is:						
(a) 53/366	(b) 1/7	(c) 2/7	(d) 53/365			
2. A bag contains 3 red and 2 blue marbles. A marble is drawn at						
random. The prol	bability of draw	ving a black ball	is:			
(a) 3/5	(b) 2/5	(c) 0/5	(d) 1/5			
3. The probabilit	y that it will rai	in tomorrow is 0	0.85. What is the			
probability that it	will not rain to	omorrow				
(a) 0.25	(b) 0.145	(c) 3/20	(d) none of these			
4. What is the pr	obability that a	number select	ed from the numbers			
(1, 2, 3,,15) is a multiple (of 4?				
(a) 1/5	(b) 4/5	(c) 2/15	(d) 1/3			
5. What are the						
		(c) 8				
-		number selecte	ed at random from the			
numbers (1,2,3, .						
, ,		1 7	(d) none of these			
7. The sum of th						
		0 (d) non				
_	_	are given; choos	se the correct answer			
for that which is a						
			(d) none of these.			
		ultaneously, tha	an the probability of			
getting at least tw						
(a) 1/4	(b) 3/8	(c) $\frac{1}{2}$	(d) 1/8			
10. A letter is ch						
ASSASSINATION	ON�. The prob	bability that the	letter chosen has:			
(a) 6/13	(b) 7/13	(c) 1	(d) none of these.			
	_	· ·	ting an even number.			
(A) 2/3	(B) 1	(C) 5/6	(D) 1/2			
12. Two coins are thrown at the same time. Find the probability of getting both heads.						
(A) 3/4 (B) 1/4		(D) 0				
13. Two dice are thrown simultaneously. The probability of getting a						

sum of 9 is:

(A) 1/10	(B) 3/10	(C) 1/	9 (D)	4/9			
14. 100 cards are numbered from 1 to 100. Find the probability of getting a prime number.							
(A) 3/4	(B) 27/50	(C) 1/4	(1	D) 29/100			
of drawing blue balls in	a blue ball is o n a bag is:	louble that o	f a red ball, t	lf the probability hen the number of			
(A) 5	(B) 10	(C) 15	(D) 20				
taken out a	ve bulb is:		nen the proba	s. One bulb is ability that it is			
(A) 143/150	(D) 14	// 130 ((C) 1/23	(D) 1/30			
17. Cards marked with numbers 2 to 101 are placed in a box and mixed thoroughly. One card is drawn from this box randomly, then the probability that the number on card is a perfect square. (A) 9/100 (B) 1/10 (C) 3/10 (D) 19/100							
18. What is the probability of getting 53 Mondays in a leap year? (A) 1/7 (B) 53/366 (C) 2/7 (D) 7/366							
probability	is drawn from of getting a ki (B) 3/26 (ng of red su	it.	2 cards. Find the			
equally like 1,2,312	· -	rest pointing	to one of the twill point to	e number an odd number is	2		
21. A game consists of tossing a one rupee coin 3 times and noting its outcome each time. Aryan wins if all the tosses give the same result i.e. three heads or three tails and loses otherwise. Then the probability that Aryan will lose the game. (A) $3/4$ (B) $1/2$ (C) 1 (D) $1/4$							

22. Riya and Kajal are friends. Probability that both will have the same birthday is the same birthday is: (A) 364/365 (B) 31/365 (C) 1/365 (D) 1/133225						
(1) 504/505	(b) 31/30	(0) 1/303	(b) 1/ 100220			
2. Then the	er x is chosen at probability that x B) 2/5 (C) 3/5	² < 2 is?	numbers -2, -1, 0 , 1,			
24. A jar contains 24 marbles. Some are red and others are white. If a marble is drawn at random from the jar, the probability that it is red is 2/3, then the number of white marbles in the jar is: (A) 10 (B) 6 (C) 8 (D) 7						
25. A number is selected at random from first 50 natural numbers. Then the probability that it is a multiple of 3 and 4 is: (A) $7/50$ (B) $4/25$ (C) $1/25$ (D) $2/25$						
26. Consider a dice with the property that that probability of a face with n dots showing up is proportional to n. The probability of face showing 4 dots is?						
a) $\frac{1}{7}$	b) $\frac{5}{42}$	c) $\frac{1}{21}$	d) 4/21			
27. Runs scored by batsman in 5 one day matches are 50, 70, 82, 93, and 20. The standard deviation is						
a) 25.79	b) 25.49	c) 25.29	d) 25.69			
28. Find median and mode of the messages received on 9 consecutive days 15, 11, 9, 5, 18, 4, 18, 13, 17.						
a) 13, 15	b) 13, 18	c) 18, 15	d) 13, 16			
29. A coin is tossed up 4 times. The probability that tails turn up in 3 cases is						
		c) $^{1}\!/_{4}$ and 3. The value (of E(X ²) is			
a) 8	b) 7		d) 9			
31. The random variables X and Y have variances 0.2 and 0.5						

respectively. Let Z= 5X-2Y. The variance of Z is?

32.Out of the probability?		alues, which	one is not poss	sible in
a) $P(x) = 1$ c) $P(x) = 0.5$	b) ∑ x d) P(x	P(x) = 3 $x) = -0.5$		
33.If E(x) =	2 and E(z) = 4 b) 6	, then E(z – c) 0	•	sufficient data
34.The cov	ariance of two	independer	nt random varial	ole is
a) 1	b) 0	c) - 1	d) Uı	ndefined
35.If Σ P(x) a) 0	b) 1	the value o		sufficient data
• •	0.5 and x = 4, tb) 0.5	, ,	? d) 2	
37.In a disc is always?	rete probabilit	y distributio	on, the sum of a	ll probabilities
a) 0	b) Infinite	c) 1	d) Un	defined
38.If the pr variance.	obability of hit	ting the tar	get is 0.4, find n	nean and
	b) 0.6, (0.24	c) 0.4, 0.16	d) 0.6, 0.16
-	% and if 10 boı	mbs are dro	•	ce will strike the n and variance? d) 4, 1.6
a) 2		c) 8	d) 1 or standard norn	nal distribution?

c) 5

d) 7

a) 3

b) 4

a) Mean is 0 and variance is 1 b) Mean is 1 and variance is 0 c) Mean is 0 and variance is ∞ d) Mean is ∞ and variance is 0								
		of a rand b) E(X			•		d) (E(X))2	
	43.Mean of a random variable X is given by a) $E(X)$ b) $E(X2)$ c) $E(X2) - (E(X))2$ d) $(E(X))2$							
44.Mean of a constant 'a' is a) 0								
45.\ a) 0		of a cons b) a	tant 'a' is	c) a/2		d) 1		
46.Find the mean and variance of X?								
	Х	0	1	2	3	4		
	f(x)	1/9	2/9	3/9	2/9	1/9		
a) 2	, 4/3	b) 3	, 4/3	C	e) 2, 2/3	·	d) 3, 2/3	

47. Find the expectation of a random variable X?

	X	0	1	2	3	
	f(x)	1/6	2/6	2/6	1/6	
a) ().5		b) 1.5		c) 2.5	d) 3.5

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by



c) np2q

d) npq2

- 49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use **Binomial Distribution.**
- a) P(X = x) = nCx px qx
- b) P(X = x) = nCx px q(n-x)
- c) P(X = x) = xCn qx p(n-x)
- d) P(x = x) = xCn pn qx
- 50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard **Deviation?**

- a) \sqrt{np} b) \sqrt{pq} c) (np)2