BUILT WITH CLAUDE, THREE.JS AND KLING

HOW TO BUILD THREE TOWERS

YOU CHOOSE THE VIEW



THE FULL BLUEPRINT


EVERY PROMPT AND EVERY FILE,
FROM ONE PHOTO TO THE CLIENT

OMNYA LAB

START HERE

EVERYTHING
IN THIS GUIDE

This is the whole method behind our three towers on the lagoon, the page where you pick Front, Side, Back, Rooftop or Above the clouds and the drone flies there through one continuous shot. Every step, prompt, number and line of code in these pages comes from those towers.



THE CHOOSE YOUR VIEW PAGE

WHAT YOU NEED

- **Claude Code** and **three.js**, both free, for the 3D and the page
- **Nano Banana Pro** on Higgsfield for the photos
- **Kling 4.0 video edit** on Higgsfield for the clips
- **ffmpeg**, free, for the grade and the video
- A free **Vercel** account to put it online

WHAT IT COST US

- Six clips on Kling 4.0 video edit, 5 seconds at 1080p, **20 credits a clip**
- Two clips made again, **160 credits in all**
- The photos on Nano Banana Pro on the unlimited plan

- No 3D software, no render farm, no drone

THE CHAPTERS

00 The fast way: hand it to Claude Code

01 The photo that sets the towers

02 The towers in code

03 The fog, the water and the light

04 Seven keyframes, one loop

05 Six photos, camera locked

06 Six clips, start and end

07 The grade and the master

08 The choose your view page

09 Delivery and what to charge



CHAPTER 00

THE FAST WAY

Put this PDF in an empty folder, open Claude Code in it and paste the prompt below. Claude reads the guide and walks you through it one step at a time, waiting for your OK after each one.

PROMPT 00 · CLAUDE CODE · THE WHOLE METHOD

```
I bought the Full Towers Blueprint "How to build three towers you
choose the view of" by Omnya Lab. The PDF is in this folder: read it
page by page, from chapter 01 to chapter 09, before you do anything.

I want what Omnya Lab did with their three towers: one photo that
sets the towers, the same towers copied in three.js with fog, water
and a low sun, a camera that flies through seven keyframes in one
loop with no cut, one photo per keyframe with the camera locked on
the 3D, one clip per passage on Kling video edit, one graded video,
and a page where people pick a view and the drone flies there,
forwards or backwards.

First ask me about my version: the towers (how many, style,
materials, where they stand), the views I want, the words on the page
and my brand. Then follow the PDF in order. After every step show me
the result in the browser and wait for my OK before the next one. Use
the prompts and the code in the PDF as they are, changing only the
parts about my project.
```

Claude is good at the code: it writes the towers, the fog, the camera path, the 3D videos, the grade and the page. The photos and the clips you make yourself on Higgsfield with the prompts in chapters 05 and 06, because that is where your eye matters: you decide which photo is right before anything goes on.

> **Keep the chapters in order. Every step uses the result of the one before, and the most common mistake is going to the clips with photos that do not match the 3D.**



CHAPTER 01

THE PHOTO THAT SETS THE TOWERS

One photo of the towers across the lagoon at sunset sets the shapes, the glass, the crowns and the light. Every other view is checked against it.



THE FRONT VIEW, THE PHOTO EVERYTHING IS CHECKED AGAINST

Choose the photo from low, across the water, with the whole height of the towers and a lot of sky, because that is the view people know first and the one the loop comes back to. Then fix only what you want different, one change at a time, always keeping the photo pixel for pixel. Ours needed new crowns.

PROMPT 01 · NANO BANANA PRO · 16:9 · THE CROWNS


```
Image 1 is a real photograph. Keep it exactly as it is, pixel for
pixel: same camera, same framing, same towers, same lagoon, beach,
sea and sky, same light and colours. Change only one thing: at the
top of each of the three towers, the crown of vertical fins becomes a
smooth champagne bronze screen band set slightly back from the
facade, about two floors tall, with soft vertical bands of light and
shade and a gently curved top edge, higher at the two ends and lower
in the middle, standing directly on the last glass floor, the same on
every tower. Natural colour like a Kodak Portra 400 film scan, fine
film grain.
```

For the vertical version of the same photo, put it in a taller frame with grey bands and ask Nano to fill only the bands, so the towers do not move by a pixel.

PROMPT 01B · NANO BANANA PRO · 9:16 · THE TALLER FRAME

```
Image 1 is a real photograph placed in a taller vertical frame, with plain grey bands at the top and at the bottom. Keep the photograph exactly as it is, pixel for pixel: same towers, same camera, same light, same colours. Fill only the grey band at the top by continuing the same sky upward, clear blue with a few soft warm clouds on the left, and fill only the grey band at the bottom by continuing the same sandy beach, dune grass and calm lagoon water toward the camera, matching the light, grain and focus of the photograph so the joins are invisible. Natural colour like a Kodak Portra 400 film scan, fine film grain.
```

> **One change per prompt.** **When we asked for the crown and anything else in the same edit, the photo came back with the towers moved.**



CHAPTER 02

THE TOWERS IN CODE

Claude copies the photo in three.js, in real metres, so every view can come from the same towers with the right heights.

PROMPT 02 · CLAUDE CODE · THE TOWERS

Copy the three towers in this photo in three.js, in real metres. Each tower is a stack of glass blocks set slightly off one another like steps, floors of 3.6 metres, with a double-height open terrace between the blocks with a dark core, slim white columns and trees on the edge. Every floor gets a thin white slab edge and deep balconies in staggered runs. On top, a champagne crown band about two floors tall, set back from the facade, with the machines hidden inside; on the central tower, a roof terrace with a dark pool facing the right tower.

Keep the heights and the sides of the photo: from the front they climb from left to right, the right tower the tallest. Put them on a low podium with roof gardens and palms, a promenade and a beach, a round lagoon closed by a curving spit of sand, the open sea behind and a lower city around them in the haze.

Give every material a texture measured in metres, so the facade tile is always 12 by 36 metres and nothing stretches when the camera gets close.

CODE · THE THREE TOWERS, BLOCK BY BLOCK

```
// one tower: blocks from the bottom up, each [dx, dz, width, depth,
floors, wing]
const T1 = [-88, -6], T2 = [2, -38], T3 = [92, -2];
tower(1, T1[0], T1[1], 0, [[6, 0, 36, 34, 30, [-1, 22, 30, 24, 2]],
                           [8, 0, 32, 32, 34]], 6.5);
tower(2, T2[0], T2[1], 0, [[4, 0, 36, 34, 25, [-1, 18, 30, 19, 3]],
                           [-1, 0, 38, 32, 20], [3, 0, 32, 30, 23]],
5);
tower(3, T3[0], T3[1], 0, [[4, 0, 40, 36, 26, [-1, 20, 32, 21, 2]],
                           [-4, 0, 44, 34, 19, [1, 12, 26, 13, 0]],
                           [3, 0, 40, 32, 16], [-1, 0, 34, 30, 17]],
7);
```

Each tower is a list of blocks from the bottom up, with its width, its depth and its floors, and between two blocks the code puts a double-height planted terrace. The left tower has 64 floors in two blocks, the central one 68 in three, the right one 78 in four: from the front they climb from left to right like in the photo, and from behind the tallest is on the left, which is exactly what the back view prompt in chapter 05 says.



THE 3D FROM THE FRONT VIEW



THE PHOTO

> **The 3D does not need to be pretty. It needs the right shapes, the right heights and the right sides, because Nano dresses it later: the camera and the lines come from the 3D, the look from the photo.**



CHAPTER 03

THE FOG, THE WATER AND THE LIGHT

The fog is what makes the loop: the camera starts above it, goes down through it to the water and closes it again on the way up.

PROMPT 03 · CLAUDE CODE · LIGHT AND FOG

Light the scene like the photo: the sun low on the left a few minutes before sunset, a sky with a warm glow near the horizon, real water with reflections, and soft shadows.

After the scene, add a layer of fog drawn as a raymarch over the finished picture, warm where the sun hits it and blue-grey in its folds, with its top at 168 metres so only the tops of the towers rise out of it, and a distance haze that softens the city.

CODE · THE LIGHT OF THE PHOTO

```
// the light of the photo: sun 3 degrees up, 50 degrees to the left
of the camera
A: { sunEl: 3, sunAz: -50, turb: 10, ray: 2.5, mie: 0.006, mieG:
0.86, exp: 0.6,
     sunCol: 0xffc48a, sunI: 8, hemi: [0xbcd2ff, 0x8a6a4a, 0.75],
     fogLit: [1.05, 0.86, 0.70], fogShade: [0.42, 0.45, 0.55], haze:
[0.95, 0.80, 0.66] }
```

The fog is drawn after the scene, over the finished picture, as a layer that the code walks through pixel by pixel: under 168 metres it is thick, above it only the tops of the towers stand out, and its colour mixes a warm side toward the sun and a blue-grey side in the shade. A slow noise moves it so it is never a flat wall.



3D · ABOVE THE FOG



PHOTO · ABOVE THE FOG

> **Take the city away in the passages close to the towers (we call it nocity). The low blocks around them confused Kling, which turned them into extra towers.**



CHAPTER 04

SEVEN KEYFRAMES, ONE LOOP

Every view is a keyframe, every passage starts on the frame where the one before ended, and the last one flies back into the first.

PROMPT 04 · CLAUDE CODE · THE CAMERA PATH

Give the camera seven keyframes: K6 straight from above the roofs, K0 above the fog, K2 the three towers from the water, K3 the left tower whole with the camera higher, K4 a drone behind the towers looking at the lagoon and the sea, K5 on the roof terrace of the central tower looking at the right tower, and back to K6.

Make the camera fly from each keyframe to the next with no cut: straight, through a waypoint, or around the central tower, with an ease in and out. The fog opens as the camera comes down to the water and closes again on the way up. Add __render(state, second) so I can save any frame as a JPG, and a way to record each passage as a 5 second video.

CODE · THE KEYFRAMES, POSITION AND TARGET IN METRES

```
{ p: V(−175, 430, 700), q: V(8, 210, −20), fov: 34 },   // K0 above the fog
{ p: V(−120, 8, 760),   q: V(14, 150, −20), fov: 46 },  // K2 from the water
{ p: V(T1.x − 170, 150, 560), q: V(0, 168, −15), fov: 44 }, // K3 the left tower
{ p: V(10, 205, −600),  q: V(5, 165, 0), fov: 46 },     // K4 behind, the lagoon
{ p: roof, q: V(T3.x − 6, T3.top − 34, T3.z − 4), fov: 80 }, // K5 roof terrace
{ p: V(4, 560, −12),    q: V(4, 0, −24), fov: 44 },     // K6 straight above
```

CODE · THE PASSAGES

```
// the loop: K6 > K0 > K2 > K3 > K4 > K5 > K6, no cut
{ dur: 3.0, cam: t => seg(K[6], K[0], easeIO(t / 3.0), { via: V(−90, 560, 560) }) },
{ dur: 4.0, cam: t => seg(K[0], K[2], easeIO(t / 4.0), { via: V(−150, 140, 760) }),
  fog: t => { const e = easeIO((t / 4 − 0.42) / 0.5); return { amt: 1 − e, top: 168 − e ∗ 60 }; } },
{ dur: 3.5, cam: t => seg(K[2], K[3], easeIO(t / 3.5), { via: V(T1.x − 70, 30, 420) }) },
{ dur: 4.0, cam: t => seg(K[3], K[4], easeIO(t / 4.0), { orbit: V(T2.x, 0, T2.z), dir: 1 }) },
{ dur: 3.5, cam: t => seg(K[4], K[5], easeIO(t / 3.5), { via: V(T2.x − 6, T2.top + 22, T2.z − 40) }), nocity: true },
{ dur: 4.5, cam: t => seg(K[5], K[6], easeIO(t / 4.5), { via: V(30, 560, 120) }) },
```

Three kinds of move are enough: straight, through a waypoint that bends the line, and around the central tower for the side view. Each passage lasts 3 to 4.5 seconds in the 3D and becomes a 5 second video, the camera move Kling copies in chapter 06.

> **Nothing jumps: K5 to K6 ends exactly where K6 to K0 starts. If one keyframe moves, the photos of the two passages around it have to be made again.**



CHAPTER 05


SIX PHOTOS,
CAMERA LOCKED

The 3D frame of every keyframe becomes a real photo, with the camera exactly where the 3D put it.



01 FRONT VIEW

3D on the left, the photo on the right



02 SIDE VIEW

3D on the left, the photo on the right



03 BACK VIEW

3D on the left, the photo on the right



04 ROOFTOP

3D on the left, the photo on the right



05 STRAIGHT ABOVE

3D on the left, the photo on the right



06 ABOVE THE CLOUDS

3D on the left, the photo on the right

PROMPT 05 · NANO BANANA PRO · 16:9 · ONE VIEW, FROM THE 3D ONLY

```
Image 1 is the exact frame of this photograph. Keep the camera
position, height, lens, framing and the outline of every building
exactly as in Image 1, at the same size and in the same place; only
surfaces, light and realism change. Three residential towers on a
lagoon in Miami. Each tower is a stack of glass blocks set slightly
off one another like steps, with double-height open planted terraces
between the blocks, slim white columns and trees in them. Facades:
floor-to-ceiling glass in single uninterrupted panels, ultra-clear
low-iron glass reflecting the sky in silver-blue, slim dark bronze
frames; every floor has a thin white honed limestone slab edge, and
deep balconies in staggered runs with slim dark bronze handrails.
Each tower ends in a crown of vertical champagne bronze fins. Seen
from a helicopter high above a thick sea of low cloud: the cloud bank
covers the city and the water completely, and only the upper blocks
and crowns of the three towers rise out of it. The top of the cloud
is soft and rolling, bright and lit warm by the low sun on the left,
with blue-grey shadows in its folds. A thin band of warm haze and
pale sky at the very top of the frame. The sun is low on the left, a
few minutes before sunset: warm light rakes across the left faces of
the towers and catches the slab edges, the right faces sit in cool
blue shade, the sky is clear blue above and fades to a soft apricot
glow low on the left. Editorial architecture photograph in the spirit
of Iwan Baan, natural colour like a Kodak Portra 400 film scan,
gentle highlight roll-off, fine film grain.
```

That is the prompt of the view above the clouds: the 3D frame is Image 1 and the words carry the towers and the light. For the back view we added two good photos as Image 2 and Image 3, only for the light and the crowns, and said so in the prompt.

PROMPT 05B · NANO BANANA PRO · THE BACK VIEW, WITH REFERENCES

```
Image 1 is the exact frame of this photograph. Keep the camera
position, height, lens, framing and the outline, height and place of
every building exactly as in Image 1; only surfaces, light and
realism change. The tower on the left is the tallest, a few floors
taller than the others; the central tower is the lowest; the tower on
the right is in between, exactly as in Image 1. Image 2 and Image 3
are real photographs of the same three towers: use them for the
light, the colours, the sky, the glass, the white balconies, the
crowns and the planting; the camera is only Image 1, the cameras of
Image 2 and Image 3 are gone. Three residential towers seen from a
drone behind them at mid height, standing whole from their low podium
to their crowns. [...the same tower, crown, lagoon and light lines as
above...]
```

WHAT WE LEARNED

- **Same heights and same side as the 3D.** Our first back view had the tallest tower on the right, while in the 3D from behind it is on the left: Kling invented towers to join them, and two clips were made again.
- **A strong photo as Image 3 takes over the framing.** Keep the references for light and materials, and write that their camera is gone.
- **Edits with the main photo as Image 2 give back the main photo.** To change one thing on a view, edit that view alone.



CHAPTER 06

SIX CLIPS,
START AND END

The 3D video gives the move, the two photos give the first and the last frame, and Kling makes it real.

SETTING	VALUE
Model	Kling 4.0 video edit
Input video	the 3D passage, 5 s
Start · end	the two photos
Size	1080p, 16:9, 5 s
Cost	20 credits

PROMPT 06 · KLING 4.0 VIDEO EDIT · EVERY CLIP

```
Use the input video only for the camera move: same path, same speed
and same framing at every moment. The video starts exactly on the
start image and ends exactly on the end image. The three residential
towers, their champagne bronze crowns, the glass and white balconies,
the lagoon, the sea and the warm low sun on the left stay exactly as
in the two images. Real drone footage. [the move of this passage]
Smooth stable camera, real speed, no particles, no sparkles, no
glitter, no magic effects.
```

THE MOVE OF EACH PASSAGE

01 **Fog to front view.** The drone descends from above a sea of low cloud where only the tops of the three towers rise, flies down through the cloud so that everything turns soft white for a moment, then comes out low over the lagoon in front of the towers while the cloud thins and disappears, and settles on the front view of the three towers across the water.

02 **Front to angled view.** The drone rises slowly and arcs to the left and forward, from the beach view to a higher angled view of the three towers, revealing the lagoon and the sea behind them.

03 **Angled view to the back.** Slow aerial drone orbit to the right around the three towers, passing beside them and ending on the far side, looking at the three towers with the round lagoon, the curving sand spit and the open sea behind; waves roll softly on the beach.

04 **The back to the roof terrace.** The drone rises along the towers and flies over the top of the central tower, then settles at eye height on its roof terrace, looking across the dark pool, the teak loungers, the umbrella and the planters toward the crown of the right tower; the umbrella canvas and the leaves move softly in the breeze.

05 **Roof terrace to straight above.** From the roof terrace the drone lifts off and climbs high above the towers, slowly turning to look straight down; as it climbs a sea of low cloud forms and rises around the towers, then settles below so only the three roofs stand above the cloud.

06 **Straight above to the fog.** From straight above the three roofs over the cloud, the drone slowly tilts up and pulls back to a high oblique view where only the tops of the three towers rise out of the rolling sea of cloud, lit warm by the low sun.



START · FRONT VIEW



END · ANGLED VIEW

After every clip we took its first and last frame and put them next to the two photos. The start of the next clip is the real last frame of the one

before, taken from the video file, never a photo that looks close, so the joins do not jump.

> **Always give the end frame and always 5 seconds. Without the end frame Kling chooses its own view, and the loop does not close.**



CHAPTER 07

THE GRADE AND THE MASTER

Six clips become one video, graded once, and a second copy of it played backwards.

TERMINAL · GRADE, JOIN, REVERSE

```
# the grade: light curves and a touch of vibrance, 1440p for the
page, sharpened
GR="curves=all='0/0 0.25/0.23 0.75/0.78 1/1',vibrance=intensity=0.15"
ffmpeg -i clip1.mp4 -an -vf
"$GR,scale=2560:1440:flags=lanczos,cas=strength=0.5" \
  -c:v libx264 -crf 16 -preset slow -pix_fmt yuv420p k1.mp4      #
the same for clip 2 to 6
ffmpeg -f concat -safe 0 -i list.txt -c copy -movflags +faststart
giro.mp4
# the same tour backwards, for the page
ffmpeg -i giro.mp4 -vf reverse -an -c:v libx264 -crf 16 -movflags
+faststart giro_rev.mp4
# a lighter copy for phones
ffmpeg -i giro.mp4 -vf scale=1920:1080 -c:v libx264 -crf 20 -movflags
+faststart giro_1080.mp4
```

The grade is light on purpose: a soft S curve and 15 percent vibrance, so the sunset glows without turning orange. We joined the six clips in order (the tour is 30 seconds and closes on itself), scaled them to 1440p with a gentle sharpen for the page, and made a 4K master the same way for the reels.


FILE	USE
giro.mp4	1440p, the tour forwards
giro_rev.mp4	the same tour backwards
giro_1080.mp4	phones
4K master	reels and the client




CHAPTER 08

THE CHOOSE YOUR VIEW PAGE

One video forwards, the same video backwards, and a panel of views. A tap plays the shorter way and stops on the exact frame.



THE PAGE ON A PC



ON A PHONE

CODE · THE VIEWS AND THE TWO VIDEOS

```
// one video of six clips, 121 frames each at 24 fps: every view is
the end of a clip
const F = 121 / 24, D = 6 * F, EPS = 0.5 / 24;
const AT = k => k * F - EPS;              // the last frame of clip k
const VIEWS = [
  { name: 'Front view', t: AT(1) }, { name: 'Side view', t: AT(2) },
  { name: 'Back view', t: AT(3) },  { name: 'Rooftop', t: AT(4) },
  { name: 'Above the clouds', t: AT(5) }, { name: 'Aerial view', t:
0, fog: true },
];
// both videos go into memory, so a jump to a frame works on any
server
const load = (el, src) => fetch(src).then(r => r.blob())
  .then(b => { el.src = URL.createObjectURL(b); });
```

CODE · THE SHORTER WAY

```
const mod = x => ((x % D) + D) % D;
function go(i) {
  const tt = VIEWS[i].t;
  const fwd = mod(tt - t), back = mod(t - tt);   // seconds forwards,
seconds backwards
  const dir = fwd <= back ? 1 : -1;               // the shorter way
  fly(dir, dir > 0 ? fwd : back, () => { here = i; });
}
// fly: play the forward video (or the backward one, at D - t) for
exactly
// that many seconds, faster when the way is long (up to 3x), then
pause,
// set currentTime on the exact frame and put the other video on the
same frame
```

The page opens on the towers above the clouds. The first tap splits the Above the clouds card in two and shows Aerial view. A scroll or a swipe goes to the next view, and a second swipe during the flight carries on to the one after. The flight gets faster when the way is long, up to three times, so no tap waits more than a few seconds.

> **Load both videos into memory as blobs. Many hosts do not answer the byte ranges a video needs to jump to a frame, and the blob works everywhere.**



CHAPTER 09

DELIVERY AND WHAT TO CHARGE

The client gets one link that opens fast on every phone, and you keep the files.

The project is a static folder: an index.html, the two videos, the light copy for phones and six small pictures for the cards, with no build step. We put each client on their own Vercel project with their own subdomain, a CNAME record like 3d.client.com, so the link keeps working as long as they keep the hosting.

IF THEY WANT IT INSIDE THEIR SITE

CODE · THE IFRAME TO PASTE IN THEIR SITE

```
<iframe src="https://3d.client.com/" title="Choose your view"
  style="width:100%;height:100vh;border:0;display:block"
  allow="fullscreen; autoplay" loading="lazy"></iframe>
```

THE LAST CHECK

Open the online link on a phone with mobile data before you send it: the first picture has to be there at once and every view has to land on its frame.

WHAT WE CHARGE

- An interactive 3D like this one starts at **€1,990** on our price list
- **Hosting and updates** at €49 a month keeps the link online and changes the views or the words when they ask
- An **offline version** for a sales office, full quality on a screen with no Wi-Fi, is €490 more and only on request

> **Want us to build it for your project? Send the plans or a photo to info@omnyalab.com, the first image is free.**