


The Blueprint

How a rough 3D model becomes a real photo, in four steps.

A rough 3D
becomes a photo





Every project in our reels starts like the top picture: a quick 3D that Claude builds in the browser. Higgsfield turns it into the one below. Here are the four steps, the same ones we follow on paid work.

Step 1

The model gives the shape





The AI copies what it sees in the 3D: walls, openings, heights and where every piece stands. What it can't see, it makes up. So the shape comes from you, and the look comes after.

Step 1

No SketchUp? give Claude the measurements

Prompt — Claude


Build a 3D model of this room in three.js, in real metres: a living room 9 × 6 m, ceiling 3.2 m, a glass wall along the long side. A sofa 340 × 100 cm two metres from the glass, a coffee table 160 × 90 cm in front of it, a dining table for eight near the kitchen wall. Use real catalogue sizes. Give me an orbit camera at 1.6 m and keep the vertical lines straight.

Move the camera until you like the view, then take a screenshot. If you already have a model in SketchUp, Revit or Rhino, export the same view from there.

Ask Claude to keep the glass almost transparent. If the AI can’t see through it, it invents what’s outside.

Step 2

The camera
like a photographer




- Camera at 1.5 to 1.7 m, the height of your eyes.
- From a corner, on the diagonal, never straight down the middle of the room.
- Vertical lines straight, with no tilt.
- 24 to 28 mm for a normal room, 18 to 24 mm for a big open space.

Frame it in the 3D, because the AI keeps the camera you give it.

Step 3

Name 8 things
or you get beige

Whatever you leave out, the model fills with its favourite room: a travertine table, a linen sofa, linen curtains, all beige. In every interior name these eight, each with its material and its colour.



1	**Floor**	5	**Main piece** sofa, bed, island
2	**Walls**	6	**Table**
3	**Ceiling**	7	**Lamp**
4	**Windows** glass, frames, curtains	8	**Objects** one, or "bare"

Outside there are five: facade, paving, water, furniture and plants.


Step 3


Real samples never mood photos

On Higgsfield, with Nano Banana Pro, upload the 3D screenshot first, then one real sample for each material: the stone, the wood, the fabric. A mood photo gets copied whole, while a sample only gives its surface.

Prompt — Nano Banana Pro

Image 1 is the 3D: keep the camera, the walls, the openings and the place of every piece exactly as they are. Wide-plank fumed oak floor, oiled, deep honey-brown, as in image 2. A wall of book-matched Nero Marquina slabs floor to ceiling, as in image 3. A long low sofa in charcoal heavy linen… Sun from the left at four in the afternoon, long soft shadows on the floor. Editorial architecture photograph, natural colour like a Kodak Portra 400 film scan, fine film grain.





Step 3

Words to drop and what to write

Drop	Write
hyperrealistic, 8k, masterpiece	the real names of stones, woods and brands
cozy, warm and inviting	the colour of every surface
golden hour, cinematic lighting	where the sun is and what time it is
luxury, high-end	the sofa's maker, size and fabric
no plants, without curtains	only what you want to see


The last row matters most. The model reads the nouns and draws them even after a "no", so "no row of white sunbeds" gives you the row of sunbeds.


Step 4

Check it
before you send it

- Same walls, windows and doors as the 3D.
- Vertical lines straight.
- Shadows going one way, the way the hour says.
- Lamps hanging from real cables, chairs with all their legs.
- No invented text or logos, and no beige you didn't ask for.

If one check fails, don't edit the picture. Write the whole prompt again with the fix inside and generate from zero. Upscale only the image you keep.





Same camera
from 3D to photo





Casa Cresta, Los Angeles: a house that doesn't exist yet, seen from the same camera in the 3D and in the final image.

The full method is on our site

This is the short version. The playbooks have the exact words, the checks and what every step costs, and in a lesson we do it together on your project.

See the full method

omnyalab.com/learn · playbooks from €29

Send us your project

omnyalab.com · the first image is free