

```
<button class="add-to-cart-button  
button-primary">  
  Add to Cart <!--now we will  
  implement add to cart button  
  here -->  
</button>
```

```
</div>`; // ekhane paste korbo  
// tab press kore indexing thik
```

```
<button class="add-to-cart-button  
button-primary js-add-to-cart">  
  Add to Cart <!--now we will  
  implement add to cart button  
  here -->  
</button>
```

```
</div>`; // ekhane paste korbo  
// tab press kore indexing thik
```

```
document.querySelectorAll('.js-add-to-cart')  
  .forEach
```

```
  // All use korchhi and forEach loop
```

```
document.querySelectorAll('.js-add-to-cart')  
  .forEach((button)=>{ // add to cart holo ekta  
    button tai erokom naming. click er jonno event  
    listener  
    button.addEventListener('click',()=>{ // we want  
      to run another function when click  
      console.log('Added product'); // for checking  
    });  
  });
```

Quantity: 1 [Update](#) [Delete](#)

think about a cart a cart is basically just a list and inside this

Quantity: 1 [Update](#) [Delete](#)

the product that we want to buy and the quantity or the number

Delivery date: Wednesday, May 17



Intermediate Size Basketball

\$20.95

Quantity: 1 [Update](#) [Delete](#)

Delivery date: Wednesday, May 17






Adults Plain Cotton T-Shirt - 2 Pack

\$7.99

Quantity: 2 [Update](#) [Delete](#)

In JavaScript

```
const cart = [  
  {  
    product: 'Basketball',  
    quantity: 1  
  },  
  {  
    product: 'T-shirt',  
    quantity: 2  
  }  
]
```



amazon Search

Returns & Orders

How do we know which product to add?

```
innerHTML = productsHTML;  
  
document.querySelectorAll('.js-add-to-cart')  
  .forEach((button) => {  
    button.addEventListener('click', () => {  
      cart.push({  
        productName: 'Basketball',  
        quantity: 1  
      });  
    });  
  });
```

Data Attribute

Data Attribute

- is just another HTML attribute
- allows us to attach any information to an element

```
<button  
  class="add-to-cart-button  
  button-primary js-add-to-cart"  
  data-product-name="${product.  
name}">
```

```
  Add to Cart <!--now we will  
  implement add to cart button  
  here -->  
</button>  
</div>`; // ekhane paste korbo
```



Syntax for a Data Attribute

- is just an HTML attribute
- have to start with "data-"
- then give it any name

```
data-product-name="${product.name}">
```

Syntax for a Data Attribute

- is just an HTML attribute
- have to start with "data-"
- then give it any name

```
data-product-name="${product.name}">
```


(kebab-case)

but


141.94 × 33.86

```
data-product-image="${product.image}"
data-product-price="${product.priceCents}"
```

87 so the data set property basically gives us



87 us all the data attributes that are attached to this button



```
document.querySelectorAll('.js-add-to-cart')
  .forEach((button)=>{
    button.addEventListener('click', ()=>{
      console.log(button.dataset) ;
    });
  });
```


Uncaught Error: The message port closed before a response was received.

DOMStringMap {productName: 'Black and Gray Athletic Cotton Socks - 6 Pairs'} i

productName: "Black and Gray Athletic Cotton Socks - 6 Pairs"

[[Prototype]]: DOMStringMap

> ctrl i to turn on code suggestions. Don't show again



```
const productName = button.dataset.  
productName;  
cart.push({  
  productName: productName,  
  quantity: 1  
});  
console.log(cart);  
});
```

```
.forEach((button) => {  
  button. const productName: any => {  
    const productName = button.dataset.  
    productName;  
  
    cart.push ({  
      productName: productName,  
      quantity : 1  
    });  
    console.log(cart);  
  });  
});
```

```
⌕  ≡  | top ▼ | 👁  |  ⌵ Filter  Defi
▶ (2) [{...}, {...}]
▶ (3) [{...}, {...}, {...}]
▼ (4) [{...}, {...}, {...}, {...}] ⓘ
  ▶ 0: {productName: 'Black and Gray Athletic Cotton Socks - 6 Pairs', quantity: 1}
  ▶ 1: {productName: 'Intermediate Size Basketball', quantity: 1}
  ▶ 2: {productName: 'Adults Plain Cotton T-Shirt - 2 Pack', quantity: 1}
  ▶ 3: {productName: 'Adults Plain Cotton T-Shirt - 2 Pack', quantity: 1}
    length: 4
```

Steps

1. Check if the product is already in the cart.
2. If it is in the cart, increase the quantity.
3. If it's not in the cart, add it to the cart.

```

    productName,
    //----- update quantity only-----//
    let matchingItem;

    cart.forEach((item)=>{
        if(productName === item.productName){
            matchingItem = item;
        }
    })

    if(matchingItem){
        matchingItem.quantity +=1;
    }
    else{
        cart.push ({
            productName: productName,
            quantity : 1
        });
    }
    console.log(cart);
});
});

```

```

▼ [{...}] ⓘ
  ▶ 0: {productName: 'Intermediate Size Basketball', quantity: 4}
    length: 1
  ▶ [[Prototype]]: Array(0)

```


will have the same ID so let's use an ID



Intermediate Size Basketball

★★★★☆ 127

\$20.95

1

Add to Cart



Intermediate Size Basketball

★★★★☆ 223

\$19.99

1

Add to Cart

To fix this:

- give each product an id
- this id should be unique

```
[[Prototype]]: Array(0)
amazon.js:81
? ) [{...}, {...}] ⓘ
0: {productName: 'Intermediate Size Baske
1:
  productName: "Adults Plain Cotton T-Shi
  quantity: 2
▶ [[Prototype]]: Object
length: 2
```

```
matchingItem.quantity +=1;
}
else{
  cart.push ({
    productId: productId, // use productId
    // instead of productName
    quantity : 1
  });
}
```


JAVASCRIPT

- AmazonProject
 - backend
 - products.json
 - data
 - JS cart.js
 - JS products.js

AmazonProject > data > JS cart.js > ...

```
1 const cart = [];
```

```
</div>
<script src="data/cart.js"></script>
<script src="data/products.js"></script>
<!--it will run one by one 1st load data then go
<script src="scripts/amazon.js"></script>
```



Checkout (3 items)



Review your order

Order Summary

Items (3):	\$42.75
Shipping & handling:	\$4.99
Total before tax:	\$47.74
Estimated tax (10%):	\$4.77

Order total: \$52.51

Place your order

Steps

1. Calculate the quantity.
2. Put the quantity on the page.

```
let cartQuantity = 0;  
cart.forEach((item)=>{  
  cartQuantity += item.quantity;  
});
```

```
ass="cart-icon " src="images/icons/cart-icon.  
ass="cart-quantity js-cart-quantity">0</div>  
ass="cart-text">Cart</div>
```