Kodi changes diff

```
diff --git a/backend/src/modules/kodi/kodi.permissions.js b/backend/src/modules/kodi/kodi.permissions.js index 244268a8..e170e399 100644 ---
a/backend/src/modules/kodi/kodi.permissions.js +++ b/backend/src/modules/kodi/kodi.permissions.js @@ -13,6 +13,10 @@ const formatPermissions =
(rows) => {  const normalizeRole = (value) => String(value || '').toLowerCase().trim();  const ADMIN_ALIASES = new Set(['admin', 'super_admin',
'superadmin', 'system_admin', 'hr_admin']);   +const isAdminRole = (role) => ADMIN_ALIASES.has(normalizeRole(role)); + +const isTimesPage = (page)
=> ['record', 'app', 'home'].includes(page?.page_type); +  const resolveRole = (role) => {      const normalized = normalizeRole(role);      if
(ADMIN_ALIASES.has(normalized)) return 'admin'; @@ -31,5 +35,7 @@ const userHasViewAccess = (permissionMap, role) => {    module.exports = {
formatPermissions, -    userHasViewAccess +    userHasViewAccess, +    isAdminRole, +    isTimesPage  }; diff --git
a/backend/src/modules/kodi/kodi.runtime.js b/backend/src/modules/kodi/kodi.runtime.js index 050a327f..01a6999e 100644 ---
a/backend/src/modules/kodi/kodi.runtime.js +++ b/backend/src/modules/kodi/kodi.runtime.js @@ -1,10 +1,7 @@  const service =
require('./kodi.service');  const perms = require('./kodi.permissions'); - -const normalizeRole = (value) => String(value ||
'').toLowerCase().trim(); -const ADMIN_ALIASES = new Set(['admin', 'super_admin', 'superadmin', 'system_admin', 'hr_admin']); - -const isAdminRole =
(role) => ADMIN_ALIASES.has(normalizeRole(role)); +const portalService = require('../kodiPortal/kodiPortal.service'); +const portalPerms =
require('../kodiPortal/kodiPortal.permissions');    const buildRuntimePayload = async ({ pageId, role, userId, appId }) => {      const page = await
service.getPageById(pageId); @@ -19,22 +16,35 @@ const buildRuntimePayload = async ({ pageId, role, userId, appId }) => {      const appContextId =
appId || page.linked_app_id;      const app = appContextId ? await service.getAppById(appContextId) : null;   -    if (appId) { -        const
linkedPages = await service.listAppPages(appId); -        const isLinked = linkedPages.some((row) => String(row.page_id) === String(pageId)); -
if (!isLinked) { +    let effectiveRole = role; +    const isAdmin = perms.isAdminRole(role); +    const isBuilderManagedPage =
perms.isTimesPage(page); +    // Admins always bypass app membership for Times (builder-managed) pages. +    const adminBypassMembership = isAdmin
&& isBuilderManagedPage; + +    if (appId && !adminBypassMembership) { +        const linkedPages = await portalService.listPages(appId); +
const mapping = linkedPages.find((row) => String(row.page_id) === String(pageId)); +        if (!mapping) { +            throw new Error('Access
denied'); +        } +        if (app && app.status !== 'active' && !isAdmin) { +            throw new Error('Access denied'); +        } +
const membership = await portalService.getEffectiveRuntimeRole({ appId, userId, globalRole: role }); +        if (!membership) {                throw
new Error('Access denied');          } -        if (!isAdminRole(role)) { -            const appUsers = await service.listAppUsers(appId); -
const isMember = appUsers.some((row) => String(row.user_id) === String(userId)); -            if (!isMember) { +        effectiveRole = membership;
+        if (mapping.role_visibility) { +            const allowed = mapping.role_visibility?.[portalPerms.normalizeRole(effectiveRole)]; +
if (allowed === false) {                  throw new Error('Access denied');              }          }      }   -    const hasView =
perms.userHasViewAccess(permissionMap, role); +    const hasView = perms.userHasViewAccess(permissionMap, effectiveRole);      if (!hasView) {
throw new Error('Access denied');      } @@ -56,6 +66,7 @@ const buildRuntimePayload = async ({ pageId, role, userId, appId }) => {
permissions: permissionMap,          registry: componentRegistry,          objects, +        effectiveRole,          fields: objects.reduce((acc,
obj) => {              acc[obj.name] = obj.fields || [];              return acc; diff --git a/backend/src/routes/kodiRoutes.js
b/backend/src/routes/kodiRoutes.js index e291f776..640e25b5 100644 --- a/backend/src/routes/kodiRoutes.js +++ b/backend/src/routes/kodiRoutes.js @@
-6,7 +6,10 @@ const { validate } = require('../middleware/validation');  const kodiController = require('../controllers/kodiController');  const
kodiPages = require('../modules/kodi/kodiPages.controller');  const kodiPlatform = require('../modules/kodi/kodi.controller'); +const kodiPortal =
require('../modules/kodiPortal/kodiPortal.controller');  const { authenticateKodiPageSession } =
require('../modules/kodi/kodiPageSession.middleware'); +const { authenticateOptional } = require('../middleware/auth'); +const {
requireKodiFirstLoginComplete } = require('../middleware/kodiPortalAuth');    const router = express.Router();   @@ -203,7 +206,13 @@
router.get('/platform/pages/:id/users', authenticate, authorizeAdmin(), kodiPlat  router.post('/platform/pages/:id/users', authenticate,
authorizeAdmin(), kodiPlatform.assignPageUserValidators, kodiPlatform.assignPageUser);  router.post('/platform/apps', authenticate,
authorizeAdmin(), kodiPlatform.createAppValidators, kodiPlatform.createApp);  router.put('/platform/apps/:id', authenticate, authorizeAdmin(),
kodiPlatform.updateAppValidators, kodiPlatform.updateApp); -router.get('/platform/runtime/:pageId', authenticate, kodiPlatform.getRuntimeValidator,
kodiPlatform.runtimeLoader); +router.get( +    '/platform/runtime/:pageId', +    authenticate, +    requireKodiFirstLoginComplete, +
kodiPlatform.getRuntimeValidator, +    kodiPlatform.runtimeLoader +);  router.get('/platform/apps/:id/navigation', authenticate,
kodiPlatform.appIdValidator, kodiPlatform.getAppNavigation);  router.get('/platform/apps', authenticate, authorizeAdmin(), kodiPlatform.listApps);
router.get('/platform/objects', authenticate, authorizeAdmin(), kodiPlatform.listObjects); @@ -228,51 +237,35 @@
router.get('/platform/leads/:id/opportunities', authenticate, authorizeAdmin(),  router.get('/platform/pages/:id/permissions', authenticate,
authorizeAdmin(), kodiPlatform.pageIdValidator, kodiPlatform.getPagePermissions);  router.post('/platform/pages/:id/permissions', authenticate,
authorizeAdmin(), kodiPlatform.pagePermissionValidators, kodiPlatform.updatePagePermissions);   -// Kodi Portal aliases (admin console) -
router.get('/portal/apps', authenticate, authorizeAdmin(), kodiPlatform.listApps); -router.post('/portal/apps', authenticate, authorizeAdmin(),
kodiPlatform.createAppValidators, kodiPlatform.createApp); -router.get('/portal/apps/:id', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.getApp); -router.patch('/portal/apps/:id', authenticate, authorizeAdmin(),
kodiPlatform.updateAppValidators, kodiPlatform.updateApp); -router.post('/portal/apps/:id/activate', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.activateApp); -router.post('/portal/apps/:id/deactivate', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.deactivateApp); -router.get('/portal/apps/:id/users', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.listAppUsers); -router.post('/portal/apps/:id/users', authenticate, authorizeAdmin(),
kodiPlatform.assignAppUserValidators, kodiPlatform.assignAppUser); -router.delete('/portal/apps/:id/users/:userId', authenticate, authorizeAdmin(),
kodiPlatform.removeAppUser); -router.get('/portal/apps/:id/pages', authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.listAppPages); -router.post('/portal/apps/:id/pages', authenticate, authorizeAdmin(), validate([body('pageId').custom((val) => { -
if (val === undefined || val === null) return false; -    const str = String(val); -    const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]
{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -    return uuidRegex.test(str) || /^\d+$/.test(str); -})]), kodiPlatform.linkAppPage); -
router.patch('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), validate([ -    param('id').custom((val) => { -        if (val ===
undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-
[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }), -    param('mappingId').custom((val) => { -
if (val === undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-
9a-f]{3}-[89ab][0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }) -]), kodiPlatform.updateAppPage); -
router.delete('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), validate([ -    param('id').custom((val) => { -        if (val
=== undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]
{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }), -    param('mappingId').custom((val) => {
-        if (val === undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]
{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }) -]), kodiPlatform.deleteAppPage); -
router.get('/portal/apps/:id/navigation', authenticate, authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.getAppNavigation); +// Kodi
Portal (admin console) +router.get('/portal/apps', authenticate, authorizeAdmin(), kodiPortal.listApps); +router.post('/portal/apps', authenticate,
authorizeAdmin(), kodiPortal.createAppValidators, kodiPortal.createApp); +router.get('/portal/apps/:id', authenticate, authorizeAdmin(),
kodiPortal.appIdValidator, kodiPortal.getApp); +router.patch('/portal/apps/:id', authenticate, authorizeAdmin(), kodiPortal.updateAppValidators,
kodiPortal.updateApp); +router.post('/portal/apps/:id/activate', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.activateApp);
+router.post('/portal/apps/:id/deactivate', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.deactivateApp);
+router.get('/portal/apps/:id/settings', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.getSettings);
+router.patch('/portal/apps/:id/settings', authenticate, authorizeAdmin(), kodiPortal.settingsValidators, kodiPortal.updateSettings);
+router.get('/portal/apps/:id/users', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.listUsers);
+router.post('/portal/apps/:id/users', authenticate, authorizeAdmin(), kodiPortal.assignUserValidators, kodiPortal.assignUser);
+router.patch('/portal/apps/:id/users/:userId', authenticate, authorizeAdmin(), kodiPortal.updateUserValidators, kodiPortal.updateUser);
+router.patch('/portal/apps/:id/users/:userId/status', authenticate, authorizeAdmin(), kodiPortal.updateUserStatusValidators,
kodiPortal.updateUserStatus); +router.post('/portal/apps/:id/users/:userId/resend-invite', authenticate, authorizeAdmin(),
kodiPortal.resendInviteValidators, kodiPortal.resendInvite); +router.delete('/portal/apps/:id/users/:userId', authenticate, authorizeAdmin(),
kodiPortal.appIdValidator, kodiPortal.deleteUser); +router.get('/portal/apps/:id/pages', authenticate, authorizeAdmin(), kodiPortal.appIdValidator,
kodiPortal.listPages); +router.get('/portal/pages/activated', authenticate, authorizeAdmin(), kodiPortal.listActivatedPages);
+router.post('/portal/apps/:id/pages', authenticate, authorizeAdmin(), kodiPortal.linkPageValidators, kodiPortal.linkPage);
+router.patch('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), kodiPortal.updatePageValidators, kodiPortal.updatePage);
+router.delete('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.deletePage);
+router.post('/portal/apps/:id/pages/reorder', authenticate, authorizeAdmin(), kodiPortal.reorderValidators, kodiPortal.reorderPages); +router.get(
+    '/portal/apps/:id/navigation', +    authenticate, +    requireKodiFirstLoginComplete, +    kodiPortal.appIdValidator, +
kodiPortal.getNavigation +); +router.post('/portal/invitations/accept', authenticateOptional, kodiPortal.acceptInviteValidators,
kodiPortal.acceptInvite); +router.get('/portal/user/apps', authenticate, requireKodiFirstLoginComplete, kodiPortal.listUserApps);    module.exports
```

```
= router; diff --git a/backend/src/server.js b/backend/src/server.js index 80459a7b..3066b55f 100644 --- a/backend/src/server.js +++
b/backend/src/server.js @@ -34,6 +34,7 @@ const flowRuntimeRoutes = require('./routes/flowRuntimeRoutes');  const adsRoutes =
require('./routes/adsRoutes');  const ticketRoutes = require('./routes/ticketRoutes');  const kodiRoutes = require('./routes/kodiRoutes'); +const
kodiAuthRoutes = require('./routes/kodiAuthRoutes');  const kodiPlatformRoutes = require('./modules/kodi/kodi.routes');  const {
initMarketingTables, startMarketingScheduler } = require('./services/marketingEmailService');  const { startScheduler:
startMarketingCampaignScheduler } = require('./modules/marketing/marketing.scheduler'); @@ -187,6 +188,7 @@ app.use('/api/ads', adsRoutes);
app.use('/api/tickets', ticketRoutes);  app.use('/api/kodi/platform', kodiPlatformRoutes);  app.use('/api/kodi', kodiRoutes); +app.use('/api/kodi-
auth', kodiAuthRoutes);    // RBAC Routes (if available)  if (authV2Routes && rbacUserRoutes && roleRoutes) { diff --git
a/backend/src/utils/database.js b/backend/src/utils/database.js index 809d61a2..623fb79f 100644 --- a/backend/src/utils/database.js +++
b/backend/src/utils/database.js @@ -612,9 +612,17 @@ const createTables = async () => {              CREATE TABLE IF NOT EXISTS kodi_apps (
id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),                  name VARCHAR(255) NOT NULL, +                label VARCHAR(255),
description TEXT, -                  is_active BOOLEAN DEFAULT true, -                  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP +
status VARCHAR(50) NOT NULL DEFAULT 'draft' CHECK (status IN ('draft','active','inactive')), +                icon VARCHAR(255), +
theme_config JSONB DEFAULT '{}'::jsonb, +                settings JSONB DEFAULT '{}'::jsonb, +                navigation_mode VARCHAR(50) DEFAULT
'sidebar', +                landing_behavior VARCHAR(50) DEFAULT 'default_page', +                default_page_id UUID, +                created_at
TIMESTAMP DEFAULT CURRENT_TIMESTAMP, +                updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP              );                CREATE TABLE IF
NOT EXISTS kodi_pages ( @@ -638,6 +646,7 @@ const createTables = async () => {                  nav_order INTEGER DEFAULT 0,
is_default BOOLEAN DEFAULT false,                  is_visible BOOLEAN DEFAULT true, +                role_visibility JSONB DEFAULT '{}'::jsonb,
created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,                  UNIQUE (app_id, page_id)              ); @@ -697,12 +706,31 @@ const createTables =
async () => {                  user_id UUID NOT NULL REFERENCES users(id) ON DELETE CASCADE,                  permissions JSONB DEFAULT '{}'::jsonb,
role_key VARCHAR(50), +                status VARCHAR(50) NOT NULL DEFAULT 'pending', +                invite_token VARCHAR(64), +
invited_at TIMESTAMP, +                accepted_at TIMESTAMP, +                disabled_at TIMESTAMP,                  assigned_by UUID REFERENCES
users(id) ON DELETE SET NULL,                  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,                  updated_at TIMESTAMP DEFAULT
CURRENT_TIMESTAMP,                  UNIQUE (app_id, user_id)              );   +                CREATE TABLE IF NOT EXISTS kodi_portal_identities ( +
id UUID PRIMARY KEY DEFAULT uuid_generate_v4(), +                user_id UUID NOT NULL REFERENCES users(id) ON DELETE CASCADE, +
username VARCHAR(80) UNIQUE NOT NULL, +                password_hash TEXT, +                otp_hash TEXT, +                otp_expires_at
TIMESTAMP, +                first_login_required BOOLEAN DEFAULT true, +                first_login_token VARCHAR(80), +
first_login_expires_at TIMESTAMP, +                created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP, +                updated_at TIMESTAMP DEFAULT
CURRENT_TIMESTAMP +              ); +                CREATE TABLE IF NOT EXISTS kodi_page_users (                id UUID PRIMARY KEY DEFAULT
uuid_generate_v4(),                  page_id UUID NOT NULL REFERENCES kodi_pages(id) ON DELETE CASCADE, @@ -1095,6 +1123,8 @@ const createTables =
async () => {              CREATE INDEX IF NOT EXISTS idx_app_page_mapping_app              ON app_page_mapping(app_id);              CREATE INDEX IF
NOT EXISTS idx_app_page_mapping_page              ON app_page_mapping(page_id);              CREATE INDEX IF NOT EXISTS idx_kodi_app_users_app
ON kodi_app_users(app_id); +              CREATE INDEX IF NOT EXISTS idx_kodi_app_users_status              ON kodi_app_users(status); +
CREATE INDEX IF NOT EXISTS idx_kodi_app_users_invite              ON kodi_app_users(invite_token);              CREATE INDEX IF NOT EXISTS
idx_kodi_audit_entity              ON kodi_audit_logs(entity_type, entity_id);          `;   @@ -1420,7 +1450,24 @@ const runMigrations = async ()
=> {              "ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_default BOOLEAN DEFAULT false;",              "ALTER TABLE
app_page_mapping ADD COLUMN IF NOT EXISTS is_visible BOOLEAN DEFAULT true;",              "ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS
created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP;", +              "ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS role_visibility JSONB DEFAULT
'{}'::jsonb;",              "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS role_key VARCHAR(50);", +              "ALTER TABLE kodi_app_users
ADD COLUMN IF NOT EXISTS status VARCHAR(50) DEFAULT 'pending';", +              "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS invite_token
VARCHAR(64);", +              "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS invited_at TIMESTAMP;", +              "ALTER TABLE kodi_app_users
ADD COLUMN IF NOT EXISTS accepted_at TIMESTAMP;", +              "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS disabled_at TIMESTAMP;", +
"ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS label VARCHAR(255);", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS status
VARCHAR(50) DEFAULT 'draft';", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS icon VARCHAR(255);", +              "ALTER TABLE kodi_apps
ADD COLUMN IF NOT EXISTS theme_config JSONB DEFAULT '{}'::jsonb;", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS settings JSONB
DEFAULT '{}'::jsonb;", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS navigation_mode VARCHAR(50) DEFAULT 'sidebar';", +
"ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS landing_behavior VARCHAR(50) DEFAULT 'default_page';", +              "ALTER TABLE kodi_apps ADD
COLUMN IF NOT EXISTS default_page_id UUID;", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS updated_at TIMESTAMP DEFAULT
CURRENT_TIMESTAMP;", +              "CREATE TABLE IF NOT EXISTS kodi_portal_identities (id UUID PRIMARY KEY DEFAULT uuid_generate_v4(), user_id UUID
NOT NULL REFERENCES users(id) ON DELETE CASCADE, username VARCHAR(80) UNIQUE NOT NULL, password_hash TEXT, otp_hash TEXT, otp_expires_at TIMESTAMP,
first_login_required BOOLEAN DEFAULT true, first_login_token VARCHAR(80), first_login_expires_at TIMESTAMP, created_at TIMESTAMP DEFAULT
CURRENT_TIMESTAMP, updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP);", +              "CREATE INDEX IF NOT EXISTS idx_kodi_portal_identities_username
ON kodi_portal_identities(username);",              "ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS ip_address VARCHAR(64);",              "ALTER
TABLE audit_logs ADD COLUMN IF NOT EXISTS user_agent TEXT;",              "ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS created_at TIMESTAMPTZ
DEFAULT CURRENT_TIMESTAMP;", diff --git a/backend/src/utils/emailService.js b/backend/src/utils/emailService.js index 6b4c2962..7b988633 100644 ---
a/backend/src/utils/emailService.js +++ b/backend/src/utils/emailService.js @@ -950,6 +950,117 @@ const sendAppAccessEmail = async ({ to, name,
appName, loginUrl, pageUrl, pageNa      return sendEmail({ to, subject, html, text });  };   +const sendKodiAppInviteEmail = async ({ to, name,
appName, role, loginUrl, inviteUrl, pageUrl, pageName, username, otp }) => { +    if (!to || !appName || !inviteUrl) { +        return { success:
false, error: 'Missing invitation details' }; +    } +    const greeting = name ? `Hi ${name}` : 'Hello'; +    const subject = `Invitation to
${appName}`; +    const html = ` +        <!DOCTYPE html> +        <html> +        <body style="font-family: Arial, sans-serif; color: #111827;
line-height: 1.6;"> +          <div style="max-width: 560px; margin: 0 auto; padding: 24px;"> +            <h2>${greeting},</h2> +            <p>You
have been invited to the <strong>${appName}</strong> app in Kodi Portal.</p> +            <p><strong>Role:</strong> ${role || 'member'}</p> +
<p><strong>Username:</strong> ${username || 'assigned separately'}</p> +            <p><strong>One-time password:</strong> ${otp || 'available in
your invite'}</p> +            <p> +              <a href="${inviteUrl}" style="display: inline-block; background: #2563eb; color: #fff; padding:
10px 18px; border-radius: 999px; text-decoration: none;"> +                قبول الدعوة / Accept Invitation +              </a> +            </p> +
${pageUrl ? `<p>Default page: <a href="${pageUrl}">${pageName || 'Open page'}</a></p>` : '' +            <p>Login: ${loginUrl}</p> +            <p
style="margin-top: 24px;">If you did not expect this invitation, ignore this email.</p> +            <p>— The Kodi Portal Team</p> +          </div>
+        </body> +        </html> +    `; +    const text = [ +        `${greeting},`, +        '', +        `You have been invited to ${appName}.`,
+        `Role: ${role || 'member'}`, +        username ? `Username: ${username}` : '', +        otp ? `One-time password: ${otp}` : '', +
`Accept invitation: ${inviteUrl}`, +        loginUrl ? `Login: ${loginUrl}` : '', +        pageUrl ? `Default page: ${pageName || 'Open page'} -
${pageUrl}` : '', +        '', +        '— The Kodi Portal Team' +    ].filter(Boolean).join('\n'); +    return sendEmail({ to, subject, html, text
}); +}; + +const sendKodiRoleUpdatedEmail = async ({ to, name, appName, role, loginUrl }) => { +    if (!to || !appName) { +        return {
success: false, error: 'Missing recipient or app name' }; +    } +    const greeting = name ? `Hi ${name}` : 'Hello'; +    const subject = `Role
updated in ${appName}`; +    const html = ` +        <!DOCTYPE html> +        <html> +        <body style="font-family: Arial, sans-serif; color:
#111827; line-height: 1.6;"> +          <div style="max-width: 560px; margin: 0 auto; padding: 24px;"> +            <h2>${greeting},</h2> +
<p>Your role in <strong>${appName}</strong> has been updated.</p> +            <p><strong>New role:</strong> ${role || 'member'}</p> +
<p>Login: <a href="${loginUrl}">${loginUrl}</a></p> +            <p>— The Kodi Portal Team</p> +          </div> +        </body> +        </html> +
`; +    const text = [ +        `${greeting},`, +        '', +        `Your role in ${appName} has been updated.`, +        `New role: ${role ||
'member'}`, +        loginUrl ? `Login: ${loginUrl}` : '', +        '', +        '— The Kodi Portal Team' +    ].filter(Boolean).join('\n'); +
return sendEmail({ to, subject, html, text }); +}; + +const sendKodiPageAssignedEmail = async ({ to, name, appName, pageName, pageUrl, loginUrl })
=> { +    if (!to || !appName || !pageName) { +        return { success: false, error: 'Missing recipient or page details' }; +    } +    const
greeting = name ? `Hi ${name}` : 'Hello'; +    const subject = `New page assigned in ${appName}`; +    const html = ` +        <!DOCTYPE html> +
<html> +        <body style="font-family: Arial, sans-serif; color: #111827; line-height: 1.6;"> +          <div style="max-width: 560px; margin: 0
auto; padding: 24px;"> +            <h2>${greeting},</h2> +            <p>A new page has been assigned in <strong>${appName}</strong>.</p> +
<p><strong>Page:</strong> ${pageName}</p> +            ${pageUrl ? `<p>Open: <a href="${pageUrl}">${pageUrl}</a></p>` : ''} +            <p>Login:
<a href="${loginUrl}">${loginUrl}</a></p> +            <p>— The Kodi Portal Team</p> +          </div> +        </body> +        </html> +    `; +
const text = [ +        `${greeting},`, +        '', +        `A new page has been assigned in ${appName}.`, +        `Page: ${pageName}`, +
pageUrl ? `Open: ${pageUrl}` : '', +        loginUrl ? `Login: ${loginUrl}` : '', +        '', +        '— The Kodi Portal Team' +
].filter(Boolean).join('\n'); +    return sendEmail({ to, subject, html, text }); +}; +  module.exports = {      sendClaimInvitation,
sendVerificationEmail, @@ -965,5 +1076,8 @@ module.exports = {      sendConversationRequestEmail,      sendConversationAcceptedEmail,
sendTicketNotificationEmail, -    sendAppAccessEmail +    sendAppAccessEmail, +    sendKodiAppInviteEmail, +    sendKodiRoleUpdatedEmail, +
sendKodiPageAssignedEmail  }; diff --git a/frontend/src/App.jsx b/frontend/src/App.jsx index f33fb3ee..743fcf56 100644 --- a/frontend/src/App.jsx
+++ b/frontend/src/App.jsx @@ -37,6 +37,7 @@ import UserProfile from './pages/UserProfile';  import PrivateRoute from
'./components/auth/PrivateRoute';  import AdminRoute from './components/auth/AdminRoute';  import AdminLayout from './components/admin/AdminLayout';
+import AppTopBar from './components/kodi/AppTopBar';    // Admin Pages  import AdminDashboard from './pages/admin/AdminDashboard'; @@ -63,6 +64,12
@@ import KodiTimes from './pages/kodi/KodiTimes';  import KodiBuilderPage from './pages/kodi/KodiBuilderPage';  import KodiRuntimePage from
'./pages/kodi/KodiRuntimePage';  import KodiPortalPage from './pages/kodi/KodiPortalPage'; +import KodiAppShell from './pages/kodi/KodiAppShell';
+import KodiAppRuntimePage from './pages/kodi/KodiAppRuntimePage'; +import KodiInviteAccept from './pages/kodi/KodiInviteAccept'; +import
```

```
KodiAppsList from './pages/kodi/KodiAppsList'; +import KodiSignIn from './pages/kodi/auth/KodiSignIn'; +import KodiFirstLogin from
'./pages/kodi/auth/KodiFirstLogin';    // HR Pages  import Employees from './pages/hr/Employees'; @@ -101,6 +108,7 @@ function App() {
}}                    >                          <div className="app"> +                          <AppTopBar />
<Navbar />                              <main className="main-content">                                  <Routes> @@ -202,7 +210,7 @@ function App()
{                                 }                          />                                  <Route -
path="/kodi/portal" +                                  path="/kodi/portal/*"                                  element={{
<PrivateRoute>                                          <KodiPortalPage /> @@ -233,10 +241,41 @@ function App() {
</PrivateRoute>                                  }                                  /> +                                  <Route +
path="/kodi/apps" +                                  element={ +                                  <PrivateRoute> +
<KodiAppsList /> +                                  </PrivateRoute> +                                  } +                                  />
+                                  <Route +                                  path="/kodi/app/:appId" +                                  element={{
+                                  <PrivateRoute> +                                  <KodiAppShell /> +
</PrivateRoute> +                                  } +                                  > +                                  <Route
path="page/:pageId" element={<KodiAppRuntimePage />} /> +                                  </Route>                                  {/* Public Kodi
Record Pages */}                                  <Route path="/kodi/page/:slug/login" element={<KodiLogin />} />
<Route path="/kodi/page/:slug" element={<KodiPage />} /> +                                  <Route +
path="/kodi/invitations/accept" +                                  element={<KodiInviteAccept />} +                                  /> +
<Route path="/kodi-auth/sign-in" element={<KodiSignIn />} /> +                                  <Route +
path="/kodi-auth/first-login" +                                  element={ +                                  <PrivateRoute> +
<KodiFirstLogin /> +                                  </PrivateRoute> +                                  } +
/>                                  {/* Admin Routes */}                                  <Route diff --git
a/frontend/src/components/kodi/BuilderCanvas.jsx b/frontend/src/components/kodi/BuilderCanvas.jsx index 0398f392..bc6c3dc4 100644 ---
a/frontend/src/components/kodi/BuilderCanvas.jsx +++ b/frontend/src/components/kodi/BuilderCanvas.jsx @@ -5,148 +5,6 @@ const GRID_COLUMNS = 12;
const clamp = (value, min, max) => Math.min(Math.max(value, min), max);   -const SAMPLE_PREVIEWS = { -    RecordDetails: { -        title: 'Record
Details', -        fields: [ -            { label: 'Name', value: 'Ava Thompson' }, -            { label: 'Email', value: 'ava@kodi.app' }, -
{ label: 'Status', value: 'Active' }, -            { label: 'Last Touch', value: '2 hours ago' } -        ] -    }, -    RelatedList: { -
title: 'Related List', -        headers: ['Type', 'Status', 'Owner'], -        rows: [ -            ['Case', 'Open', 'J. Rivers'], -
['Task', 'In Progress', 'T. Patel'], -            ['Note', 'Logged', 'System'] -        ] -    }, -    ActivityTimeline: { -        title: 'Activity
Timeline', -        items: ['Email sent - 10m', 'Call scheduled - 1h', 'Lead converted - 1d'] -    }, -    HighlightsPanel: { -        title:
'Highlights Panel', -        pills: ['Open Cases: 4', 'ARR: $48k', 'Health: Good'] -    }, -    DataTable: { -        title: 'Data Table', -
headers: ['Account', 'Stage', 'Value'], -        rows: [ -            ['BlueNova', 'Proposal', '$12k'], -            ['Futura', 'Qualified', '$7k'],
-            ['Nimbus', 'Discovery', '$4k'] -        ] -    }, -    CardList: { -        title: 'Card List', -        cards: [ -            { title:
'Psychologist Onboard', meta: 'Due in 2 days' }, -            { title: 'Business Review', meta: 'Priority: High' } -        ] -    }, -
KeyValueFields: { -        title: 'Key Value Fields', -        fields: [ -            { label: 'Industry', value: 'Healthcare' }, -            {
label: 'Seats', value: '128' }, -            { label: 'Tier', value: 'Enterprise' } -        ] -    }, -    ContactProfile: { -        title:
'Contact Profile', -        subtitle: 'Primary decision maker', -        fields: [ -            { label: 'Name', value: 'Luis Chen' }, -
{ label: 'Role', value: 'HR Director' }, -            { label: 'Phone', value: '+1 (555) 221-8844' } -        ] -    }, -    SubscriptionOverview: {
-        title: 'Subscription Overview', -        pills: ['Plan: Growth', 'Renewal: Jul 14', 'Status: Active'] -    }, -    EmployeePanel: { -
title: 'Employee Panel', -        fields: [ -            { label: 'Employee', value: 'Sofia Ramos' }, -            { label: 'Role', value: 'People
Ops' }, -            { label: 'Status', value: 'Onboarding' } -        ] -    }, -    PsychologistProfile: { -        title: 'Psychologist Profile',
-        fields: [ -            { label: 'Specialty', value: 'Trauma' }, -            { label: 'Availability', value: 'Tue - Thu' }, -            {
label: 'Rating', value: '4.9' } -        ] -    }, -    BusinessInfoPanel: { -        title: 'Business Info', -        fields: [ -            {
label: 'Industry', value: 'Fintech' }, -            { label: 'Region', value: 'EMEA' }, -            { label: 'Tier', value: 'Premium' } -        ]
-    }, -    AccountSummary: { -        title: 'Account Summary', -        pills: ['NPS 52', 'Usage up 18%', 'Churn risk: Low'] -    }, -
ApplicationStatusPanel: { -        title: 'Application Status', -        steps: ['Lead', 'Qualified', 'Under Review', 'Approved'] -    }, -
LeadSummary: { -        title: 'Lead Summary', -        fields: [ -            { label: 'Score', value: '82' }, -            { label: 'Source',
value: 'Referral' }, -            { label: 'Stage', value: 'Qualified' } -        ] -    }, -    OpportunitySummary: { -        title: 'Opportunity
Summary', -        fields: [ -            { label: 'Pipeline', value: '$96k' }, -            { label: 'Close Date', value: 'Aug 02' }, -
{ label: 'Probability', value: '68%' } -        ] -    }, -    ActionButton: { -        title: 'Primary Action', -        actions: ['Launch
Workflow'] -    }, -    QuickActionsBar: { -        title: 'Quick Actions', -        actions: ['Send Email', 'Assign Psychologist', 'Approve'] -
}, -    LinkList: { -        title: 'Link List', -        links: ['Open Profile', 'View Subscription', 'Audit Log'] -    }, -    FormPanel: { -
title: 'Form Panel', -        fields: ['First name', 'Email', 'Role'] -    }, -    SendEmailButton: { -        title: 'Send Email', -
actions: ['Compose'] -    }, -    AssignPsychologistButton: { -        title: 'Assign Psychologist', -        actions: ['Assign'] -    }, -
ApproveRejectPanel: { -        title: 'Approve / Reject', -        actions: ['Approve', 'Reject'] -    } -}; -  const resolvePreviewKey =
(component) =>      component?.component_type      || component?.componentName @@ -161,7 +19,8 @@ const BuilderCanvas = ({      onLayoutChange,
onComponentDrop,      onRemoveComponent, -    previewRole +    previewRole, +    previewContext  }) => {      const canvasRef = useRef(null);
const [dragOver, setDragOver] = useState(null); @@ -239,113 +98,266 @@ const BuilderCanvas = ({          return roles.includes(previewRole);      };
-    const renderPreview = (component) => { -        const previewKey = resolvePreviewKey(component); -        const preview =
SAMPLE_PREVIEWS[previewKey] || null; +    const getRecordValue = (record, field) => { +        if (!record || !field) return null; +        return
field.split('.').reduce((acc, part) => (acc ? acc[part] : null), record); +    };   -        if (!preview) { -            return ( -
<div className="kodi-builder__preview kodi-builder__preview--placeholder"> -                <div className="kodi-builder__preview-title">
{previewKey || 'Component'} Preview</div> -                <div className="kodi-builder__preview-text">Drop in live data bindings to render.
</div> -            </div> -            ); -        } +    const formatValue = (value) => { +        if (value === null || value === undefined)
return '—'; +        if (typeof value === 'boolean') return value ? 'Yes' : 'No'; +        return String(value); +    };   -        return ( -
<div className="kodi-builder__preview"> -                <div className="kodi-builder__preview-title">{preview.title}</div> +    const resolveRecord
= (component) => { +        const bindingObject = component?.binding?.object; +        const recordMap = previewContext?.records || {}; +        if
(bindingObject && recordMap[bindingObject]) { +            return recordMap[bindingObject][0] || previewContext?.record || {}; +        } +
return previewContext?.record || {}; +    };   -                {preview.fields && ( -                    <div className="kodi-builder__preview-
fields"> -                    {preview.fields.map((field) => ( -                        <div key={field.label} className="kodi-
builder__preview-field"> -                            <span>{field.label}</span> -                            <strong>{field.value}</strong>
-                        </div> -                        ))} -                    </div> -                )} +    const resolveFields =
(component, record) => { +        const bindingField = component?.binding?.field; +        const bindingObject = component?.binding?.object; +
const objectList = previewContext?.objects || []; +        const objectFields = bindingObject +            ? objectList.find((obj) => obj.name ===
bindingObject)?.fields || [] +            : previewContext?.object?.fields || []; +        const propsFields = component?.props?.fields; +
let fields = []; +        if (Array.isArray(propsFields) && propsFields.length) { +            fields = propsFields; +        } else if
(bindingField) { +            fields = [bindingField]; +        } else { +            fields = Object.keys(record || {}).filter((key) => key !==
'id').slice(0, 5); +        } +        return fields.map((field) => { +            const fieldMeta = objectFields.find((item) => item.field_name ===
field); +            return { +                label: fieldMeta?.label || fieldMeta?.field_name || field, +                value:
formatValue(getRecordValue(record, field)) +            }; +        }); +    };   -                {preview.items && ( -                    <ul
className="kodi-builder__preview-list"> -                        {preview.items.map((item) => ( -                            <li key={item}>{item}
</li> -                        ))} -                    </ul> -                )} +    const resolveTable = (component, record) => { +        const
items = component?.props?.items; +        if (Array.isArray(items) && items.length) { +            const headers = Object.keys(items[0]).slice(0,
3); +            const rows = items.slice(0, 4).map((item) => headers.map((header) => formatValue(item[header])); +            return { headers,
rows }; +        } +        const keys = Object.keys(record || {}).filter((key) => key !== 'id').slice(0, 3); +        const headers = keys.length ?
keys : ['Item', 'Status', 'Owner']; +        const rows = Array.from({ length: 3 }).map((_, index) => +            headers.map((header) =>
`${formatValue(getRecordValue(record, header))}` || `${header} ${index + 1}`) +        ); +        return { headers, rows }; +    };   -
{preview.pills && ( -                    <div className="kodi-builder__preview-pills"> -                        {preview.pills.map((pill) => ( -
<span key={pill}>{pill}</span> -                        ))} -                    </div> -                )} +    const renderPreview = (component)
=> { +        const previewKey = resolvePreviewKey(component); +        const record = resolveRecord(component); +        const fields =
resolveFields(component, record); +        const bindingObject = component?.binding?.object; +        const objectList = previewContext?.objects ||
[]; +        const objectLabel = bindingObject +            ? objectList.find((obj) => obj.name === bindingObject)?.label || bindingObject) +
: (previewContext?.object?.label || previewContext?.object?.name || 'Record'); +        const actions = component?.actions?.length ?
component.actions : component?.props?.actions || []; +        const table = resolveTable(component, record);   -                {preview.steps && (
-                    <div className="kodi-builder__preview-steps"> -                        {preview.steps.map((step, index) => ( -
<div key={step} className={`kodi-builder__preview-step ${index === 1 ? 'active' : ''}`}> -                            {step} +        switch
(previewKey) { +            case 'RecordDetails': +            case 'KeyValueFields': +                return ( +                <div
className="kodi-builder__preview kodi-builder__preview--record"> +                    <div className="kodi-builder__preview-header"> +
<div> +                        <p className="kodi-builder__preview-eyebrow">{objectLabel}</p> +                        <h4>
```

```
{component.label || 'Record Details'}</h4>                                  </div> -                        ))} +                                <span
className="kodi-builder__preview-badge">Live</span> +                          </div> +                        <div className="kodi-builder__preview-
grid"> +                        {fields.map((field) => ( +                        <div key={field.label} className="kodi-
builder__preview-row"> +                                <span>{field.label}</span> +                                <strong>{field.value}
</strong> +                                </div> +                                )} +                                </div>                                </div> -
)} - -                {preview.headers && preview.rows && ( -                <div className="kodi-builder__preview-table"> -
<div className="kodi-builder__preview-table-head"> -                                {preview.headers.map((header) => ( -
<span key={header}>{header}</span> +                                ); +                case 'HighlightsPanel': +                return ( +                <div
className="kodi-builder__preview kodi-builder__preview--highlights"> +                        <div className="kodi-builder__preview-header"> +
<h4>{component.label || 'Highlights'}</h4> +                                <span className="kodi-builder__preview-pill">Today</span> +
</div> +                        <div className="kodi-builder__preview-pills"> +                                {fields.slice(0, 3).map((field) => ( +
<span key={field.label}>{field.label}: {field.value}</span> +                                )} +                                </div> +
<div className="kodi-builder__preview-actions"> +                                {(actions.length ? actions : ['Send Email', 'Assign',
'Review']).map((action) => ( +                                <button key={action} type="button">{action}</button>                                )}
</div> -                        {preview.rows.map((row, idx) => ( -                        <div key={`${row[0]}-${idx}`} className="kodi-
builder__preview-table-row"> -                                {row.map((cell) => ( -                                <span key={cell}>{cell}
</span> +                        </div> +                        ); +                case 'RelatedList': +                case 'DataTable': +                return ( +
<div class="kodi-builder__preview kodi-builder__preview--table"> +                        <div class="kodi-builder__preview-header"> +
<h4>{component.label || 'Related Records'}</h4> +                                <span class="kodi-builder__preview-badge">{table.rows.length}
rows</span> +                        </div> +                        <div class="kodi-builder__preview-table"> +                        <div
class="kodi-builder__preview-table-head"> +                                {table.headers.map((header) => ( +
<span key={header}>{header}</span>                                )}                        </div> -                        )} +
{table.rows.map((row, idx) => ( +                        <div key={`${row[0]}-${idx}`} class="kodi-builder__preview-table-row"> +
{row.map((cell) => ( +                        <span key={cell}>{cell}</span> +                        )} +
</div> +                        )} +                        </div>                        </div> -                        )} - -
{preview.cards && ( -                        <div class="kodi-builder__preview-cards"> -                        {preview.cards.map((card) => ( -
<div key={card.title} class="kodi-builder__preview-card"> -                        <strong>{card.title}</strong> -
<span>{card.meta}</span> +                        ); +                case 'ActivityTimeline': +                return ( +                <div
class="kodi-builder__preview kodi-builder__preview--timeline"> +                        <div class="kodi-builder__preview-header"> +
<h4>{component.label || 'Activity Timeline'}</h4> +                                <span class="kodi-builder__preview-pill">Last 7 days</span> +
</div> +                        <ul class="kodi-builder__preview-timeline"> +                        {(component.props?.items || [ +
`Updated ${fields[0]?.value || 'record'}`, +                        `Follow-up scheduled`, +                        `Note added to
account` +                        ]).map((item) => ( +                        <li key={item}>{item}</li> +
))} +                        </ul> +                        </div> +                        ); +                case 'ContactProfile': +                case
'EmployeePanel': +                case 'PsychologistProfile': +                case 'BusinessInfoPanel': +                return ( +                <div
class="kodi-builder__preview kodi-builder__preview--profile"> +                        <div class="kodi-builder__preview-header"> +
<h4>{component.label || 'Profile'}</h4> +                                <span class="kodi-builder__preview-badge">Active</span> +
</div> +                        <div class="kodi-builder__preview-profile"> +                        <div class="kodi-builder__preview-
avatar">{(fields[0]?.value || 'A')[0]}</div> +                        <div> +                        <strong>{fields[0]?.value ||
'Profile Name'}</strong> +                        <span>{fields[1]?.value || 'Role'}</span>                        </div> -
))} +                        </div> +                        <div class="kodi-builder__preview-grid"> +
{fields.slice(2, 5).map((field) => ( +                        <div key={field.label} class="kodi-builder__preview-row"> +
<span>{field.label}</span> +                        <strong>{field.value}</strong> +                        </div> +
))} +                        </div>                        </div> -                        )} - -                {preview.links && ( -                <div
class="kodi-builder__preview-links"> -                        {preview.links.map((link) => ( -                        <div key={link}
class="kodi-builder__preview-link">{link}</div> -                        )} +                        ); +                case 'SubscriptionOverview': +
case 'AccountSummary': +                case 'LeadSummary': +                case 'OpportunitySummary': +                case 'ApplicationStatusPanel': +
return ( +                <div class="kodi-builder__preview kodi-builder__preview--summary"> +                        <div class="kodi-
builder__preview-header"> +                        <h4>{component.label || 'Summary'}</h4> +                        <span class="kodi-
builder__preview-badge">On Track</span> +                        </div> +                        <div class="kodi-builder__preview-pills"> +
{fields.slice(0, 3).map((field) => ( +                        <span key={field.label}>{field.label}: {field.value}</span> +
))} +                        </div> +                        <div class="kodi-builder__preview-actions"> +
{(actions.length ? actions : ['View', 'Update']).map((action) => ( +                        <button key={action} type="button">{action}
</button> +                        )} +                        </div>                        </div> -                        )} - -
{preview.actions && ( -                        <div class="kodi-builder__preview-actions"> -                        {preview.actions.map((action) =>
( -                        <button key={action} type="button">{action}</button> -                        )} +                        ); +
case 'QuickActionsBar': +                case 'ActionButton': +                case 'SendEmailButton': +                case 'AssignPsychologistButton': +
case 'ApproveRejectPanel': +                return ( +                <div class="kodi-builder__preview kodi-builder__preview--actions"> +
<div class="kodi-builder__preview-header"> +                        <h4>{component.label || 'Actions'}</h4> +
<span class="kodi-builder__preview-pill">Ready</span> +                        </div> +                        <div class="kodi-
builder__preview-actions"> +                        {(actions.length ? actions : ['Primary Action']).map((action) => ( +
<button key={action} type="button">{action}</button> +                        )} +                        </div>                        </div> -
)} - -                {preview.subtitle && ( -                <div class="kodi-builder__preview-subtitle">{preview.subtitle}</div> -
)} - -                {preview.fields == null && preview.items == null && preview.pills == null && preview.headers == null && preview.cards == null
&& preview.links == null && preview.actions == null && ( -                <div class="kodi-builder__preview-text">Preview data is ready.
</div> -                )} -                </div> -                ); +                ); +                case 'LinkList': +                return ( +
<div class="kodi-builder__preview kodi-builder__preview--links"> +                        <div class="kodi-builder__preview-header"> +
<h4>{component.label || 'Links'}</h4> +                        </div> +                        <div class="kodi-builder__preview-links"> +
{(component.props?.links || fields.slice(0, 3).map((f) => f.label)).map((link) => ( +                        <div key={link}
class="kodi-builder__preview-link">{link}</div> +                        )} +                        </div> +                        </div> +
); +                case 'CardList': +                return ( +                <div class="kodi-builder__preview kodi-builder__preview--cards">
+                        <div class="kodi-builder__preview-header"> +                        <h4>{component.label || 'Cards'}</h4> +
</div> +                        <div class="kodi-builder__preview-cards"> +                        {(component.props?.cards ||
fields.slice(0, 2)).map((card) => ( +                        <div key={card.title || card.label} class="kodi-builder__preview-card"> +
<strong>{card.title || card.label}</strong> +                        <span>{card.meta || card.value}</span> +
</div> +                        )} +                        </div> +                        </div> +                        ); +                default: +
return ( +                <div class="kodi-builder__preview kodi-builder__preview--placeholder"> +                        <div
class="kodi-builder__preview-title">{component.label || previewKey || 'Component'}</div> +                        <div class="kodi-
builder__preview-text">Bind fields to preview live data.</div> +                        </div> +                        ); +                }        };        return (
diff --git a/frontend/src/pages/kodi/KodiBuilder.css b/frontend/src/pages/kodi/KodiBuilder.css index 9612a43c..6d5dabe1 100644 ---
a/frontend/src/pages/kodi/KodiBuilder.css +++ b/frontend/src/pages/kodi/KodiBuilder.css @@ -1275,6 +1275,128 @@      color: #1f2b3b;  }   +.kodi-
builder__preview--record, +.kodi-builder__preview--highlights, +.kodi-builder__preview--table, +.kodi-builder__preview--timeline, +.kodi-
builder__preview--profile, +.kodi-builder__preview--summary, +.kodi-builder__preview--actions, +.kodi-builder__preview--links, +.kodi-
builder__preview--cards { +    padding: 10px; +    border-radius: 12px; +    background: #ffffff; +    border: 1px solid #e2e8f0; +    box-shadow: 0
8px 18px rgba(15, 23, 42, 0.06); +} + +.kodi-builder__preview-header { +    display: flex; +    align-items: center; +    justify-content: space-
between; +    gap: 12px; +} + +.kodi-builder__preview-header h4 { +    margin: 0; +    font-size: 13px; +    color: #0f172a; +} + +.kodi-
builder__preview-eyebrow { +    margin: 0 0 2px; +    font-size: 10px; +    text-transform: uppercase; +    letter-spacing: 0.8px; +    color:
#64748b; +} + +.kodi-builder__preview-badge { +    padding: 2px 8px; +    border-radius: 999px; +    background: #e0f2fe; +    color: #0369a1; +
font-weight: 700; +    font-size: 10px; +} + +.kodi-builder__preview-pill { +    padding: 2px 8px; +    border-radius: 999px; +    background:
#ede9fe; +    color: #6d28d9; +    font-weight: 600; +    font-size: 10px; +} + +.kodi-builder__preview-grid { +    display: grid; +    gap: 6px; +}
+ +.kodi-builder__preview-row { +    display: flex; +    justify-content: space-between; +    padding: 6px 8px; +    border-radius: 8px; +
background: #f8fafc; +    border: 1px solid #e2e8f0; +} + +.kodi-builder__preview-row span { +    color: #64748b; +} + +.kodi-builder__preview-row
strong { +    color: #0f172a; +} + +.kodi-builder__preview-profile { +    display: flex; +    align-items: center; +    gap: 10px; +    padding:
8px; +    background: #f8fafc; +    border-radius: 12px; +    border: 1px solid #e2e8f0; +} + +.kodi-builder__preview-avatar { +    width: 36px; +
height: 36px; +    border-radius: 12px; +    background: #c7d2fe; +    color: #312e81; +    font-weight: 700; +    display: flex; +    align-items:
center; +    justify-content: center; +    font-size: 14px; +} + +.kodi-builder__preview-profile span { +    color: #64748b; +    font-size: 11px;
+} + +.kodi-builder__preview-timeline { +    list-style: none; +    margin: 0; +    padding: 0; +    display: grid; +    gap: 6px; +} + +.kodi-
builder__preview-timeline li { +    padding: 6px 10px; +    border-radius: 10px; +    background: #ffffff; +    border: 1px solid #e2e8f0; +    box-
```

```
shadow: 0 4px 10px rgba(15, 23, 42, 0.06); +    font-size: 11px; +} +  .kodi-builder__preview--placeholder {      color: #94a3b8;  } @@ -1413,12
+1535,17 @@      padding: 4px 8px;      border-radius: 8px;      border: 1px solid #cbd5f5; -    background: #ffffff; +    background: linear-
gradient(180deg, #ffffff, #f1f5f9);      font-weight: 600;      font-size: 11px;      cursor: pointer;  }   +.kodi-builder__preview-actions
button:hover { +    border-color: #6366f1; +    color: #4338ca; +} +  .kodi-builder__preview-subtitle {      color: #64748b;  } diff --git
a/frontend/src/pages/kodi/KodiBuilderPage.jsx b/frontend/src/pages/kodi/KodiBuilderPage.jsx index b4a93420..ee348002 100644 ---
a/frontend/src/pages/kodi/KodiBuilderPage.jsx +++ b/frontend/src/pages/kodi/KodiBuilderPage.jsx @@ -94,6 +94,12 @@ const KodiBuilderPage = () => {
const [selectedAppId, setSelectedAppId] = useState('');      const [createModalOpen, setCreateModalOpen] = useState(false);      const [previewRole,
setPreviewRole] = useState('admin'); +    const [previewObjectId, setPreviewObjectId] = useState(''); +    const [previewSampleIndex,
setPreviewSampleIndex] = useState(0); +    const [previewRecords, setPreviewRecords] = useState({}); +    const [previewRecord, setPreviewRecord] =
useState({}); +    const [previewAppId, setPreviewAppId] = useState(''); +    const [previewApps, setPreviewApps] = useState([]);        const
currentPage = useMemo(() => pages.find((page) => String(page.id) === String(pageId)), [pages, pageId]);   @@ -121,6 +127,72 @@ const KodiBuilderPage
= () => {          loadData();      }, [pageId]);   +    useEffect(() => { +        const first = objects[0]; +        if (first &&
!previewObjectId) { +            setPreviewObjectId(first.id); +        } +    }, [objects, previewObjectId]); + +    useEffect(() => { +        if
(!objects.length) return; +        const names = ['Ava', 'Liam', 'Mia', 'Noah', 'Sofia', 'Ethan']; +        const surnames = ['Thompson', 'Ramos',
'Patel', 'Okafor', 'Chen', 'Rivera']; +        const companies = ['BlueNova', 'Futura', 'Nimbus', 'Atlas', 'Koru', 'Solara']; +        const
statuses = ['Active', 'Pending', 'In Progress', 'New', 'Qualified']; +        const buildValue = (field, seed) => { +            const key =
field.field_name.toLowerCase(); +            if (field.field_type === 'date') { +                const date = new Date(Date.now() - seed *
86400000); +                return date.toISOString().split('T')[0]; +            } +            if (field.field_type === 'boolean') return seed % 2
=== 0; +            if (field.field_type === 'number') return 40 + seed * 3; +            if (key.includes('email')) return `${names[seed %
names.length].toLowerCase()}@kodi.app`; +            if (key.includes('phone')) return `+1 (555) 10${seed} ${200 + seed}`; +            if
(key.includes('name')) return `${names[seed % names.length]} ${surnames[seed % surnames.length]}`; +            if (key.includes('company') ||
key.includes('business')) return companies[seed % companies.length]; +            if (key.includes('status') || key.includes('stage')) return
statuses[seed % statuses.length]; +            return `${field.field_name}_${seed + 1}`; +        }; +        const recordMap = objects.reduce((acc,
obj) => { +            const samples = Array.from({ length: 3 }).map((_, index) => { +                const record = {}; +
(obj.fields || []).forEach((field) => { +                record[field.field_name] = buildValue(field, index); +                }); +
record.id = record.id || `${obj.name}_${index + 1}`; +                return record; +            }); +            acc[obj.name] = samples; +
return acc; +        }, {}); +        setPreviewRecords(recordMap); +    }, [objects]); + +    useEffect(() => { +        if (!previewObjectId)
return; +        const target = objects.find((obj) => String(obj.id) === String(previewObjectId)) || objects[0]; +        if (!target) return; +
const samples = previewRecords[target.name] || []; +        setPreviewRecord(samples[previewSampleIndex] || samples[0] || {}); +    }, [objects,
previewObjectId, previewSampleIndex, previewRecords]); + +    useEffect(() => { +        const loadApps = async () => { +            try { +
const data = await listPlatformApps(); +                setPreviewApps(data || []); +                if (!previewAppId && data?.length) { +
setPreviewAppId(data[0].id); +                } +            } catch (error) { +                // ignore preview app load errors +            } +
}; +        loadApps(); +    }, [previewAppId]); +      const updateLayout = (updater) => {          setLayout((prev) => {            const next =
cloneLayout(prev); @@ -298,9 +370,36 @@ const KodiBuilderPage = () => {                        <option value="psychologist">Psychologist</option>
<option value="business_user">Business User</option>                        </select> +                        <select value={previewObjectId} onChange=
{(e) => setPreviewObjectId(e.target.value)}> +                        {objects.map((obj) => ( +                        <option key={obj.id}
value={obj.id}> +                        {obj.label || obj.name} +                        </option> +                        ))} +
</select> +                        <select value={previewSampleIndex} onChange={(e) => setPreviewSampleIndex(Number(e.target.value))}> +
<option value={0}>Sample A</option> +                        <option value={1}>Sample B</option> +                        <option value={2}>Sample
C</option> +                        </select> +                        <select value={previewAppId} onChange={(e) => setPreviewAppId(e.target.value)}> +
{previewApps.map((app) => ( +                        <option key={app.id} value={app.id}> +                        {app.label ||
app.name} +                        </option> +                        ))} +                        </select>                        <button
className="btn-secondary" onClick={() => navigate('/kodi/times')}>Back to Times</button>                        <button className="btn-secondary"
onClick={() => setCreateModalOpen(true)}>Create Page</button>                        <button className="btn-secondary" onClick={() =>
window.open(`/kodi/runtime/${pageId}`, '_blank')}>Preview Runtime</button> +                        {currentPage?.linked_app_id && ( +
<button +                        className="btn-secondary" +                        onClick={() =>
navigate(`/kodi/portal/apps/${currentPage.linked_app_id}/settings`)} +                        > +                        App Shell Settings +
</button> +                        )}                        <button className="btn-secondary" onClick={openLinkModal}>Link to App</button>
<button className="btn-secondary" onClick={handleActivate}>Activate Page</button>                        <button className="btn-primary" onClick=
{handleSave} disabled={saving}> @@ -331,6 +430,14 @@ const KodiBuilderPage = () => {                        onComponentDrop={handleComponentDrop}
onRemoveComponent={handleRemoveComponent}                        previewRole={previewRole} +                        previewContext={{ +
record: previewRecord, +                        records: previewRecords, +                        object: objects.find((obj) => String(obj.id) ===
String(previewObjectId)), +                        objects, +                        app: previewApps.find((app) => String(app.id) ===
String(previewAppId)), +                        role: previewRole +                        }}                        />                        <ConfigSidebar
component={selectedComponent} diff --git a/frontend/src/pages/kodi/KodiPortal.css b/frontend/src/pages/kodi/KodiPortal.css index 83ae7d5a..d478c455
100644 --- a/frontend/src/pages/kodi/KodiPortal.css +++ b/frontend/src/pages/kodi/KodiPortal.css @@ -375,3 +375,226 @@      letter-spacing: 0.05em;
text-transform: uppercase;  } + +/* New portal screens */ +.kodi-portal-screen { +    padding: 28px; +    display: grid; +    gap: 20px; +} +
+.kodi-portal-header { +    display: flex; +    justify-content: space-between; +    align-items: center; +    gap: 16px; +} + +.kodi-portal-header-
actions { +    display: flex; +    gap: 10px; +} + +.kodi-portal-eyebrow { +    text-transform: uppercase; +    font-size: 0.7rem; +    color:
#94a3b8; +    margin: 0; +} + +.kodi-portal-grid { +    display: grid; +    grid-template-columns: repeat(auto-fit, minmax(260px, 1fr)); +    gap:
16px; +} + +.kodi-portal-card { +    background: #fff; +    border-radius: 14px; +    border: 1px solid #e2e8f0; +    padding: 16px; +    display:
grid; +    gap: 12px; +    box-shadow: 0 10px 24px rgba(15, 23, 42, 0.06); +} + +.kodi-portal-card-meta { +    display: flex; +    gap: 12px; +
font-size: 0.8rem; +    color: #64748b; +} + +.kodi-portal-card-actions { +    display: flex; +    gap: 10px; +} + +.kodi-portal-table { +
background: #fff; +    border-radius: 14px; +    border: 1px solid #e2e8f0; +    padding: 12px; +    display: grid; +    gap: 10px; +} + +.kodi-
portal-table__row { +    display: grid; +    grid-template-columns: 1.5fr 1fr 0.6fr 0.6fr 0.6fr 2fr 1fr; +    gap: 12px; +    align-items: center; +
font-size: 0.85rem; +} + +.kodi-portal-table__row.user { +    grid-template-columns: 1.5fr 1fr 0.8fr 1fr; +} + +.kodi-portal-table__row.header { +
font-weight: 700; +    color: #475569; +} + +.kodi-portal-table__actions { +    display: flex; +    gap: 8px; +} + +.kodi-portal-empty { +    color:
#94a3b8; +} + +.kodi-portal-modal { +    position: fixed; +    inset: 0; +    background: rgba(15, 23, 42, 0.55); +    display: flex; +    align-
items: center; +    justify-content: center; +    z-index: 50; +} + +.kodi-portal-modal__content { +    background: #fff; +    border-radius: 16px;
+    padding: 20px; +    width: min(520px, 90vw); +    display: grid; +    gap: 12px; +} + +.kodi-portal-modal__header { +    display: flex; +
justify-content: space-between; +    align-items: center; +} + +.kodi-portal-form { +    display: grid; +    gap: 12px; +} + +.kodi-portal-
form__grid { +    display: grid; +    grid-template-columns: repeat(auto-fit, minmax(160px, 1fr)); +    gap: 12px; +} + +.kodi-portal-form input,
+.kodi-portal-form textarea, +.kodi-portal-form select { +    width: 100%; +    padding: 8px 10px; +    border-radius: 8px; +    border: 1px solid
#d8dde6; +} + +.kodi-portal-checkboxes { +    display: flex; +    gap: 12px; +} + +.kodi-portal-summary-card { +    background: #fff; +    border-
radius: 14px; +    padding: 16px; +    border: 1px solid #e2e8f0; +    display: grid; +    gap: 10px; +} + +.kodi-portal-summary-meta { +
display: flex; +    gap: 14px; +    font-size: 0.85rem; +    color: #64748b; +} + +.kodi-portal-nav-preview { +    list-style: none; +    padding:
0; +    margin: 0; +    display: grid; +    gap: 6px; +} + +.kodi-portal-role-grid { +    display: grid; +    grid-template-columns: repeat(2,
minmax(0, 1fr)); +    gap: 6px; +    font-size: 0.72rem; +} + +.status-pill.pending { +    background: #fef3c7; +    color: #92400e; +    padding:
4px 8px; +    border-radius: 999px; +    font-size: 0.72rem; +} + +.status-pill.active { +    background: #dcfce7; +    color: #166534; +
padding: 4px 8px; +    border-radius: 999px; +    font-size: 0.72rem; +} + +.status-pill.disabled { +    background: #fee2e2; +    color: #991b1b; +
padding: 4px 8px; +    border-radius: 999px; +    font-size: 0.72rem; +} + +.kodi-auth { +    min-height: 100vh; +    display: grid; +    place-
items: center; +    background: radial-gradient(circle at top, #e2e8f0, #f8fafc); +} + +.kodi-auth__card { +    background: #ffffff; +    padding:
28px; +    border-radius: 16px; +    width: min(420px, 90vw); +    display: grid; +    gap: 12px; +    border: 1px solid #e2e8f0; +    box-shadow: 0
18px 40px rgba(15, 23, 42, 0.12); +} + +.kodi-auth__card h1 { +    margin: 0 0 8px; +} + +.kodi-auth__card input { +    width: 100%; +    padding:
10px 12px; +    border-radius: 10px; +    border: 1px solid #d8dde6; +} diff --git a/frontend/src/pages/kodi/KodiPortalPage.jsx
b/frontend/src/pages/kodi/KodiPortalPage.jsx index 93b14822..fe595a9d 100644 --- a/frontend/src/pages/kodi/KodiPortalPage.jsx +++
b/frontend/src/pages/kodi/KodiPortalPage.jsx @@ -1,6 +1,20 @@  import React from 'react'; -import KodiPortal from './KodiPortal'; +import { Routes,
Route, Navigate } from 'react-router-dom'; +import AppsList from './portal/AppsList'; +import AppDetail from './portal/AppDetail'; +import AppUsers
from './portal/AppUsers'; +import AppPages from './portal/AppPages'; +import AppSettings from './portal/AppSettings';   -const KodiPortalPage = ()
=> <KodiPortal />; +const KodiPortalPage = () => ( +    <Routes> +        <Route path="/" element={<Navigate to="apps" replace />} /> +
<Route path="apps" element={<AppsList />} /> +        <Route path="apps/:appId" element={<AppDetail />} /> +        <Route path="apps/:appId/users"
element={<AppUsers />} /> +        <Route path="apps/:appId/pages" element={<AppPages />} /> +        <Route path="apps/:appId/settings" element=
{<AppSettings />} /> +    </Routes> +);    export default KodiPortalPage; diff --git a/frontend/src/pages/kodi/KodiRuntime.css
b/frontend/src/pages/kodi/KodiRuntime.css index d10f47c3..646d213f 100644 --- a/frontend/src/pages/kodi/KodiRuntime.css +++
b/frontend/src/pages/kodi/KodiRuntime.css @@ -231,3 +231,160 @@      text-align: center;      color: #64748b;  } + +.kodi-app-shell { +    display:
grid; +    grid-template-columns: 240px 1fr; +    min-height: 100vh; +    background: #f8fafc; +} + +.kodi-app-shell__nav { +    background: var(--
kodi-app-surface, #0f172a); +    color: var(--kodi-app-text, #e2e8f0); +    padding: 20px; +    display: grid; +    gap: 16px; +} + +.kodi-app-
shell__header { +    display: grid; +    gap: 8px; +} + +.kodi-app-shell__header select { +    width: 100%; +    padding: 6px 8px; +    border-
```

```
radius: 8px; +    border: 1px solid rgba(148, 163, 184, 0.4); +    background: rgba(15, 23, 42, 0.6); +    color: var(--kodi-app-text, #e2e8f0); +}
+ +.kodi-app-shell__menu { +    display: grid; +    gap: 8px; +} + +.kodi-app-shell__menu a { +    color: var(--kodi-app-text, #e2e8f0); +    text-
decoration: none; +    padding: 8px 10px; +    border-radius: 8px; +} + +.kodi-app-shell__menu a.active { +    background: var(--kodi-app-primary,
#2563eb); +} + +.kodi-app-shell__content { +    padding: 20px; +} + +.kodi-app-shell--compact .kodi-app-shell__content { +    padding: 12px; +} +
+.kodi-topbar { +    position: sticky; +    top: 0; +    z-index: 20; +    background: var(--kodi-app-surface, #0b1120); +    color: var(--kodi-app-
text, #e2e8f0); +    display: flex; +    align-items: center; +    gap: 16px; +    padding: 8px 16px; +} + +.kodi-topbar__switcher { +
background: transparent; +    color: inherit; +    border: 1px solid rgba(148, 163, 184, 0.4); +    border-radius: 8px; +    width: 34px; +
height: 34px; +} + +.kodi-topbar__appname { +    font-weight: 700; +} + +.kodi-topbar__tabs { +    display: flex; +    gap: 10px; +    flex: 1; +
overflow-x: auto; +} + +.kodi-topbar__tabs a { +    color: var(--kodi-app-text, #cbd5f5); +    text-decoration: none; +    padding: 6px 10px; +
border-radius: 999px; +    white-space: nowrap; +} + +.kodi-topbar__tabs a.active { +    background: var(--kodi-app-primary, #2563eb); +    color:
#fff; +} + +.kodi-topbar__menu { +    position: absolute; +    top: 48px; +    left: 16px; +    background: #111827; +    border: 1px solid
rgba(148, 163, 184, 0.3); +    border-radius: 12px; +    padding: 8px; +    display: grid; +    gap: 6px; +} + +.kodi-topbar__menu button { +
background: transparent; +    color: #e2e8f0; +    border: none; +    padding: 6px 8px; +    text-align: left; +} + +.kodi-topbar__menu
button.active { +    background: #1f2937; +    border-radius: 8px; +} + +.kodi-topbar--light { +    box-shadow: 0 6px 18px rgba(15, 23, 42, 0.08);
+} + +.kodi-topbar--light .kodi-topbar__menu { +    background: #ffffff; +    color: #0f172a; +} + +.kodi-topbar--light .kodi-topbar__menu button {
+    color: #0f172a; +} + +.kodi-topbar__logo { +    width: 28px; +    height: 28px; +    border-radius: 6px; +    object-fit: cover; +} + +.kodi-
app-shell--top { +    grid-template-columns: 1fr; +} + +@media (max-width: 900px) { +    .kodi-app-shell { +        grid-template-columns: 1fr; +
} +    .kodi-app-shell__nav { +        position: sticky; +        top: 0; +    } +} diff --git a/frontend/src/pages/kodi/KodiRuntimePage.jsx
b/frontend/src/pages/kodi/KodiRuntimePage.jsx index 4e54835f..eecf7cd8 100644 --- a/frontend/src/pages/kodi/KodiRuntimePage.jsx +++
b/frontend/src/pages/kodi/KodiRuntimePage.jsx @@ -36,7 +36,7 @@ const KodiRuntimePage = () => {          load();      }, [pageId]);   -    const
role = user?.role; +    const role = payload?.effectiveRole || user?.role;      const hasAccess = useMemo(() => {          if (!role) return true;
const map = payload?.permissions || {}; diff --git a/frontend/src/pages/kodi/KodiTimes.jsx b/frontend/src/pages/kodi/KodiTimes.jsx index
74eadbfc..16c2471d 100644 --- a/frontend/src/pages/kodi/KodiTimes.jsx +++ b/frontend/src/pages/kodi/KodiTimes.jsx @@ -6,9 +6,9 @@ import {
activatePlatformPage,      createPlatformPage,      linkPlatformPage, -    listPlatformApps,      listPlatformPages  } from
'../../services/kodiPageService'; +import { listPortalApps } from '../../services/kodiPortalService';  import './KodiTimes.css';    const PAGE_TYPES
= [ @@ -58,7 +58,7 @@ const KodiTimes = () => {      const fetchApps = async () => {          setLoadingApps(true);          try { -
const data = await listPlatformApps(); +            const data = await listPortalApps();              setApps(data);          } catch (error) {
toast.error('Cannot load Kodi apps'); diff --git a/frontend/src/services/api.js b/frontend/src/services/api.js index d9996b41..51d0f281 100644 ---
a/frontend/src/services/api.js +++ b/frontend/src/services/api.js @@ -60,7 +60,11 @@ api.interceptors.response.use(                }
localStorage.removeItem('token');              sessionStorage.removeItem('token'); -            window.location.href = '/login'; +            if
(window.location.pathname.startsWith('/kodi')) { +                window.location.href = '/kodi-auth/sign-in'; +            } else { +
window.location.href = '/login'; +            }          }            return Promise.reject(error); diff --git
a/frontend/src/services/kodiPageService.js b/frontend/src/services/kodiPageService.js index c0e0525f..72438298 100644 ---
a/frontend/src/services/kodiPageService.js +++ b/frontend/src/services/kodiPageService.js @@ -55,8 +55,8 @@ export const listPagePermissions = async
(pageId) =>      unwrap((await api.get(`/kodi/platform/pages/${pageId}/permissions`)).data);  export const updatePagePermissions = async (pageId,
payload) =>      unwrap((await api.post(`/kodi/platform/pages/${pageId}/permissions`, payload)).data); -export const fetchRuntimePage = async
(pageId) => -    unwrap((await api.get(`/kodi/platform/runtime/${pageId}`)).data); +export const fetchRuntimePage = async (pageId, { appId } = {})
=> +    unwrap((await api.get(`/kodi/platform/runtime/${pageId}`, { params: appId ? { appId } : {} })).data);  export const listAppUsers = async
(appId) =>      unwrap((await api.get(`/kodi/platform/apps/${appId}/users`)).data);  export const assignAppUser = async (appId, payload) => diff --
git a/reports/all-changes-diff.html b/reports/all-changes-diff.html index a8ef8ed9..5772e948 100644 --- a/reports/all-changes-diff.html +++
b/reports/all-changes-diff.html @@ -1 +1 @@ -<html><head><meta charset='utf-8'><title>Kodi changes diff</title><style>body{font-
family:Consolas,Menlo,monospace;background:#0b1020;color:#e2e8f0;padding:16px}pre{white-space:pre-wrap;}</style></head><body><h1>Kodi changes
diff</h1><pre>diff --git a/backend/src/modules/kodi/kodi.controller.js b/backend/src/modules/kodi/kodi.controller.js index 116c331d..5d6c9ec4 100644
--- a/backend/src/modules/kodi/kodi.controller.js +++ b/backend/src/modules/kodi/kodi.controller.js @@ -66,7 +66,8 @@ const assignAppUserValidators
= validate([      body(&#39;permissions&#39;).optional().isObject(),      body(&#39;permissions.canView&#39;).optional().isBoolean(),
body(&#39;permissions.canEdit&#39;).optional().isBoolean(), -    body(&#39;permissions.canUse&#39;).optional().isBoolean() +
body(&#39;permissions.canUse&#39;).optional().isBoolean(), +    body(&#39;roleKey&#39;).optional().isIn([&#39;admin&#39;, &#39;employee&#39;,
&#39;business_user&#39;, &#39;psychologist&#39;])  ]);  const assignPageUserValidators = validate([      param(&#39;id&#39;).custom(isUuidOrInt), @@
-178,7 +179,9 @@ const runtimeLoader = async (req, res) =&gt; {      try {          const payload = await runtime.buildRuntimePayload({
pageId: req.params.pageId, -            role: req.user?.role +            role: req.user?.role, +            userId: req.user?.id, +
appId: req.query?.appId          });          if (!payload) return res.status(404).json({ success: false, error: &#39;Page not found&#39; });
return res.json({ success: true, data: payload }); @@ -201,6 +204,25 @@ const linkPageToApp = async (req, res) =&gt; {      }  };   +const
linkAppPage = async (req, res) =&gt; { +    try { +        const appId = req.params.id; +        const pageId = req.body.pageId; +        await
service.linkPageToApp({ +            pageId, +            appId, +            navLabel: req.body.navLabel, +            navOrder: req.body.navOrder,
+            isDefault: req.body.isDefault, +            isVisible: req.body.isVisible +        }); +        return res.json({ success: true }); +
} catch (error) { +        logControllerError(&#39;linkAppPage&#39;, error); +        return res.status(400).json({ success: false, error:
error.message || &#39;Failed to link page to app&#39; }); +    } +}; +  const listApps = async (req, res) =&gt; {      try {          const apps =
await service.listApps(); @@ -211,6 +233,18 @@ const listApps = async (req, res) =&gt; {      }  };   +const getApp = async (req, res) =&gt; { +
try { +        const apps = await service.listApps(); +        const app = apps.find((item) =&gt; String(item.id) === String(req.params.id)); +
if (!app) return res.status(404).json({ success: false, error: &#39;App not found&#39; }); +        return res.json({ success: true, data: app }); +
} catch (error) { +        logControllerError(&#39;getApp&#39;, error); +        return res.status(500).json({ success: false, error: error.message
|| &#39;Failed to load app&#39; }); +    } +}; +  const listAppUsers = async (req, res) =&gt; {      try {          const users = await
service.listAppUsers(req.params.id); @@ -252,6 +286,7 @@ const assignAppUser = async (req, res) =&gt; {              appId: req.params.id,
email: req.body.email,              permissions: req.body.permissions || {}, +            roleKey: req.body.roleKey,              assignedBy:
req.user?.id          });          return res.json({ success: true, data: payload }); @@ -261,6 +296,55 @@ const assignAppUser = async (req, res)
=&gt; {      }  };   +const listAppPages = async (req, res) =&gt; { +    try { +        const pages = await service.listAppPages(req.params.id); +
return res.json({ success: true, data: pages }); +    } catch (error) { +        logControllerError(&#39;listAppPages&#39;, error); +        return
res.status(500).json({ success: false, error: error.message || &#39;Failed to load app pages&#39; }); +    } +}; + +const updateAppPage = async
(req, res) =&gt; { +    try { +        const mapping = await service.updateAppPageMapping({ +            mappingId: req.params.mappingId, +
appId: req.params.id, +            navLabel: req.body.navLabel, +            navOrder: req.body.navOrder, +            isDefault:
req.body.isDefault, +            isVisible: req.body.isVisible +        }); +        if (!mapping) return res.status(404).json({ success: false,
error: &#39;Mapping not found&#39; }); +        return res.json({ success: true, data: mapping }); +    } catch (error) { +
logControllerError(&#39;updateAppPage&#39;, error); +        return res.status(400).json({ success: false, error: error.message || &#39;Failed to
update app page&#39; }); +    } +}; +const deleteAppPage = async (req, res) =&gt; { +    try { +        await service.removeAppPageMapping({
mappingId: req.params.mappingId }); +        return res.json({ success: true }); +    } catch (error) { +
logControllerError(&#39;deleteAppPage&#39;, error); +        return res.status(400).json({ success: false, error: error.message || &#39;Failed to
remove page from app&#39; }); +    } +}; +const getAppNavigation = async (req, res) =&gt; { +    try { +        const payload = await
service.listAppNavigation(req.params.id); +        if (!payload) return res.status(404).json({ success: false, error: &#39;App not found&#39; }); +
return res.json({ success: true, data: payload }); +    } catch (error) { +        logControllerError(&#39;getAppNavigation&#39;, error); +
return res.status(500).json({ success: false, error: error.message || &#39;Failed to load app navigation&#39; }); +    } +}; +  const removeAppUser
= async (req, res) =&gt; {      try {          await service.removeAppUser({ appId: req.params.id, userId: req.params.userId }); @@ -464,6 +548,34
@@ const updateApp = async (req, res) =&gt; {      }  };   +const activateApp = async (req, res) =&gt; { +    try { +        const app = await
service.updateApp({ +            appId: req.params.id, +            isActive: true +        }); +        if (!app) return res.status(404).json({
success: false, error: &#39;App not found&#39; }); +        return res.json({ success: true, data: app }); +    } catch (error) { +
logControllerError(&#39;activateApp&#39;, error); +        return res.status(400).json({ success: false, error: error.message || &#39;Failed to
activate app&#39; }); +    } +}; +const deactivateApp = async (req, res) =&gt; { +    try { +        const app = await service.updateApp({ +
appId: req.params.id, +            isActive: false +        }); +        if (!app) return res.status(404).json({ success: false, error: &#39;App not
found&#39; }); +        return res.json({ success: true, data: app }); +    } catch (error) { +        logControllerError(&#39;deactivateApp&#39;,
error); +        return res.status(400).json({ success: false, error: error.message || &#39;Failed to deactivate app&#39; }); +    } +}; +  const
getPagePermissions = async (req, res) =&gt; {      try {          const pageId = req.params.id; @@ -509,14 +621,22 @@ module.exports = {
activatePage,      runtimeLoader,      linkPageToApp, +    linkAppPage,      listApps, +    getApp,      createApp,      updateApp, +
activateApp, +    deactivateApp,      pagePermissionValidators,      getPagePermissions,      updatePagePermissions,      listAppUsers,
assignAppUser, +    listAppPages, +    updateAppPage, +    deleteAppPage, +    getAppNavigation,      removeAppUser,      listPageUsers,
assignPageUser, diff --git a/backend/src/modules/kodi/kodi.permissions.js b/backend/src/modules/kodi/kodi.permissions.js index 7baadab0..244268a8
100644 --- a/backend/src/modules/kodi/kodi.permissions.js +++ b/backend/src/modules/kodi/kodi.permissions.js @@ -10,12 +10,22 @@ const
formatPermissions = (rows) =&gt; {      return map;  };   +const normalizeRole = (value) =&gt; String(value || &#39;&#39;).toLowerCase().trim();
+const ADMIN_ALIASES = new Set([&#39;admin&#39;, &#39;super_admin&#39;, &#39;superadmin&#39;, &#39;system_admin&#39;, &#39;hr_admin&#39;]); + +const
resolveRole = (role) =&gt; { +    const normalized = normalizeRole(role); +    if (ADMIN_ALIASES.has(normalized)) return &#39;admin&#39;; +
```

```
return normalized; +}; +  const userHasViewAccess = (permissionMap, role) =&gt; { +    const resolvedRole = resolveRole(role);      if
(!permissionMap || Object.keys(permissionMap).length === 0) { -        return role === &#39;admin&#39;; +        return resolvedRole ===
&#39;admin&#39;;      } -    if (!role) return false; -    const entry = permissionMap[role]; +    if (!resolvedRole) return false; +    const entry
= permissionMap[resolvedRole];      return Boolean(entry?.can_view);  };   diff --git a/backend/src/modules/kodi/kodi.runtime.js
b/backend/src/modules/kodi/kodi.runtime.js index 64a6220f..050a327f 100644 --- a/backend/src/modules/kodi/kodi.runtime.js +++
b/backend/src/modules/kodi/kodi.runtime.js @@ -1,7 +1,12 @@  const service = require(&#39;./kodi.service&#39;);  const perms =
require(&#39;./kodi.permissions&#39;);   -const buildRuntimePayload = async ({ pageId, role }) =&gt; { +const normalizeRole = (value) =&gt;
String(value || &#39;&#39;).toLowerCase().trim(); +const ADMIN_ALIASES = new Set([&#39;admin&#39;, &#39;super_admin&#39;, &#39;superadmin&#39;,
&#39;system_admin&#39;, &#39;hr_admin&#39;]); + +const isAdminRole = (role) =&gt; ADMIN_ALIASES.has(normalizeRole(role)); + +const
buildRuntimePayload = async ({ pageId, role, userId, appId }) =&gt; {      const page = await service.getPageById(pageId);      if (!page) {
return null; @@ -11,7 +16,23 @@ const buildRuntimePayload = async ({ pageId, role }) =&gt; {      const permissionMap =
perms.formatPermissions(permissionRows);      const componentRegistry = await service.listComponentRegistry();      const objects = await
service.listObjects(); -    const app = page.linked_app_id ? await service.getAppById(page.linked_app_id) : null; +    const appContextId = appId ||
page.linked_app_id; +    const app = appContextId ? await service.getAppById(appContextId) : null; + +    if (appId) { +        const linkedPages =
await service.listAppPages(appId); +        const isLinked = linkedPages.some((row) =&gt; String(row.page_id) === String(pageId)); +        if
(!isLinked) { +            throw new Error(&#39;Access denied&#39;); +        } +        if (!isAdminRole(role)) { +            const appUsers =
await service.listAppUsers(appId); +            const isMember = appUsers.some((row) =&gt; String(row.user_id) === String(userId)); +            if
(!isMember) { +                throw new Error(&#39;Access denied&#39;); +            } +        } +    }        const hasView =
perms.userHasViewAccess(permissionMap, role);      if (!hasView) { diff --git a/backend/src/modules/kodi/kodi.service.js
b/backend/src/modules/kodi/kodi.service.js index 9de7f257..8facb7d7 100644 --- a/backend/src/modules/kodi/kodi.service.js +++
b/backend/src/modules/kodi/kodi.service.js @@ -212,13 +212,49 @@ const activatePage = async ({ pageId }) =&gt; {      }  };   -const linkPageToApp =
async ({ pageId, appId }) =&gt; { +const getNextNavOrder = async (appId) =&gt; { +    const result = await database.query( +        `SELECT
COALESCE(MAX(nav_order), 0) AS max_order +         FROM app_page_mapping +         WHERE app_id = $1`, +        [appId] +    ); +    return
Number(result.rows[0]?.max_order || 0) + 1; +}; + +const linkPageToApp = async ({ pageId, appId, navLabel, navOrder, isDefault, isVisible }) =&gt; {
try { +        const page = await getPageById(pageId); +        if (!page) throw new Error(&#39;Page not found&#39;); +        if (page.status !==
&#39;activated&#39;) { +            throw new Error(&#39;Only activated pages can be linked to apps&#39;); +        } +        const app = await
getAppById(appId); +        if (!app) throw new Error(&#39;App not found&#39;); + +        const nextOrder = navOrder ?? await
getNextNavOrder(appId); +        const label = navLabel || page.label; +        const visible = isVisible === undefined ? true : Boolean(isVisible);
+        const defaultFlag = Boolean(isDefault); + +        await database.query(&#39;BEGIN&#39;); +        if (defaultFlag) { +            await
database.query( +                `UPDATE app_page_mapping +                 SET is_default = false +                 WHERE app_id = $1`, +
[appId] +            ); +        }        await database.query( -            `INSERT INTO app_page_mapping (app_id, page_id) -             VALUES
($1, $2) -             ON CONFLICT (app_id, page_id) DO NOTHING`, -            [appId, pageId] +            `INSERT INTO app_page_mapping (app_id,
page_id, nav_label, nav_order, is_default, is_visible) +             VALUES ($1, $2, $3, $4, $5, $6) +             ON CONFLICT (app_id, page_id) DO
UPDATE +                 SET nav_label = EXCLUDED.nav_label, +                     nav_order = EXCLUDED.nav_order, +                     is_default
= EXCLUDED.is_default, +                     is_visible = EXCLUDED.is_visible`, +            [appId, pageId, label, nextOrder, defaultFlag, visible]
);        await database.query(            `UPDATE kodi_pages @@ -226,7 +262,9 @@ const linkPageToApp = async ({ pageId, appId }) =&gt; {
WHERE id = $1 AND (linked_app_id IS NULL OR linked_app_id &lt;&gt; $2)`,            [pageId, appId]          ); +        await
database.query(&#39;COMMIT&#39;);      } catch (error) { +        await database.query(&#39;ROLLBACK&#39;).catch(() =&gt; null);
logServiceError(&#39;linkPageToApp&#39;, error, { pageId, appId });         throw error;      } @@ -256,18 +294,18 @@ const getAppById = async
(appId) =&gt; {    const getAppPrimaryPage = async (appId) =&gt; {      const result = await database.query( -        `SELECT p.id, p.label,
p.page_type, p.status +        `SELECT p.id, p.label, p.page_type, p.status, m.is_default           FROM kodi_pages p           JOIN
app_page_mapping m ON p.id = m.page_id           WHERE m.app_id = $1 AND p.status = &#39;activated&#39; -         ORDER BY p.activated_at DESC NULLS
LAST +         ORDER BY m.is_default DESC, m.nav_order ASC NULLS LAST, p.activated_at DESC NULLS LAST         LIMIT 1`,         [appId]      );
return result.rows[0] || null;  };   -const assignUserToApp = async ({ appId, email, permissions = {}, assignedBy }) =&gt; { +const assignUserToApp
= async ({ appId, email, permissions = {}, roleKey, assignedBy }) =&gt; {      const app = await getAppById(appId);      if (!app) {          throw
new Error(&#39;App not found&#39;); @@ -277,14 +315,15 @@ const assignUserToApp = async ({ appId, email, permissions = {}, assignedBy }) =
throw new Error(&#39;User not found&#39;);      }      const assignment = await database.query( -        `INSERT INTO kodi_app_users (app_id,
user_id, permissions, assigned_by) -         VALUES ($1, $2, $3::jsonb, $4) +        `INSERT INTO kodi_app_users (app_id, user_id, permissions,
role_key, assigned_by) +         VALUES ($1, $2, $3::jsonb, $4, $5)          ON CONFLICT (app_id, user_id) DO UPDATE             SET permissions
= EXCLUDED.permissions, +                 role_key = COALESCE(EXCLUDED.role_key, kodi_app_users.role_key),                 updated_at =
CURRENT_TIMESTAMP,                 assigned_by = COALESCE(EXCLUDED.assigned_by, kodi_app_users.assigned_by)           RETURNING *`, -
[appId, user.id, permissions, assignedBy || null] +        [appId, user.id, permissions, roleKey || null, assignedBy || null]      );      const
page = await getAppPrimaryPage(appId);      const baseUrl = process.env.FRONTEND_URL || process.env.SITE_URL ||
&#39;https://welphub.onrender.com&#39;; @@ -347,6 +386,103 @@ const listAppUsers = async (appId) =&gt; {      return result.rows;  };   +const
listAppPages = async (appId) =&gt; { +    const result = await database.query( +        `SELECT m.id AS mapping_id, +                m.app_id, +
m.page_id, +                m.nav_label, +                m.nav_order, +                m.is_default, +                m.is_visible, +
p.label, +                p.page_type, +                p.status, +                p.activated_at +         FROM app_page_mapping m +         JOIN
kodi_pages p ON p.id = m.page_id +         WHERE m.app_id = $1 +         ORDER BY m.nav_order ASC NULLS LAST, p.label`, +        [appId] +    ); +
return result.rows; +}; + +const updateAppPageMapping = async ({ mappingId, appId, navLabel, navOrder, isDefault, isVisible }) =&gt; { +    const
updates = []; +    const values = []; +    let idx = 1; +    if (navLabel !== undefined) { +        updates.push(`nav_label = $${idx++}`); +
values.push(navLabel); +    } +    if (navOrder !== undefined) { +        updates.push(`nav_order = $${idx++}`); +        values.push(navOrder); +
} +    if (isVisible !== undefined) { +        updates.push(`is_visible = $${idx++}`); +        values.push(Boolean(isVisible)); +    } +    if
(isDefault !== undefined) { +        updates.push(`is_default = $${idx++}`); +        values.push(Boolean(isDefault)); +    } +    if
(!updates.length) return null; +    values.push(mappingId); + +    await database.query(&#39;BEGIN&#39;); +    try { +        if (isDefault) { +
await database.query( +                `UPDATE app_page_mapping +                 SET is_default = false +                 WHERE app_id = $1`, +
[appId] +            ); +        } +        const result = await database.query( +            `UPDATE app_page_mapping +             SET
${updates.join(&#39;, &#39;)} +             WHERE id = $${idx} +             RETURNING *`, +            values +        ); +        await
database.query(&#39;COMMIT&#39;); +        return result.rows[0] || null; +    } catch (error) { +        await
database.query(&#39;ROLLBACK&#39;).catch(() =&gt; null); +        throw error; +    } +}; + +const removeAppPageMapping = async ({ mappingId })
=&gt; { +    await database.query( +        `DELETE FROM app_page_mapping +         WHERE id = $1`, +        [mappingId] +    ); +}; + +const
listAppNavigation = async (appId) =&gt; { +    const app = await getAppById(appId); +    if (!app) return null; +    const pages = await
listAppPages(appId); +    const navigation = pages +        .filter((page) =&gt; page.is_visible) +        .map((page) =&gt; ({ +            pageId:
page.page_id, +            label: page.nav_label || page.label, +            type: page.page_type, +            isDefault: Boolean(page.is_default),
+            order: page.nav_order +        })); +    return { +        app: { id: app.id, label: app.name, status: app.is_active ? &#39;active&#39;
: &#39;inactive&#39; }, +        navigation +    }; +}; +  const assignUserToPage = async ({ pageId, email, permissions = {}, assignedBy }) =&gt; {
const page = await getPageById(pageId);      if (!page) { @@ -524,7 +660,12 @@ const listApps = async () =&gt; {
&#39;label&#39;, p.label,                 &#39;page_type&#39;, p.page_type,                 &#39;status&#39;, p.status, -
&#39;activated_at&#39;, p.activated_at +                 &#39;activated_at&#39;, p.activated_at, +
&#39;nav_label&#39;, m.nav_label, +                 &#39;nav_order&#39;, m.nav_order, +                 &#39;is_default&#39;,
m.is_default, +                 &#39;is_visible&#39;, m.is_visible, +                 &#39;mapping_id&#39;, m.id
) ORDER BY p.created_at DESC) AS linked_pages         FROM app_page_mapping m         JOIN kodi_pages p ON p.id = m.page_id @@ -537,6
+678,7 @@ const listApps = async () =&gt; {                 &#39;email&#39;, u.email,                 &#39;display_name&#39;,
u.display_name,                 &#39;role&#39;, u.role, +                 &#39;role_key&#39;, au.role_key,
&#39;permissions&#39;, au.permissions,                 &#39;assigned_at&#39;, au.created_at             ) ORDER BY au.created_at
DESC) AS assigned_users @@ -773,6 +915,10 @@ module.exports = {      updateApp,      assignUserToApp,      listAppUsers, +    listAppPages, +
updateAppPageMapping, +    removeAppPageMapping, +    listAppNavigation,      assignUserToPage,      listPageUsers,      createLead, diff --git
a/backend/src/routes/kodiRoutes.js b/backend/src/routes/kodiRoutes.js index af643251..e291f776 100644 --- a/backend/src/routes/kodiRoutes.js +++
b/backend/src/routes/kodiRoutes.js @@ -170,11 +170,41 @@ router.post(  );  router.get(&#39;/platform/apps/:id/users&#39;, authenticate,
authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.listAppUsers);  router.post(&#39;/platform/apps/:id/users&#39;, authenticate,
authorizeAdmin(), kodiPlatform.assignAppUserValidators, kodiPlatform.assignAppUser); +router.get(&#39;/platform/apps/:id/pages&#39;, authenticate,
authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.listAppPages); +router.patch(&#39;/platform/apps/:id/pages/:mappingId&#39;,
authenticate, authorizeAdmin(), validate([ +    param(&#39;id&#39;).custom((val) =&gt; { +        if (val === undefined || val === null) return
false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +
return uuidRegex.test(str) || /^\d+$/.test(str); +    }), +    param(&#39;mappingId&#39;).custom((val) =&gt; { +        if (val === undefined || val
=== null) return false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-
[0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.updateAppPage);
+router.delete(&#39;/platform/apps/:id/pages/:mappingId&#39;, authenticate, authorizeAdmin(), validate([ +    param(&#39;id&#39;).custom((val) =&gt;
{ +        if (val === undefined || val === null) return false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]
```

```
{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +    }), +
param(&#39;mappingId&#39;).custom((val) =&gt; { +        if (val === undefined || val === null) return false; +        const str = String(val); +
const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +
}) +]), kodiPlatform.deleteAppPage);  router.get(&#39;/platform/pages/:id/users&#39;, authenticate, authorizeAdmin(), kodiPlatform.pageIdValidator,
kodiPlatform.listPageUsers);  router.post(&#39;/platform/pages/:id/users&#39;, authenticate, authorizeAdmin(),
kodiPlatform.assignPageUserValidators, kodiPlatform.assignPageUser);  router.post(&#39;/platform/apps&#39;, authenticate, authorizeAdmin(),
kodiPlatform.createAppValidators, kodiPlatform.createApp);  router.put(&#39;/platform/apps/:id&#39;, authenticate, authorizeAdmin(),
kodiPlatform.updateAppValidators, kodiPlatform.updateApp);  router.get(&#39;/platform/runtime/:pageId&#39;, authenticate,
kodiPlatform.getRuntimeValidator, kodiPlatform.runtimeLoader); +router.get(&#39;/platform/apps/:id/navigation&#39;, authenticate,
kodiPlatform.appIdValidator, kodiPlatform.getAppNavigation);  router.get(&#39;/platform/apps&#39;, authenticate, authorizeAdmin(),
kodiPlatform.listApps);  router.get(&#39;/platform/objects&#39;, authenticate, authorizeAdmin(), kodiPlatform.listObjects);
router.get(&#39;/platform/components&#39;, authenticate, authorizeAdmin(), kodiPlatform.listComponentRegistry); @@ -198,4 +228,51 @@
router.get(&#39;/platform/leads/:id/opportunities&#39;, authenticate, authorizeAdmin(),  router.get(&#39;/platform/pages/:id/permissions&#39;,
authenticate, authorizeAdmin(), kodiPlatform.pageIdValidator, kodiPlatform.getPagePermissions);
router.post(&#39;/platform/pages/:id/permissions&#39;, authenticate, authorizeAdmin(), kodiPlatform.pagePermissionValidators,
kodiPlatform.updatePagePermissions);   +// Kodi Portal aliases (admin console) +router.get(&#39;/portal/apps&#39;, authenticate, authorizeAdmin(),
kodiPlatform.listApps); +router.post(&#39;/portal/apps&#39;, authenticate, authorizeAdmin(), kodiPlatform.createAppValidators,
kodiPlatform.createApp); +router.get(&#39;/portal/apps/:id&#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.getApp);
+router.patch(&#39;/portal/apps/:id&#39;, authenticate, authorizeAdmin(), kodiPlatform.updateAppValidators, kodiPlatform.updateApp);
+router.post(&#39;/portal/apps/:id/activate&#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.activateApp);
+router.post(&#39;/portal/apps/:id/deactivate&#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.deactivateApp);
+router.get(&#39;/portal/apps/:id/users&#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.listAppUsers);
+router.post(&#39;/portal/apps/:id/users&#39;, authenticate, authorizeAdmin(), kodiPlatform.assignAppUserValidators, kodiPlatform.assignAppUser);
+router.delete(&#39;/portal/apps/:id/users/:userId&#39;, authenticate, authorizeAdmin(), kodiPlatform.removeAppUser);
+router.get(&#39;/portal/apps/:id/pages&#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.listAppPages);
+router.post(&#39;/portal/apps/:id/pages&#39;, authenticate, authorizeAdmin(), validate([body(&#39;pageId&#39;).custom((val) =&gt; { +    if (val
=== undefined || val === null) return false; +    const str = String(val); +    const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab]
[0-9a-f]{3}-[0-9a-f]{12}$/i; +    return uuidRegex.test(str) || /^\d+$/.test(str); +})]), kodiPlatform.linkAppPage);
+router.patch(&#39;/portal/apps/:id/pages/:mappingId&#39;, authenticate, authorizeAdmin(), validate([ +    param(&#39;id&#39;).custom((val) =&gt; {
+        if (val === undefined || val === null) return false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]
{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +    }), +
param(&#39;mappingId&#39;).custom((val) =&gt; { +        if (val === undefined || val === null) return false; +        const str = String(val); +
const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +
}) +]), kodiPlatform.updateAppPage); +router.delete(&#39;/portal/apps/:id/pages/:mappingId&#39;, authenticate, authorizeAdmin(), validate([ +
param(&#39;id&#39;).custom((val) =&gt; { +        if (val === undefined || val === null) return false; +        const str = String(val); +
const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return uuidRegex.test(str) ||
/^\d+$/.test(str); +    }), +    param(&#39;mappingId&#39;).custom((val) =&gt; { +        if (val === undefined || val === null) return false; +
const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{12}$/i; +        return
uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.deleteAppPage); +router.get(&#39;/portal/apps/:id/navigation&#39;, authenticate,
authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.getAppNavigation); +  module.exports = router; diff --git
a/backend/src/utils/database.js b/backend/src/utils/database.js index 1775564a..809d61a2 100644 --- a/backend/src/utils/database.js +++
b/backend/src/utils/database.js @@ -634,6 +634,11 @@ const createTables = async () =&gt; {                    id UUID PRIMARY KEY DEFAULT
uuid_generate_v4(),                    app_id UUID REFERENCES kodi_apps(id) ON DELETE CASCADE,                    page_id UUID REFERENCES kodi_pages(id)
ON DELETE CASCADE, +                    nav_label VARCHAR(255), +                    nav_order INTEGER DEFAULT 0, +                    is_default BOOLEAN
DEFAULT false, +                    is_visible BOOLEAN DEFAULT true, +                    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
UNIQUE (app_id, page_id)                );   @@ -691,6 +696,7 @@ const createTables = async () =&gt; {                    app_id UUID NOT NULL
REFERENCES kodi_apps(id) ON DELETE CASCADE,                    user_id UUID NOT NULL REFERENCES users(id) ON DELETE CASCADE,
permissions JSONB DEFAULT &#39;{}&#39;::jsonb, +                    role_key VARCHAR(50),                    assigned_by UUID REFERENCES users(id) ON
DELETE SET NULL,                    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,                    updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
@@ -1087,6 +1093,7 @@ const createTables = async () =&gt; {                    CREATE INDEX IF NOT EXISTS idx_kodi_pages_status                    ON
kodi_pages(status);                    CREATE INDEX IF NOT EXISTS idx_kodi_pages_app                    ON kodi_pages(linked_app_id);                    CREATE
INDEX IF NOT EXISTS idx_app_page_mapping_app                    ON app_page_mapping(app_id); +                    CREATE INDEX IF NOT EXISTS
idx_app_page_mapping_page                    ON app_page_mapping(page_id);                    CREATE INDEX IF NOT EXISTS idx_kodi_app_users_app                    ON
kodi_app_users(app_id);                    CREATE INDEX IF NOT EXISTS idx_kodi_audit_entity                    ON kodi_audit_logs(entity_type, entity_id);
`; @@ -1408,6 +1415,12 @@ const runMigrations = async () =&gt; {                    &quot;ALTER TABLE leads ADD COLUMN IF NOT EXISTS source
VARCHAR(120);&quot;,                    &quot;ALTER TABLE opportunities ADD COLUMN IF NOT EXISTS owner VARCHAR(120);&quot;,                    &quot;ALTER TABLE
opportunities ADD COLUMN IF NOT EXISTS value NUMERIC;&quot;, +                    &quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS nav_label
VARCHAR(255);&quot;, +                    &quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS nav_order INTEGER DEFAULT 0;&quot;, +
&quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_default BOOLEAN DEFAULT false;&quot;, +                    &quot;ALTER TABLE app_page_mapping
ADD COLUMN IF NOT EXISTS is_visible BOOLEAN DEFAULT true;&quot;, +                    &quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS created_at
TIMESTAMP DEFAULT CURRENT_TIMESTAMP;&quot;, +                    &quot;ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS role_key VARCHAR(50);&quot;,
&quot;ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS ip_address VARCHAR(64);&quot;,                    &quot;ALTER TABLE audit_logs ADD COLUMN IF NOT
EXISTS user_agent TEXT;&quot;,                    &quot;ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS created_at TIMESTAMPTZ DEFAULT
CURRENT_TIMESTAMP;&quot;, diff --git a/frontend/src/components/kodi/BuilderCanvas.jsx b/frontend/src/components/kodi/BuilderCanvas.jsx index
0d413de4..0398f392 100644 --- a/frontend/src/components/kodi/BuilderCanvas.jsx +++ b/frontend/src/components/kodi/BuilderCanvas.jsx @@ -5,12 +5,162
@@ const GRID_COLUMNS = 12;    const clamp = (value, min, max) =&gt; Math.min(Math.max(value, min), max);   +const SAMPLE_PREVIEWS = { +
RecordDetails: { +        title: &#39;Record Details&#39;, +        fields: [ +            { label: &#39;Name&#39;, value: &#39;Ava Thompson&#39; },
+            { label: &#39;Email&#39;, value: &#39;ava@kodi.app&#39; }, +            { label: &#39;Status&#39;, value: &#39;Active&#39; }, +
{ label: &#39;Last Touch&#39;, value: &#39;2 hours ago&#39; } +        ] +    }, +    RelatedList: { +        title: &#39;Related List&#39;, +
headers: [&#39;Type&#39;, &#39;Status&#39;, &#39;Owner&#39;], +        rows: [ +            [&#39;Case&#39;, &#39;Open&#39;, &#39;J. Rivers&#39;], +
[&#39;Task&#39;, &#39;In Progress&#39;, &#39;T. Patel&#39;], +            [&#39;Note&#39;, &#39;Logged&#39;, &#39;System&#39;] +        ] +    }, +
ActivityTimeline: { +        title: &#39;Activity Timeline&#39;, +        items: [&#39;Email sent - 10m&#39;, &#39;Call scheduled - 1h&#39;,
&#39;Lead converted - 1d&#39;] +    }, +    HighlightsPanel: { +        title: &#39;Highlights Panel&#39;, +        pills: [&#39;Open Cases: 4&#39;,
&#39;ARR: $48k&#39;, &#39;Health: Good&#39;] +    }, +    DataTable: { +        title: &#39;Data Table&#39;, +        headers: [&#39;Account&#39;,
&#39;Stage&#39;, &#39;Value&#39;], +        rows: [ +            [&#39;BlueNova&#39;, &#39;Proposal&#39;, &#39;$12k&#39;], +
[&#39;Futura&#39;, &#39;Qualified&#39;, &#39;$7k&#39;], +            [&#39;Nimbus&#39;, &#39;Discovery&#39;, &#39;$4k&#39;] +        ] +    }, +
CardList: { +        title: &#39;Card List&#39;, +        cards: [ +            { title: &#39;Psychologist Onboard&#39;, meta: &#39;Due in 2
days&#39; }, +            { title: &#39;Business Review&#39;, meta: &#39;Priority: High&#39; } +        ] +    }, +    KeyValueFields: { +
title: &#39;Key Value Fields&#39;, +        fields: [ +            { label: &#39;Industry&#39;, value: &#39;Healthcare&#39; }, +            { label:
&#39;Seats&#39;, value: &#39;128&#39; }, +            { label: &#39;Tier&#39;, value: &#39;Enterprise&#39; } +        ] +    }, +    ContactProfile:
{ +        title: &#39;Contact Profile&#39;, +        subtitle: &#39;Primary decision maker&#39;, +        fields: [ +            { label:
&#39;Name&#39;, value: &#39;Luis Chen&#39; }, +            { label: &#39;Role&#39;, value: &#39;HR Director&#39; }, +            { label:
&#39;Phone&#39;, value: &#39;+1 (555) 221-8844&#39; } +        ] +    }, +    SubscriptionOverview: { +        title: &#39;Subscription
Overview&#39;, +        pills: [&#39;Plan: Growth&#39;, &#39;Renewal: Jul 14&#39;, &#39;Status: Active&#39;] +    }, +    EmployeePanel: { +
title: &#39;Employee Panel&#39;, +        fields: [ +            { label: &#39;Employee&#39;, value: &#39;Sofia Ramos&#39; }, +            { label:
&#39;Role&#39;, value: &#39;People Ops&#39; }, +            { label: &#39;Status&#39;, value: &#39;Onboarding&#39; } +        ] +    }, +
PsychologistProfile: { +        title: &#39;Psychologist Profile&#39;, +        fields: [ +            { label: &#39;Specialty&#39;, value:
&#39;Trauma&#39; }, +            { label: &#39;Availability&#39;, value: &#39;Tue - Thu&#39; }, +            { label: &#39;Rating&#39;, value:
&#39;4.9&#39; } +        ] +    }, +    BusinessInfoPanel: { +        title: &#39;Business Info&#39;, +        fields: [ +            { label:
&#39;Industry&#39;, value: &#39;Fintech&#39; }, +            { label: &#39;Region&#39;, value: &#39;EMEA&#39; }, +            { label:
&#39;Tier&#39;, value: &#39;Premium&#39; } +        ] +    }, +    AccountSummary: { +        title: &#39;Account Summary&#39;, +        pills:
[&#39;NPS 52&#39;, &#39;Usage up 18%&#39;, &#39;Churn risk: Low&#39;] +    }, +    ApplicationStatusPanel: { +        title: &#39;Application
Status&#39;, +        steps: [&#39;Lead&#39;, &#39;Qualified&#39;, &#39;Under Review&#39;, &#39;Approved&#39;] +    }, +    LeadSummary: { +
title: &#39;Lead Summary&#39;, +        fields: [ +            { label: &#39;Score&#39;, value: &#39;82&#39; }, +            { label:
&#39;Source&#39;, value: &#39;Referral&#39; }, +            { label: &#39;Stage&#39;, value: &#39;Qualified&#39; } +        ] +    }, +
OpportunitySummary: { +        title: &#39;Opportunity Summary&#39;, +        fields: [ +            { label: &#39;Pipeline&#39;, value:
&#39;$96k&#39; }, +            { label: &#39;Close Date&#39;, value: &#39;Aug 02&#39; }, +            { label: &#39;Probability&#39;, value:
&#39;68%&#39; } +        ] +    }, +    ActionButton: { +        title: &#39;Primary Action&#39;, +        actions: [&#39;Launch Workflow&#39;] +
```

```
}, +    QuickActionsBar: { +        title: &#39;Quick Actions&#39;, +        actions: [&#39;Send Email&#39;, &#39;Assign Psychologist&#39;,
&#39;Approve&#39;] +    }, +    LinkList: { +        title: &#39;Link List&#39;, +        links: [&#39;Open Profile&#39;, &#39;View
Subscription&#39;, &#39;Audit Log&#39;] +    }, +    FormPanel: { +        title: &#39;Form Panel&#39;, +        fields: [&#39;First name&#39;,
&#39;Email&#39;, &#39;Role&#39;] +    }, +    SendEmailButton: { +        title: &#39;Send Email&#39;, +        actions: [&#39;Compose&#39;] +    },
+    AssignPsychologistButton: { +        title: &#39;Assign Psychologist&#39;, +        actions: [&#39;Assign&#39;] +    }, +
ApproveRejectPanel: { +        title: &#39;Approve / Reject&#39;, +        actions: [&#39;Approve&#39;, &#39;Reject&#39;] +    } +}; + +const
resolvePreviewKey = (component) =&gt; +    component?.component_type +    || component?.componentName +    || component?.component_name +    ||
component?.name +    || &#39;&#39;; +  const BuilderCanvas = ({      layout,      selected,      onSelectComponent,      onLayoutChange,
onComponentDrop, +    onRemoveComponent,      previewRole  }) =&gt; {      const canvasRef = useRef(null); @@ -89,6 +239,115 @@ const BuilderCanvas
= ({          return roles.includes(previewRole);      };   +    const renderPreview = (component) =&gt; { +        const previewKey =
resolvePreviewKey(component); +        const preview = SAMPLE_PREVIEWS[previewKey] || null; + +        if (!preview) { +            return ( +
&lt;div className=&quot;kodi-builder__preview kodi-builder__preview--placeholder&quot;&gt; +                &lt;div className=&quot;kodi-
builder__preview-title&quot;&gt;{previewKey || &#39;Component&#39;} Preview&lt;/div&gt; +                &lt;div className=&quot;kodi-
builder__preview-text&quot;&gt;Drop in live data bindings to render.&lt;/div&gt; +                &lt;/div&gt; +            ); +        } + +
return ( +            &lt;div className=&quot;kodi-builder__preview&quot;&gt; +                &lt;div className=&quot;kodi-builder__preview-
title&quot;&gt;{preview.title}&lt;/div&gt; + +                {preview.fields &amp;&amp; ( +                    &lt;div className=&quot;kodi-
builder__preview-fields&quot;&gt; +                    {preview.fields.map((field) =&gt; ( +                        &lt;div key=
{field.label} className=&quot;kodi-builder__preview-field&quot;&gt; +                        &lt;span&gt;{field.label}&lt;/span&gt; +
&lt;strong&gt;{field.value}&lt;/strong&gt; +                        &lt;/div&gt; +                    ))} +                    &lt;/div&gt;
+                )} + +                {preview.items &amp;&amp; ( +                    &lt;ul className=&quot;kodi-builder__preview-list&quot;&gt;
+                    {preview.items.map((item) =&gt; ( +                        &lt;li key={item}&gt;{item}&lt;/li&gt; +
))} +                    &lt;/ul&gt; +                )} + +                {preview.pills &amp;&amp; ( +                    &lt;div
className=&quot;kodi-builder__preview-pills&quot;&gt; +                    {preview.pills.map((pill) =&gt; ( +
&lt;span key={pill}&gt;{pill}&lt;/span&gt; +                    ))} +                    &lt;/div&gt; +                )} + +
{preview.steps &amp;&amp; ( +                    &lt;div className=&quot;kodi-builder__preview-steps&quot;&gt; +
{preview.steps.map((step, index) =&gt; ( +                    &lt;div key={step} className={`kodi-builder__preview-step ${index === 1 ?
&#39;active&#39; : &#39;&#39;}`}&gt; +                    {step} +                    &lt;/div&gt; +                    ))}
+                &lt;/div&gt; +                )} + +                {preview.headers &amp;&amp; preview.rows &amp;&amp; ( +
&lt;div className=&quot;kodi-builder__preview-table&quot;&gt; +                    &lt;div className=&quot;kodi-builder__preview-table-
head&quot;&gt; +                    {preview.headers.map((header) =&gt; ( +                        &lt;span key={header}&gt;
{header}&lt;/span&gt; +                    ))} +                    &lt;/div&gt; +                    {preview.rows.map((row, idx)
=&gt; ( +                        &lt;div key={`${row[0]}-${idx}`} className=&quot;kodi-builder__preview-table-row&quot;&gt; +
{row.map((cell) =&gt; ( +                        &lt;span key={cell}&gt;{cell}&lt;/span&gt; +                        ))} +
&lt;/div&gt; +                    ))} +                    &lt;/div&gt; +                )} + +                {preview.cards &amp;&amp; ( +
&lt;div className=&quot;kodi-builder__preview-cards&quot;&gt; +                    {preview.cards.map((card) =&gt; ( +
&lt;div key={card.title} className=&quot;kodi-builder__preview-card&quot;&gt; +                        &lt;strong&gt;
{card.title}&lt;/strong&gt; +                        &lt;span&gt;{card.meta}&lt;/span&gt; +                        &lt;/div&gt; +
))} +                &lt;/div&gt; +                )} + +                {preview.links &amp;&amp; ( +                    &lt;div
className=&quot;kodi-builder__preview-links&quot;&gt; +                    {preview.links.map((link) =&gt; ( +
&lt;div key={link} className=&quot;kodi-builder__preview-link&quot;&gt;{link}&lt;/div&gt; +                    ))} +
&lt;/div&gt; +                )} + +                {preview.actions &amp;&amp; ( +                    &lt;div className=&quot;kodi-
builder__preview-actions&quot;&gt; +                    {preview.actions.map((action) =&gt; ( +                        &lt;button key=
{action} type=&quot;button&quot;&gt;{action}&lt;/button&gt; +                    ))} +                    &lt;/div&gt; +                )} + +
{preview.subtitle &amp;&amp; ( +                    &lt;div className=&quot;kodi-builder__preview-subtitle&quot;&gt;{preview.subtitle}&lt;/div&gt; +
)} + +            {preview.fields == null &amp;&amp; preview.items == null &amp;&amp; preview.pills == null &amp;&amp; preview.headers == null
&amp;&amp; preview.cards == null &amp;&amp; preview.links == null &amp;&amp; preview.actions == null &amp;&amp; ( +                    &lt;div
className=&quot;kodi-builder__preview-text&quot;&gt;Preview data is ready.&lt;/div&gt; +                )} +            &lt;/div&gt; +        ); +
}; +      return (          &lt;section className=&quot;kodi-builder__canvas&quot; ref={canvasRef}&gt;              {(layout?.rows || []).map((row,
rowIndex) =&gt; { @@ -128,10 +387,25 @@ const BuilderCanvas = ({                                                                                                  &gt;
&lt;div className=&quot;kodi-builder__component-header&quot;&gt;                                                                  &lt;strong&gt;{component.label
|| component.name}&lt;/strong&gt; -                                                                  &lt;span&gt;{component.component_type}&lt;/span&gt; +
&lt;div className=&quot;kodi-builder__component-actions&quot;&gt; +                                                                  &lt;span&gt;
{component.component_type}&lt;/span&gt; +                                                                  &lt;button +
type=&quot;button&quot; +                                                                  className=&quot;kodi-builder__component-delete&quot; +
onClick={(event) =&gt; { +                                                                  event.stopPropagation(); +
onRemoveComponent?.({ rowIndex, colIndex, compIndex }); +                                                                  }} +
title=&quot;Remove component&quot; +                                                                  &gt; +
x +                                                                  &lt;/button&gt; +                                                                  &lt;/div&gt;
&lt;/div&gt;                                                                  &lt;div className=&quot;kodi-builder__component-body&quot;&gt; -
&lt;p&gt;{hasPermission(component) ? (component.description || &#39;Drag to reorder or resize.&#39;) : &#39;Hidden by permissions&#39;}&lt;/p&gt; +
{hasPermission(component) +                                                                  ? renderPreview(component) +
: &lt;p&gt;Hidden by permissions&lt;/p&gt;}                                                                  &lt;/div&gt;
&lt;ResizeHandle                                                                  direction=&quot;width&quot; diff --git
a/frontend/src/pages/kodi/KodiBuilder.css b/frontend/src/pages/kodi/KodiBuilder.css index 4e0aea6d..9612a43c 100644 ---
a/frontend/src/pages/kodi/KodiBuilder.css +++ b/frontend/src/pages/kodi/KodiBuilder.css @@ -1223,6 +1223,28 @@      margin-bottom: 6px;  }   +.kodi-
builder__component-actions { +    display: inline-flex; +    align-items: center; +    gap: 8px; +} + +.kodi-builder__component-delete { +
border: none; +    background: #fee2e2; +    color: #b91c1c; +    width: 22px; +    height: 22px; +    border-radius: 50%; +    cursor: pointer; +
font-weight: 700; +    line-height: 1; +} + +.kodi-builder__component-delete:hover { +    background: #fecaca; +} +  .kodi-resize-handle {
position: absolute;      background: rgba(99, 102, 241, 0.7); @@ -1246,6 +1268,161 @@      border-radius: 4px;  }   +.kodi-builder__preview { +
display: grid; +    gap: 8px; +    font-size: 12px; +    color: #1f2b3b; +} + +.kodi-builder__preview--placeholder { +    color: #94a3b8; +} +
+.kodi-builder__preview-title { +    font-weight: 700; +    font-size: 12px; +    color: #1f2b3b; +} + +.kodi-builder__preview-text { +    color:
#64748b; +} + +.kodi-builder__preview-fields { +    display: grid; +    gap: 6px; +} + +.kodi-builder__preview-field { +    display: flex; +
justify-content: space-between; +    background: #f8fafc; +    border: 1px solid #e2e8f0; +    border-radius: 8px; +    padding: 6px 8px; +} +
+.kodi-builder__preview-list { +    list-style: none; +    padding: 0; +    margin: 0; +    display: grid; +    gap: 4px; +} + +.kodi-
builder__preview-list li { +    padding: 6px 8px; +    border-radius: 8px; +    background: #f8fafc; +    border: 1px solid #e2e8f0; +} + +.kodi-
builder__preview-pills { +    display: flex; +    flex-wrap: wrap; +    gap: 6px; +} + +.kodi-builder__preview-pills span { +    background:
#e0e7ff; +    color: #3730a3; +    padding: 4px 8px; +    border-radius: 999px; +    font-weight: 600; +} + +.kodi-builder__preview-steps { +
display: grid; +    gap: 4px; +} + +.kodi-builder__preview-step { +    padding: 6px 8px; +    border-radius: 8px; +    border: 1px solid #e2e8f0; +
background: #f8fafc; +} + +.kodi-builder__preview-step.active { +    background: #dcfce7; +    border-color: #86efac; +    color: #166534; +
font-weight: 700; +} + +.kodi-builder__preview-table { +    display: grid; +    gap: 6px; +} + +.kodi-builder__preview-table-head, +.kodi-
builder__preview-table-row { +    display: grid; +    grid-template-columns: repeat(3, minmax(0, 1fr)); +    gap: 6px; +    font-size: 11px; +} +
+.kodi-builder__preview-table-head { +    font-weight: 700; +    color: #475569; +} + +.kodi-builder__preview-table-row { +    background: #f8fafc;
+    border: 1px solid #e2e8f0; +    border-radius: 8px; +    padding: 6px 8px; +} + +.kodi-builder__preview-cards { +    display: grid; +    gap:
6px; +} + +.kodi-builder__preview-card { +    background: #f8fafc; +    border: 1px solid #e2e8f0; +    border-radius: 10px; +    padding: 8px; +
display: grid; +    gap: 4px; +} + +.kodi-builder__preview-links { +    display: grid; +    gap: 4px; +} + +.kodi-builder__preview-link { +
padding: 6px 8px; +    border-radius: 8px; +    background: #eef2ff; +    color: #4338ca; +    font-weight: 600; +} + +.kodi-builder__preview-
actions { +    display: flex; +    flex-wrap: wrap; +    gap: 6px; +} + +.kodi-builder__preview-actions button { +    padding: 4px 8px; +    border-
radius: 8px; +    border: 1px solid #cbd5f5; +    background: #ffffff; +    font-weight: 600; +    font-size: 11px; +    cursor: pointer; +} +
+.kodi-builder__preview-subtitle { +    color: #64748b; +} +  .kodi-config__header {      display: flex;      justify-content: space-between; diff -
-git a/frontend/src/pages/kodi/KodiBuilderPage.jsx b/frontend/src/pages/kodi/KodiBuilderPage.jsx index 4593de77..b4a93420 100644 ---
a/frontend/src/pages/kodi/KodiBuilderPage.jsx +++ b/frontend/src/pages/kodi/KodiBuilderPage.jsx @@ -172,6 +172,16 @@ const KodiBuilderPage = ()
=&gt; {          });      };   +    const handleRemoveComponent = ({ rowIndex, colIndex, compIndex }) =&gt; { +        updateLayout((draft) =&gt; {
+            const targetCol = draft.rows[rowIndex]?.columns[colIndex]; +            if (!targetCol) return; +
targetCol.components.splice(compIndex, 1); +        }); +        setSelectedComponent(null); +        setSelectedPosition(null); +    }; +
const handleSelectComponent = (component, position) =&gt; {          setSelectedComponent(component);          setSelectedPosition(position); @@
-319,6 +329,7 @@ const KodiBuilderPage = () =&gt; {                    onSelectComponent={handleSelectComponent}
onLayoutChange={updateLayout}                    onComponentDrop={handleComponentDrop} +                    onRemoveComponent=
{handleRemoveComponent}                    previewRole={previewRole}                    /&gt;                    &lt;ConfigSidebar diff --git
```

```
a/frontend/src/pages/kodi/KodiPortal.jsx b/frontend/src/pages/kodi/KodiPortal.jsx index 14741b88..0227d8a0 100644 ---
a/frontend/src/pages/kodi/KodiPortal.jsx +++ b/frontend/src/pages/kodi/KodiPortal.jsx @@ -68,6 +68,7 @@ const KodiPortal = () =&gt; {          open:
false,          app: null,          email: &#39;&#39;, +          roleKey: &#39;employee&#39;,          permissions: { canView: true, canEdit: false,
canUse: false },          assigning: false      }); @@ -183,7 +184,7 @@ const KodiPortal = () =&gt; {        const availablePagesForApp = (app)
=&gt; {          const linkedIds = new Set((app.linked_pages || []).map((page) =&gt; page.id)); -        return pages.filter((page) =&gt;
!linkedIds.has(page.id)); +        return pages.filter((page) =&gt; !linkedIds.has(page.id) &amp;&amp; page.status === &#39;activated&#39;);      };
const handleCreateApp = async (event) =&gt; { @@ -270,6 +271,7 @@ const KodiPortal = () =&gt; {              open: true,              app,
email: &#39;&#39;, +          roleKey: &#39;employee&#39;,          permissions: { canView: true, canEdit: false, canUse: false },
assigning: false          }); @@ -301,6 +303,7 @@ const KodiPortal = () =&gt; {          try {              await
assignAppUser(assignUserModal.app.id, {                email: assignUserModal.email.trim(), +              roleKey: assignUserModal.roleKey,
permissions: assignUserModal.permissions              });              toast.success(&#39;User assigned to app&#39;); @@ -308,6 +311,7 @@ const
KodiPortal = () =&gt; {              open: false,              app: null,              email: &#39;&#39;, +              roleKey:
&#39;employee&#39;,              permissions: { canView: true, canEdit: false, canUse: false },              assigning: false
}); @@ -556,7 +560,7 @@ const KodiPortal = () =&gt; {                                                  &lt;div key={user.id} className=&quot;kodi-
portal__assigned-row&quot;&gt;                                                  &lt;div&gt;
&lt;strong&gt;{user.display_name || user.email}&lt;/strong&gt; -                                                  &lt;span&gt;{user.role || &#39;role
not set&#39;}&lt;/span&gt; +                                                  &lt;span&gt;{user.role_key || user.role || &#39;role not
set&#39;}&lt;/span&gt;                                                  &lt;/div&gt;                                                  &lt;span
className=&quot;kodi-portal__status-chip&quot;&gt;Invite sent&lt;/span&gt;                                                  &lt;/div&gt; @@ -893,6 +897,7 @@
const KodiPortal = () =&gt; {              open: false,              app: null,
email: &#39;&#39;, +              roleKey: &#39;employee&#39;,              permissions: {
canView: true, canEdit: false, canUse: false },              assigning: false              }) @@
-911,6 +916,21 @@ const KodiPortal = () =&gt; {              placeholder=&quot;user@example.com&quot;
/&gt;              &lt;/label&gt; +              &lt;label&gt; +              App role +
&lt;select +              value={assignUserModal.roleKey} +              onChange={(event) =&gt; +
setAssignUserModal((prev) =&gt; ({ ...prev, roleKey: event.target.value })) +              } +
&gt; +              {PLATFORM_ROLES.map((role) =&gt; ( +              &lt;option key={role} value=
{role}&gt; +              {role} +              &lt;/option&gt; +
))} +              &lt;/select&gt; +              &lt;/label&gt;              &lt;div
className=&quot;kodi-portal__checkbox-group&quot;&gt;              &lt;label&gt;              &lt;input
diff --git a/reports/all-changes-diff.html b/reports/all-changes-diff.html index 5737e001..427daf75 100644 Binary files a/reports/all-changes-
diff.html and b/reports/all-changes-diff.html differ</pre></body></html> +<html><head><meta charset='utf-8'><title>Kodi changes diff</title>
<style>body{font-family:Consolas,Menlo,monospace;background:#0b1020;color:#e2e8f0;padding:16px}pre{white-space:pre-wrap;}</style></head><body>
<h1>Kodi changes diff</h1><pre>diff --git a/backend/src/modules/kodi/kodi.runtime.js b/backend/src/modules/kodi/kodi.runtime.js index
050a327f..50001b7c 100644 --- a/backend/src/modules/kodi/kodi.runtime.js +++ b/backend/src/modules/kodi/kodi.runtime.js @@ -1,10 +1,7 @@  const
service = require('./kodi.service');  const perms = require('./kodi.permissions'); - -const normalizeRole = (value) =&gt; String(value ||
'').toLowerCase().trim(); -const ADMIN_ALIASES = new Set(['admin', 'super_admin', 'superadmin', 'system_admin', 'hr_admin']); - -const isAdminRole =
(role) =&gt; ADMIN_ALIASES.has(normalizeRole(role)); +const portalService = require('../kodiPortal/kodiPortal.service'); +const portalPerms =
require('../kodiPortal/kodiPortal.permissions');    const buildRuntimePayload = async ({ pageId, role, userId, appId }) =&gt; {      const page =
await service.getPageById(pageId); @@ -19,22 +16,34 @@ const buildRuntimePayload = async ({ pageId, role, userId, appId }) =&gt; {      const
appContextId = appId || page.linked_app_id;      const app = appContextId ? await service.getAppById(appContextId) : null;   -    if (appId) { -
const linkedPages = await service.listAppPages(appId); -        const isLinked = linkedPages.some((row) =&gt; String(row.page_id) ===
String(pageId)); -        if (!isLinked) { +    let effectiveRole = role; +    const isAdmin = portalPerms.isAdminRole(role); +    const
isBuilderManagedPage = ['record', 'app', 'home'].includes(page.page_type); +    const adminBypassMembership = isAdmin &amp;&amp;
isBuilderManagedPage; + +    if (appId &amp;&amp; !adminBypassMembership) { +        const linkedPages = await portalService.listPages(appId); +
const mapping = linkedPages.find((row) =&gt; String(row.page_id) === String(pageId)); +        if (!mapping) { +            throw new Error('Access
denied'); +        } +        if (app &amp;&amp; app.status !== 'active' &amp;&amp; !isAdmin) { +            throw new Error('Access denied'); +
} +        const membership = await portalService.getEffectiveRuntimeRole({ appId, userId, globalRole: role }); +        if (!membership) {
throw new Error('Access denied');          } -        if (!isAdminRole(role)) { -            const appUsers = await service.listAppUsers(appId); -
const isMember = appUsers.some((row) =&gt; String(row.user_id) === String(userId)); -            if (!isMember) { +        effectiveRole =
membership; +        if (mapping.role_visibility) { +            const allowed = mapping.role_visibility?.
[portalPerms.normalizeRole(effectiveRole)]; +            if (allowed === false) {                throw new Error('Access denied');              }
}      }   -    const hasView = perms.userHasViewAccess(permissionMap, role); +    const hasView = perms.userHasViewAccess(permissionMap,
effectiveRole);      if (!hasView) {          throw new Error('Access denied');      } @@ -56,6 +65,7 @@ const buildRuntimePayload = async ({
pageId, role, userId, appId }) =&gt; {          permissions: permissionMap,          registry: componentRegistry,          objects, +
effectiveRole,          fields: objects.reduce((acc, obj) =&gt; {              acc[obj.name] = obj.fields || [];              return acc; diff --git
a/backend/src/routes/kodiRoutes.js b/backend/src/routes/kodiRoutes.js index e291f776..1a9672f0 100644 --- a/backend/src/routes/kodiRoutes.js +++
b/backend/src/routes/kodiRoutes.js @@ -6,6 +6,7 @@ const { validate } = require('../middleware/validation');  const kodiController =
require('../controllers/kodiController');  const kodiPages = require('../modules/kodi/kodiPages.controller');  const kodiPlatform =
require('../modules/kodi/kodi.controller'); +const kodiPortal = require('../modules/kodiPortal/kodiPortal.controller');  const {
authenticateKodiPageSession } = require('../modules/kodi/kodiPageSession.middleware');    const router = express.Router(); @@ -228,51 +229,29 @@
router.get('/platform/leads/:id/opportunities', authenticate, authorizeAdmin(),  router.get('/platform/pages/:id/permissions', authenticate,
authorizeAdmin(), kodiPlatform.pageIdValidator, kodiPlatform.getPagePermissions);  router.post('/platform/pages/:id/permissions', authenticate,
authorizeAdmin(), kodiPlatform.pagePermissionValidators, kodiPlatform.updatePagePermissions);   -// Kodi Portal aliases (admin console) -
router.get('/portal/apps', authenticate, authorizeAdmin(), kodiPlatform.listApps); -router.post('/portal/apps', authenticate, authorizeAdmin(),
kodiPlatform.createAppValidators, kodiPlatform.createApp); -router.get('/portal/apps/:id', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.getApp); -router.patch('/portal/apps/:id', authenticate, authorizeAdmin(),
kodiPlatform.updateAppValidators, kodiPlatform.updateApp); -router.post('/portal/apps/:id/activate', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.activateApp); -router.post('/portal/apps/:id/deactivate', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.deactivateApp); -router.get('/portal/apps/:id/users', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.listAppUsers); -router.post('/portal/apps/:id/users', authenticate, authorizeAdmin(),
kodiPlatform.assignAppUserValidators, kodiPlatform.assignAppUser); -router.delete('/portal/apps/:id/users/:userId', authenticate, authorizeAdmin(),
kodiPlatform.removeAppUser); -router.get('/portal/apps/:id/pages', authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.listAppPages); -router.post('/portal/apps/:id/pages', authenticate, authorizeAdmin(), validate([body('pageId').custom((val) =&gt; { -
if (val === undefined || val === null) return false; -    const str = String(val); -    const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]
{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -    return uuidRegex.test(str) || /^\d+$/.test(str); -})]), kodiPlatform.linkAppPage); -
router.patch('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), validate([ -    param('id').custom((val) =&gt; { -        if (val
=== undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]
{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }), -    param('mappingId').custom((val) =&gt;
{ -        if (val === undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]
{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }) -]), kodiPlatform.updateAppPage); -
router.delete('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), validate([ -    param('id').custom((val) =&gt; { -        if (val
=== undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]
{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }), -    param('mappingId').custom((val) =&gt;
{ -        if (val === undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]
{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }) -]), kodiPlatform.deleteAppPage); -
router.get('/portal/apps/:id/navigation', authenticate, authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.getAppNavigation); +// Kodi
Portal (admin console) +router.get('/portal/apps', authenticate, authorizeAdmin(), kodiPortal.listApps); +router.post('/portal/apps', authenticate,
authorizeAdmin(), kodiPortal.createAppValidators, kodiPortal.createApp); +router.get('/portal/apps/:id', authenticate, authorizeAdmin(),
kodiPortal.appIdValidator, kodiPortal.getApp); +router.patch('/portal/apps/:id', authenticate, authorizeAdmin(), kodiPortal.updateAppValidators,
kodiPortal.updateApp); +router.post('/portal/apps/:id/activate', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.activateApp);
+router.post('/portal/apps/:id/deactivate', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.deactivateApp);
+router.get('/portal/apps/:id/settings', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.getSettings);
+router.patch('/portal/apps/:id/settings', authenticate, authorizeAdmin(), kodiPortal.settingsValidators, kodiPortal.updateSettings);
+router.get('/portal/apps/:id/users', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.listUsers);
+router.post('/portal/apps/:id/users', authenticate, authorizeAdmin(), kodiPortal.assignUserValidators, kodiPortal.assignUser);
+router.patch('/portal/apps/:id/users/:userId', authenticate, authorizeAdmin(), kodiPortal.updateUserValidators, kodiPortal.updateUser);
+router.patch('/portal/apps/:id/users/:userId/status', authenticate, authorizeAdmin(), kodiPortal.updateUserStatusValidators,
```

```
kodiPortal.updateUserStatus); +router.post('/portal/apps/:id/users/:userId/resend-invite', authenticate, authorizeAdmin(),
kodiPortal.resendInviteValidators, kodiPortal.resendInvite); +router.delete('/portal/apps/:id/users/:userId', authenticate, authorizeAdmin(),
kodiPortal.appIdValidator, kodiPortal.deleteUser); +router.get('/portal/apps/:id/pages', authenticate, authorizeAdmin(), kodiPortal.appIdValidator,
kodiPortal.listPages); +router.get('/portal/pages/activated', authenticate, authorizeAdmin(), kodiPortal.listActivatedPages);
+router.post('/portal/apps/:id/pages', authenticate, authorizeAdmin(), kodiPortal.linkPageValidators, kodiPortal.linkPage);
+router.patch('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), kodiPortal.updatePageValidators, kodiPortal.updatePage);
+router.delete('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.deletePage);
+router.post('/portal/apps/:id/pages/reorder', authenticate, authorizeAdmin(), kodiPortal.reorderValidators, kodiPortal.reorderPages);
+router.get('/portal/apps/:id/navigation', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.getNavigation);
+router.post('/portal/invitations/accept', authenticate, kodiPortal.acceptInviteValidators, kodiPortal.acceptInvite);
+router.get('/portal/user/apps', authenticate, kodiPortal.listUserApps);    module.exports = router; diff --git a/backend/src/server.js
b/backend/src/server.js index 80459a7b..3066b55f 100644 --- a/backend/src/server.js +++ b/backend/src/server.js @@ -34,6 +34,7 @@ const
flowRuntimeRoutes = require('./routes/flowRuntimeRoutes');  const adsRoutes = require('./routes/adsRoutes');  const ticketRoutes =
require('./routes/ticketRoutes');  const kodiRoutes = require('./routes/kodiRoutes'); +const kodiAuthRoutes = require('./routes/kodiAuthRoutes');
const kodiPlatformRoutes = require('./modules/kodi/kodi.routes');  const { initMarketingTables, startMarketingScheduler } =
require('./services/marketingEmailService');  const { startScheduler: startMarketingCampaignScheduler } =
require('./modules/marketing/marketing.scheduler'); @@ -187,6 +188,7 @@ app.use('/api/ads', adsRoutes);  app.use('/api/tickets', ticketRoutes);
app.use('/api/kodi/platform', kodiPlatformRoutes);  app.use('/api/kodi', kodiRoutes); +app.use('/api/kodi-auth', kodiAuthRoutes);    // RBAC Routes
(if available)  if (authV2Routes &amp;&amp; rbacUserRoutes &amp;&amp; roleRoutes) { diff --git a/backend/src/utils/database.js
b/backend/src/utils/database.js index 809d61a2..623fb79f 100644 --- a/backend/src/utils/database.js +++ b/backend/src/utils/database.js @@ -612,9
+612,17 @@ const createTables = async () =&gt; {              CREATE TABLE IF NOT EXISTS kodi_apps (                  id UUID PRIMARY KEY DEFAULT
uuid_generate_v4(),                  name VARCHAR(255) NOT NULL, +                  label VARCHAR(255),                  description TEXT, -
is_active BOOLEAN DEFAULT true, -                  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP +                  status VARCHAR(50) NOT NULL DEFAULT
'draft' CHECK (status IN ('draft','active','inactive')), +                  icon VARCHAR(255), +                  theme_config JSONB DEFAULT
'{}'::jsonb, +                  settings JSONB DEFAULT '{}'::jsonb, +                  navigation_mode VARCHAR(50) DEFAULT 'sidebar', +
landing_behavior VARCHAR(50) DEFAULT 'default_page', +                  default_page_id UUID, +                  created_at TIMESTAMP DEFAULT
CURRENT_TIMESTAMP, +                  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP              );              CREATE TABLE IF NOT EXISTS
kodi_pages ( @@ -638,6 +646,7 @@ const createTables = async () =&gt; {                  nav_order INTEGER DEFAULT 0,                  is_default
BOOLEAN DEFAULT false,                  is_visible BOOLEAN DEFAULT true, +                  role_visibility JSONB DEFAULT '{}'::jsonb,
created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,                  UNIQUE (app_id, page_id)              ); @@ -697,12 +706,31 @@ const createTables =
async () =&gt; {                  user_id UUID NOT NULL REFERENCES users(id) ON DELETE CASCADE,                  permissions JSONB DEFAULT
'{}'::jsonb,                  role_key VARCHAR(50), +                  status VARCHAR(50) NOT NULL DEFAULT 'pending', +                  invite_token
VARCHAR(64), +                  invited_at TIMESTAMP, +                  accepted_at TIMESTAMP, +                  disabled_at TIMESTAMP,
assigned_by UUID REFERENCES users(id) ON DELETE SET NULL,                  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,                  UNIQUE (app_id, user_id)              );   +              CREATE TABLE IF NOT EXISTS
kodi_portal_identities ( +                  id UUID PRIMARY KEY DEFAULT uuid_generate_v4(), +                  user_id UUID NOT NULL REFERENCES
users(id) ON DELETE CASCADE, +                  username VARCHAR(80) UNIQUE NOT NULL, +                  password_hash TEXT, +                  otp_hash
TEXT, +                  otp_expires_at TIMESTAMP, +                  first_login_required BOOLEAN DEFAULT true, +                  first_login_token
VARCHAR(80), +                  first_login_expires_at TIMESTAMP, +                  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP, +
updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP +              ); +              CREATE TABLE IF NOT EXISTS kodi_page_users (                  id UUID
PRIMARY KEY DEFAULT uuid_generate_v4(),                  page_id UUID NOT NULL REFERENCES kodi_pages(id) ON DELETE CASCADE, @@ -1095,6 +1123,8 @@
const createTables = async () =&gt; {              CREATE INDEX IF NOT EXISTS idx_app_page_mapping_app              ON app_page_mapping(app_id);
CREATE INDEX IF NOT EXISTS idx_app_page_mapping_page              ON app_page_mapping(page_id);              CREATE INDEX IF NOT EXISTS
idx_kodi_app_users_app              ON kodi_app_users(app_id); +              CREATE INDEX IF NOT EXISTS idx_kodi_app_users_status              ON
kodi_app_users(status); +              CREATE INDEX IF NOT EXISTS idx_kodi_app_users_invite              ON kodi_app_users(invite_token);
CREATE INDEX IF NOT EXISTS idx_kodi_audit_entity              ON kodi_audit_logs(entity_type, entity_id);          `;   @@ -1420,7 +1450,24 @@
const runMigrations = async () =&gt; {              "ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_default BOOLEAN DEFAULT false;",
"ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_visible BOOLEAN DEFAULT true;",              "ALTER TABLE app_page_mapping ADD COLUMN IF
NOT EXISTS created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP;", +              "ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS role_visibility
JSONB DEFAULT '{}'::jsonb;",              "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS role_key VARCHAR(50);", +              "ALTER TABLE
kodi_app_users ADD COLUMN IF NOT EXISTS status VARCHAR(50) DEFAULT 'pending';", +              "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS
invite_token VARCHAR(64);", +              "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS invited_at TIMESTAMP;", +              "ALTER TABLE
kodi_app_users ADD COLUMN IF NOT EXISTS accepted_at TIMESTAMP;", +              "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS disabled_at
TIMESTAMP;", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS label VARCHAR(255);", +              "ALTER TABLE kodi_apps ADD COLUMN IF
NOT EXISTS status VARCHAR(50) DEFAULT 'draft';", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS icon VARCHAR(255);", +
"ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS theme_config JSONB DEFAULT '{}'::jsonb;", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT
EXISTS settings JSONB DEFAULT '{}'::jsonb;", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS navigation_mode VARCHAR(50) DEFAULT
'sidebar';", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS landing_behavior VARCHAR(50) DEFAULT 'default_page';", +              "ALTER
TABLE kodi_apps ADD COLUMN IF NOT EXISTS default_page_id UUID;", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS updated_at TIMESTAMP
DEFAULT CURRENT_TIMESTAMP;", +              "CREATE TABLE IF NOT EXISTS kodi_portal_identities (id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
user_id UUID NOT NULL REFERENCES users(id) ON DELETE CASCADE, username VARCHAR(80) UNIQUE NOT NULL, password_hash TEXT, otp_hash TEXT,
otp_expires_at TIMESTAMP, first_login_required BOOLEAN DEFAULT true, first_login_token VARCHAR(80), first_login_expires_at TIMESTAMP, created_at
TIMESTAMP DEFAULT CURRENT_TIMESTAMP, updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP);", +              "CREATE INDEX IF NOT EXISTS
idx_kodi_portal_identities_username ON kodi_portal_identities(username);",              "ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS ip_address
VARCHAR(64);",              "ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS user_agent TEXT;",              "ALTER TABLE audit_logs ADD COLUMN IF
NOT EXISTS created_at TIMESTAMPTZ DEFAULT CURRENT_TIMESTAMP;", diff --git a/backend/src/utils/emailService.js b/backend/src/utils/emailService.js
index 6b4c2962..7b988633 100644 --- a/backend/src/utils/emailService.js +++ b/backend/src/utils/emailService.js @@ -950,6 +950,117 @@ const
sendAppAccessEmail = async ({ to, name, appName, loginUrl, pageUrl, pageNa      return sendEmail({ to, subject, html, text });  };   +const
sendKodiAppInviteEmail = async ({ to, name, appName, role, loginUrl, inviteUrl, pageUrl, pageName, username, otp }) =&gt; { +    if (!to || !appName
|| !inviteUrl) { +        return { success: false, error: 'Missing invitation details' }; +    } +    const greeting = name ? `Hi ${name}` :
'Hello'; +    const subject = `Invitation to ${appName}`; +    const html = ` +        &lt;!DOCTYPE html&gt; +        &lt;html&gt; +        &lt;body
style="font-family: Arial, sans-serif; color: #111827; line-height: 1.6;"&gt; +          &lt;div style="max-width: 560px; margin: 0 auto; padding:
24px;"&gt; +              &lt;h2&gt;${greeting},&lt;/h2&gt; +              &lt;p&gt;You have been invited to the &lt;strong&gt;${appName}&lt;/strong&gt;
app in Kodi Portal.&lt;/p&gt; +              &lt;p&gt;&lt;strong&gt;Role:&lt;/strong&gt; ${role || 'member'}&lt;/p&gt; +
&lt;p&gt;&lt;strong&gt;Username:&lt;/strong&gt; ${username || 'assigned separately'}&lt;/p&gt; +              &lt;p&gt;&lt;strong&gt;One-time
password:&lt;/strong&gt; ${otp || 'available in your invite'}&lt;/p&gt; +              &lt;p&gt; +              &lt;a href="${inviteUrl}"
style="display: inline-block; background: #2563eb; color: #fff; padding: 10px 18px; border-radius: 999px; text-decoration: none;"&gt; +
قبول الدعوة / Accept Invitation +              &lt;/a&gt; +              &lt;/p&gt; +              ${pageUrl ? `&lt;p&gt;Default page: &lt;a
href="${pageUrl}"&gt;${pageName || 'Open page'}&lt;/a&gt;&lt;/p&gt;` : ''} +              &lt;p&gt;Login: ${loginUrl}&lt;/p&gt; +              &lt;p
style="margin-top: 24px;"&gt;If you did not expect this invitation, ignore this email.&lt;/p&gt; +              &lt;p&gt;— The Kodi Portal
Team&lt;/p&gt; +          &lt;/div&gt; +        &lt;/body&gt; +        &lt;/html&gt; +    `; +    const text = [ +        `${greeting},`, +
'', +        `You have been invited to ${appName}.`, +        `Role: ${role || 'member'}`, +        username ? `Username: ${username}` : '', +
otp ? `One-time password: ${otp}` : '', +        `Accept invitation: ${inviteUrl}`, +        loginUrl ? `Login: ${loginUrl}` : '', +        pageUrl
? `Default page: ${pageName || 'Open page'} - ${pageUrl}` : '', +        '', +        '— The Kodi Portal Team' +    ].filter(Boolean).join('\n'); +
return sendEmail({ to, subject, html, text }); +}; + +const sendKodiRoleUpdatedEmail = async ({ to, name, appName, role, loginUrl }) =&gt; { +    if
(!to || !appName) { +        return { success: false, error: 'Missing recipient or app name' }; +    } +    const greeting = name ? `Hi ${name}` :
'Hello'; +    const subject = `Role updated in ${appName}`; +    const html = ` +        &lt;!DOCTYPE html&gt; +        &lt;html&gt; +
&lt;body style="font-family: Arial, sans-serif; color: #111827; line-height: 1.6;"&gt; +          &lt;div style="max-width: 560px; margin: 0 auto;
padding: 24px;"&gt; +              &lt;h2&gt;${greeting},&lt;/h2&gt; +              &lt;p&gt;Your role in &lt;strong&gt;${appName}&lt;/strong&gt; has
been updated.&lt;/p&gt; +              &lt;p&gt;&lt;strong&gt;New role:&lt;/strong&gt; ${role || 'member'}&lt;/p&gt; +              &lt;p&gt;Login:
&lt;a href="${loginUrl}"&gt;${loginUrl}&lt;/a&gt;&lt;/p&gt; +              &lt;p&gt;— The Kodi Portal Team&lt;/p&gt; +          &lt;/div&gt; +
&lt;/body&gt; +        &lt;/html&gt; +    `; +    const text = [ +        `${greeting},`, +        '', +        `Your role in ${appName} has been
updated.`, +        `New role: ${role || 'member'}`, +        loginUrl ? `Login: ${loginUrl}` : '', +        '', +        '— The Kodi Portal Team' +
].filter(Boolean).join('\n'); +    return sendEmail({ to, subject, html, text }); +}; +const sendKodiPageAssignedEmail = async ({ to, name,
appName, pageName, pageUrl, loginUrl }) =&gt; { +    if (!to || !appName || !pageName) { +        return { success: false, error: 'Missing recipient
or page details' }; +    } +    const greeting = name ? `Hi ${name}` : 'Hello'; +    const subject = `New page assigned in ${appName}`; +    const
html = ` +        &lt;!DOCTYPE html&gt; +        &lt;html&gt; +        &lt;body style="font-family: Arial, sans-serif; color: #111827; line-height:
1.6;"&gt; +          &lt;div style="max-width: 560px; margin: 0 auto; padding: 24px;"&gt; +              &lt;h2&gt;${greeting},&lt;/h2&gt; +
```

```
&lt;p&gt;A new page has been assigned in &lt;strong&gt;${appName}&lt;/strong&gt;.&lt;/p&gt; +            &lt;p&gt;&lt;strong&gt;Page:&lt;/strong&gt;
${pageName}&lt;/p&gt; +            ${pageUrl ? `&lt;p&gt;Open: &lt;a href="${pageUrl}"&gt;${pageUrl}&lt;/a&gt;&lt;/p&gt;` : ''} +
&lt;p&gt;Login: &lt;a href="${loginUrl}"&gt;${loginUrl}&lt;/a&gt;&lt;/p&gt; +            &lt;p&gt;— The Kodi Portal Team&lt;/p&gt; +
&lt;/div&gt; +        &lt;/body&gt; +        &lt;/html&gt; +    `; +    const text = [ +        `${greeting},`, +        '', +        `A new page
has been assigned in ${appName}.`, +        `Page: ${pageName}`, +        pageUrl ? `Open: ${pageUrl}` : '', +        loginUrl ? `Login:
${loginUrl}` : '', +        '', +        '— The Kodi Portal Team' +    ].filter(Boolean).join('\n'); +    return sendEmail({ to, subject, html, text
}); +}; +  module.exports = {      sendClaimInvitation,      sendVerificationEmail, @@ -965,5 +1076,8 @@ module.exports = {
sendConversationRequestEmail,      sendConversationAcceptedEmail,      sendTicketNotificationEmail, -    sendAppAccessEmail +    sendAppAccessEmail,
+    sendKodiAppInviteEmail, +    sendKodiRoleUpdatedEmail, +    sendKodiPageAssignedEmail  }; diff --git a/frontend/src/App.jsx
b/frontend/src/App.jsx index f33fb3ee..daaaf184 100644 --- a/frontend/src/App.jsx +++ b/frontend/src/App.jsx @@ -37,6 +37,7 @@ import UserProfile
from './pages/UserProfile';  import PrivateRoute from './components/auth/PrivateRoute';  import AdminRoute from './components/auth/AdminRoute';
import AdminLayout from './components/admin/AdminLayout'; +import AppTopBar from './components/kodi/AppTopBar';    // Admin Pages  import
AdminDashboard from './pages/admin/AdminDashboard'; @@ -63,6 +64,12 @@ import KodiTimes from './pages/kodi/KodiTimes';  import KodiBuilderPage from
'./pages/kodi/KodiBuilderPage';  import KodiRuntimePage from './pages/kodi/KodiRuntimePage';  import KodiPortalPage from
'./pages/kodi/KodiPortalPage'; +import KodiAppShell from './pages/kodi/KodiAppShell'; +import KodiAppRuntimePage from
'./pages/kodi/KodiAppRuntimePage'; +import KodiInviteAccept from './pages/kodi/KodiInviteAccept'; +import KodiAppsList from
'./pages/kodi/KodiAppsList'; +import KodiSignIn from './pages/kodi/auth/KodiSignIn'; +import KodiFirstLogin from './pages/kodi/auth/KodiFirstLogin';
// HR Pages  import Employees from './pages/hr/Employees'; @@ -101,6 +108,7 @@ function App() {                        }}
&gt;                        &lt;div className="app"&gt; +                        &lt;AppTopBar /&gt;                        &lt;Navbar
/&gt;                        &lt;main className="main-content"&gt;                        &lt;Routes&gt; @@ -202,7 +210,7 @@
function App() {                        }                        /&gt;                        &lt;Route -
path="/kodi/portal" +                        path="/kodi/portal/*"                        element={
&lt;PrivateRoute&gt;                        &lt;KodiPortalPage /&gt; @@ -233,10 +241,45 @@ function App() {
&lt;/PrivateRoute&gt;                        }                        /&gt; +                        &lt;Route +
path="/kodi/apps" +                        element={ +                        &lt;PrivateRoute&gt; +
&lt;KodiAppsList /&gt; +                        &lt;/PrivateRoute&gt; +                        } +
/&gt; +                        &lt;Route +                        path="/kodi/app/:appId" +
element={ +                        &lt;PrivateRoute&gt; +                        &lt;KodiAppShell /&gt; +
&lt;/PrivateRoute&gt; +                        } +                        &gt; +                        &lt;Route
path="page/:pageId" element={&lt;KodiAppRuntimePage /&gt;} /&gt; +                        &lt;/Route&gt;
{/* Public Kodi Record Pages */}                        &lt;Route path="/kodi/page/:slug/login" element={&lt;KodiLogin /&gt;} /&gt;
&lt;Route path="/kodi/page/:slug" element={&lt;KodiPage /&gt;} /&gt; +                        &lt;Route +
path="/kodi/invitations/accept" +                        element={ +                        &lt;PrivateRoute&gt; +
&lt;KodiInviteAccept /&gt; +                        &lt;/PrivateRoute&gt; +                        } +
/&gt; +                        &lt;Route path="/kodi-auth/sign-in" element={&lt;KodiSignIn /&gt;} /&gt; +
&lt;Route +                        path="/kodi-auth/first-login" +                        element={ +
&lt;PrivateRoute&gt; +                        &lt;KodiFirstLogin /&gt; +
&lt;/PrivateRoute&gt; +                        } +                        /&gt;                        {/* Admin
Routes */}                        &lt;Route diff --git a/frontend/src/components/kodi/BuilderCanvas.jsx
b/frontend/src/components/kodi/BuilderCanvas.jsx index 0398f392..bc6c3dc4 100644 --- a/frontend/src/components/kodi/BuilderCanvas.jsx +++
b/frontend/src/components/kodi/BuilderCanvas.jsx @@ -5,148 +5,6 @@ const GRID_COLUMNS = 12;    const clamp = (value, min, max) =&gt;
Math.min(Math.max(value, min), max);   -const SAMPLE_PREVIEWS = { -    RecordDetails: { -        title: 'Record Details', -        fields: [ -
{ label: 'Name', value: 'Ava Thompson' }, -        { label: 'Email', value: 'ava@kodi.app' }, -        { label: 'Status', value: 'Active' },
-        { label: 'Last Touch', value: '2 hours ago' } -        ] -    }, -    RelatedList: { -        title: 'Related List', -        headers:
['Type', 'Status', 'Owner'], -        rows: [ -        ['Case', 'Open', 'J. Rivers'], -        ['Task', 'In Progress', 'T. Patel'], -
['Note', 'Logged', 'System'] -        ] -    }, -    ActivityTimeline: { -        title: 'Activity Timeline', -        items: ['Email sent - 10m',
'Call scheduled - 1h', 'Lead converted - 1d'] -    }, -    HighlightsPanel: { -        title: 'Highlights Panel', -        pills: ['Open Cases: 4',
'ARR: $48k', 'Health: Good'] -    }, -    DataTable: { -        title: 'Data Table', -        headers: ['Account', 'Stage', 'Value'], -        rows:
[ -        ['BlueNova', 'Proposal', '$12k'], -        ['Futura', 'Qualified', '$7k'], -        ['Nimbus', 'Discovery', '$4k'] -        ]
-    }, -    CardList: { -        title: 'Card List', -        cards: [ -        { title: 'Psychologist Onboard', meta: 'Due in 2 days' }, -
{ title: 'Business Review', meta: 'Priority: High' } -        ] -    }, -    KeyValueFields: { -        title: 'Key Value Fields', -        fields:
[ -        { label: 'Industry', value: 'Healthcare' }, -        { label: 'Seats', value: '128' }, -        { label: 'Tier', value:
'Enterprise' } -        ] -    }, -    ContactProfile: { -        title: 'Contact Profile', -        subtitle: 'Primary decision maker', -
fields: [ -        { label: 'Name', value: 'Luis Chen' }, -        { label: 'Role', value: 'HR Director' }, -        { label: 'Phone',
value: '+1 (555) 221-8844' } -        ] -    }, -    SubscriptionOverview: { -        title: 'Subscription Overview', -        pills: ['Plan:
Growth', 'Renewal: Jul 14', 'Status: Active'] -    }, -    EmployeePanel: { -        title: 'Employee Panel', -        fields: [ -        {
label: 'Employee', value: 'Sofia Ramos' }, -        { label: 'Role', value: 'People Ops' }, -        { label: 'Status', value: 'Onboarding'
} -        ] -    }, -    PsychologistProfile: { -        title: 'Psychologist Profile', -        fields: [ -        { label: 'Specialty',
value: 'Trauma' }, -        { label: 'Availability', value: 'Tue - Thu' }, -        { label: 'Rating', value: '4.9' } -        ] -    }, -
BusinessInfoPanel: { -        title: 'Business Info', -        fields: [ -        { label: 'Industry', value: 'Fintech' }, -        { label:
'Region', value: 'EMEA' }, -        { label: 'Tier', value: 'Premium' } -        ] -    }, -    AccountSummary: { -        title: 'Account
Summary', -        pills: ['NPS 52', 'Usage up 18%', 'Churn risk: Low'] -    }, -    ApplicationStatusPanel: { -        title: 'Application Status',
-        steps: ['Lead', 'Qualified', 'Under Review', 'Approved'] -    }, -    LeadSummary: { -        title: 'Lead Summary', -        fields: [ -
{ label: 'Score', value: '82' }, -        { label: 'Source', value: 'Referral' }, -        { label: 'Stage', value: 'Qualified' } -        ]
-    }, -    OpportunitySummary: { -        title: 'Opportunity Summary', -        fields: [ -        { label: 'Pipeline', value: '$96k' }, -
{ label: 'Close Date', value: 'Aug 02' }, -        { label: 'Probability', value: '68%' } -        ] -    }, -    ActionButton: { -
title: 'Primary Action', -        actions: ['Launch Workflow'] -    }, -    QuickActionsBar: { -        title: 'Quick Actions', -        actions:
['Send Email', 'Assign Psychologist', 'Approve'] -    }, -    LinkList: { -        title: 'Link List', -        links: ['Open Profile', 'View
Subscription', 'Audit Log'] -    }, -    FormPanel: { -        title: 'Form Panel', -        fields: ['First name', 'Email', 'Role'] -    }, -
SendEmailButton: { -        title: 'Send Email', -        actions: ['Compose'] -    }, -    AssignPsychologistButton: { -        title: 'Assign
Psychologist', -        actions: ['Assign'] -    }, -    ApproveRejectPanel: { -        title: 'Approve / Reject', -        actions: ['Approve',
'Reject'] -    } -}; -  const resolvePreviewKey = (component) =&gt;      component?.component_type      || component?.componentName @@ -161,7 +19,8
@@ const BuilderCanvas = ({      onLayoutChange,      onComponentDrop,      onRemoveComponent, -    previewRole +    previewRole, +
previewContext  }) =&gt; {      const canvasRef = useRef(null);      const [dragOver, setDragOver] = useState(null); @@ -239,113 +98,266 @@ const
BuilderCanvas = ({          return roles.includes(previewRole);      };   -    const renderPreview = (component) =&gt; { -        const previewKey =
resolvePreviewKey(component); -        const preview = SAMPLE_PREVIEWS[previewKey] || null; +    const getRecordValue = (record, field) =&gt; { +
if (!record || !field) return null; +        return field.split('.').reduce((acc, part) =&gt; (acc ? acc[part] : null), record); +    };   -
if (!preview) { -            return ( -                &lt;div className="kodi-builder__preview kodi-builder__preview--placeholder"&gt; -
&lt;div className="kodi-builder__preview-title"&gt;{previewKey || 'Component'} Preview&lt;/div&gt; -                &lt;div className="kodi-
builder__preview-text"&gt;Drop in live data bindings to render.&lt;/div&gt; -                &lt;/div&gt; -            ); -        } +    const
formatValue = (value) =&gt; { +        if (value === null || value === undefined) return '—'; +        if (typeof value === 'boolean') return value
? 'Yes' : 'No'; +        return String(value); +    };   -        return ( -            &lt;div className="kodi-builder__preview"&gt; -
&lt;div className="kodi-builder__preview-title"&gt;{preview.title}&lt;/div&gt; +    const resolveRecord = (component) =&gt; { +        const
bindingObject = component?.binding?.object; +        const recordMap = previewContext?.records || {}; +        if (bindingObject &amp;&amp;
recordMap[bindingObject]) { +            return recordMap[bindingObject][0] || previewContext?.record || {}; +        } +        return
previewContext?.record || {}; +    };   -                {preview.fields &amp;&amp; ( -                &lt;div className="kodi-builder__preview-
fields"&gt; -                {preview.fields.map((field) =&gt; ( -                &lt;div key={field.label} className="kodi-
builder__preview-field"&gt; -                &lt;span&gt;{field.label}&lt;/span&gt; -                &lt;strong&gt;
{field.value}&lt;/strong&gt; -                &lt;/div&gt; -                ))} -                &lt;/div&gt; -
)} +    const resolveFields = (component, record) =&gt; { +        const bindingField = component?.binding?.field; +        const bindingObject =
component?.binding?.object; +        const objectList = previewContext?.objects || []; +        const objectFields = bindingObject +            ?
objectList.find((obj) =&gt; obj.name === bindingObject)?.fields || [] +            : previewContext?.object?.fields || []; +        const
propsFields = component?.props?.fields; +        let fields = []; +        if (Array.isArray(propsFields) &amp;&amp; propsFields.length) { +
fields = propsFields; +        } else if (bindingField) { +            fields = [bindingField]; +        } else { +            fields =
Object.keys(record || {}).filter((key) =&gt; key !== 'id').slice(0, 5); +        } +        return fields.map((field) =&gt; { +            const
fieldMeta = objectFields.find((item) =&gt; item.field_name === field); +            return { +                label: fieldMeta?.label ||
fieldMeta?.field_name || field, +                value: formatValue(getRecordValue(record, field)) +            }; +        }); +    };   -
{preview.items &amp;&amp; ( -                &lt;ul className="kodi-builder__preview-list"&gt; -
```

```
{preview.items.map((item) =&gt; ( -                                &lt;li key={item}&gt;{item}&lt;/li&gt; -                        )} -
&lt;/ul&gt; -                )} +    const resolveTable = (component, record) =&gt; { +        const items = component?.props?.items; +        if
(Array.isArray(items) &amp;&amp; items.length) { +            const headers = Object.keys(items[0]).slice(0, 3); +            const rows =
items.slice(0, 4).map((item) =&gt; headers.map((header) =&gt; formatValue(item[header]))); +            return { headers, rows }; +        } +
const keys = Object.keys(record || {}).filter((key) =&gt; key !== 'id').slice(0, 3); +        const headers = keys.length ? keys : ['Item',
'Status', 'Owner']; +        const rows = Array.from({ length: 3 }).map((_, index) =&gt; +            headers.map((header) =&gt;
`${formatValue(getRecordValue(record, header))}` || `${header} ${index + 1}`) +        ); +        return { headers, rows }; +    };    -
{preview.pills &amp;&amp; ( -                    &lt;div className="kodi-builder__preview-pills"&gt; -
{preview.pills.map((pill) =&gt; ( -                                &lt;span key={pill}&gt;{pill}&lt;/span&gt; -                        )} -
&lt;/div&gt; -                )} +    const renderPreview = (component) =&gt; { +        const previewKey = resolvePreviewKey(component); +
const record = resolveRecord(component); +        const fields = resolveFields(component, record); +        const bindingObject =
component?.binding?.object; +        const objectList = previewContext?.objects || []; +        const objectLabel = bindingObject +            ?
(objectList.find((obj) =&gt; obj.name === bindingObject)?.label || bindingObject) +            : (previewContext?.object?.label ||
previewContext?.object?.name || 'Record'); +        const actions = component?.actions?.length ? component.actions : component?.props?.actions ||
[]; +        const table = resolveTable(component, record);    -                {preview.steps &amp;&amp; ( -                    &lt;div
className="kodi-builder__preview-steps"&gt; -                {preview.steps.map((step, index) =&gt; ( -                        &lt;div
key={step} className={`kodi-builder__preview-step ${index === 1 ? 'active' : ''}`}&gt; -                        {step} +        switch
(previewKey) { +            case 'RecordDetails': +            case 'KeyValueFields': +                return ( +                    &lt;div
className="kodi-builder__preview kodi-builder__preview--record"&gt; +                    &lt;div class="kodi-builder__preview-header"&gt; +
&lt;div&gt; +                    &lt;p class="kodi-builder__preview-eyebrow"&gt;{objectLabel}&lt;/p&gt; +
&lt;h4&gt;{component.label || 'Record Details'}&lt;/h4&gt;                    &lt;/div&gt; -                )} +
&lt;span class="kodi-builder__preview-badge"&gt;Live&lt;/span&gt; +                    &lt;/div&gt; +                    &lt;div
class="kodi-builder__preview-grid"&gt; +                {fields.map((field) =&gt; ( +                    &lt;div key=
{field.label} class="kodi-builder__preview-row"&gt; +                    &lt;span&gt;{field.label}&lt;/span&gt; +
&lt;strong&gt;{field.value}&lt;/strong&gt; +                    &lt;/div&gt; +                )} +
&lt;/div&gt;            &lt;/div&gt; -            )} - -            {preview.headers &amp;&amp; preview.rows &amp;&amp; ( -
&lt;div class="kodi-builder__preview-table"&gt; -                &lt;div class="kodi-builder__preview-table-head"&gt; -
{preview.headers.map((header) =&gt; ( -                &lt;span key={header}&gt;{header}&lt;/span&gt; +                ); +
case 'HighlightsPanel': +            return ( +                &lt;div class="kodi-builder__preview kodi-builder__preview--
highlights"&gt; +                &lt;div class="kodi-builder__preview-header"&gt; +                &lt;h4&gt;
{component.label || 'Highlights'}&lt;/h4&gt; +                &lt;span class="kodi-builder__preview-pill"&gt;Today&lt;/span&gt; +
&lt;/div&gt; +                &lt;div class="kodi-builder__preview-pills"&gt; +                {fields.slice(0,
3).map((field) =&gt; ( +                    &lt;span key={field.label}&gt;{field.label}: {field.value}&lt;/span&gt; +
)} +                &lt;/div&gt; +                &lt;div class="kodi-builder__preview-actions"&gt; +
{(actions.length ? actions : ['Send Email', 'Assign', 'Review']).map((action) =&gt; ( +                    &lt;button key={action}
type="button"&gt;{action}&lt;/button&gt;                )}                &lt;/div&gt; -
{preview.rows.map((row, idx) =&gt; ( -                &lt;div key={`${row[0]}-${idx}`} class="kodi-builder__preview-table-row"&gt; -
{row.map((cell) =&gt; ( -                &lt;span key={cell}&gt;{cell}&lt;/span&gt; +                &lt;/div&gt; +
); +            case 'RelatedList': +            case 'DataTable': +            return ( +                &lt;div class="kodi-
builder__preview kodi-builder__preview--table"&gt; +                &lt;div class="kodi-builder__preview-header"&gt; +
&lt;h4&gt;{component.label || 'Related Records'}&lt;/h4&gt; +                &lt;span class="kodi-builder__preview-badge"&gt;
{table.rows.length} rows&lt;/span&gt; +                &lt;/div&gt; +                &lt;div class="kodi-builder__preview-
table"&gt; +                &lt;div class="kodi-builder__preview-table-head"&gt; +
{table.headers.map((header) =&gt; ( +                &lt;span key={header}&gt;{header}&lt;/span&gt;
))}                &lt;/div&gt; -                )} +                {table.rows.map((row, idx) =&gt; ( +
&lt;div key={`${row[0]}-${idx}`} class="kodi-builder__preview-table-row"&gt; +                {row.map((cell) =&gt; ( +
&lt;span key={cell}&gt;{cell}&lt;/span&gt; +                )} +                &lt;/div&gt; +
)} +                &lt;/div&gt;                &lt;/div&gt; -                )} - -            {preview.cards &amp;&amp; ( -
&lt;div class="kodi-builder__preview-cards"&gt; -                {preview.cards.map((card) =&gt; ( -                    &lt;div
key={card.title} class="kodi-builder__preview-card"&gt; -                    &lt;strong&gt;{card.title}&lt;/strong&gt; -
&lt;span&gt;{card.meta}&lt;/span&gt; +                ); +            case 'ActivityTimeline': +            return ( +
&lt;div class="kodi-builder__preview kodi-builder__preview--timeline"&gt; +                &lt;div class="kodi-builder__preview-
header"&gt; +                &lt;h4&gt;{component.label || 'Activity Timeline'}&lt;/h4&gt; +                    &lt;span
class="kodi-builder__preview-pill"&gt;Last 7 days&lt;/span&gt; +                    &lt;/div&gt; +                    &lt;ul
class="kodi-builder__preview-timeline"&gt; +                {(component.props?.items || [ +                    `Updated
${fields[0]?.value || 'record'}`, +                    `Follow-up scheduled`, +                    `Note added to account` +
]).map((item) =&gt; ( +                    &lt;li key={item}&gt;{item}&lt;/li&gt; +                )} +
&lt;/ul&gt; +                &lt;/div&gt; +                ); +            case 'ContactProfile': +            case 'EmployeePanel': +
case 'PsychologistProfile': +            case 'BusinessInfoPanel': +            return ( +                &lt;div class="kodi-
builder__preview kodi-builder__preview--profile"&gt; +                &lt;div class="kodi-builder__preview-header"&gt; +
&lt;h4&gt;{component.label || 'Profile'}&lt;/h4&gt; +                &lt;span class="kodi-builder__preview-
badge"&gt;Active&lt;/span&gt; +                &lt;/div&gt; +                &lt;div class="kodi-builder__preview-profile"&gt; +
&lt;div class="kodi-builder__preview-avatar"&gt;{(fields[0]?.value || 'A')[0]}&lt;/div&gt; +                &lt;div&gt; +
&lt;strong&gt;{fields[0]?.value || 'Profile Name'}&lt;/strong&gt; +                &lt;span&gt;{fields[1]?.value ||
'Role'}&lt;/span&gt;                &lt;/div&gt; -                )} +                &lt;/div&gt; +
&lt;div class="kodi-builder__preview-grid"&gt; +                {fields.slice(2, 5).map((field) =&gt; ( +
&lt;div key={field.label} class="kodi-builder__preview-row"&gt; +                    &lt;span&gt;{field.label}&lt;/span&gt; +
&lt;strong&gt;{field.value}&lt;/strong&gt; +                    &lt;/div&gt; +                )} +
&lt;/div&gt;            &lt;/div&gt; -            )} - -            {preview.links &amp;&amp; ( -            &lt;div
class="kodi-builder__preview-links"&gt; -                {preview.links.map((link) =&gt; ( -                    &lt;div key=
{link} class="kodi-builder__preview-link"&gt;{link}&lt;/div&gt; -                )} +            ); +            case
'SubscriptionOverview': +            case 'AccountSummary': +            case 'LeadSummary': +            case 'OpportunitySummary': +
case 'ApplicationStatusPanel': +            return ( +                &lt;div class="kodi-builder__preview kodi-builder__preview--
summary"&gt; +                &lt;div class="kodi-builder__preview-header"&gt; +                &lt;h4&gt;{component.label
|| 'Summary'}&lt;/h4&gt; +                &lt;span class="kodi-builder__preview-badge"&gt;On Track&lt;/span&gt; +
&lt;/div&gt; +                &lt;div class="kodi-builder__preview-pills"&gt; +                {fields.slice(0,
3).map((field) =&gt; ( +                    &lt;span key={field.label}&gt;{field.label}: {field.value}&lt;/span&gt; +
)} +                &lt;/div&gt; +                &lt;div class="kodi-builder__preview-actions"&gt; +
{(actions.length ? actions : ['View', 'Update']).map((action) =&gt; ( +                    &lt;button key={action} type="button"&gt;
{action}&lt;/button&gt; +                )} +                &lt;/div&gt;                &lt;/div&gt; -                )}
- -            {preview.actions &amp;&amp; ( -                &lt;div class="kodi-builder__preview-actions"&gt; -
{preview.actions.map((action) =&gt; ( -                &lt;button key={action} type="button"&gt;{action}&lt;/button&gt; -
)} +            ); +            case 'QuickActionsBar': +            case 'ActionButton': +            case 'SendEmailButton': +
case 'AssignPsychologistButton': +            case 'ApproveRejectPanel': +            return ( +                &lt;div class="kodi-
builder__preview kodi-builder__preview--actions"&gt; +                &lt;div class="kodi-builder__preview-header"&gt; +
&lt;h4&gt;{component.label || 'Actions'}&lt;/h4&gt; +                &lt;span class="kodi-builder__preview-
pill"&gt;Ready&lt;/span&gt; +                &lt;/div&gt; +                &lt;div class="kodi-builder__preview-actions"&gt; +
{(actions.length ? actions : ['Primary Action']).map((action) =&gt; ( +                    &lt;button key={action} type="button"&gt;
{action}&lt;/button&gt; +                )} +                &lt;/div&gt;                &lt;/div&gt; -                )}
- -            {preview.subtitle &amp;&amp; ( -                &lt;div class="kodi-builder__preview-subtitle"&gt;
{preview.subtitle}&lt;/div&gt; -                )} - -            {preview.fields == null &amp;&amp; preview.items == null &amp;&amp;
preview.pills == null &amp;&amp; preview.headers == null &amp;&amp; preview.cards == null &amp;&amp; preview.links == null &amp;&amp;
preview.actions == null &amp;&amp; ( -                &lt;div class="kodi-builder__preview-text"&gt;Preview data is ready.&lt;/div&gt; -
)} -            &lt;/div&gt; -            ); +            ); +            case 'LinkList': +            return ( +                &lt;div
class="kodi-builder__preview kodi-builder__preview--links"&gt; +                &lt;div class="kodi-builder__preview-header"&gt; +
&lt;h4&gt;{component.label || 'Links'}&lt;/h4&gt; +                &lt;/div&gt; +                &lt;div class="kodi-
builder__preview-links"&gt; +                {(component.props?.links || fields.slice(0, 3).map((f) =&gt; f.label)).map((link) =&gt; ( +
&lt;div key={link} class="kodi-builder__preview-link"&gt;{link}&lt;/div&gt; +                )} +
```

```
&lt;/div&gt; +                    &lt;/div&gt; +                ); +            case 'CardList': +                return ( +
&lt;div className="kodi-builder__preview kodi-builder__preview--cards"&gt; +                        &lt;div className="kodi-builder__preview-
header"&gt; +                        &lt;h4&gt;{component.label || 'Cards'}&lt;/h4&gt; +                        &lt;/div&gt; +
&lt;div className="kodi-builder__preview-cards"&gt; +                        {(component.props?.cards || fields.slice(0, 2)).map((card) =&gt; ( +
&lt;div key={card.title || card.label} className="kodi-builder__preview-card"&gt; +
&lt;strong&gt;{card.title || card.label}&lt;/strong&gt; +                        &lt;span&gt;{card.meta || card.value}&lt;/span&gt; +
&lt;/div&gt; +                        )) +                        &lt;/div&gt; +                        &lt;/div&gt; +                        ); +
default: +                return ( +                &lt;div className="kodi-builder__preview kodi-builder__preview--placeholder"&gt; +
&lt;div className="kodi-builder__preview-title"&gt;{component.label || previewKey || 'Component'}&lt;/div&gt; +                        &lt;div
className="kodi-builder__preview-text"&gt;Bind fields to preview live data.&lt;/div&gt; +                        &lt;/div&gt; +                        ); +
}      };        return ( diff --git a/frontend/src/pages/kodi/KodiBuilder.css b/frontend/src/pages/kodi/KodiBuilder.css index 9612a43c..6d5dabe1
100644 --- a/frontend/src/pages/kodi/KodiBuilder.css +++ b/frontend/src/pages/kodi/KodiBuilder.css @@ -1275,6 +1275,128 @@      color: #1f2b3b;  }
+.kodi-builder__preview--record, +.kodi-builder__preview--highlights, +.kodi-builder__preview--table, +.kodi-builder__preview--timeline, +.kodi-
builder__preview--profile, +.kodi-builder__preview--summary, +.kodi-builder__preview--actions, +.kodi-builder__preview--links, +.kodi-
builder__preview--cards { +    padding: 10px; +    border-radius: 12px; +    background: #ffffff; +    border: 1px solid #e2e8f0; +    box-shadow: 0
8px 18px rgba(15, 23, 42, 0.06); +} + +.kodi-builder__preview-header { +    display: flex; +    align-items: center; +    justify-content: space-
between; +    gap: 12px; +} + +.kodi-builder__preview-header h4 { +    margin: 0; +    font-size: 13px; +    color: #0f172a; +} + +.kodi-
builder__preview-eyebrow { +    margin: 0 0 2px; +    font-size: 10px; +    text-transform: uppercase; +    letter-spacing: 0.8px; +    color:
#64748b; +} + +.kodi-builder__preview-badge { +    padding: 2px 8px; +    border-radius: 999px; +    background: #e0f2fe; +    color: #0369a1; +
font-weight: 700; +    font-size: 10px; +} + +.kodi-builder__preview-pill { +    padding: 2px 8px; +    border-radius: 999px; +    background:
#ede9fe; +    color: #6d28d9; +    font-weight: 600; +    font-size: 10px; +} + +.kodi-builder__preview-grid { +    display: grid; +    gap: 6px; +}
+ +.kodi-builder__preview-row { +    display: flex; +    justify-content: space-between; +    padding: 6px 8px; +    border-radius: 8px; +
background: #f8fafc; +    border: 1px solid #e2e8f0; +} + +.kodi-builder__preview-row span { +    color: #64748b; +} + +.kodi-builder__preview-row
strong { +    color: #0f172a; +} + +.kodi-builder__preview-profile { +    display: flex; +    align-items: center; +    gap: 10px; +    padding:
8px; +    background: #f8fafc; +    border-radius: 12px; +    border: 1px solid #e2e8f0; +} + +.kodi-builder__preview-avatar { +    width: 36px; +
height: 36px; +    border-radius: 12px; +    background: #c7d2fe; +    color: #312e81; +    font-weight: 700; +    display: flex; +    align-items:
center; +    justify-content: center; +    font-size: 14px; +} + +.kodi-builder__preview-profile span { +    color: #64748b; +    font-size: 11px;
+} + +.kodi-builder__preview-timeline { +    list-style: none; +    margin: 0; +    padding: 0; +    display: grid; +    gap: 6px; +} + +.kodi-
builder__preview-timeline li { +    padding: 6px 10px; +    border-radius: 10px; +    background: #ffffff; +    border: 1px solid #e2e8f0; +    box-
shadow: 0 4px 10px rgba(15, 23, 42, 0.06); +    font-size: 11px; +} +  .kodi-builder__preview--placeholder {      color: #94a3b8;  } @@ -1413,12
+1535,17 @@      padding: 4px 8px;      border-radius: 8px;      border: 1px solid #cbd5f5; -    background: #ffffff; +    background: linear-
gradient(180deg, #ffffff, #f1f5f9);      font-weight: 600;      font-size: 11px;      cursor: pointer;  }   +.kodi-builder__preview-actions
button:hover { +    border-color: #6366f1; +    color: #4338ca; +} +  .kodi-builder__preview-subtitle {      color: #64748b;  } diff --git
a/frontend/src/pages/kodi/KodiBuilderPage.jsx b/frontend/src/pages/kodi/KodiBuilderPage.jsx index b4a93420..ee348002 100644 ---
a/frontend/src/pages/kodi/KodiBuilderPage.jsx +++ b/frontend/src/pages/kodi/KodiBuilderPage.jsx @@ -94,6 +94,12 @@ const KodiBuilderPage = () =&gt;
{      const [selectedAppId, setSelectedAppId] = useState('');      const [createModalOpen, setCreateModalOpen] = useState(false);      const
[previewRole, setPreviewRole] = useState('admin'); +    const [previewObjectId, setPreviewObjectId] = useState(''); +    const [previewSampleIndex,
setPreviewSampleIndex] = useState(0); +    const [previewRecords, setPreviewRecords] = useState({}); +    const [previewRecord, setPreviewRecord] =
useState({}); +    const [previewAppId, setPreviewAppId] = useState(''); +    const [previewApps, setPreviewApps] = useState([]);        const
currentPage = useMemo(() =&gt; pages.find((page) =&gt; String(page.id) === String(pageId)), [pages, pageId]);   @@ -121,6 +127,72 @@ const
KodiBuilderPage = () =&gt; {          loadData();      }, [pageId]);   +    useEffect(() =&gt; { +        const first = objects[0]; +        if
(first &amp;&amp; !previewObjectId) { +            setPreviewObjectId(first.id); +        } +    }, [objects, previewObjectId]); + +    useEffect(()
=&gt; { +        if (!objects.length) return; +        const names = ['Ava', 'Liam', 'Mia', 'Noah', 'Sofia', 'Ethan']; +        const surnames =
['Thompson', 'Ramos', 'Patel', 'Okafor', 'Chen', 'Rivera']; +        const companies = ['BlueNova', 'Futura', 'Nimbus', 'Atlas', 'Koru', 'Solara'];
+        const statuses = ['Active', 'Pending', 'In Progress', 'New', 'Qualified']; +        const buildValue = (field, seed) =&gt; { +
const key = field.field_name.toLowerCase(); +            if (field.field_type === 'date') { +                const date = new Date(Date.now() - seed
* 86400000); +                return date.toISOString().split('T')[0]; +            } +            if (field.field_type === 'boolean') return seed %
2 === 0; +            if (field.field_type === 'number') return 40 + seed * 3; +            if (key.includes('email')) return `${names[seed %
names.length].toLowerCase()}@kodi.app`; +            if (key.includes('phone')) return `+1 (555) 10${seed} ${200 + seed}`; +            if
(key.includes('name')) return `${names[seed % names.length]} ${surnames[seed % surnames.length]}`; +            if (key.includes('company') ||
key.includes('business')) return companies[seed % companies.length]; +            if (key.includes('status') || key.includes('stage')) return
statuses[seed % statuses.length]; +            return `${field.field_name}_${seed + 1}`; +        }; +        const recordMap = objects.reduce((acc,
obj) =&gt; { +            const samples = Array.from({ length: 3 }).map((_, index) =&gt; { +                const record = {}; +
(obj.fields || []).forEach((field) =&gt; { +                record[field.field_name] = buildValue(field, index); +            }); +
record.id = record.id || `${obj.name}_${index + 1}`; +            return record; +        }); +        acc[obj.name] = samples; +
return acc; +        }, {}); +        setPreviewRecords(recordMap); +    }, [objects]); + +    useEffect(() =&gt; { +        if (!previewObjectId)
return; +        const target = objects.find((obj) =&gt; String(obj.id) === String(previewObjectId)) || objects[0]; +        if (!target) return; +
const samples = previewRecords[target.name] || []; +        setPreviewRecord(samples[previewSampleIndex] || samples[0] || {}); +    }, [objects,
previewObjectId, previewSampleIndex, previewRecords]); + +    useEffect(() =&gt; { +        const loadApps = async () =&gt; { +            try { +
const data = await listPlatformApps(); +            setPreviewApps(data || []); +            if (!previewAppId &amp;&amp; data?.length) { +
setPreviewAppId(data[0].id); +            } +        } catch (error) { +            // ignore preview app load errors +        } +
}; +        loadApps(); +    }, [previewAppId]); +      const updateLayout = (updater) =&gt; {          setLayout((prev) =&gt; {              const
next = cloneLayout(prev); @@ -298,9 +370,36 @@ const KodiBuilderPage = () =&gt; {                        &lt;option
value="psychologist"&gt;Psychologist&lt;/option&gt;                        &lt;option value="business_user"&gt;Business User&lt;/option&gt;
&lt;/select&gt; +                    &lt;select value={previewObjectId} onChange={(e) =&gt; setPreviewObjectId(e.target.value)}&gt; +
{objects.map((obj) =&gt; ( +                        &lt;option key={obj.id} value={obj.id}&gt; +                        {obj.label ||
obj.name} +                        &lt;/option&gt; +                    )) +                    &lt;/select&gt; +
&lt;select value={previewSampleIndex} onChange={(e) =&gt; setPreviewSampleIndex(Number(e.target.value))}&gt; +                        &lt;option
value={0}&gt;Sample A&lt;/option&gt; +                        &lt;option value={1}&gt;Sample B&lt;/option&gt; +                        &lt;option
value={2}&gt;Sample C&lt;/option&gt; +                    &lt;/select&gt; +                    &lt;select value={previewAppId} onChange={(e) =&gt;
setPreviewAppId(e.target.value)}&gt; +                        {previewApps.map((app) =&gt; ( +                        &lt;option key={app.id}
value={app.id}&gt; +                        {app.label || app.name} +                    &lt;/option&gt; +
))} +                &lt;/select&gt;                    &lt;button className="btn-secondary" onClick={() =&gt;
navigate('/kodi/times')}&gt;Back to Times&lt;/button&gt;                    &lt;button className="btn-secondary" onClick={() =&gt;
setCreateModalOpen(true)}&gt;Create Page&lt;/button&gt;                    &lt;button className="btn-secondary" onClick={() =&gt;
window.open(`/kodi/runtime/${pageId}`, '_blank')}&gt;Preview Runtime&lt;/button&gt; +                    {currentPage?.linked_app_id &amp;&amp; ( +
&lt;button +                        className="btn-secondary" +                        onClick={() =&gt;
navigate(`/kodi/portal/apps/${currentPage.linked_app_id}/settings`)} +                        &gt; +                        App Shell Settings +
&lt;/button&gt; +                    )}                    &lt;button className="btn-secondary" onClick={openLinkModal}&gt;Link to
App&lt;/button&gt;                    &lt;button className="btn-secondary" onClick={handleActivate}&gt;Activate Page&lt;/button&gt;
&lt;button class="btn-primary" onClick={handleSave} disabled={saving}&gt; @@ -331,6 +430,14 @@ const KodiBuilderPage = () =&gt; {
onComponentDrop={handleComponentDrop}                    onRemoveComponent={handleRemoveComponent}                    previewRole={previewRole}
+                    previewContext={{ +                        record: previewRecord, +                        records: previewRecords, +
object: objects.find((obj) =&gt; String(obj.id) === String(previewObjectId)), +                        objects, +                        app:
previewApps.find((app) =&gt; String(app.id) === String(previewAppId)), +                        role: previewRole +                    }}
/&gt;                    &lt;ConfigSidebar                        component={selectedComponent} diff --git a/frontend/src/pages/kodi/KodiPortal.css
b/frontend/src/pages/kodi/KodiPortal.css index 83ae7d5a..d478c455 100644 --- a/frontend/src/pages/kodi/KodiPortal.css +++
b/frontend/src/pages/kodi/KodiPortal.css @@ -375,3 +375,226 @@      letter-spacing: 0.05em;      text-transform: uppercase;  } + +/* New portal
screens */ +.kodi-portal-screen { +    padding: 28px; +    display: grid; +    gap: 20px; +} + +.kodi-portal-header { +    display: flex; +
justify-content: space-between; +    align-items: center; +    gap: 16px; +} + +.kodi-portal-header-actions { +    display: flex; +    gap: 10px; +}
+ +.kodi-portal-eyebrow { +    text-transform: uppercase; +    font-size: 0.7rem; +    color: #94a3b8; +    margin: 0; +} + +.kodi-portal-grid { +
display: grid; +    grid-template-columns: repeat(auto-fit, minmax(260px, 1fr)); +    gap: 16px; +} + +.kodi-portal-card { +    background: #fff; +
border-radius: 14px; +    border: 1px solid #e2e8f0; +    padding: 16px; +    display: grid; +    gap: 12px; +    box-shadow: 0 10px 24px rgba(15,
23, 42, 0.06); +} + +.kodi-portal-card-meta { +    display: flex; +    gap: 12px; +    font-size: 0.8rem; +    color: #64748b; +} + +.kodi-portal-
card-actions { +    display: flex; +    gap: 10px; +} + +.kodi-portal-table { +    background: #fff; +    border-radius: 14px; +    border: 1px
solid #e2e8f0; +    padding: 12px; +    display: grid; +    gap: 10px; +} + +.kodi-portal-table__row { +    display: grid; +    grid-template-
columns: 1.5fr 1fr 0.6fr 0.6fr 0.6fr 2fr 1fr; +    gap: 12px; +    align-items: center; +    font-size: 0.85rem; +} + +.kodi-portal-table__row.user
{ +    grid-template-columns: 1.5fr 1fr 0.8fr 1fr; +} + +.kodi-portal-table__row.header { +    font-weight: 700; +    color: #475569; +} + +.kodi-
```

```
portal-table__actions { +    display: flex; +    gap: 8px; +} + +.kodi-portal-empty { +    color: #94a3b8; +} + +.kodi-portal-modal { +    position:
fixed; +    inset: 0; +    background: rgba(15, 23, 42, 0.55); +    display: flex; +    align-items: center; +    justify-content: center; +    z-
index: 50; +} + +.kodi-portal-modal__content { +    background: #fff; +    border-radius: 16px; +    padding: 20px; +    width: min(520px, 90vw); +
display: grid; +    gap: 12px; +} + +.kodi-portal-modal__header { +    display: flex; +    justify-content: space-between; +    align-items: center;
+} + +.kodi-portal-form { +    display: grid; +    gap: 12px; +} + +.kodi-portal-form__grid { +    display: grid; +    grid-template-columns:
repeat(auto-fit, minmax(160px, 1fr)); +    gap: 12px; +} + +.kodi-portal-form input, +.kodi-portal-form textarea, +.kodi-portal-form select { +
width: 100%; +    padding: 8px 10px; +    border-radius: 8px; +    border: 1px solid #d8dde6; +} + +.kodi-portal-checkboxes { +    display: flex; +
gap: 12px; +} + +.kodi-portal-summary-card { +    background: #fff; +    border-radius: 14px; +    padding: 16px; +    border: 1px solid #e2e8f0; +
display: grid; +    gap: 10px; +} + +.kodi-portal-summary-meta { +    display: flex; +    gap: 14px; +    font-size: 0.85rem; +    color: #64748b;
+} + +.kodi-portal-nav-preview { +    list-style: none; +    padding: 0; +    margin: 0; +    display: grid; +    gap: 6px; +} + +.kodi-portal-role-
grid { +    display: grid; +    grid-template-columns: repeat(2, minmax(0, 1fr)); +    gap: 6px; +    font-size: 0.72rem; +} + +.status-pill.pending
{ +    background: #fef3c7; +    color: #92400e; +    padding: 4px 8px; +    border-radius: 999px; +    font-size: 0.72rem; +} + +.status-
pill.active { +    background: #dcfce7; +    color: #166534; +    padding: 4px 8px; +    border-radius: 999px; +    font-size: 0.72rem; +} +
+.status-pill.disabled { +    background: #fee2e2; +    color: #991b1b; +    padding: 4px 8px; +    border-radius: 999px; +    font-size: 0.72rem;
+} + +.kodi-auth { +    min-height: 100vh; +    display: grid; +    place-items: center; +    background: radial-gradient(circle at top, #e2e8f0,
#f8fafc); +} + +.kodi-auth__card { +    background: #ffffff; +    padding: 28px; +    border-radius: 16px; +    width: min(420px, 90vw); +
display: grid; +    gap: 12px; +    border: 1px solid #e2e8f0; +    box-shadow: 0 18px 40px rgba(15, 23, 42, 0.12); +} + +.kodi-auth__card h1 { +
margin: 0 0 8px; +} + +.kodi-auth__card input { +    width: 100%; +    padding: 10px 12px; +    border-radius: 10px; +    border: 1px solid #d8dde6;
+} diff --git a/frontend/src/pages/kodi/KodiPortalPage.jsx b/frontend/src/pages/kodi/KodiPortalPage.jsx index 93b14822..fe595a9d 100644 ---
a/frontend/src/pages/kodi/KodiPortalPage.jsx +++ b/frontend/src/pages/kodi/KodiPortalPage.jsx @@ -1,6 +1,20 @@  import React from 'react'; -import
KodiPortal from './KodiPortal'; +import { Routes, Route, Navigate } from 'react-router-dom'; +import AppsList from './portal/AppsList'; +import
AppDetail from './portal/AppDetail'; +import AppUsers from './portal/AppUsers'; +import AppPages from './portal/AppPages'; +import AppSettings from
'./portal/AppSettings';   -const KodiPortalPage = () =&gt; &lt;KodiPortal /&gt;; +const KodiPortalPage = () =&gt; ( +    &lt;Routes&gt; +
&lt;Route path="/" element={&lt;Navigate to="apps" replace /&gt;} /&gt; +        &lt;Route path="apps" element={&lt;AppsList /&gt;} /&gt; +
&lt;Route path="apps/:appId" element={&lt;AppDetail /&gt;} /&gt; +        &lt;Route path="apps/:appId/users" element={&lt;AppUsers /&gt;} /&gt; +
&lt;Route path="apps/:appId/pages" element={&lt;AppPages /&gt;} /&gt; +        &lt;Route path="apps/:appId/settings" element={&lt;AppSettings /&gt;}
/&gt; +    &lt;/Routes&gt; +);    export default KodiPortalPage; diff --git a/frontend/src/pages/kodi/KodiRuntime.css
b/frontend/src/pages/kodi/KodiRuntime.css index d10f47c3..646d213f 100644 --- a/frontend/src/pages/kodi/KodiRuntime.css +++
b/frontend/src/pages/kodi/KodiRuntime.css @@ -231,3 +231,160 @@      text-align: center;      color: #64748b;  } + +.kodi-app-shell { +    display:
grid; +    grid-template-columns: 240px 1fr; +    min-height: 100vh; +    background: #f8fafc; +} + +.kodi-app-shell__nav { +    background: var(--
kodi-app-surface, #0f172a); +    color: var(--kodi-app-text, #e2e8f0); +    padding: 20px; +    display: grid; +    gap: 16px; +} + +.kodi-app-
shell__header { +    display: grid; +    gap: 8px; +} + +.kodi-app-shell__header select { +    width: 100%; +    padding: 6px 8px; +    border-
radius: 8px; +    border: 1px solid rgba(148, 163, 184, 0.4); +    background: rgba(15, 23, 42, 0.6); +    color: var(--kodi-app-text, #e2e8f0); +}
+ +.kodi-app-shell__menu { +    display: grid; +    gap: 8px; +} + +.kodi-app-shell__menu a { +    color: var(--kodi-app-text, #e2e8f0); +    text-
decoration: none; +    padding: 8px 10px; +    border-radius: 8px; +} + +.kodi-app-shell__menu a.active { +    background: var(--kodi-app-primary,
#2563eb); +} + +.kodi-app-shell__content { +    padding: 20px; +} + +.kodi-app-shell--compact .kodi-app-shell__content { +    padding: 12px; +} +
+.kodi-topbar { +    position: sticky; +    top: 0; +    z-index: 20; +    background: var(--kodi-app-surface, #0b1120); +    color: var(--kodi-app-
text, #e2e8f0); +    display: flex; +    align-items: center; +    gap: 16px; +    padding: 8px 16px; +} + +.kodi-topbar__switcher { +
background: transparent; +    color: inherit; +    border: 1px solid rgba(148, 163, 184, 0.4); +    border-radius: 8px; +    width: 34px; +
height: 34px; +} + +.kodi-topbar__appname { +    font-weight: 700; +} + +.kodi-topbar__tabs { +    display: flex; +    gap: 10px; +    flex: 1; +
overflow-x: auto; +} + +.kodi-topbar__tabs a { +    color: var(--kodi-app-text, #cbd5f5); +    text-decoration: none; +    padding: 6px 10px; +
border-radius: 999px; +    white-space: nowrap; +} + +.kodi-topbar__tabs a.active { +    background: var(--kodi-app-primary, #2563eb); +    color:
#fff; +} + +.kodi-topbar__menu { +    position: absolute; +    top: 48px; +    left: 16px; +    background: #111827; +    border: 1px solid
rgba(148, 163, 184, 0.3); +    border-radius: 12px; +    padding: 8px; +    display: grid; +    gap: 6px; +} + +.kodi-topbar__menu button { +
background: transparent; +    color: #e2e8f0; +    border: none; +    padding: 6px 8px; +    text-align: left; +} + +.kodi-topbar__menu
button.active { +    background: #1f2937; +    border-radius: 8px; +} + +.kodi-topbar--light { +    box-shadow: 0 6px 18px rgba(15, 23, 42, 0.08);
+} + +.kodi-topbar--light .kodi-topbar__menu { +    background: #ffffff; +    color: #0f172a; +} + +.kodi-topbar--light .kodi-topbar__menu button {
+    color: #0f172a; +} + +.kodi-topbar__logo { +    width: 28px; +    height: 28px; +    border-radius: 6px; +    object-fit: cover; +} + +.kodi-
app-shell--top { +    grid-template-columns: 1fr; +} + +@media (max-width: 900px) { +    .kodi-app-shell { +        grid-template-columns: 1fr; +
} +    .kodi-app-shell__nav { +        position: sticky; +        top: 0; +    } +} diff --git a/frontend/src/pages/kodi/KodiRuntimePage.jsx
b/frontend/src/pages/kodi/KodiRuntimePage.jsx index 4e54835f..eecf7cd8 100644 --- a/frontend/src/pages/kodi/KodiRuntimePage.jsx +++
b/frontend/src/pages/kodi/KodiRuntimePage.jsx @@ -36,7 +36,7 @@ const KodiRuntimePage = () =&gt; {          load();      }, [pageId]);   -    const
role = user?.role; +    const role = payload?.effectiveRole || user?.role;      const hasAccess = useMemo(() =&gt; {          if (!role) return
true;          const map = payload?.permissions || {}; diff --git a/frontend/src/pages/kodi/KodiTimes.jsx b/frontend/src/pages/kodi/KodiTimes.jsx
index 74eadbfc..16c2471d 100644 --- a/frontend/src/pages/kodi/KodiTimes.jsx +++ b/frontend/src/pages/kodi/KodiTimes.jsx @@ -6,9 +6,9 @@ import {
activatePlatformPage,      createPlatformPage,      linkPlatformPage, -    listPlatformApps,      listPlatformPages  } from
'../../services/kodiPageService'; +import { listPortalApps } from '../../services/kodiPortalService';  import './KodiTimes.css';    const PAGE_TYPES
= [ @@ -58,7 +58,7 @@ const KodiTimes = () =&gt; {      const fetchApps = async () =&gt; {          setLoadingApps(true);          try { -
const data = await listPlatformApps(); +          const data = await listPortalApps();          setApps(data);          } catch (error) {
toast.error('Cannot load Kodi apps'); diff --git a/frontend/src/services/api.js b/frontend/src/services/api.js index d9996b41..51d0f281 100644 ---
a/frontend/src/services/api.js +++ b/frontend/src/services/api.js @@ -60,7 +60,11 @@ api.interceptors.response.use(          }
localStorage.removeItem('token');          sessionStorage.removeItem('token'); -          window.location.href = '/login'; +          if
(window.location.pathname.startsWith('/kodi')) { +          window.location.href = '/kodi-auth/sign-in'; +          } else { +
window.location.href = '/login'; +          }          }          return Promise.reject(error); diff --git
a/frontend/src/services/kodiPageService.js b/frontend/src/services/kodiPageService.js index c0e0525f..72438298 100644 ---
a/frontend/src/services/kodiPageService.js +++ b/frontend/src/services/kodiPageService.js @@ -55,8 +55,8 @@ export const listPagePermissions = async
(pageId) =&gt;      unwrap((await api.get(`/kodi/platform/pages/${pageId}/permissions`)).data);  export const updatePagePermissions = async (pageId,
payload) =&gt;      unwrap((await api.post(`/kodi/platform/pages/${pageId}/permissions`, payload)).data); -export const fetchRuntimePage = async
(pageId) =&gt; -    unwrap((await api.get(`/kodi/platform/runtime/${pageId}`)).data); +export const fetchRuntimePage = async (pageId, { appId } =
{}) =&gt; +    unwrap((await api.get(`/kodi/platform/runtime/${pageId}`, { params: appId ? { appId } : {} })).data);  export const listAppUsers =
async (appId) =&gt;      unwrap((await api.get(`/kodi/platform/apps/${appId}/users`)).data);  export const assignAppUser = async (appId, payload)
=&gt; diff --git a/reports/all-changes-diff.html b/reports/all-changes-diff.html index a8ef8ed9..7d5a4da0 100644 --- a/reports/all-changes-diff.html
+++ b/reports/all-changes-diff.html @@ -1 +1 @@ -&lt;html&gt;&lt;head&gt;&lt;meta charset='utf-8'&gt;&lt;title&gt;Kodi changes
diff&lt;/title&gt;&lt;style&gt;body{font-family:Consolas,Menlo,monospace;background:#0b1020;color:#e2e8f0;padding:16px}pre{white-space:pre-
wrap;}&lt;/style&gt;&lt;/head&gt;&lt;body&gt;&lt;h1&gt;Kodi changes diff&lt;/h1&gt;&lt;pre&gt;diff --git
a/backend/src/modules/kodi/kodi.controller.js b/backend/src/modules/kodi/kodi.controller.js index 116c331d..5d6c9ec4 100644 ---
a/backend/src/modules/kodi/kodi.controller.js +++ b/backend/src/modules/kodi/kodi.controller.js @@ -66,7 +66,8 @@ const assignAppUserValidators =
validate([      body(&amp;#39;permissions&amp;#39;).optional().isObject(),      body(&amp;#39;permissions.canView&amp;#39;).optional().isBoolean(),
body(&amp;#39;permissions.canEdit&amp;#39;).optional().isBoolean(), -    body(&amp;#39;permissions.canUse&amp;#39;).optional().isBoolean() +
body(&amp;#39;permissions.canUse&amp;#39;).optional().isBoolean(), +    body(&amp;#39;roleKey&amp;#39;).optional().isIn([&amp;#39;admin&amp;#39;,
&amp;#39;employee&amp;#39;, &amp;#39;business_user&amp;#39;, &amp;#39;psychologist&amp;#39;])  ]);  const assignPageUserValidators = validate([
param(&amp;#39;id&amp;#39;).custom(isUuidOrInt), @@ -178,7 +179,9 @@ const runtimeLoader = async (req, res) =&amp;gt; {      try {          const
payload = await runtime.buildRuntimePayload({              pageId: req.params.pageId, -            role: req.user?.role +            role:
req.user?.role, +            userId: req.user?.id, +            appId: req.query?.appId          });          if (!payload) return
res.status(404).json({ success: false, error: &amp;#39;Page not found&amp;#39; });          return res.json({ success: true, data: payload }); @@
-201,6 +204,25 @@ const linkPageToApp = async (req, res) =&amp;gt; {      }  };   +const linkAppPage = async (req, res) =&amp;gt; { +    try { +
const appId = req.params.id; +        const pageId = req.body.pageId; +        await service.linkPageToApp({ +            pageId, +
appId, +            navLabel: req.body.navLabel, +            navOrder: req.body.navOrder, +            isDefault: req.body.isDefault, +
isVisible: req.body.isVisible +        }); +        return res.json({ success: true }); +    } catch (error) { +
logControllerError(&amp;#39;linkAppPage&amp;#39;, error); +        return res.status(400).json({ success: false, error: error.message ||
&amp;#39;Failed to link page to app&amp;#39; }); +    } +}; +  const listApps = async (req, res) =&amp;gt; {      try {          const apps = await
service.listApps(); @@ -211,6 +233,18 @@ const listApps = async (req, res) =&amp;gt; {      }  };   +const getApp = async (req, res) =&amp;gt; { +
try { +        const apps = await service.listApps(); +        const app = apps.find((item) =&amp;gt; String(item.id) === String(req.params.id)); +
if (!app) return res.status(404).json({ success: false, error: &amp;#39;App not found&amp;#39; }); +        return res.json({ success: true, data:
app }); +    } catch (error) { +        logControllerError(&amp;#39;getApp&amp;#39;, error); +        return res.status(500).json({ success: false,
error: error.message || &amp;#39;Failed to load app&amp;#39; }); +    } +}; +  const listAppUsers = async (req, res) =&amp;gt; {      try {
const users = await service.listAppUsers(req.params.id); @@ -252,6 +286,7 @@ const assignAppUser = async (req, res) =&amp;gt; {              appId:
req.params.id,              email: req.body.email,              permissions: req.body.permissions || {}, +            roleKey: req.body.roleKey,
```

```
assignedBy: req.user?.id          });          return res.json({ success: true, data: payload }); @@ -261,6 +296,55 @@ const assignAppUser = async
(req, res) =&amp;gt; {      }  };   +const listAppPages = async (req, res) =&amp;gt; { +    try { +        const pages = await
service.listAppPages(req.params.id); +        return res.json({ success: true, data: pages }); +    } catch (error) { +
logControllerError(&amp;#39;listAppPages&amp;#39;, error); +        return res.status(500).json({ success: false, error: error.message ||
&amp;#39;Failed to load app pages&amp;#39; }); +    } +}; + +const updateAppPage = async (req, res) =&amp;gt; { +    try { +        const mapping =
await service.updateAppPageMapping({ +            mappingId: req.params.mappingId, +            appId: req.params.id, +            navLabel:
req.body.navLabel, +            navOrder: req.body.navOrder, +            isDefault: req.body.isDefault, +            isVisible: req.body.isVisible
+        }); +        if (!mapping) return res.status(404).json({ success: false, error: &amp;#39;Mapping not found&amp;#39; }); +        return
res.json({ success: true, data: mapping }); +    } catch (error) { +        logControllerError(&amp;#39;updateAppPage&amp;#39;, error); +
return res.status(400).json({ success: false, error: error.message || &amp;#39;Failed to update app page&amp;#39; }); +    } +}; + +const
deleteAppPage = async (req, res) =&amp;gt; { +    try { +        await service.removeAppPageMapping({ mappingId: req.params.mappingId }); +
return res.json({ success: true }); +    } catch (error) { +        logControllerError(&amp;#39;deleteAppPage&amp;#39;, error); +        return
res.status(400).json({ success: false, error: error.message || &amp;#39;Failed to remove page from app&amp;#39; }); +    } +}; + +const
getAppNavigation = async (req, res) =&amp;gt; { +    try { +        const payload = await service.listAppNavigation(req.params.id); +        if
(!payload) return res.status(404).json({ success: false, error: &amp;#39;App not found&amp;#39; }); +        return res.json({ success: true, data:
payload }); +    } catch (error) { +        logControllerError(&amp;#39;getAppNavigation&amp;#39;, error); +        return res.status(500).json({
success: false, error: error.message || &amp;#39;Failed to load app navigation&amp;#39; }); +    } +}; +  const removeAppUser = async (req, res)
=&amp;gt; {      try {          await service.removeAppUser({ appId: req.params.id, userId: req.params.userId }); @@ -464,6 +548,34 @@ const
updateApp = async (req, res) =&amp;gt; {      }  };   +const activateApp = async (req, res) =&amp;gt; { +    try { +        const app = await
service.updateApp({ +            appId: req.params.id, +            isActive: true +        }); +        if (!app) return res.status(404).json({
success: false, error: &amp;#39;App not found&amp;#39; }); +        return res.json({ success: true, data: app }); +    } catch (error) { +
logControllerError(&amp;#39;activateApp&amp;#39;, error); +        return res.status(400).json({ success: false, error: error.message ||
&amp;#39;Failed to activate app&amp;#39; }); +    } +}; + +const deactivateApp = async (req, res) =&amp;gt; { +    try { +        const app = await
service.updateApp({ +            appId: req.params.id, +            isActive: false +        }); +        if (!app) return res.status(404).json({
success: false, error: &amp;#39;App not found&amp;#39; }); +        return res.json({ success: true, data: app }); +    } catch (error) { +
logControllerError(&amp;#39;deactivateApp&amp;#39;, error); +        return res.status(400).json({ success: false, error: error.message ||
&amp;#39;Failed to deactivate app&amp;#39; }); +    } +}; +  const getPagePermissions = async (req, res) =&amp;gt; {      try {          const
pageId = req.params.id; @@ -509,14 +621,22 @@ module.exports = {      activatePage,      runtimeLoader,      linkPageToApp, +    linkAppPage,
listApps, +    getApp,      createApp,      updateApp, +    activateApp, +    deactivateApp,      pagePermissionValidators,      getPagePermissions,
updatePagePermissions,      listAppUsers,      assignAppUser, +    listAppPages, +    updateAppPage, +    deleteAppPage, +    getAppNavigation,
removeAppUser,      listPageUsers,      assignPageUser, diff --git a/backend/src/modules/kodi/kodi.permissions.js
b/backend/src/modules/kodi/kodi.permissions.js index 7baadab0..244268a8 100644 --- a/backend/src/modules/kodi/kodi.permissions.js +++
b/backend/src/modules/kodi/kodi.permissions.js @@ -10,12 +10,22 @@ const formatPermissions = (rows) =&amp;gt; {      return map;  };   +const
normalizeRole = (value) =&amp;gt; String(value || &amp;#39;&amp;#39;).toLowerCase().trim(); +const ADMIN_ALIASES = new Set([&amp;#39;admin&amp;#39;,
&amp;#39;super_admin&amp;#39;, &amp;#39;superadmin&amp;#39;, &amp;#39;system_admin&amp;#39;, &amp;#39;hr_admin&amp;#39;]); + +const resolveRole =
(role) =&amp;gt; { +    const normalized = normalizeRole(role); +    if (ADMIN_ALIASES.has(normalized)) return &amp;#39;admin&amp;#39;; +    return
normalized; +}; +  const userHasViewAccess = (permissionMap, role) =&amp;gt; { +    const resolvedRole = resolveRole(role);      if (!permissionMap
|| Object.keys(permissionMap).length === 0) { -        return role === &amp;#39;admin&amp;#39;; +        return resolvedRole ===
&amp;#39;admin&amp;#39;;      } -    if (!role) return false; -    const entry = permissionMap[role]; +    if (!resolvedRole) return false; +
const entry = permissionMap[resolvedRole];      return Boolean(entry?.can_view);  };   diff --git a/backend/src/modules/kodi/kodi.runtime.js
b/backend/src/modules/kodi/kodi.runtime.js index 64a6220f..050a327f 100644 --- a/backend/src/modules/kodi/kodi.runtime.js +++
b/backend/src/modules/kodi/kodi.runtime.js @@ -1,7 +1,12 @@  const service = require(&amp;#39;./kodi.service&amp;#39;);  const perms =
require(&amp;#39;./kodi.permissions&amp;#39;);   -const buildRuntimePayload = async ({ pageId, role }) =&amp;gt; { +const normalizeRole = (value)
=&amp;gt; String(value || &amp;#39;&amp;#39;).toLowerCase().trim(); +const ADMIN_ALIASES = new Set([&amp;#39;admin&amp;#39;,
&amp;#39;super_admin&amp;#39;, &amp;#39;superadmin&amp;#39;, &amp;#39;system_admin&amp;#39;, &amp;#39;hr_admin&amp;#39;]); + +const isAdminRole =
(role) =&amp;gt; ADMIN_ALIASES.has(normalizeRole(role)); + +const buildRuntimePayload = async ({ pageId, role, userId, appId }) =&amp;gt; {
const page = await service.getPageById(pageId);      if (!page) {          return null; @@ -11,7 +16,23 @@ const buildRuntimePayload = async ({
pageId, role }) =&amp;gt; {      const permissionMap = perms.formatPermissions(permissionRows);      const componentRegistry = await
service.listComponentRegistry();      const objects = await service.listObjects(); -    const app = page.linked_app_id ? await
service.getAppById(page.linked_app_id) : null; +    const appContextId = appId || page.linked_app_id; +    const app = appContextId ? await
service.getAppById(appContextId) : null; + +    if (appId) { +        const linkedPages = await service.listAppPages(appId); +        const isLinked
= linkedPages.some((row) =&amp;gt; String(row.page_id) === String(pageId)); +        if (!isLinked) { +            throw new Error(&amp;#39;Access
denied&amp;#39;); +        } +        if (!isAdminRole(role)) { +            const appUsers = await service.listAppUsers(appId); +            const
isMember = appUsers.some((row) =&amp;gt; String(row.user_id) === String(userId)); +            if (!isMember) { +                throw new
Error(&amp;#39;Access denied&amp;#39;); +            } +        } +    }        const hasView = perms.userHasViewAccess(permissionMap, role);
if (!hasView) { diff --git a/backend/src/modules/kodi/kodi.service.js b/backend/src/modules/kodi/kodi.service.js index 9de7f257..8facb7d7 100644 ---
a/backend/src/modules/kodi/kodi.service.js +++ b/backend/src/modules/kodi/kodi.service.js @@ -212,13 +212,49 @@ const activatePage = async ({ pageId
}) =&amp;gt; {      }  };   -const linkPageToApp = async ({ pageId, appId }) =&amp;gt; { +const getNextNavOrder = async (appId) =&amp;gt; { +
const result = await database.query( +        `SELECT COALESCE(MAX(nav_order), 0) AS max_order +            FROM app_page_mapping +        WHERE
app_id = $1`, +        [appId] +    ); +    return Number(result.rows[0]?.max_order || 0) + 1; +}; + +const linkPageToApp = async ({ pageId, appId,
navLabel, navOrder, isDefault, isVisible }) =&amp;gt; {      try { +        const page = await getPageById(pageId); +        if (!page) throw new
Error(&amp;#39;Page not found&amp;#39;); +        if (page.status !== &amp;#39;activated&amp;#39;) { +            throw new Error(&amp;#39;Only
activated pages can be linked to apps&amp;#39;); +        } +        const app = await getAppById(appId); +        if (!app) throw new
Error(&amp;#39;App not found&amp;#39;); + +        const nextOrder = navOrder ?? await getNextNavOrder(appId); +        const label = navLabel ||
page.label; +        const visible = isVisible === undefined ? true : Boolean(isVisible); +        const defaultFlag = Boolean(isDefault); + +
await database.query(&amp;#39;BEGIN&amp;#39;); +        if (defaultFlag) { +            await database.query( +                `UPDATE
app_page_mapping +                SET is_default = false +                WHERE app_id = $1`, +                [appId] +            ); +        }
await database.query( -            `INSERT INTO app_page_mapping (app_id, page_id) -            VALUES ($1, $2) -            ON CONFLICT (app_id,
page_id) DO NOTHING`, -            [appId, pageId] +            `INSERT INTO app_page_mapping (app_id, page_id, nav_label, nav_order, is_default,
is_visible) +            VALUES ($1, $2, $3, $4, $5, $6) +            ON CONFLICT (app_id, page_id) DO UPDATE +                SET nav_label =
EXCLUDED.nav_label, +                    nav_order = EXCLUDED.nav_order, +                    is_default = EXCLUDED.is_default, +
is_visible = EXCLUDED.is_visible`, +            [appId, pageId, label, nextOrder, defaultFlag, visible]          );          await database.query(
`UPDATE kodi_pages @@ -226,7 +262,9 @@ const linkPageToApp = async ({ pageId, appId }) =&amp;gt; {              WHERE id = $1 AND (linked_app_id IS
NULL OR linked_app_id &amp;lt;&amp;gt; $2)`,              [pageId, appId]          ); +        await database.query(&amp;#39;COMMIT&amp;#39;);
} catch (error) { +        await database.query(&amp;#39;ROLLBACK&amp;#39;).catch(() =&amp;gt; null);
logServiceError(&amp;#39;linkPageToApp&amp;#39;, error, { pageId, appId });          throw error;      } @@ -256,18 +294,18 @@ const getAppById =
async (appId) =&amp;gt; {    const getAppPrimaryPage = async (appId) =&amp;gt; {      const result = await database.query( -        `SELECT p.id,
p.label, p.page_type, p.status +        `SELECT p.id, p.label, p.page_type, p.status, m.is_default            FROM kodi_pages p            JOIN
app_page_mapping m ON p.id = m.page_id            WHERE m.app_id = $1 AND p.status = &amp;#39;activated&amp;#39; -            ORDER BY p.activated_at
DESC NULLS LAST +            ORDER BY m.is_default DESC, m.nav_order ASC NULLS LAST, p.activated_at DESC NULLS LAST            LIMIT 1`,
[appId]      );      return result.rows[0] || null;  };   -const assignUserToApp = async ({ appId, email, permissions = {}, assignedBy }) =&amp;gt;
{ +const assignUserToApp = async ({ appId, email, permissions = {}, roleKey, assignedBy }) =&amp;gt; {      const app = await getAppById(appId);
if (!app) {          throw new Error(&amp;#39;App not found&amp;#39;); @@ -277,14 +315,15 @@ const assignUserToApp = async ({ appId, email,
permissions = {}, assignedBy }) =          throw new Error(&amp;#39;User not found&amp;#39;);      }      const assignment = await database.query( -
`INSERT INTO kodi_app_users (app_id, user_id, permissions, assigned_by) -        VALUES ($1, $2, $3::jsonb, $4) +        `INSERT INTO
kodi_app_users (app_id, user_id, permissions, role_key, assigned_by) +        VALUES ($1, $2, $3::jsonb, $4, $5)          ON CONFLICT (app_id,
user_id) DO UPDATE                SET permissions = EXCLUDED.permissions, +                    role_key = COALESCE(EXCLUDED.role_key,
kodi_app_users.role_key),                    updated_at = CURRENT_TIMESTAMP,                    assigned_by = COALESCE(EXCLUDED.assigned_by,
kodi_app_users.assigned_by)            RETURNING *`, -        [appId, user.id, permissions, assignedBy || null] +        [appId, user.id,
permissions, roleKey || null, assignedBy || null]      );      const page = await getAppPrimaryPage(appId);      const baseUrl =
process.env.FRONTEND_URL || process.env.SITE_URL || &amp;#39;https://welphub.onrender.com&amp;#39;; @@ -347,6 +386,103 @@ const listAppUsers = async
(appId) =&amp;gt; {      return result.rows;  };   +const listAppPages = async (appId) =&amp;gt; { +    const result = await database.query( +
`SELECT m.id AS mapping_id, +                m.app_id, +                m.page_id, +                m.nav_label, +                m.nav_order, +
m.is_default, +                m.is_visible, +                p.label, +                p.page_type, +                p.status, +
p.activated_at +        FROM app_page_mapping m +            JOIN kodi_pages p ON p.id = m.page_id +        WHERE m.app_id = $1 +        ORDER BY
m.nav_order ASC NULLS LAST, p.label`, +        [appId] +    ); +    return result.rows; +}; + +const updateAppPageMapping = async ({ mappingId,
appId, navLabel, navOrder, isDefault, isVisible }) =&amp;gt; { +    const updates = []; +    const values = []; +    let idx = 1; +    if (navLabel
!== undefined) { +        updates.push(`nav_label = $${idx++}`); +        values.push(navLabel); +    } +    if (navOrder !== undefined) { +
```

```
updates.push(`nav_order = $${idx++}`); +        values.push(navOrder); +    } +    if (isVisible !== undefined) { +        updates.push(`is_visible
= $${idx++}`); +        values.push(Boolean(isVisible)); +    } +    if (isDefault !== undefined) { +        updates.push(`is_default = $${idx++}`);
+        values.push(Boolean(isDefault)); +    } +    if (!updates.length) return null; +    values.push(mappingId); + +    await
database.query(&amp;#39;BEGIN&amp;#39;); +    try { +        if (isDefault) { +            await database.query( +                `UPDATE
app_page_mapping +                    SET is_default = false +                    WHERE app_id = $1`, +                [appId] +            ); +        }
+        const result = await database.query( +            `UPDATE app_page_mapping +             SET ${updates.join(&amp;#39;, &amp;#39;)} +
WHERE id = $${idx} +            RETURNING *`, +            values +        ); +        await database.query(&amp;#39;COMMIT&amp;#39;); +
return result.rows[0] || null; +    } catch (error) { +        await database.query(&amp;#39;ROLLBACK&amp;#39;).catch(() =&amp;gt; null); +
throw error; +    } +}; +const removeAppPageMapping = async ({ mappingId }) =&amp;gt; { +    await database.query( +        `DELETE FROM
app_page_mapping +            WHERE id = $1`, +        [mappingId] +    ); +}; + +const listAppNavigation = async (appId) =&amp;gt; { +    const app =
await getAppById(appId); +    if (!app) return null; +    const pages = await listAppPages(appId); +    const navigation = pages +
.filter((page) =&amp;gt; page.is_visible) +        .map((page) =&amp;gt; ({ +            pageId: page.page_id, +            label: page.nav_label ||
page.label, +            type: page.page_type, +            isDefault: Boolean(page.is_default), +            order: page.nav_order +        })); +
return { +        app: { id: app.id, label: app.name, status: app.is_active ? &amp;#39;active&amp;#39; : &amp;#39;inactive&amp;#39; }, +
navigation +    }; +}; +  const assignUserToPage = async ({ pageId, email, permissions = {}, assignedBy }) =&amp;gt; {      const page = await
getPageById(pageId);      if (!page) { @@ -524,7 +660,12 @@ const listApps = async () =&amp;gt; {                                  &amp;#39;label&amp;#39;,
p.label,                                  &amp;#39;page_type&amp;#39;, p.page_type,                                  &amp;#39;status&amp;#39;, p.status, -
&amp;#39;activated_at&amp;#39;, p.activated_at +                                  &amp;#39;activated_at&amp;#39;, p.activated_at, +
&amp;#39;nav_label&amp;#39;, m.nav_label, +                                  &amp;#39;nav_order&amp;#39;, m.nav_order, +
&amp;#39;is_default&amp;#39;, m.is_default, +                                  &amp;#39;is_visible&amp;#39;, m.is_visible, +
&amp;#39;mapping_id&amp;#39;, m.id                                  ) ORDER BY p.created_at DESC) AS linked_pages                                  FROM app_page_mapping m
JOIN kodi_pages p ON p.id = m.page_id @@ -537,6 +678,7 @@ const listApps = async () =&amp;gt; {                                  &amp;#39;email&amp;#39;,
u.email,                                  &amp;#39;display_name&amp;#39;, u.display_name,                                  &amp;#39;role&amp;#39;, u.role, +
&amp;#39;role_key&amp;#39;, au.role_key,                                  &amp;#39;permissions&amp;#39;, au.permissions,
&amp;#39;assigned_at&amp;#39;, au.created_at                                  ) ORDER BY au.created_at DESC) AS assigned_users @@ -773,6 +915,10 @@
module.exports = {      updateApp,      assignUserToApp,      listAppUsers, +    listAppPages, +    updateAppPageMapping, +    removeAppPageMapping,
+    listAppNavigation,      assignUserToPage,      listPageUsers,      createLead, diff --git a/backend/src/routes/kodiRoutes.js
b/backend/src/routes/kodiRoutes.js index af643251..e291f776 100644 --- a/backend/src/routes/kodiRoutes.js +++ b/backend/src/routes/kodiRoutes.js @@
-170,11 +170,41 @@ router.post(  );  router.get(&amp;#39;/platform/apps/:id/users&amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.listAppUsers);  router.post(&amp;#39;/platform/apps/:id/users&amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.assignAppUserValidators, kodiPlatform.assignAppUser); +router.get(&amp;#39;/platform/apps/:id/pages&amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.listAppPages); +router.patch(&amp;#39;/platform/apps/:id/pages/:mappingId&amp;#39;,
authenticate, authorizeAdmin(), validate([ +    param(&amp;#39;id&amp;#39;).custom((val) =&amp;gt; { +        if (val === undefined || val === null)
return false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]
{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +    }), +    param(&amp;#39;mappingId&amp;#39;).custom((val) =&amp;gt; {
if (val === undefined || val === null) return false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-
9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.updateAppPage);
+router.delete(&amp;#39;/platform/apps/:id/pages/:mappingId&amp;#39;, authenticate, authorizeAdmin(), validate([ +
param(&amp;#39;id&amp;#39;).custom((val) =&amp;gt; { +        if (val === undefined || val === null) return false; +        const str = String(val);
+        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return uuidRegex.test(str) ||
/^\d+$/.test(str); +    }), +    param(&amp;#39;mappingId&amp;#39;).custom((val) =&amp;gt; { +        if (val === undefined || val === null) return
false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{12}$/i; +
return uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.deleteAppPage);  router.get(&amp;#39;/platform/pages/:id/users&amp;#39;,
authenticate, authorizeAdmin(), kodiPlatform.pageIdValidator, kodiPlatform.listPageUsers);  router.post(&amp;#39;/platform/pages/:id/users&amp;#39;,
authenticate, authorizeAdmin(), kodiPlatform.assignPageUserValidators, kodiPlatform.assignPageUser);  router.post(&amp;#39;/platform/apps&amp;#39;,
authenticate, authorizeAdmin(), kodiPlatform.createAppValidators, kodiPlatform.createApp);  router.put(&amp;#39;/platform/apps/:id&amp;#39;,
authenticate, authorizeAdmin(), kodiPlatform.updateAppValidators, kodiPlatform.updateApp);  router.get(&amp;#39;/platform/runtime/:pageId&amp;#39;,
authenticate, kodiPlatform.getRuntimeValidator, kodiPlatform.runtimeLoader); +router.get(&amp;#39;/platform/apps/:id/navigation&amp;#39;,
authenticate, kodiPlatform.appIdValidator, kodiPlatform.getAppNavigation);  router.get(&amp;#39;/platform/apps&amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.listApps);  router.get(&amp;#39;/platform/objects&amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.listObjects);  router.get(&amp;#39;/platform/components&amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.listComponentRegistry);
@@ -198,4 +228,51 @@ router.get(&amp;#39;/platform/leads/:id/opportunities&amp;#39;, authenticate, authorizeAdmin(),
router.get(&amp;#39;/platform/pages/:id/permissions&amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.pageIdValidator,
kodiPlatform.getPagePermissions);  router.post(&amp;#39;/platform/pages/:id/permissions&amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.pagePermissionValidators, kodiPlatform.updatePagePermissions);   +// Kodi Portal aliases (admin console)
+router.get(&amp;#39;/portal/apps&amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.listApps); +router.post(&amp;#39;/portal/apps&amp;#39;,
authenticate, authorizeAdmin(), kodiPlatform.createAppValidators, kodiPlatform.createApp); +router.get(&amp;#39;/portal/apps/:id&amp;#39;,
authenticate, authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.getApp); +router.patch(&amp;#39;/portal/apps/:id&amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.updateAppValidators, kodiPlatform.updateApp); +router.post(&amp;#39;/portal/apps/:id/activate&amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.activateApp); +router.post(&amp;#39;/portal/apps/:id/deactivate&amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.deactivateApp); +router.get(&amp;#39;/portal/apps/:id/users&amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.listAppUsers); +router.post(&amp;#39;/portal/apps/:id/users&amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.assignAppUserValidators, kodiPlatform.assignAppUser);
+router.delete(&amp;#39;/portal/apps/:id/users/:userId&amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.removeAppUser);
+router.get(&amp;#39;/portal/apps/:id/pages&amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.listAppPages);
+router.post(&amp;#39;/portal/apps/:id/pages&amp;#39;, authenticate, authorizeAdmin(), validate([body(&amp;#39;pageId&amp;#39;).custom((val)
=&amp;gt; { +    if (val === undefined || val === null) return false; +    const str = String(val); +    const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]
{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +    return uuidRegex.test(str) || /^\d+$/.test(str); +})]), kodiPlatform.linkAppPage);
+router.patch(&amp;#39;/portal/apps/:id/pages/:mappingId&amp;#39;, authenticate, authorizeAdmin(), validate([ +
param(&amp;#39;id&amp;#39;).custom((val) =&amp;gt; { +        if (val === undefined || val === null) return false; +        const str = String(val);
+        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return uuidRegex.test(str) ||
/^\d+$/.test(str); +    }), +    param(&amp;#39;mappingId&amp;#39;).custom((val) =&amp;gt; { +        if (val === undefined || val === null) return
false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{12}$/i; +
return uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.updateAppPage);
+router.delete(&amp;#39;/portal/apps/:id/pages/:mappingId&amp;#39;, authenticate, authorizeAdmin(), validate([ +
param(&amp;#39;id&amp;#39;).custom((val) =&amp;gt; { +        if (val === undefined || val === null) return false; +        const str = String(val);
+        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return uuidRegex.test(str) ||
/^\d+$/.test(str); +    }), +    param(&amp;#39;mappingId&amp;#39;).custom((val) =&amp;gt; { +        if (val === undefined || val === null) return
false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{12}$/i; +
return uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.deleteAppPage);
+router.get(&amp;#39;/portal/apps/:id/navigation&amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.getAppNavigation); +  module.exports = router; diff --git a/backend/src/utils/database.js b/backend/src/utils/database.js index
1775564a..809d61a2 100644 --- a/backend/src/utils/database.js +++ b/backend/src/utils/database.js @@ -634,6 +634,11 @@ const createTables = async ()
=&amp;gt; {                  id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),                  app_id UUID REFERENCES kodi_apps(id) ON DELETE
CASCADE,                  page_id UUID REFERENCES kodi_pages(id) ON DELETE CASCADE, +                  nav_label VARCHAR(255), +
nav_order INTEGER DEFAULT 0, +                  is_default BOOLEAN DEFAULT false, +                  is_visible BOOLEAN DEFAULT true, +
created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,                  UNIQUE (app_id, page_id)              );   @@ -691,6 +696,7 @@ const createTables =
async () =&amp;gt; {                  app_id UUID NOT NULL REFERENCES kodi_apps(id) ON DELETE CASCADE,                  user_id UUID NOT NULL
REFERENCES users(id) ON DELETE CASCADE,                  permissions JSONB DEFAULT &amp;#39;{}&amp;#39;::jsonb, +                  role_key
VARCHAR(50),                  assigned_by UUID REFERENCES users(id) ON DELETE SET NULL,                  created_at TIMESTAMP DEFAULT
CURRENT_TIMESTAMP,                  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP, @@ -1087,6 +1093,7 @@ const createTables = async () =&amp;gt; {
CREATE INDEX IF NOT EXISTS idx_kodi_pages_status                  ON kodi_pages(status);                  CREATE INDEX IF NOT EXISTS idx_kodi_pages_app
ON kodi_pages(linked_app_id);                  CREATE INDEX IF NOT EXISTS idx_app_page_mapping_app                  ON app_page_mapping(app_id); +
CREATE INDEX IF NOT EXISTS idx_app_page_mapping_page                  ON app_page_mapping(page_id);                  CREATE INDEX IF NOT EXISTS
idx_kodi_app_users_app                  ON kodi_app_users(app_id);                  CREATE INDEX IF NOT EXISTS idx_kodi_audit_entity                  ON
kodi_audit_logs(entity_type, entity_id);          `; @@ -1408,6 +1415,12 @@ const runMigrations = async () =&amp;gt; {                  &amp;quot;ALTER
TABLE leads ADD COLUMN IF NOT EXISTS source VARCHAR(120);&amp;quot;,                  &amp;quot;ALTER TABLE opportunities ADD COLUMN IF NOT EXISTS owner
VARCHAR(120);&amp;quot;,                  &amp;quot;ALTER TABLE opportunities ADD COLUMN IF NOT EXISTS value NUMERIC;&amp;quot;, +
```

"ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS nav_label VARCHAR(255);", + "ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS nav_order INTEGER DEFAULT 0;", + "ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_default BOOLEAN DEFAULT false;", + "ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_visible BOOLEAN DEFAULT true;", + "ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP;", + "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS role_key VARCHAR(50);", "ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS ip_address VARCHAR(64);", "ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS user_agent TEXT;", "ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS created_at TIMESTAMPTZ DEFAULT CURRENT_TIMESTAMP;", diff --git a/frontend/src/components/kodi/BuilderCanvas.jsx b/frontend/src/components/kodi/BuilderCanvas.jsx index 0d413de4..0398f392 100644 --- a/frontend/src/components/kodi/BuilderCanvas.jsx +++ b/frontend/src/components/kodi/BuilderCanvas.jsx @@ -5,12 +5,162 @@ const GRID_COLUMNS = 12; const clamp = (value, min, max) => Math.min(Math.max(value, min), max); +const SAMPLE_PREVIEWS = { + RecordDetails: { + title: 'Record Details', + fields: [+ { label: 'Name', value: 'Ava Thompson' }, + { label: 'Email', value: 'ava@kodi.app' }, + { label: 'Status', value: 'Active' }, + { label: 'Last Touch', value: '2 hours ago' } +] + }, + RelatedList: { + title: 'Related List', + headers: ['Type', 'Status', 'Owner'], + rows: [+ ['Case', 'Open', 'J. Rivers'], + ['Task', 'In Progress', 'T. Patel'], + ['Note', 'Logged', 'System'] +] + }, + ActivityTimeline: { + title: 'Activity Timeline', + items: ['Email sent - 10m', 'Call scheduled - 1h', 'Lead converted - 1d'] + }, + HighlightsPanel: { + title: 'Highlights Panel', + pills: ['Open Cases: 4', 'ARR: $48k', 'Health: Good'] + }, + DataTable: { + title: 'Data Table', + headers: ['Account', 'Stage', 'Value'], + rows: [+ ['BlueNova', 'Proposal', '$12k'], + ['Futura', 'Qualified', '$7k'], + ['Nimbus', 'Discovery', '$4k'] +] + }, + CardList: { + title: 'Card List', + cards: [+ { title: 'Psychologist Onboard', meta: 'Due in 2 days' }, + { title: 'Business Review', meta: 'Priority: High' } +] + }, + KeyValueFields: { + title: 'Key Value Fields', + fields: [+ { label: 'Industry', value: 'Healthcare' }, + { label: 'Seats', value: '128' }, + { label: 'Tier', value: 'Enterprise' } +] + }, + ContactProfile: { + title: 'Contact Profile', + subtitle: 'Primary decision maker', + fields: [+ { label: 'Name', value: 'Luis Chen' }, + { label: 'Role', value: 'HR Director' }, + { label: 'Phone', value: '+1 (555) 221-8844' } +] + }, + SubscriptionOverview: { + title: 'Subscription Overview', + pills: ['Plan: Growth', 'Renewal: Jul 14', 'Status: Active'] + }, + EmployeePanel: { + title: 'Employee Panel', + fields: [+ { label: 'Employee', value: 'Sofia Ramos' }, + { label: 'Role', value: 'People Ops' }, + { label: 'Status', value: 'Onboarding' } +] + }, + PsychologistProfile: { + title: 'Psychologist Profile', + fields: [+ { label: 'Specialty', value: 'Trauma' }, + { label: 'Availability', value: 'Tue - Thu' }, + { label: 'Rating', value: '4.9' } +] + }, + BusinessInfoPanel: { + title: 'Business Info', + fields: [+ { label: 'Industry', value: 'Fintech' }, + { label: 'Region', value: 'EMEA' }, + { label: 'Tier', value: 'Premium' } +] + }, + AccountSummary: { + title: 'Account Summary', + pills: ['NPS 52', 'Usage up 18%', 'Churn risk: Low'] + }, + ApplicationStatusPanel: { + title: 'Application Status', + steps: ['Lead', 'Qualified', 'Under Review', 'Approved'] + }, + LeadSummary: { + title: 'Lead Summary', + fields: [+ { label: 'Score', value: '82' }, + { label: 'Source', value: 'Referral' }, + { label: 'Stage', value: 'Qualified' } +] + }, + OpportunitySummary: { + title: 'Opportunity Summary', + fields: [+ { label: 'Pipeline', value: '$96k' }, + { label: 'Close Date', value: 'Aug 02' }, + { label: 'Probability', value: '68%' } +] + }, + ActionButton: { + title: 'Primary Action', + actions: ['Launch Workflow'] + }, + QuickActionsBar: { + title: 'Quick Actions', + actions: ['Send Email', 'Assign Psychologist', 'Approve'] + }, + LinkList: { + title: 'Link List', + links: ['Open Profile', 'View Subscription', 'Audit Log'] + }, + FormPanel: { + title: 'Form Panel', + fields: ['First name', 'Email', 'Reject'] + }, + SendEmailButton: { + title: 'Send Email', + actions: ['Compose'] + }, + AssignPsychologistButton: { + title: 'Assign Psychologist', + actions: ['Assign'] + }, + ApproveRejectPanel: { + title: 'Approve / Reject', + actions: ['Approve', 'Reject'] + } +}; + +const resolvePreviewKey = (component) => + component?.component_type + || component?.componentName + || component?.component_name + || component?.name + || ''; + const BuilderCanvas = ({ layout, selected, onSelectComponent, onLayoutChange, onComponentDrop, + onRemoveComponent, previewRole }) => { const canvasRef = useRef(null); @@ -89,6 +239,115 @@ const BuilderCanvas = ({ return roles.includes(previewRole); }; + const renderPreview = (component) => { + const previewKey = resolvePreviewKey(component); + const preview = SAMPLE_PREVIEWS[previewKey] || null; + + if (!preview) { + return (+ <div className="kodi-builder__preview kodi-builder__preview--placeholder"> + <div className="kodi-builder__preview-title">{previewKey || 'Component'} Preview</div> + <div className="kodi-builder__preview-text">Drop in live data bindings to render.</div> + </div> +); + } + + return (+ <div className="kodi-builder__preview"> + <div className="kodi-builder__preview-title"> {preview.title}</div> + + {preview.fields && (+ <div className="kodi-builder__preview-fields"> + {preview.fields.map((field) => (+ <div key={field.label} className="kodi-builder__preview-field"> + <span>{field.label}</span> + <strong>{field.value}</strong> + </div> +)) + </div> +)} + + {preview.items && (+ <ul className="kodi-builder__preview-list"> + {preview.items.map((item) => (+ <li key={item}>{item}</li> +))} + </ul> +)} + + {preview.pills && (+ <div className="kodi-builder__preview-pills"> + {preview.pills.map((pill) => (+ <span key={pill}>{pill}</span> +)) + </div> +)} + + {preview.steps && (+ <div class="kodi-builder__preview-steps"> + {preview.steps.map((step, index) => (+ <div key={step} class="kodi-builder__preview-step ${index === 1 ? 'active' : ''}`}> + {step} + </div> +)) + </div> +)} + + {preview.headers && preview.rows && (+ <div class="kodi-builder__preview-table"> + <div class="kodi-builder__preview-table-head"> + {preview.headers.map((header) => (+ <span key={header}> {header}</span> +)) + </div> + {preview.rows.map((row, idx) => (+ <div key={`${row[0]}-${idx}`} class="kodi-builder__preview-table-row"> + {row.map((cell) => (+ <span key={cell}>{cell}</span> +)) + </div> +))} + </div> +)} + + {preview.cards && (+ <div class="kodi-builder__preview-cards"> + {preview.cards.map((card) => (+ <div key={card.title} class="kodi-builder__preview-card"> + <strong>{card.title}</strong> + <span>{card.meta}</span> + </div> +)) + </div> +)} + + {preview.links && (+ <div class="kodi-builder__preview-links"> + {preview.links.map((link) => (+ <div key={link} class="kodi-builder__preview-link">{link}</div> +)) + </div> +)} + + {preview.actions && (+ <div class="kodi-builder__preview-actions"> + {preview.actions.map((action) => (+ <button key={action} type="button"> {action}</button> +)) + </div> +)} + +

```
{preview.subtitle &amp;amp;&amp;amp;&amp;amp; ( +                    &amp;lt;div className=&amp;quot;kodi-builder__preview-subtitle&amp;quot;&amp;gt;
{preview.subtitle}&amp;lt;/div&amp;gt; +                )} + +                {preview.fields == null &amp;amp;&amp;amp;&amp;amp; preview.items == null
&amp;amp;&amp;amp;&amp;amp; preview.pills == null &amp;amp;&amp;amp;&amp;amp; preview.headers == null &amp;amp;&amp;amp;&amp;amp; preview.cards == null &amp;amp;&amp;amp;&amp;amp;
preview.links == null &amp;amp;&amp;amp;&amp;amp;&amp;amp; preview.actions == null &amp;amp;&amp;amp;&amp;amp;&amp;amp; ( +                    &amp;lt;div className=&amp;quot;kodi-
builder__preview-text&amp;quot;&amp;gt;Preview data is ready.&amp;lt;/div&amp;gt; +                )} +            &amp;lt;/div&amp;gt; +        );
+    }; +      return (          &amp;lt;section className=&amp;quot;kodi-builder__canvas&amp;quot; ref={canvasRef}&amp;gt;
{(layout?.rows || []).map((row, rowIndex) =&amp;gt; { @@ -128,10 +387,25 @@ const BuilderCanvas = ({
&amp;gt;                                                    &amp;lt;div className=&amp;quot;kodi-builder__component-header&amp;quot;&amp;gt;
&amp;lt;strong&amp;gt;{component.label || component.name}&amp;lt;/strong&amp;gt; -
&amp;lt;span&amp;gt;{component.component_type}&amp;lt;/span&amp;gt; +                                                                    &amp;lt;div
className=&amp;quot;kodi-builder__component-actions&amp;quot;&amp;gt; +                                                                    &amp;lt;span&amp;gt;
{component.component_type}&amp;lt;/span&amp;gt; +                                                                    &amp;lt;button +
type=&amp;quot;button&amp;quot; +                                                                    className=&amp;quot;kodi-builder__component-
delete&amp;quot; +                                                                    onClick={(event) =&amp;gt; { +
event.stopPropagation(); +                                                                    onRemoveComponent?.({ rowIndex, colIndex, compIndex }); +
}} +                                                                    title=&amp;quot;Remove component&amp;quot; +
&amp;gt; +                                                                    x +
&amp;lt;/button&amp;gt; +                                                                    &amp;lt;/div&amp;gt;
&amp;lt;/div&amp;gt;                                                                    &amp;lt;div className=&amp;quot;kodi-builder__component-body&amp;quot;&amp;gt;
-                                                                    &amp;lt;p&amp;gt;{hasPermission(component) ? (component.description || &amp;#39;Drag to reorder
or resize.&amp;#39;) : &amp;#39;Hidden by permissions&amp;#39;}&amp;lt;/p&amp;gt; +
{hasPermission(component) +                                                                    ? renderPreview(component) +
: &amp;lt;p&amp;gt;Hidden by permissions&amp;lt;/p&amp;gt;}                                                                    &amp;lt;/div&amp;gt;
&amp;lt;ResizeHandle                                                                    direction=&amp;quot;width&amp;quot; diff --git
a/frontend/src/pages/kodi/KodiBuilder.css b/frontend/src/pages/kodi/KodiBuilder.css index 4e0aea6d..9612a43c 100644 ---
a/frontend/src/pages/kodi/KodiBuilder.css +++ b/frontend/src/pages/kodi/KodiBuilder.css @@ -1223,6 +1223,28 @@      margin-bottom: 6px;  }   +.kodi-
builder__component-actions { +    display: inline-flex; +    align-items: center; +    gap: 8px; +} + +.kodi-builder__component-delete { +
border: none; +    background: #fee2e2; +    color: #b91c1c; +    width: 22px; +    height: 22px; +    border-radius: 50%; +    cursor: pointer; +
font-weight: 700; +    line-height: 1; +} + +.kodi-builder__component-delete:hover { +    background: #fecaca; +} +  .kodi-resize-handle {
position: absolute;      background: rgba(99, 102, 241, 0.7); @@ -1246,6 +1268,161 @@      border-radius: 4px;  }   +.kodi-builder__preview { +
display: grid; +    gap: 8px; +    font-size: 12px; +    color: #1f2b3b; +} + +.kodi-builder__preview--placeholder { +    color: #94a3b8; +} +
+.kodi-builder__preview-title { +    font-weight: 700; +    font-size: 12px; +    color: #1f2b3b; +} + +.kodi-builder__preview-text { +    color:
#64748b; +} + +.kodi-builder__preview-fields { +    display: grid; +    gap: 6px; +} + +.kodi-builder__preview-field { +    display: flex; +
justify-content: space-between; +    background: #f8fafc; +    border: 1px solid #e2e8f0; +    border-radius: 8px; +    padding: 6px 8px; +} +
+.kodi-builder__preview-list { +    list-style: none; +    padding: 0; +    margin: 0; +    display: grid; +    gap: 4px; +} + +.kodi-
builder__preview-list li { +    padding: 6px 8px; +    border-radius: 8px; +    background: #f8fafc; +    border: 1px solid #e2e8f0; +} + +.kodi-
builder__preview-pills { +    display: flex; +    flex-wrap: wrap; +    gap: 6px; +} + +.kodi-builder__preview-pills span { +    background:
#e0e7ff; +    color: #3730a3; +    padding: 4px 8px; +    border-radius: 999px; +    font-weight: 600; +} + +.kodi-builder__preview-steps { +
display: grid; +    gap: 4px; +} + +.kodi-builder__preview-step { +    padding: 6px 8px; +    border-radius: 8px; +    border: 1px solid #e2e8f0; +
background: #f8fafc; +} + +.kodi-builder__preview-step.active { +    background: #dcfce7; +    border-color: #86efac; +    color: #166534; +
font-weight: 700; +} + +.kodi-builder__preview-table { +    display: grid; +    gap: 6px; +} + +.kodi-builder__preview-table-head, +.kodi-
builder__preview-table-row { +    display: grid; +    grid-template-columns: repeat(3, minmax(0, 1fr)); +    gap: 6px; +    font-size: 11px; +} +
+.kodi-builder__preview-table-head { +    font-weight: 700; +    color: #475569; +} + +.kodi-builder__preview-table-row { +    background: #f8fafc;
+    border: 1px solid #e2e8f0; +    border-radius: 8px; +    padding: 6px 8px; +} + +.kodi-builder__preview-cards { +    display: grid; +    gap:
6px; +} + +.kodi-builder__preview-card { +    background: #f8fafc; +    border: 1px solid #e2e8f0; +    border-radius: 10px; +    padding: 8px; +
display: grid; +    gap: 4px; +} + +.kodi-builder__preview-links { +    display: grid; +    gap: 4px; +} + +.kodi-builder__preview-link { +
padding: 6px 8px; +    border-radius: 8px; +    background: #eef2ff; +    color: #4338ca; +    font-weight: 600; +} + +.kodi-builder__preview-
actions { +    display: flex; +    flex-wrap: wrap; +    gap: 6px; +} + +.kodi-builder__preview-actions button { +    padding: 4px 8px; +    border-
radius: 8px; +    border: 1px solid #cbd5f5; +    background: #ffffff; +    font-weight: 600; +    font-size: 11px; +    cursor: pointer; +} +
+.kodi-builder__preview-subtitle { +    color: #64748b; +} +  .kodi-config__header {      display: flex;      justify-content: space-between; diff -
-git a/frontend/src/pages/kodi/KodiBuilderPage.jsx b/frontend/src/pages/kodi/KodiBuilderPage.jsx index 4593de77..b4a93420 100644 ---
a/frontend/src/pages/kodi/KodiBuilderPage.jsx +++ b/frontend/src/pages/kodi/KodiBuilderPage.jsx @@ -172,6 +172,16 @@ const KodiBuilderPage = ()
=&amp;gt; {          });      };    +    const handleRemoveComponent = ({ rowIndex, colIndex, compIndex }) =&amp;gt; { +        updateLayout((draft)
=&amp;gt; { +            const targetCol = draft.rows[rowIndex]?.columns[colIndex]; +            if (!targetCol) return; +
targetCol.components.splice(compIndex, 1); +        }); +        setSelectedComponent(null); +        setSelectedPosition(null); +    }; +
const handleSelectComponent = (component, position) =&amp;gt; {          setSelectedComponent(component);          setSelectedPosition(position); @@
-319,6 +329,7 @@ const KodiBuilderPage = () =&amp;gt; {                    onSelectComponent={handleSelectComponent}
onLayoutChange={updateLayout}                    onComponentDrop={handleComponentDrop} +                    onRemoveComponent=
{handleRemoveComponent}                    previewRole={previewRole}                    /&amp;gt;                    &amp;lt;ConfigSidebar diff --git
a/frontend/src/pages/kodi/KodiPortal.jsx b/frontend/src/pages/kodi/KodiPortal.jsx index 14741b88..0227d8a0 100644 ---
a/frontend/src/pages/kodi/KodiPortal.jsx +++ b/frontend/src/pages/kodi/KodiPortal.jsx @@ -68,6 +68,7 @@ const KodiPortal = () =&amp;gt; {
open: false,          app: null,          email: &amp;#39;&amp;#39;, +        roleKey: &amp;#39;employee&amp;#39;,          permissions: { canView:
true, canEdit: false, canUse: false },          assigning: false      }); @@ -183,7 +184,7 @@ const KodiPortal = () =&amp;gt; {        const
availablePagesForApp = (app) =&amp;gt; {          const linkedIds = new Set((app.linked_pages || []).map((page) =&amp;gt; page.id)); -        return
pages.filter((page) =&amp;gt; !linkedIds.has(page.id)); +        return pages.filter((page) =&amp;gt; !linkedIds.has(page.id) &amp;amp;&amp;amp;&amp;amp;
page.status === &amp;#39;activated&amp;#39;);      };        const handleCreateApp = async (event) =&amp;gt; { @@ -270,6 +271,7 @@ const KodiPortal
= () =&amp;gt; {          open: true,          app,          email: &amp;#39;&amp;#39;, +          roleKey:
&amp;#39;employee&amp;#39;,          permissions: { canView: true, canEdit: false, canUse: false },          assigning: false          });
@@ -301,6 +303,7 @@ const KodiPortal = () =&amp;gt; {          try {          await assignAppUser(assignUserModal.app.id, {
email: assignUserModal.email.trim(), +          roleKey: assignUserModal.roleKey,          permissions: assignUserModal.permissions
});          toast.success(&amp;#39;User assigned to app&amp;#39;); @@ -308,6 +311,7 @@ const KodiPortal = () =&amp;gt; {          open:
false,          app: null,          email: &amp;#39;&amp;#39;, +          roleKey: &amp;#39;employee&amp;#39;,
permissions: { canView: true, canEdit: false, canUse: false },          assigning: false          }); @@ -556,7 +560,7 @@ const
KodiPortal = () =&amp;gt; {                    &amp;lt;div key={user.id} className=&amp;quot;kodi-portal__assigned-
row&amp;quot;&amp;gt;                    &amp;lt;div&amp;gt;
&amp;lt;strong&amp;gt;{user.display_name || user.email}&amp;lt;/strong&amp;gt; -                    &amp;lt;span&amp;gt;
{user.role || &amp;#39;role not set&amp;#39;}&amp;lt;/span&amp;gt; +                    &amp;lt;span&amp;gt;
{user.role_key || user.role || &amp;#39;role not set&amp;#39;}&amp;lt;/span&amp;gt;
&amp;lt;/div&amp;gt;                    &amp;lt;span className=&amp;quot;kodi-portal__status-chip&amp;quot;&amp;gt;Invite
sent&amp;lt;/span&amp;gt;                    &amp;lt;/div&amp;gt; @@ -893,6 +897,7 @@ const KodiPortal = () =&amp;gt; {
open: false,          app: null,          email: &amp;#39;&amp;#39;, +
roleKey: &amp;#39;employee&amp;#39;,          permissions: { canView: true, canEdit: false, canUse: false },
assigning: false          }) @@ -911,6 +916,21 @@ const KodiPortal = () =&amp;gt; {
placeholder=&amp;quot;user@example.com&amp;quot;                    /&amp;gt;                    &amp;lt;/label&amp;gt; +
&amp;lt;label&amp;gt; +                    App role +                    &amp;lt;select +
value={assignUserModal.roleKey} +                    onChange={(event) =&amp;gt; +
setAssignUserModal((prev) =&amp;gt; ({ ...prev, roleKey: event.target.value })) +                    } +
&amp;gt; +                    {PLATFORM_ROLES.map((role) =&amp;gt; ( +                    &amp;lt;option key=
{role} value={role}&amp;gt; +                    {role} +                    &amp;lt;/option&amp;gt; +
))} +                    &amp;lt;/select&amp;gt; +                    &amp;lt;/label&amp;gt;
&amp;lt;div className=&amp;quot;kodi-portal__checkbox-group&amp;quot;&amp;gt;                    &amp;lt;label&amp;gt;
&amp;lt;input diff --git a/reports/all-changes-diff.html b/reports/all-changes-diff.html index 5737e001..427daf75 100644 Binary files a/reports/all-
changes-diff.html and b/reports/all-changes-diff.html differ&lt;/pre&gt;&lt;/body&gt;&lt;/html&gt; +&lt;html&gt;&lt;head&gt;&lt;meta charset='utf-
8'&gt;&lt;title&gt;Kodi changes diff&lt;/title&gt;&lt;style&gt;body{font-
family:Consolas,Menlo,monospace;background:#0b1020;color:#e2e8f0;padding:16px}pre{white-space:pre-
wrap;}&lt;/style&gt;&lt;/head&gt;&lt;body&gt;&lt;h1&gt;Kodi changes diff&lt;/h1&gt;&lt;pre&gt;diff --git a/backend/src/modules/kodi/kodi.runtime.js
b/backend/src/modules/kodi/kodi.runtime.js index 050a327f..50001b7c 100644 --- a/backend/src/modules/kodi/kodi.runtime.js +++
b/backend/src/modules/kodi/kodi.runtime.js @@ -1,10 +1,7 @@  const service = require('./kodi.service');  const perms =
```

```
require('./kodi.permissions'); - -const normalizeRole = (value) =&amp;gt; String(value || '').toLowerCase().trim(); -const ADMIN_ALIASES = new
Set(['admin', 'super_admin', 'superadmin', 'system_admin', 'hr_admin']); - -const isAdminRole = (role) =&amp;gt;
ADMIN_ALIASES.has(normalizeRole(role)); +const portalService = require('../kodiPortal/kodiPortal.service'); +const portalPerms =
require('../kodiPortal/kodiPortal.permissions');    const buildRuntimePayload = async ({ pageId, role, userId, appId }) =&amp;gt; {      const page
= await service.getPageById(pageId); @@ -19,22 +16,34 @@ const buildRuntimePayload = async ({ pageId, role, userId, appId }) =&amp;gt; {      const
appContextId = appId || page.linked_app_id;      const app = appContextId ? await service.getAppById(appContextId) : null;   -    if (appId) { -
const linkedPages = await service.listAppPages(appId); -        const isLinked = linkedPages.some((row) =&amp;gt; String(row.page_id) ===
String(pageId)); -        if (!isLinked) { +    let effectiveRole = role; +    const isAdmin = portalPerms.isAdminRole(role); +    const
isBuilderManagedPage = ['record', 'app', 'home'].includes(page.page_type); +    const adminBypassMembership = isAdmin &amp;amp;&amp;amp;
isBuilderManagedPage; + +    if (appId &amp;amp;&amp;amp; !adminBypassMembership) { +        const linkedPages = await
portalService.listPages(appId); +        const mapping = linkedPages.find((row) =&amp;gt; String(row.page_id) === String(pageId)); +        if
(!mapping) { +            throw new Error('Access denied'); +        } +        if (app &amp;amp;&amp;amp; app.status !== 'active'
&amp;amp;&amp;amp; !isAdmin) { +            throw new Error('Access denied'); +        } +        const membership = await
portalService.getEffectiveRuntimeRole({ appId, userId, globalRole: role }); +        if (!membership) {            throw new Error('Access
denied');          } -        if (!isAdminRole(role)) { -            const appUsers = await service.listAppUsers(appId); -            const isMember
= appUsers.some((row) =&amp;gt; String(row.user_id) === String(userId)); -            if (!isMember) { +        effectiveRole = membership; +
if (mapping.role_visibility) { +            const allowed = mapping.role_visibility?.[portalPerms.normalizeRole(effectiveRole)]; +            if
(allowed === false) {                throw new Error('Access denied');            }          }      }   -    const hasView =
perms.userHasViewAccess(permissionMap, role); +    const hasView = perms.userHasViewAccess(permissionMap, effectiveRole);      if (!hasView) {
throw new Error('Access denied');      } @@ -56,6 +65,7 @@ const buildRuntimePayload = async ({ pageId, role, userId, appId }) =&amp;gt; {
permissions: permissionMap,          registry: componentRegistry,          objects, +        effectiveRole,          fields: objects.reduce((acc,
obj) =&amp;gt; {              acc[obj.name] = obj.fields || [];              return acc; diff --git a/backend/src/routes/kodiRoutes.js
b/backend/src/routes/kodiRoutes.js index e291f776..1a9672f0 100644 --- a/backend/src/routes/kodiRoutes.js +++ b/backend/src/routes/kodiRoutes.js @@
-6,6 +6,7 @@ const { validate } = require('../middleware/validation');  const kodiController = require('../controllers/kodiController');  const
kodiPages = require('../modules/kodi/kodiPages.controller');  const kodiPlatform = require('../modules/kodi/kodi.controller'); +const kodiPortal =
require('../modules/kodiPortal/kodiPortal.controller');  const { authenticateKodiPageSession } =
require('../modules/kodi/kodiPageSession.middleware');    const router = express.Router(); @@ -228,51 +229,29 @@
router.get('/platform/leads/:id/opportunities', authenticate, authorizeAdmin(),  router.get('/platform/pages/:id/permissions', authenticate,
authorizeAdmin(), kodiPlatform.pageIdValidator, kodiPlatform.getPagePermissions);  router.post('/platform/pages/:id/permissions', authenticate,
authorizeAdmin(), kodiPlatform.pagePermissionValidators, kodiPlatform.updatePagePermissions);   -// Kodi Portal aliases (admin console) -
router.get('/portal/apps', authenticate, authorizeAdmin(), kodiPlatform.listApps); -router.post('/portal/apps', authenticate, authorizeAdmin(),
kodiPlatform.createAppValidators, kodiPlatform.createApp); -router.get('/portal/apps/:id', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.getApp); -router.patch('/portal/apps/:id', authenticate, authorizeAdmin(),
kodiPlatform.updateAppValidators, kodiPlatform.updateApp); -router.post('/portal/apps/:id/activate', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.activateApp); -router.post('/portal/apps/:id/deactivate', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.deactivateApp); -router.get('/portal/apps/:id/users', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.listAppUsers); -router.post('/portal/apps/:id/users', authenticate, authorizeAdmin(),
kodiPlatform.assignAppUserValidators, kodiPlatform.assignAppUser); -router.delete('/portal/apps/:id/users/:userId', authenticate, authorizeAdmin(),
kodiPlatform.removeAppUser); -router.get('/portal/apps/:id/pages', authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.listAppPages); -router.post('/portal/apps/:id/pages', authenticate, authorizeAdmin(), validate([body('pageId').custom((val) =&amp;gt; {
-    if (val === undefined || val === null) return false; -    const str = String(val); -    const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-
f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -    return uuidRegex.test(str) || /^\d+$/.test(str); -})]), kodiPlatform.linkAppPage); -
router.patch('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), validate([ -    param('id').custom((val) =&amp;gt; { -        if
(val === undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-
f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }), -    param('mappingId').custom((val)
=&amp;gt; { -        if (val === undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-f]
{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }) -]),
kodiPlatform.updateAppPage); -router.delete('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), validate([ -
param('id').custom((val) =&amp;gt; { -        if (val === undefined || val === null) return false; -        const str = String(val); -        const
uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str);
-    }), -    param('mappingId').custom((val) =&amp;gt; { -        if (val === undefined || val === null) return false; -        const str =
String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{12}$/i; -        return uuidRegex.test(str) ||
/^\d+$/.test(str); -    }) -]), kodiPlatform.deleteAppPage); -router.get('/portal/apps/:id/navigation', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.getAppNavigation); +// Kodi Portal (admin console) +router.get('/portal/apps', authenticate,
authorizeAdmin(), kodiPortal.listApps); +router.post('/portal/apps', authenticate, authorizeAdmin(), kodiPortal.createAppValidators,
kodiPortal.createApp); +router.get('/portal/apps/:id', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.getApp);
+router.patch('/portal/apps/:id', authenticate, authorizeAdmin(), kodiPortal.updateAppValidators, kodiPortal.updateApp);
+router.post('/portal/apps/:id/activate', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.activateApp);
+router.post('/portal/apps/:id/deactivate', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.deactivateApp);
+router.get('/portal/apps/:id/settings', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.getSettings);
+router.patch('/portal/apps/:id/settings', authenticate, authorizeAdmin(), kodiPortal.settingsValidators, kodiPortal.updateSettings);
+router.get('/portal/apps/:id/users', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.listUsers);
+router.post('/portal/apps/:id/users', authenticate, authorizeAdmin(), kodiPortal.assignUserValidators, kodiPortal.assignUser);
+router.patch('/portal/apps/:id/users/:userId', authenticate, authorizeAdmin(), kodiPortal.updateUserValidators, kodiPortal.updateUser);
+router.patch('/portal/apps/:id/users/:userId/status', authenticate, authorizeAdmin(), kodiPortal.updateUserStatusValidators,
kodiPortal.updateUserStatus); +router.post('/portal/apps/:id/users/:userId/resend-invite', authenticate, authorizeAdmin(),
kodiPortal.resendInviteValidators, kodiPortal.resendInvite); +router.delete('/portal/apps/:id/users/:userId', authenticate, authorizeAdmin(),
kodiPortal.appIdValidator, kodiPortal.deleteUser); +router.get('/portal/apps/:id/pages', authenticate, authorizeAdmin(), kodiPortal.appIdValidator,
kodiPortal.listPages); +router.get('/portal/pages/activated', authenticate, authorizeAdmin(), kodiPortal.listActivatedPages);
+router.post('/portal/apps/:id/pages', authenticate, authorizeAdmin(), kodiPortal.linkPageValidators, kodiPortal.linkPage);
+router.patch('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), kodiPortal.updatePageValidators, kodiPortal.updatePage);
+router.delete('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.deletePage);
+router.post('/portal/apps/:id/pages/reorder', authenticate, authorizeAdmin(), kodiPortal.reorderValidators, kodiPortal.reorderPages);
+router.get('/portal/apps/:id/navigation', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.getNavigation);
+router.post('/portal/invitations/accept', authenticate, kodiPortal.acceptInviteValidators, kodiPortal.acceptInvite);
+router.get('/portal/user/apps', authenticate, kodiPortal.listUserApps);    module.exports = router; diff --git a/backend/src/server.js
b/backend/src/server.js index 80459a7b..3066b55f 100644 --- a/backend/src/server.js +++ b/backend/src/server.js @@ -34,6 +34,7 @@ const
flowRuntimeRoutes = require('./routes/flowRuntimeRoutes');  const adsRoutes = require('./routes/adsRoutes');  const ticketRoutes =
require('./routes/ticketRoutes');  const kodiRoutes = require('./routes/kodiRoutes'); +const kodiAuthRoutes = require('./routes/kodiAuthRoutes');
const kodiPlatformRoutes = require('./modules/kodi/kodi.routes');  const { initMarketingTables, startMarketingScheduler } =
require('./services/marketingEmailService');  const { startScheduler: startMarketingCampaignScheduler } =
require('./modules/marketing/marketing.scheduler'); @@ -187,6 +188,7 @@ app.use('/api/ads', adsRoutes);  app.use('/api/tickets', ticketRoutes);
app.use('/api/kodi/platform', kodiPlatformRoutes);  app.use('/api/kodi', kodiRoutes); +app.use('/api/kodi-auth', kodiAuthRoutes);    // RBAC Routes
(if available)  if (authV2Routes &amp;amp;&amp;amp;&amp;amp; rbacUserRoutes &amp;amp;&amp;amp;&amp;amp; roleRoutes) { diff --git a/backend/src/utils/database.js
b/backend/src/utils/database.js index 809d61a2..623fb79f 100644 --- a/backend/src/utils/database.js +++ b/backend/src/utils/database.js @@ -612,9
+612,17 @@ const createTables = async () =&amp;gt; {              CREATE TABLE IF NOT EXISTS kodi_apps (                    id UUID PRIMARY KEY
DEFAULT uuid_generate_v4(),                    name VARCHAR(255) NOT NULL, +                    label VARCHAR(255),                    description TEXT, -
is_active BOOLEAN DEFAULT true, -                    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP +                    status VARCHAR(50) NOT NULL DEFAULT
'draft' CHECK (status IN ('draft','active','inactive')), +                    icon VARCHAR(255), +                    theme_config JSONB DEFAULT
'{}'::jsonb, +                    settings JSONB DEFAULT '{}'::jsonb, +                    navigation_mode VARCHAR(50) DEFAULT 'sidebar', +
landing_behavior VARCHAR(50) DEFAULT 'default_page', +                    default_page_id UUID, +                    created_at TIMESTAMP DEFAULT
CURRENT_TIMESTAMP, +                    updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP              );              CREATE TABLE IF NOT EXISTS
kodi_pages ( @@ -638,6 +646,7 @@ const createTables = async () =&amp;gt; {                    nav_order INTEGER DEFAULT 0,                    is_default
BOOLEAN DEFAULT false,                    is_visible BOOLEAN DEFAULT true, +                    role_visibility JSONB DEFAULT '{}'::jsonb,
created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,                    UNIQUE (app_id, page_id)              ); @@ -697,12 +706,31 @@ const createTables =
async () =&amp;gt; {                    user_id UUID NOT NULL REFERENCES users(id) ON DELETE CASCADE,                    permissions JSONB DEFAULT
'{}'::jsonb,                    role_key VARCHAR(50), +                    status VARCHAR(50) NOT NULL DEFAULT 'pending', +                    invite_token
VARCHAR(64), +                    invited_at TIMESTAMP, +                    accepted_at TIMESTAMP, +                    disabled_at TIMESTAMP,
```

```
assigned_by UUID REFERENCES users(id) ON DELETE SET NULL,                    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,                    UNIQUE (app_id, user_id)              );   +             CREATE TABLE IF NOT EXISTS
kodi_portal_identities ( +                id UUID PRIMARY KEY DEFAULT uuid_generate_v4(), +                user_id UUID NOT NULL REFERENCES
users(id) ON DELETE CASCADE, +                username VARCHAR(80) UNIQUE NOT NULL, +                password_hash TEXT, +                otp_hash
TEXT, +                otp_expires_at TIMESTAMP, +                first_login_required BOOLEAN DEFAULT true, +                first_login_token
VARCHAR(80), +                first_login_expires_at TIMESTAMP, +                created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP, +
updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP +            ); +             CREATE TABLE IF NOT EXISTS kodi_page_users (                  id UUID
PRIMARY KEY DEFAULT uuid_generate_v4(),                page_id UUID NOT NULL REFERENCES kodi_pages(id) ON DELETE CASCADE, @@ -1095,6 +1123,8 @@
const createTables = async () =&amp;gt; {               CREATE INDEX IF NOT EXISTS idx_app_page_mapping_app            ON app_page_mapping(app_id);
CREATE INDEX IF NOT EXISTS idx_app_page_mapping_page            ON app_page_mapping(page_id);            CREATE INDEX IF NOT EXISTS
idx_kodi_app_users_app              ON kodi_app_users(app_id); +            CREATE INDEX IF NOT EXISTS idx_kodi_app_users_status            ON
kodi_app_users(status); +            CREATE INDEX IF NOT EXISTS idx_kodi_app_users_invite            ON kodi_app_users(invite_token);
CREATE INDEX IF NOT EXISTS idx_kodi_audit_entity              ON kodi_audit_logs(entity_type, entity_id);            `;   @@ -1420,7 +1450,24 @@
const runMigrations = async () =&amp;gt; {              "ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_default BOOLEAN DEFAULT false;",
"ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_visible BOOLEAN DEFAULT true;",              "ALTER TABLE app_page_mapping ADD COLUMN IF
NOT EXISTS created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP;", +            "ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS role_visibility
JSONB DEFAULT '{}'::jsonb;",              "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS role_key VARCHAR(50);", +            "ALTER TABLE
kodi_app_users ADD COLUMN IF NOT EXISTS status VARCHAR(50) DEFAULT 'pending';", +            "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS
invite_token VARCHAR(64);", +            "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS invited_at TIMESTAMP;", +            "ALTER TABLE
kodi_app_users ADD COLUMN IF NOT EXISTS accepted_at TIMESTAMP;", +            "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS disabled_at
TIMESTAMP;", +            "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS label VARCHAR(255);", +            "ALTER TABLE kodi_apps ADD COLUMN IF
NOT EXISTS status VARCHAR(50) DEFAULT 'draft';", +            "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS icon VARCHAR(255);", +
"ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS theme_config JSONB DEFAULT '{}'::jsonb;", +            "ALTER TABLE kodi_apps ADD COLUMN IF NOT
EXISTS settings JSONB DEFAULT '{}'::jsonb;", +            "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS navigation_mode VARCHAR(50) DEFAULT
'sidebar';", +            "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS landing_behavior VARCHAR(50) DEFAULT 'default_page';", +            "ALTER
TABLE kodi_apps ADD COLUMN IF NOT EXISTS default_page_id UUID;", +            "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS updated_at TIMESTAMP
DEFAULT CURRENT_TIMESTAMP;", +            "CREATE TABLE IF NOT EXISTS kodi_portal_identities (id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
user_id UUID NOT NULL REFERENCES users(id) ON DELETE CASCADE, username VARCHAR(80) UNIQUE NOT NULL, password_hash TEXT, otp_hash TEXT,
otp_expires_at TIMESTAMP, first_login_required BOOLEAN DEFAULT true, first_login_token VARCHAR(80), first_login_expires_at TIMESTAMP, created_at
TIMESTAMP DEFAULT CURRENT_TIMESTAMP, updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP);", +            "CREATE INDEX IF NOT EXISTS
idx_kodi_portal_identities_username ON kodi_portal_identities(username);",              "ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS ip_address
VARCHAR(64);",              "ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS user_agent TEXT;",              "ALTER TABLE audit_logs ADD COLUMN IF
NOT EXISTS created_at TIMESTAMPTZ DEFAULT CURRENT_TIMESTAMP;", diff --git a/backend/src/utils/emailService.js b/backend/src/utils/emailService.js
index 6b4c2962..7b988633 100644 --- a/backend/src/utils/emailService.js +++ b/backend/src/utils/emailService.js @@ -950,6 +950,117 @@ const
sendAppAccessEmail = async ({ to, name, appName, loginUrl, pageUrl, pageNa      return sendEmail({ to, subject, html, text });  };   +const
sendKodiAppInviteEmail = async ({ to, name, appName, role, loginUrl, inviteUrl, pageUrl, pageName, username, otp }) =&amp;gt; { +    if (!to ||
!appName || !inviteUrl) { +        return { success: false, error: 'Missing invitation details' }; +    } +    const greeting = name ? `Hi ${name}`
: 'Hello'; +    const subject = `Invitation to ${appName}`; +    const html = ` +        &amp;lt;!DOCTYPE html&amp;gt; +        &amp;lt;html&amp;gt;
+        &amp;lt;body style="font-family: Arial, sans-serif; color: #111827; line-height: 1.6;"&amp;gt; +          &amp;lt;div style="max-width:
560px; margin: 0 auto; padding: 24px;"&amp;gt; +            &amp;lt;h2&amp;gt;${greeting},&amp;lt;/h2&amp;gt; +            &amp;lt;p&amp;gt;You have
been invited to the &amp;lt;strong&amp;gt;${appName}&amp;lt;/strong&amp;gt; app in Kodi Portal.&amp;lt;/p&amp;gt; +
&amp;lt;p&amp;gt;&amp;lt;strong&amp;gt;Role:&amp;lt;/strong&amp;gt; ${role || 'member'}&amp;lt;/p&amp;gt; +
&amp;lt;p&amp;gt;&amp;lt;strong&amp;gt;Username:&amp;lt;/strong&amp;gt; ${username || 'assigned separately'}&amp;lt;/p&amp;gt; +
&amp;lt;p&amp;gt;&amp;lt;strong&amp;gt;One-time password:&amp;lt;/strong&amp;gt; ${otp || 'available in your invite'}&amp;lt;/p&amp;gt; +
&amp;lt;p&amp;gt; +                &amp;lt;a href="${inviteUrl}" style="display: inline-block; background: #2563eb; color: #fff; padding: 10px 18px;
border-radius: 999px; text-decoration: none;"&amp;gt; +                قبول الدعوة / Accept Invitation +              &amp;lt;/a&amp;gt; +
&amp;lt;/p&amp;gt; +            ${pageUrl ? `&amp;lt;p&amp;gt;Default page: &amp;lt;a href="${pageUrl}"&amp;gt;${pageName || 'Open
page'}&amp;lt;/a&amp;gt;&amp;lt;/p&amp;gt;` : ''} +            &amp;lt;p&amp;gt;Login: ${loginUrl}&amp;lt;/p&amp;gt; +            &amp;lt;p
style="margin-top: 24px;"&amp;gt;If you did not expect this invitation, ignore this email.&amp;lt;/p&amp;gt; +            &amp;lt;p&amp;gt;— The
Kodi Portal Team&amp;lt;/p&amp;gt; +          &amp;lt;/div&amp;gt; +        &amp;lt;/body&amp;gt; +        &amp;lt;/html&amp;gt; +    `; +    const
text = [ +        `${greeting},`, +        '', +        `You have been invited to ${appName}.`, +        `Role: ${role || 'member'}`, +
username ? `Username: ${username}` : '', +        otp ? `One-time password: ${otp}` : '', +        `Accept invitation: ${inviteUrl}`, +
loginUrl ? `Login: ${loginUrl}` : '', +        pageUrl ? `Default page: ${pageName || 'Open page'} - ${pageUrl}` : '', +        '', +        '— The
Kodi Portal Team' +    ].filter(Boolean).join('\n'); +    return sendEmail({ to, subject, html, text }); +}; + +const sendKodiRoleUpdatedEmail =
async ({ to, name, appName, role, loginUrl }) =&amp;gt; { +    if (!to || !appName) { +        return { success: false, error: 'Missing recipient or
app name' }; +    } +    const greeting = name ? `Hi ${name}` : 'Hello'; +    const subject = `Role updated in ${appName}`; +    const html = ` +
&amp;lt;!DOCTYPE html&amp;gt; +        &amp;lt;html&amp;gt; +        &amp;lt;body style="font-family: Arial, sans-serif; color: #111827; line-
height: 1.6;"&amp;gt; +          &amp;lt;div style="max-width: 560px; margin: 0 auto; padding: 24px;"&amp;gt; +
&amp;lt;h2&amp;gt;${greeting},&amp;lt;/h2&amp;gt; +            &amp;lt;p&amp;gt;Your role in &amp;lt;strong&amp;gt;${appName}&amp;lt;/strong&amp;gt;
has been updated.&amp;lt;/p&amp;gt; +            &amp;lt;p&amp;gt;&amp;lt;strong&amp;gt;New role:&amp;lt;/strong&amp;gt; ${role ||
'member'}&amp;lt;/p&amp;gt; +            &amp;lt;p&amp;gt;Login: &amp;lt;a href="${loginUrl}"&amp;gt;${loginUrl}&amp;lt;/a&amp;gt;&amp;lt;/p&amp;gt;
+            &amp;lt;p&amp;gt;— The Kodi Portal Team&amp;lt;/p&amp;gt; +          &amp;lt;/div&amp;gt; +        &amp;lt;/body&amp;gt; +
&amp;lt;/html&amp;gt; +    `; +    const text = [ +        `${greeting},`, +        '', +        `Your role in ${appName} has been updated.`, +
`New role: ${role || 'member'}`, +        loginUrl ? `Login: ${loginUrl}` : '', +        '', +        '— The Kodi Portal Team' +
].filter(Boolean).join('\n'); +    return sendEmail({ to, subject, html, text }); +}; + +const sendKodiPageAssignedEmail = async ({ to, name,
appName, pageName, pageUrl, loginUrl }) =&amp;gt; { +    if (!to || !appName || !pageName) { +        return { success: false, error: 'Missing
recipient or page details' }; +    } +    const greeting = name ? `Hi ${name}` : 'Hello'; +    const subject = `New page assigned in ${appName}`; +
const html = ` +        &amp;lt;!DOCTYPE html&amp;gt; +        &amp;lt;html&amp;gt; +        &amp;lt;body style="font-family: Arial, sans-serif;
color: #111827; line-height: 1.6;"&amp;gt; +          &amp;lt;div style="max-width: 560px; margin: 0 auto; padding: 24px;"&amp;gt; +
&amp;lt;h2&amp;gt;${greeting},&amp;lt;/h2&amp;gt; +            &amp;lt;p&amp;gt;A new page has been assigned in
&amp;lt;strong&amp;gt;${appName}&amp;lt;/strong&amp;gt;.&amp;lt;/p&amp;gt; +
&amp;lt;p&amp;gt;&amp;lt;strong&amp;gt;Page:&amp;lt;/strong&amp;gt; ${pageName}&amp;lt;/p&amp;gt; +            ${pageUrl ? `&amp;lt;p&amp;gt;Open:
&amp;lt;a href="${pageUrl}"&amp;gt;${pageUrl}&amp;lt;/a&amp;gt;&amp;lt;/p&amp;gt;` : ''} +            &amp;lt;p&amp;gt;Login: &amp;lt;a
href="${loginUrl}"&amp;gt;${loginUrl}&amp;lt;/a&amp;gt;&amp;lt;/p&amp;gt; +            &amp;lt;p&amp;gt;— The Kodi Portal Team&amp;lt;/p&amp;gt; +
&amp;lt;/div&amp;gt; +        &amp;lt;/body&amp;gt; +        &amp;lt;/html&amp;gt; +    `; +    const text = [ +        `${greeting},`, +        '',
+        `A new page has been assigned in ${appName}.`, +        `Page: ${pageName}`, +        pageUrl ? `Open: ${pageUrl}` : '', +        loginUrl
? `Login: ${loginUrl}` : '', +        '', +        '— The Kodi Portal Team' +    ].filter(Boolean).join('\n'); +    return sendEmail({ to, subject,
html, text }); +}; +  module.exports = {      sendClaimInvitation,      sendVerificationEmail, @@ -965,5 +1076,8 @@ module.exports = {
sendConversationRequestEmail,      sendConversationAcceptedEmail,      sendTicketNotificationEmail, -    sendAppAccessEmail +    sendAppAccessEmail,
+    sendKodiAppInviteEmail, +    sendKodiRoleUpdatedEmail, +    sendKodiPageAssignedEmail  }; diff --git a/frontend/src/App.jsx
b/frontend/src/App.jsx index f33fb3ee..daaaf184 100644 --- a/frontend/src/App.jsx +++ b/frontend/src/App.jsx @@ -37,6 +37,7 @@ import UserProfile
from './pages/UserProfile';  import PrivateRoute from './components/auth/PrivateRoute';  import AdminRoute from './components/auth/AdminRoute';
import AdminLayout from './components/admin/AdminLayout'; +import AppTopBar from './components/kodi/AppTopBar';    // Admin Pages  import
AdminDashboard from './pages/admin/AdminDashboard'; @@ -63,6 +64,12 @@ import KodiTimes from './pages/kodi/KodiTimes';  import KodiBuilderPage from
'./pages/kodi/KodiBuilderPage';  import KodiRuntimePage from './pages/kodi/KodiRuntimePage';  import KodiPortalPage from
'./pages/kodi/KodiPortalPage'; +import KodiAppShell from './pages/kodi/KodiAppShell'; +import KodiAppRuntimePage from
'./pages/kodi/KodiAppRuntimePage'; +import KodiInviteAccept from './pages/kodi/KodiInviteAccept'; +import KodiAppsList from
'./pages/kodi/KodiAppsList'; +import KodiSignIn from './pages/kodi/auth/KodiSignIn'; +import KodiFirstLogin from './pages/kodi/auth/KodiFirstLogin';
// HR Pages  import Employees from './pages/hr/Employees'; @@ -101,6 +108,7 @@ function App() {                                                    }}
&amp;gt;                          &amp;lt;div className="app"&amp;gt; +                              &amp;lt;AppTopBar /&amp;gt;
&amp;lt;Navbar /&amp;gt;                                &amp;lt;main className="main-content"&amp;gt;
&amp;lt;Routes&amp;gt; @@ -202,7 +210,7 @@ function App() {                                                    }                                                                    /&amp;gt;
&amp;lt;Route -                                    path="/kodi/portal" +                                    path="/kodi/portal/*"
element={                                    &amp;lt;PrivateRoute&amp;gt;                                                                    &amp;lt;KodiPortalPage
/&amp;gt; @@ -233,10 +241,45 @@ function App() {                                                    &amp;lt;/PrivateRoute&amp;gt;
}                                    /&amp;gt; +                                    &amp;lt;Route +                                    path="/kodi/apps" +
element={ +                                    &amp;lt;PrivateRoute&amp;gt; +                                                                    &amp;lt;KodiAppsList
/&amp;gt; +                                    &amp;lt;/PrivateRoute&amp;gt; +                                                                    } +
```

```
/&amp;gt; +                                  &amp;lt;Route +                                    path="/kodi/app/:appId" +
element={ +                                          &amp;lt;PrivateRoute&amp;gt; +                                          &amp;lt;KodiAppShell
/&amp;gt; +                                          &amp;lt;/PrivateRoute&amp;gt; +                                      } +
&amp;gt; +                                 &amp;lt;Route path="page/:pageId" element={&amp;lt;KodiAppRuntimePage /&amp;gt;} /&amp;gt; +
&amp;lt;/Route&amp;gt;                                  {/* Public Kodi Record Pages */}                                  &amp;lt;Route
path="/kodi/page/:slug/login" element={&amp;lt;KodiLogin /&amp;gt;} /&amp;gt;                                  &amp;lt;Route path="/kodi/page/:slug"
element={&amp;lt;KodiPage /&amp;gt;} /&amp;gt; +                                          &amp;lt;Route +
path="/kodi/invitations/accept" +                                  element={ +                                          &amp;lt;PrivateRoute&amp;gt;
+                                  &amp;lt;KodiInviteAccept /&amp;gt; +
&amp;lt;/PrivateRoute&amp;gt; +                                  } +                                          /&amp;gt; +
&amp;lt;Route path="/kodi-auth/sign-in" element={&amp;lt;KodiSignIn /&amp;gt;} /&amp;gt; +                                          &amp;lt;Route +
path="/kodi-auth/first-login" +                                  element={ +                                          &amp;lt;PrivateRoute&amp;gt; +
&amp;lt;KodiFirstLogin /&amp;gt; +                                          &amp;lt;/PrivateRoute&amp;gt; +                                          } +
/&amp;gt;                                  {/* Admin Routes */}                                          &amp;lt;Route diff --git
a/frontend/src/components/kodi/BuilderCanvas.jsx b/frontend/src/components/kodi/BuilderCanvas.jsx index 0398f392..48c8a3ea 100644 ---
a/frontend/src/components/kodi/BuilderCanvas.jsx +++ b/frontend/src/components/kodi/BuilderCanvas.jsx @@ -5,148 +5,6 @@ const GRID_COLUMNS = 12;
const clamp = (value, min, max) =&amp;gt; Math.min(Math.max(value, min), max);   -const SAMPLE_PREVIEWS = { -    RecordDetails: { -        title:
'Record Details', -        fields: [ -            { label: 'Name', value: 'Ava Thompson' }, -            { label: 'Email', value: 'ava@kodi.app' },
-            { label: 'Status', value: 'Active' }, -            { label: 'Last Touch', value: '2 hours ago' } -        ] -    }, -    RelatedList: {
-        title: 'Related List', -        headers: ['Type', 'Status', 'Owner'], -        rows: [ -            ['Case', 'Open', 'J. Rivers'], -
['Task', 'In Progress', 'T. Patel'], -            ['Note', 'Logged', 'System'] -        ] -    }, -    ActivityTimeline: { -        title: 'Activity
Timeline', -        items: ['Email sent - 10m', 'Call scheduled - 1h', 'Lead converted - 1d'] -    }, -    HighlightsPanel: { -        title:
'Highlights Panel', -        pills: ['Open Cases: 4', 'ARR: $48k', 'Health: Good'] -    }, -    DataTable: { -        title: 'Data Table', -
headers: ['Account', 'Stage', 'Value'], -        rows: [ -            ['BlueNova', 'Proposal', '$12k'], -            ['Futura', 'Qualified', '$7k'],
-            ['Nimbus', 'Discovery', '$4k'] -        ] -    }, -    CardList: { -        title: 'Card List', -        cards: [ -            { title:
'Psychologist Onboard', meta: 'Due in 2 days' }, -            { title: 'Business Review', meta: 'Priority: High' } -        ] -    }, -
KeyValueFields: { -        title: 'Key Value Fields', -        fields: [ -            { label: 'Industry', value: 'Healthcare' }, -            {
label: 'Seats', value: '128' }, -            { label: 'Tier', value: 'Enterprise' } -        ] -    }, -    ContactProfile: { -        title:
'Contact Profile', -        subtitle: 'Primary decision maker', -        fields: [ -            { label: 'Name', value: 'Luis Chen' }, -
{ label: 'Role', value: 'HR Director' }, -            { label: 'Phone', value: '+1 (555) 221-8844' } -        ] -    }, -    SubscriptionOverview: {
-        title: 'Subscription Overview', -        pills: ['Plan: Growth', 'Renewal: Jul 14', 'Status: Active'] -    }, -    EmployeePanel: { -
title: 'Employee Panel', -        fields: [ -            { label: 'Employee', value: 'Sofia Ramos' }, -            { label: 'Role', value: 'People
Ops' }, -            { label: 'Status', value: 'Onboarding' } -        ] -    }, -    PsychologistProfile: { -        title: 'Psychologist Profile',
-        fields: [ -            { label: 'Specialty', value: 'Trauma' }, -            { label: 'Availability', value: 'Tue - Thu' }, -            {
label: 'Rating', value: '4.9' } -        ] -    }, -    BusinessInfoPanel: { -        title: 'Business Info', -        fields: [ -            {
label: 'Industry', value: 'Fintech' }, -            { label: 'Region', value: 'EMEA' }, -            { label: 'Tier', value: 'Premium' } -        ]
-    }, -    AccountSummary: { -        title: 'Account Summary', -        pills: ['NPS 52', 'Usage up 18%', 'Churn risk: Low'] -    }, -
ApplicationStatusPanel: { -        title: 'Application Status', -        steps: ['Lead', 'Qualified', 'Under Review', 'Approved'] -    }, -
LeadSummary: { -        title: 'Lead Summary', -        fields: [ -            { label: 'Score', value: '82' }, -            { label: 'Source',
value: 'Referral' }, -            { label: 'Stage', value: 'Qualified' } -        ] -    }, -    OpportunitySummary: { -        title: 'Opportunity
Summary', -        fields: [ -            { label: 'Pipeline', value: '$96k' }, -            { label: 'Close Date', value: 'Aug 02' }, -
{ label: 'Probability', value: '68%' } -        ] -    }, -    ActionButton: { -        title: 'Primary Action', -        actions: ['Launch
Workflow'] -    }, -    QuickActionsBar: { -        title: 'Quick Actions', -        actions: ['Send Email', 'Assign Psychologist', 'Approve'] -
}, -    LinkList: { -        title: 'Link List', -        links: ['Open Profile', 'View Subscription', 'Audit Log'] -    }, -    FormPanel: { -
title: 'Form Panel', -        fields: ['First name', 'Email', 'Role'] -    }, -    SendEmailButton: { -        title: 'Send Email', -
actions: ['Compose'] -    }, -    AssignPsychologistButton: { -        title: 'Assign Psychologist', -        actions: ['Assign'] -    }, -
ApproveRejectPanel: { -        title: 'Approve / Reject', -        actions: ['Approve', 'Reject'] -    } -}; -  const resolvePreviewKey =
(component) =&amp;gt;      component?.component_type      || component?.componentName @@ -161,7 +19,8 @@ const BuilderCanvas = ({
onLayoutChange,      onComponentDrop,      onRemoveComponent, -    previewRole +    previewRole, +    previewContext  }) =&amp;gt; {      const
canvasRef = useRef(null);      const [dragOver, setDragOver] = useState(null); @@ -239,113 +98,257 @@ const BuilderCanvas = ({          return
roles.includes(previewRole);      };   -    const renderPreview = (component) =&amp;gt; { -        const previewKey = resolvePreviewKey(component);
-        const preview = SAMPLE_PREVIEWS[previewKey] || null; +    const getRecordValue = (record, field) =&amp;gt; { +        if (!record ||
!field) return null; +        return field.split('.').reduce((acc, part) =&amp;gt; (acc ? acc[part] : null), record); +    };   -        if
(!preview) { -            return ( -                &amp;lt;div className="kodi-builder__preview kodi-builder__preview--placeholder"&amp;gt; -
&amp;lt;div className="kodi-builder__preview-title"&amp;gt;{previewKey || 'Component'} Preview&amp;lt;/div&amp;gt; -                &amp;lt;div
className="kodi-builder__preview-text"&amp;gt;Drop in live data bindings to render.&amp;lt;/div&amp;gt; -                &amp;lt;/div&amp;gt; -
); -        } +    const formatValue = (value) =&amp;gt; { +        if (value === null || value === undefined) return '—'; +        if (typeof value
=== 'boolean') return value ? 'Yes' : 'No'; +        return String(value); +    };   -        return ( -            &amp;lt;div className="kodi-
builder__preview"&amp;gt; -                &amp;lt;div className="kodi-builder__preview-title"&amp;gt;{preview.title}&amp;lt;/div&amp;gt; +    const
resolveRecord = (component) =&amp;gt; { +        const bindingObject = component?.binding?.object; +        const recordMap =
previewContext?.records || {}; +        if (bindingObject &amp;amp;&amp;amp; recordMap[bindingObject]) { +            return
recordMap[bindingObject][0] || previewContext?.record || {}; +        } +        return previewContext?.record || {}; +    };   -
{preview.fields &amp;amp;&amp;amp; ( -                &amp;lt;div className="kodi-builder__preview-fields"&amp;gt; -
{preview.fields.map((field) =&amp;gt; ( -                    &amp;lt;div key={field.label} className="kodi-builder__preview-field"&amp;gt; -
&amp;lt;span&amp;gt;{field.label}&amp;lt;/span&amp;gt; -                    &amp;lt;strong&amp;gt;{field.value}&amp;lt;/strong&amp;gt; -
&amp;lt;/div&amp;gt; -                )) } -            &amp;lt;/div&amp;gt; -            ) } +    const resolveFields =
(component, record) =&amp;gt; { +        const bindingField = component?.binding?.field; +        const objectFields =
previewContext?.object?.fields || []; +        const propsFields = component?.props?.fields; +        let fields = []; +        if
(Array.isArray(propsFields) &amp;amp;&amp;amp; propsFields.length) { +            fields = propsFields; +        } else if (bindingField) { +
fields = [bindingField]; +        } else { +            fields = Object.keys(record || {}).filter((key) =&amp;gt; key !== 'id').slice(0, 5); +
} +        return fields.map((field) =&amp;gt; { +            const fieldMeta = objectFields.find((item) =&amp;gt; item.field_name === field); +
return { +                label: fieldMeta?.label || fieldMeta?.field_name || field, +                value: formatValue(getRecordValue(record,
field)) +            }; +        }); +    };   -            {preview.items &amp;amp;&amp;amp; ( -                &amp;lt;ul className="kodi-
builder__preview-list"&amp;gt; -                {preview.items.map((item) =&amp;gt; ( -                    &amp;lt;li key=
{item}&amp;gt;{item}&amp;lt;/li&amp;gt; -                )) } -            &amp;lt;/ul&amp;gt; -            ) } +    const
resolveTable = (component, record) =&amp;gt; { +        const items = component?.props?.items; +        if (Array.isArray(items) &amp;amp;&amp;amp;
items.length) { +            const headers = Object.keys(items[0]).slice(0, 3); +            const rows = items.slice(0, 4).map((item) =&amp;gt;
headers.map((header) =&amp;gt; formatValue(item[header]))); +            return { headers, rows }; +        } +        const keys =
Object.keys(record || {}).filter((key) =&amp;gt; key !== 'id').slice(0, 3); +        const headers = keys.length ? keys : ['Item', 'Status',
'Owner']; +        const rows = Array.from({ length: 3 }).map((_, index) =&amp;gt; +            headers.map((header) =&amp;gt;
`${formatValue(getRecordValue(record, header))}` || `${header} ${index + 1}`) +        ); +        return { headers, rows }; +    };   -
{preview.pills &amp;amp;&amp;amp; ( -                &amp;lt;div className="kodi-builder__preview-pills"&amp;gt; -
{preview.pills.map((pill) =&amp;gt; ( -                    &amp;lt;span key={pill}&amp;gt;{pill}&amp;lt;/span&amp;gt; -
))} -                &amp;lt;/div&amp;gt; -                )} +    const renderPreview = (component) =&amp;gt; { +        const previewKey =
resolvePreviewKey(component); +        const record = resolveRecord(component); +        const fields = resolveFields(component, record); +
const actions = component?.actions?.length ? component.actions : component?.props?.actions || []; +        const table = resolveTable(component,
record);   -            {preview.steps &amp;amp;&amp;amp; ( -                &amp;lt;div className="kodi-builder__preview-steps"&amp;gt; -
{preview.steps.map((step, index) =&amp;gt; ( -                    &amp;lt;div key={step} className={`kodi-builder__preview-step ${index ===
1 ? 'active' : ''}`}&amp;gt; -                {step} +        switch (previewKey) { +            case 'RecordDetails': +
case 'KeyValueFields': +                return ( +                    &amp;lt;div className="kodi-builder__preview kodi-builder__preview--
record"&amp;gt; +                    &amp;lt;div className="kodi-builder__preview-header"&amp;gt; +
&amp;lt;div&amp;gt; +                    &amp;lt;p className="kodi-builder__preview-eyebrow"&amp;gt;{previewContext?.object?.label ||
previewContext?.object?.name || 'Record'}&amp;lt;/p&amp;gt; +                    &amp;lt;h4&amp;gt;{component.label || 'Record
Details'}&amp;lt;/h4&amp;gt;                    &amp;lt;/div&amp;gt; -                )} +
&amp;lt;span className="kodi-builder__preview-badge"&amp;gt;Live&amp;lt;/span&amp;gt; +                    &amp;lt;/div&amp;gt; +
&amp;lt;div className="kodi-builder__preview-grid"&amp;gt; +                {fields.map((field) =&amp;gt; ( +
&amp;lt;div key={field.label} className="kodi-builder__preview-row"&amp;gt; +                    &amp;lt;span&amp;gt;
{field.label}&amp;lt;/span&amp;gt; +                    &amp;lt;strong&amp;gt;{field.value}&amp;lt;/strong&amp;gt; +
```

```
&amp;lt;/div&amp;gt; +                                )}} +                                &amp;lt;/div&amp;gt;                                &amp;lt;/div&amp;gt; -
)} - -                {preview.headers &amp;amp;&amp;amp; preview.rows &amp;amp;&amp;amp; ( -                                &amp;lt;div className="kodi-
builder__preview-table"&amp;gt; -                                &amp;lt;div className="kodi-builder__preview-table-head"&amp;gt; -
{preview.headers.map((header) =&amp;gt; ( -                                &amp;lt;span key={header}&amp;gt;{header}&amp;gt;{header}&amp;lt;/span&amp;gt; +
); +                case 'HighlightsPanel': +                return ( +                &amp;lt;div className="kodi-builder__preview kodi-
builder__preview--highlights"&amp;gt; +                &amp;lt;div className="kodi-builder__preview-header"&amp;gt; +
&amp;lt;h4&amp;gt;{component.label || 'Highlights'}&amp;lt;/h4&amp;gt; +                &amp;lt;span className="kodi-builder__preview-
pill"&amp;gt;Today&amp;lt;/span&amp;gt; +                &amp;lt;/div&amp;gt; +                &amp;lt;div className="kodi-
builder__preview-pills"&amp;gt; +                {fields.slice(0, 3).map((field) =&amp;gt; ( +
&amp;lt;span key={field.label}&amp;gt;{field.label}: {field.value}&amp;lt;/span&amp;gt; +                )}} +
&amp;lt;/div&amp;gt; +                &amp;lt;div className="kodi-builder__preview-actions"&amp;gt; +
{(actions.length ? actions : ['Send Email', 'Assign', 'Review']).map((action) =&amp;gt; ( +                &amp;lt;button key=
{action} type="button"&amp;gt;{action}&amp;lt;/button&amp;gt;                )}                &amp;lt;/div&amp;gt; -
{preview.rows.map((row, idx) =&amp;gt; ( -                &amp;lt;div key={`${row[0]}-${idx}`} className="kodi-builder__preview-table-
row"&amp;gt; -                {row.map((cell) =&amp;gt; ( -                &amp;lt;span key={cell}&amp;gt;
{cell}&amp;lt;/span&amp;gt; +                &amp;lt;/div&amp;gt; +                ); +                case 'RelatedList': +                case
'DataTable': +                return ( +                &amp;lt;div className="kodi-builder__preview kodi-builder__preview--table"&amp;gt; +
&amp;lt;div class Name="kodi-builder__preview-header"&amp;gt; +                &amp;lt;h4&amp;gt;{component.label || 'Related
Records'}&amp;lt;/h4&amp;gt; +                &amp;lt;span class Name="kodi-builder__preview-badge"&amp;gt;{table.rows.length}
rows&amp;lt;/span&amp;gt; +                &amp;lt;/div&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-
table"&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-table-head"&amp;gt; +
{table.headers.map((header) =&amp;gt; ( +                &amp;lt;span key={header}&amp;gt;{header}&amp;lt;/span&amp;gt;
))}                &amp;lt;/div&amp;gt; -                )}} +                {table.rows.map((row, idx) =&amp;gt;
( +                &amp;lt;div key={`${row[0]}-${idx}`} class Name="kodi-builder__preview-table-row"&amp;gt; +
{row.map((cell) =&amp;gt; ( +                &amp;lt;span key={cell}&amp;gt;{cell}&amp;lt;/span&amp;gt; +
))} +                &amp;lt;/div&amp;gt; +                )}} +                &amp;lt;/div&amp;gt;
&amp;lt;/div&amp;gt; -                )} - -                {preview.cards &amp;amp;&amp;amp; ( -                &amp;lt;div class Name="kodi-
builder__preview-cards"&amp;gt; -                {preview.cards.map((card) =&amp;gt; ( -                &amp;lt;div key=
{card.title} class Name="kodi-builder__preview-card"&amp;gt; -                &amp;lt;strong&amp;gt;
{card.title}&amp;lt;/strong&amp;gt; -                &amp;lt;span&amp;gt;{card.meta}&amp;lt;/span&amp;gt; +                ); +
case 'ActivityTimeline': +                return ( +                &amp;lt;div class Name="kodi-builder__preview kodi-builder__preview--
timeline"&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-header"&amp;gt; +
&amp;lt;h4&amp;gt;{component.label || 'Activity Timeline'}&amp;lt;/h4&amp;gt; +                &amp;lt;span class Name="kodi-
builder__preview-pill"&amp;gt;Last 7 days&amp;lt;/span&amp;gt; +                &amp;lt;/div&amp;gt; +                &amp;lt;ul
class Name="kodi-builder__preview-timeline"&amp;gt; +                {(component.props?.items || [ +
`Updated ${fields[0]?.value || 'record'}`, +                `Follow-up scheduled`, +                `Note added to
account` +                ]).map((item) =&amp;gt; ( +                &amp;lt;li key={item}&amp;gt;
{item}&amp;lt;/li&amp;gt; +                )}} +                &amp;lt;/ul&amp;gt; +                &amp;lt;/div&amp;gt; +
); +                case 'ContactProfile': +                case 'EmployeePanel': +                case 'PsychologistProfile': +                case
'BusinessInfoPanel': +                return ( +                &amp;lt;div class Name="kodi-builder__preview kodi-builder__preview--
profile"&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-header"&amp;gt; +
&amp;lt;h4&amp;gt;{component.label || 'Profile'}&amp;lt;/h4&amp;gt; +                &amp;lt;span class Name="kodi-builder__preview-
badge"&amp;gt;Active&amp;lt;/span&amp;gt; +                &amp;lt;/div&amp;gt; +                &amp;lt;div class Name="kodi-
builder__preview-profile"&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-avatar"&amp;gt;{(fields[0]?.value ||
'A')[0]}&amp;lt;/div&amp;gt; +                &amp;lt;div&amp;gt; +                &amp;lt;strong&amp;gt;
{fields[0]?.value || 'Profile Name'}&amp;lt;/strong&amp;gt; +                &amp;lt;span&amp;gt;{fields[1]?.value ||
'Role'}&amp;lt;/span&amp;gt;                &amp;lt;/div&amp;gt; -                )}} +
&amp;lt;/div&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-grid"&amp;gt; +
{fields.slice(2, 5).map((field) =&amp;gt; ( +                &amp;lt;div key={field.label} class Name="kodi-builder__preview-
row"&amp;gt; +                &amp;lt;span&amp;gt;{field.label}&amp;lt;/span&amp;gt; +
&amp;lt;strong&amp;gt;{field.value}&amp;lt;/strong&amp;gt; +                &amp;lt;/div&amp;gt; +                )}} +
&amp;lt;/div&amp;gt;                &amp;lt;/div&amp;gt; -                )} - -                {preview.links &amp;amp;&amp;amp; ( -
&amp;lt;div class Name="kodi-builder__preview-links"&amp;gt; -                {preview.links.map((link) =&amp;gt; ( -
&amp;lt;div key={link} class Name="kodi-builder__preview-link"&amp;gt;{link}&amp;lt;/div&amp;gt; -                )}} +                ); +
case 'SubscriptionOverview': +                case 'AccountSummary': +                case 'LeadSummary': +                case 'OpportunitySummary': +
case 'ApplicationStatusPanel': +                return ( +                &amp;lt;div class Name="kodi-builder__preview kodi-builder__preview--
summary"&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-header"&amp;gt; +
&amp;lt;h4&amp;gt;{component.label || 'Summary'}&amp;lt;/h4&amp;gt; +                &amp;lt;span class Name="kodi-builder__preview-
badge"&amp;gt;On Track&amp;lt;/span&amp;gt; +                &amp;lt;/div&amp;gt; +                &amp;lt;div class Name="kodi-
builder__preview-pills"&amp;gt; +                {fields.slice(0, 3).map((field) =&amp;gt; ( +
&amp;lt;span key={field.label}&amp;gt;{field.label}: {field.value}&amp;lt;/span&amp;gt; +                )}} +
&amp;lt;/div&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-actions"&amp;gt; +
{(actions.length ? actions : ['View', 'Update']).map((action) =&amp;gt; ( +                &amp;lt;button key={action}
type="button"&amp;gt;{action}&amp;lt;/button&amp;gt; +                )}} +                &amp;lt;/div&amp;gt;
&amp;lt;/div&amp;gt; -                )} - -                {preview.actions &amp;amp;&amp;amp; ( -                &amp;lt;div class Name="kodi-
builder__preview-actions"&amp;gt; -                {preview.actions.map((action) =&amp;gt; ( -                &amp;lt;button
key={action} type="button"&amp;gt;{action}&amp;lt;/button&amp;gt; -                )}} +                ); +                case
'QuickActionsBar': +                case 'ActionButton': +                case 'SendEmailButton': +                case 'AssignPsychologistButton': +
case 'ApproveRejectPanel': +                return ( +                &amp;lt;div class Name="kodi-builder__preview kodi-builder__preview--
actions"&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-header"&amp;gt; +
&amp;lt;h4&amp;gt;{component.label || 'Actions'}&amp;lt;/h4&amp;gt; +                &amp;lt;span class Name="kodi-builder__preview-
pill"&amp;gt;Ready&amp;lt;/span&amp;gt; +                &amp;lt;/div&amp;gt; +                &amp;lt;div class Name="kodi-
builder__preview-actions"&amp;gt; +                {(actions.length ? actions : ['Primary Action']).map((action) =&amp;gt; ( +
&amp;lt;button key={action} type="button"&amp;gt;{action}&amp;lt;/button&amp;gt; +                )}} +
&amp;lt;/div&amp;gt;                &amp;lt;/div&amp;gt; -                )} - -                {preview.subtitle &amp;amp;&amp;amp; ( -
&amp;lt;div class Name="kodi-builder__preview-subtitle"&amp;gt;{preview.subtitle}&amp;lt;/div&amp;gt; -                )} - -
{preview.fields == null &amp;amp;&amp;amp; preview.items == null &amp;amp;&amp;amp; preview.pills == null &amp;amp;&amp;amp; preview.headers == null
&amp;amp;&amp;amp; preview.cards == null &amp;amp;&amp;amp; preview.links == null &amp;amp;&amp;amp; preview.actions == null &amp;amp;&amp;amp; ( -
&amp;lt;div class Name="kodi-builder__preview-text"&amp;gt;Preview data is ready.&amp;lt;/div&amp;gt; -                )} -
&amp;lt;/div&amp;gt; -        ); +                ); +                case 'LinkList': +                return ( +                &amp;lt;div
class Name="kodi-builder__preview kodi-builder__preview--links"&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-
header"&amp;gt; +                &amp;lt;h4&amp;gt;{component.label || 'Links'}&amp;lt;/h4&amp;gt; +
&amp;lt;/div&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-links"&amp;gt; +
{(component.props?.links || fields.slice(0, 3).map((f) =&amp;gt; f.label)).map((link) =&amp;gt; ( +                &amp;lt;div key=
{link} class Name="kodi-builder__preview-link"&amp;gt;{link}&amp;lt;/div&amp;gt; +                )}} +
&amp;lt;/div&amp;gt; +                &amp;lt;/div&amp;gt; +                ); +                case 'CardList': +                return ( +
&amp;lt;div class Name="kodi-builder__preview kodi-builder__preview--cards"&amp;gt; +                &amp;lt;div class Name="kodi-
builder__preview-header"&amp;gt; +                &amp;lt;h4&amp;gt;{component.label || 'Cards'}&amp;lt;/h4&amp;gt; +
&amp;lt;/div&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-cards"&amp;gt; +
{(component.props?.cards || fields.slice(0, 2)).map((card) =&amp;gt; ( +                &amp;lt;div key={card.title || card.label}
class Name="kodi-builder__preview-card"&amp;gt; +                &amp;lt;strong&amp;gt;{card.title ||
card.label}&amp;lt;/strong&amp;gt; +                &amp;lt;span&amp;gt;{card.meta || card.value}&amp;lt;/span&amp;gt; +
&amp;lt;/div&amp;gt; +                )}} +                &amp;lt;/div&amp;gt; +                &amp;lt;/div&amp;gt; +
); +                default: +                return ( +                &amp;lt;div class Name="kodi-builder__preview kodi-builder__preview--
placeholder"&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-title"&amp;gt;{component.label || previewKey ||
'Component'}&amp;lt;/div&amp;gt; +                &amp;lt;div class Name="kodi-builder__preview-text"&amp;gt;Bind fields to preview live
data.&amp;lt;/div&amp;gt; +                &amp;lt;/div&amp;gt; +                ); +        }        };        return ( diff --git
a/frontend/src/pages/kodi/KodiBuilder.css b/frontend/src/pages/kodi/KodiBuilder.css index 9612a43c..6d5dabe1 100644 ---
```

```
a/frontend/src/pages/kodi/KodiBuilder.css +++ b/frontend/src/pages/kodi/KodiBuilder.css @@ -1275,6 +1275,128 @@      color: #1f2b3b;  }   +.kodi-
builder__preview--record, +.kodi-builder__preview--highlights, +.kodi-builder__preview--table, +.kodi-builder__preview--timeline, +.kodi-
builder__preview--profile, +.kodi-builder__preview--summary, +.kodi-builder__preview--actions, +.kodi-builder__preview--links, +.kodi-
builder__preview--cards { +    padding: 10px; +    border-radius: 12px; +    background: #ffffff; +    border: 1px solid #e2e8f0; +    box-shadow: 0
8px 18px rgba(15, 23, 42, 0.06); +} + +.kodi-builder__preview-header { +    display: flex; +    align-items: center; +    justify-content: space-
between; +    gap: 12px; +} + +.kodi-builder__preview-header h4 { +    margin: 0; +    font-size: 13px; +    color: #0f172a; +} + +.kodi-
builder__preview-eyebrow { +    margin: 0 0 2px; +    font-size: 10px; +    text-transform: uppercase; +    letter-spacing: 0.8px; +    color:
#64748b; +} + +.kodi-builder__preview-badge { +    padding: 2px 8px; +    border-radius: 999px; +    background: #e0f2fe; +    color: #0369a1; +
font-weight: 700; +    font-size: 10px; +} + +.kodi-builder__preview-pill { +    padding: 2px 8px; +    border-radius: 999px; +    background:
#ede9fe; +    color: #6d28d9; +    font-weight: 600; +    font-size: 10px; +} + +.kodi-builder__preview-grid { +    display: grid; +    gap: 6px; +}
+ +.kodi-builder__preview-row { +    display: flex; +    justify-content: space-between; +    padding: 6px 8px; +    border-radius: 8px; +
background: #f8fafc; +    border: 1px solid #e2e8f0; +} + +.kodi-builder__preview-row span { +    color: #64748b; +} + +.kodi-builder__preview-row
strong { +    color: #0f172a; +} + +.kodi-builder__preview-profile { +    display: flex; +    align-items: center; +    gap: 10px; +    padding:
8px; +    background: #f8fafc; +    border-radius: 12px; +    border: 1px solid #e2e8f0; +} + +.kodi-builder__preview-avatar { +    width: 36px; +
height: 36px; +    border-radius: 12px; +    background: #c7d2fe; +    color: #312e81; +    font-weight: 700; +    display: flex; +    align-items:
center; +    justify-content: center; +    font-size: 14px; +} + +.kodi-builder__preview-profile span { +    color: #64748b; +    font-size: 11px;
+} + +.kodi-builder__preview-timeline { +    list-style: none; +    margin: 0; +    padding: 0; +    display: grid; +    gap: 6px; +} + +.kodi-
builder__preview-timeline li { +    padding: 6px 10px; +    border-radius: 10px; +    background: #ffffff; +    border: 1px solid #e2e8f0; +    box-
shadow: 0 4px 10px rgba(15, 23, 42, 0.06); +    font-size: 11px; +} +  .kodi-builder__preview--placeholder {      color: #94a3b8;  } @@ -1413,12
+1535,17 @@      padding: 4px 8px;      border-radius: 8px;      border: 1px solid #cbd5f5; -    background: #ffffff; +    background: linear-
gradient(180deg, #ffffff, #f1f5f9);      font-weight: 600;      font-size: 11px;      cursor: pointer;  }   +.kodi-builder__preview-actions
button:hover { +    border-color: #6366f1; +    color: #4338ca; +} +  .kodi-builder__preview-subtitle {      color: #64748b;  } diff --git
a/frontend/src/pages/kodi/KodiBuilderPage.jsx b/frontend/src/pages/kodi/KodiBuilderPage.jsx index b4a93420..6c363edc 100644 ---
a/frontend/src/pages/kodi/KodiBuilderPage.jsx +++ b/frontend/src/pages/kodi/KodiBuilderPage.jsx @@ -94,6 +94,12 @@ const KodiBuilderPage = ()
=&amp;gt; {      const [selectedAppId, setSelectedAppId] = useState('');      const [createModalOpen, setCreateModalOpen] = useState(false);
const [previewRole, setPreviewRole] = useState('admin'); +    const [previewObjectId, setPreviewObjectId] = useState(''); +    const
[previewSampleIndex, setPreviewSampleIndex] = useState(0); +    const [previewRecords, setPreviewRecords] = useState({}); +    const [previewRecord,
setPreviewRecord] = useState({}); +    const [previewAppId, setPreviewAppId] = useState(''); +    const [previewApps, setPreviewApps] =
useState([]);      const currentPage = useMemo(() =&amp;gt; pages.find((page) =&amp;gt; String(page.id) === String(pageId)), [pages, pageId]);
@@ -121,6 +127,72 @@ const KodiBuilderPage = () =&amp;gt; {          loadData();      }, [pageId]);   +    useEffect(() =&amp;gt; { +        const
first = objects[0]; +        if (first &amp;amp;&amp;amp; !previewObjectId) { +            setPreviewObjectId(first.id); +        } +    },
[objects, previewObjectId]); + +    useEffect(() =&amp;gt; { +        if (!objects.length) return; +        const names = ['Ava', 'Liam', 'Mia',
'Noah', 'Sofia', 'Ethan']; +        const surnames = ['Thompson', 'Ramos', 'Patel', 'Okafor', 'Chen', 'Rivera']; +        const companies =
['BlueNova', 'Futura', 'Nimbus', 'Atlas', 'Koru', 'Solara']; +        const statuses = ['Active', 'Pending', 'In Progress', 'New', 'Qualified']; +
const buildValue = (field, seed) =&amp;gt; { +            const key = field.field_name.toLowerCase(); +            if (field.field_type === 'date')
{ +                const date = new Date(Date.now() - seed * 86400000); +                return date.toISOString().split('T')[0]; +            } +
if (field.field_type === 'boolean') return seed % 2 === 0; +            if (field.field_type === 'number') return 40 + seed * 3; +            if
(key.includes('email')) return `${names[seed % names.length].toLowerCase()}@kodi.app`; +            if (key.includes('phone')) return `+1 (555)
10${seed} ${200 + seed}`; +            if (key.includes('name')) return `${names[seed % names.length]} ${surnames[seed % surnames.length]}`; +
if (key.includes('company') || key.includes('business')) return companies[seed % companies.length]; +            if (key.includes('status') ||
key.includes('stage')) return statuses[seed % statuses.length]; +            return `${field.field_name}_${seed + 1}`; +        }; +        const
recordMap = objects.reduce((acc, obj) =&amp;gt; { +            const samples = Array.from({ length: 3 }).map((_, index) =&amp;gt; { +
const record = {}; +                (obj.fields || []).forEach((field) =&amp;gt; { +                record[field.field_name] = buildValue(field,
index); +                }); +                record.id = record.id || `${obj.name}_${index + 1}`; +                return record; +            });
+            acc[obj.name] = samples; +            return acc; +        }, {}); +        setPreviewRecords(recordMap); +    }, [objects]); + +
useEffect(() =&amp;gt; { +        if (!previewObjectId) return; +        const target = objects.find((obj) =&amp;gt; String(obj.id) ===
String(previewObjectId)) || objects[0]; +        if (!target) return; +        const samples = previewRecords[target.name] || []; +
setPreviewRecord(samples[previewSampleIndex] || samples[0] || {}); +    }, [objects, previewObjectId, previewSampleIndex, previewRecords]); + +
useEffect(() =&amp;gt; { +        const loadApps = async () =&amp;gt; { +            try { +                const data = await listPlatformApps(); +
setPreviewApps(data || []); +                if (!previewAppId &amp;amp;&amp;amp; data?.length) { +                    setPreviewAppId(data[0].id);
+                } +            } catch (error) { +                // ignore preview app load errors +            } +        }; +        loadApps();
+    }, [previewAppId]); +      const updateLayout = (updater) =&amp;gt; {          setLayout((prev) =&amp;gt; {              const next =
cloneLayout(prev); @@ -298,9 +370,36 @@ const KodiBuilderPage = () =&amp;gt; {                        &amp;lt;option
value="psychologist"&amp;gt;Psychologist&amp;lt;/option&amp;gt;                        &amp;lt;option value="business_user"&amp;gt;Business
User&amp;lt;/option&amp;gt;                        &amp;lt;/select&amp;gt; +                        &amp;lt;select value={previewObjectId} onChange={(e)
=&amp;gt; setPreviewObjectId(e.target.value)}&amp;gt; +                        {objects.map((obj) =&amp;gt; ( +
&amp;lt;option key={obj.id} value={obj.id}&amp;gt; +                        {obj.label || obj.name} +
&amp;lt;/option&amp;gt; +                        ))} +                        &amp;lt;/select&amp;gt; +                        &amp;lt;select value=
{previewSampleIndex} onChange={(e) =&amp;gt; setPreviewSampleIndex(Number(e.target.value))}&amp;gt; +                        &amp;lt;option value=
{0}&amp;gt;Sample A&amp;lt;/option&amp;gt; +                        &amp;lt;option value={1}&amp;gt;Sample B&amp;lt;/option&amp;gt; +
&amp;lt;option value={2}&amp;gt;Sample C&amp;lt;/option&amp;gt; +                        &amp;lt;/select&amp;gt; +                        &amp;lt;select
value={previewAppId} onChange={(e) =&amp;gt; setPreviewAppId(e.target.value)}&amp;gt; +                        {previewApps.map((app) =&amp;gt; ( +
&amp;lt;option key={app.id} value={app.id}&amp;gt; +                        {app.label || app.name} +
&amp;lt;/option&amp;gt; +                        ))} +                        &amp;lt;/select&amp;gt;                        &amp;lt;button
className="btn-secondary" onClick={() =&amp;gt; navigate('/kodi/times')}&amp;gt;Back to Times&amp;lt;/button&amp;gt;
&amp;lt;button className="btn-secondary" onClick={() =&amp;gt; setCreateModalOpen(true)}&amp;gt;Create Page&amp;lt;/button&amp;gt;
&amp;lt;button className="btn-secondary" onClick={() =&amp;gt; window.open(`/kodi/runtime/${pageId}`, '_blank')}&amp;gt;Preview
Runtime&amp;lt;/button&amp;gt; +                        {currentPage?.linked_app_id &amp;amp;&amp;amp; ( +                        &amp;lt;button +
className="btn-secondary" +                        onClick={() =&amp;gt; navigate(`/kodi/portal/apps/${currentPage.linked_app_id}/settings`)} +
&amp;gt; +                        App Shell Settings +                        &amp;lt;/button&amp;gt; +                        )}
&amp;lt;button className="btn-secondary" onClick={openLinkModal}&amp;gt;Link to App&amp;lt;/button&amp;gt;                        &amp;lt;button
className="btn-secondary" onClick={handleActivate}&amp;gt;Activate Page&amp;lt;/button&amp;gt;                        &amp;lt;button className="btn-
primary" onClick={handleSave} disabled={saving}&amp;gt; @@ -331,6 +430,13 @@ const KodiBuilderPage = () =&amp;gt; {
onComponentDrop={handleComponentDrop}                        onRemoveComponent={handleRemoveComponent}                        previewRole={previewRole}
+                        previewContext={{ +                        record: previewRecord, +                        records: previewRecords, +
object: objects.find((obj) =&amp;gt; String(obj.id) === String(previewObjectId)), +                        app: previewApps.find((app) =&amp;gt;
String(app.id) === String(previewAppId)), +                        role: previewRole +                        }}                        /&amp;gt;
&amp;lt;ConfigSidebar                        component={selectedComponent} diff --git a/frontend/src/pages/kodi/KodiPortal.css
b/frontend/src/pages/kodi/KodiPortal.css index 83ae7d5a..d478c455 100644 --- a/frontend/src/pages/kodi/KodiPortal.css +++
b/frontend/src/pages/kodi/KodiPortal.css @@ -375,3 +375,226 @@      letter-spacing: 0.05em;      text-transform: uppercase;  } + +/* New portal
screens */ +.kodi-portal-screen { +    padding: 28px; +    display: grid; +    gap: 20px; +} + +.kodi-portal-header { +    display: flex; +
justify-content: space-between; +    align-items: center; +    gap: 16px; +} + +.kodi-portal-header-actions { +    display: flex; +    gap: 10px; +}
+ +.kodi-portal-eyebrow { +    text-transform: uppercase; +    font-size: 0.7rem; +    color: #94a3b8; +    margin: 0; +} + +.kodi-portal-grid { +
display: grid; +    grid-template-columns: repeat(auto-fit, minmax(260px, 1fr)); +    gap: 16px; +} + +.kodi-portal-card { +    background: #fff; +
border-radius: 14px; +    border: 1px solid #e2e8f0; +    padding: 16px; +    display: grid; +    gap: 12px; +    box-shadow: 0 10px 24px rgba(15,
23, 42, 0.06); +} + +.kodi-portal-card-meta { +    display: flex; +    gap: 12px; +    font-size: 0.8rem; +    color: #64748b; +} + +.kodi-portal-
card-actions { +    display: flex; +    gap: 10px; +} + +.kodi-portal-table { +    background: #fff; +    border-radius: 14px; +    border: 1px
solid #e2e8f0; +    padding: 12px; +    display: grid; +    gap: 10px; +} + +.kodi-portal-table__row { +    display: grid; +    grid-template-
columns: 1.5fr 1fr 0.6fr 0.6fr 0.6fr 2fr 1fr; +    gap: 12px; +    align-items: center; +    font-size: 0.85rem; +} + +.kodi-portal-table__row.user
{ +    grid-template-columns: 1.5fr 1fr 0.8fr 1fr; +} + +.kodi-portal-table__row.header { +    font-weight: 700; +    color: #475569; +} + +.kodi-
portal-table__actions { +    display: flex; +    gap: 8px; +} + +.kodi-portal-empty { +    color: #94a3b8; +} + +.kodi-portal-modal { +    position:
fixed; +    inset: 0; +    background: rgba(15, 23, 42, 0.55); +    display: flex; +    align-items: center; +    justify-content: center; +    z-
index: 50; +} + +.kodi-portal-modal__content { +    background: #fff; +    border-radius: 16px; +    padding: 20px; +    width: min(520px, 90vw); +
display: grid; +    gap: 12px; +} + +.kodi-portal-modal__header { +    display: flex; +    justify-content: space-between; +    align-items: center;
+} + +.kodi-portal-form { +    display: grid; +    gap: 12px; +} + +.kodi-portal-form__grid { +    display: grid; +    grid-template-columns:
repeat(auto-fit, minmax(160px, 1fr)); +    gap: 12px; +} + +.kodi-portal-form input, +.kodi-portal-form textarea, +.kodi-portal-form select { +
width: 100%; +    padding: 8px 10px; +    border-radius: 8px; +    border: 1px solid #d8dde6; +} + +.kodi-portal-checkboxes { +    display: flex; +
gap: 12px; +} + +.kodi-portal-summary-card { +    background: #fff; +    border-radius: 14px; +    padding: 16px; +    border: 1px solid #e2e8f0; +
```

```
display: grid; +    gap: 10px; +} + +.kodi-portal-summary-meta { +    display: flex; +    gap: 14px; +    font-size: 0.85rem; +    color: #64748b;
+} + +.kodi-portal-nav-preview { +    list-style: none; +    padding: 0; +    margin: 0; +    display: grid; +    gap: 6px; +} + +.kodi-portal-role-
grid { +    display: grid; +    grid-template-columns: repeat(2, minmax(0, 1fr)); +    gap: 6px; +    font-size: 0.72rem; +} + +.status-pill.pending
{ +    background: #fef3c7; +    color: #92400e; +    padding: 4px 8px; +    border-radius: 999px; +    font-size: 0.72rem; +} + +.status-
pill.active { +    background: #dcfce7; +    color: #166534; +    padding: 4px 8px; +    border-radius: 999px; +    font-size: 0.72rem; +} +
+.status-pill.disabled { +    background: #fee2e2; +    color: #991b1b; +    padding: 4px 8px; +    border-radius: 999px; +    font-size: 0.72rem;
+} + +.kodi-auth { +    min-height: 100vh; +    display: grid; +    place-items: center; +    background: radial-gradient(circle at top, #e2e8f0,
#f8fafc); +} + +.kodi-auth__card { +    background: #ffffff; +    padding: 28px; +    border-radius: 16px; +    width: min(420px, 90vw); +
display: grid; +    gap: 12px; +    border: 1px solid #e2e8f0; +    box-shadow: 0 18px 40px rgba(15, 23, 42, 0.12); +} + +.kodi-auth__card h1 { +
margin: 0 0 8px; +} + +.kodi-auth__card input { +    width: 100%; +    padding: 10px 12px; +    border-radius: 10px; +    border: 1px solid #d8dde6;
+} diff --git a/frontend/src/pages/kodi/KodiPortalPage.jsx b/frontend/src/pages/kodi/KodiPortalPage.jsx index 93b14822..fe595a9d 100644 ---
a/frontend/src/pages/kodi/KodiPortalPage.jsx +++ b/frontend/src/pages/kodi/KodiPortalPage.jsx @@ -1,6 +1,20 @@  import React from 'react'; -import
KodiPortal from './KodiPortal'; +import { Routes, Route, Navigate } from 'react-router-dom'; +import AppsList from './portal/AppsList'; +import
AppDetail from './portal/AppDetail'; +import AppUsers from './portal/AppUsers'; +import AppPages from './portal/AppPages'; +import AppSettings from
'./portal/AppSettings';   -const KodiPortalPage = () =&amp;gt; &amp;lt;KodiPortal /&amp;gt;; +const KodiPortalPage = () =&amp;gt; ( +
&amp;lt;Routes&amp;gt; +        &amp;lt;Route path="/" element={&amp;lt;Navigate to="apps" replace /&amp;gt;} /&amp;gt; +        &amp;lt;Route
path="apps" element={&amp;lt;AppsList /&amp;gt;} /&amp;gt; +        &amp;lt;Route path="apps/:appId" element={&amp;lt;AppDetail /&amp;gt;} /&amp;gt;
+        &amp;lt;Route path="apps/:appId/users" element={&amp;lt;AppUsers /&amp;gt;} /&amp;gt; +        &amp;lt;Route path="apps/:appId/pages"
element={&amp;lt;AppPages /&amp;gt;} /&amp;gt; +        &amp;lt;Route path="apps/:appId/settings" element={&amp;lt;AppSettings /&amp;gt;} /&amp;gt;
+    &amp;lt;/Routes&amp;gt; +);    export default KodiPortalPage; diff --git a/frontend/src/pages/kodi/KodiRuntime.css
b/frontend/src/pages/kodi/KodiRuntime.css index d10f47c3..646d213f 100644 --- a/frontend/src/pages/kodi/KodiRuntime.css +++
b/frontend/src/pages/kodi/KodiRuntime.css @@ -231,3 +231,160 @@      text-align: center;      color: #64748b;  } + +.kodi-app-shell { +    display:
grid; +    grid-template-columns: 240px 1fr; +    min-height: 100vh; +    background: #f8fafc; +} + +.kodi-app-shell__nav { +    background: var(--
kodi-app-surface, #0f172a); +    color: var(--kodi-app-text, #e2e8f0); +    padding: 20px; +    display: grid; +    gap: 16px; +} + +.kodi-app-
shell__header { +    display: grid; +    gap: 8px; +} + +.kodi-app-shell__header select { +    width: 100%; +    padding: 6px 8px; +    border-
radius: 8px; +    border: 1px solid rgba(148, 163, 184, 0.4); +    background: rgba(15, 23, 42, 0.6); +    color: var(--kodi-app-text, #e2e8f0); +}
+ +.kodi-app-shell__menu { +    display: grid; +    gap: 8px; +} + +.kodi-app-shell__menu a { +    color: var(--kodi-app-text, #e2e8f0); +    text-
decoration: none; +    padding: 8px 10px; +    border-radius: 8px; +} + +.kodi-app-shell__menu a.active { +    background: var(--kodi-app-primary,
#2563eb); +} + +.kodi-app-shell__content { +    padding: 20px; +} + +.kodi-app-shell--compact .kodi-app-shell__content { +    padding: 12px; +} +
+.kodi-topbar { +    position: sticky; +    top: 0; +    z-index: 20; +    background: var(--kodi-app-surface, #0b1120); +    color: var(--kodi-app-
text, #e2e8f0); +    display: flex; +    align-items: center; +    gap: 16px; +    padding: 8px 16px; +} + +.kodi-topbar__switcher { +
background: transparent; +    color: inherit; +    border: 1px solid rgba(148, 163, 184, 0.4); +    border-radius: 8px; +    width: 34px; +
height: 34px; +} + +.kodi-topbar__appname { +    font-weight: 700; +} + +.kodi-topbar__tabs { +    display: flex; +    gap: 10px; +    flex: 1; +
overflow-x: auto; +} + +.kodi-topbar__tabs a { +    color: var(--kodi-app-text, #cbd5f5); +    text-decoration: none; +    padding: 6px 10px; +
border-radius: 999px; +    white-space: nowrap; +} + +.kodi-topbar__tabs a.active { +    background: var(--kodi-app-primary, #2563eb); +    color:
#fff; +} + +.kodi-topbar__menu { +    position: absolute; +    top: 48px; +    left: 16px; +    background: #111827; +    border: 1px solid
rgba(148, 163, 184, 0.3); +    border-radius: 12px; +    padding: 8px; +    display: grid; +    gap: 6px; +} + +.kodi-topbar__menu button { +
background: transparent; +    color: #e2e8f0; +    border: none; +    padding: 6px 8px; +    text-align: left; +} + +.kodi-topbar__menu
button.active { +    background: #1f2937; +    border-radius: 8px; +} + +.kodi-topbar--light { +    box-shadow: 0 6px 18px rgba(15, 23, 42, 0.08);
+} + +.kodi-topbar--light .kodi-topbar__menu { +    background: #ffffff; +    color: #0f172a; +} + +.kodi-topbar--light .kodi-topbar__menu button {
+    color: #0f172a; +} + +.kodi-topbar__logo { +    width: 28px; +    height: 28px; +    border-radius: 6px; +    object-fit: cover; +} + +.kodi-
app-shell--top { +    grid-template-columns: 1fr; +} + +@media (max-width: 900px) { +    .kodi-app-shell { +        grid-template-columns: 1fr; +
} +    .kodi-app-shell__nav { +        position: sticky; +        top: 0; +    } +} diff --git a/frontend/src/pages/kodi/KodiRuntimePage.jsx
b/frontend/src/pages/kodi/KodiRuntimePage.jsx index 4e54835f..eecf7cd8 100644 --- a/frontend/src/pages/kodi/KodiRuntimePage.jsx +++
b/frontend/src/pages/kodi/KodiRuntimePage.jsx @@ -36,7 +36,7 @@ const KodiRuntimePage = () =&amp;gt; {          load();      }, [pageId]);    -
const role = user?.role; +    const role = payload?.effectiveRole || user?.role;      const hasAccess = useMemo(() =&amp;gt; {          if (!role)
return true;          const map = payload?.permissions || {}; diff --git a/frontend/src/pages/kodi/KodiTimes.jsx
b/frontend/src/pages/kodi/KodiTimes.jsx index 74eadbfc..16c2471d 100644 --- a/frontend/src/pages/kodi/KodiTimes.jsx +++
b/frontend/src/pages/kodi/KodiTimes.jsx @@ -6,9 +6,9 @@ import {      activatePlatformPage,      createPlatformPage,      linkPlatformPage, -
listPlatformApps,      listPlatformPages  } from '../../services/kodiPageService'; +import { listPortalApps } from
'../../services/kodiPortalService';  import './KodiTimes.css';    const PAGE_TYPES = [ @@ -58,7 +58,7 @@ const KodiTimes = () =&amp;gt; {      const
fetchApps = async () =&amp;gt; {          setLoadingApps(true);          try { -              const data = await listPlatformApps(); +
const data = await listPortalApps();              setApps(data);          } catch (error) {              toast.error('Cannot load Kodi apps'); diff
--git a/frontend/src/services/api.js b/frontend/src/services/api.js index d9996b41..51d0f281 100644 --- a/frontend/src/services/api.js +++
b/frontend/src/services/api.js @@ -60,7 +60,11 @@ api.interceptors.response.use(              }              localStorage.removeItem('token');
sessionStorage.removeItem('token'); -            window.location.href = '/login'; +            if (window.location.pathname.startsWith('/kodi')) { +
window.location.href = '/kodi-auth/sign-in'; +            } else { +                window.location.href = '/login'; +            }          }
return Promise.reject(error); diff --git a/frontend/src/services/kodiPageService.js b/frontend/src/services/kodiPageService.js index
c0e0525f..72438298 100644 --- a/frontend/src/services/kodiPageService.js +++ b/frontend/src/services/kodiPageService.js @@ -55,8 +55,8 @@ export
const listPagePermissions = async (pageId) =&amp;gt;      unwrap((await api.get(`/kodi/platform/pages/${pageId}/permissions`)).data);  export const
updatePagePermissions = async (pageId, payload) =&amp;gt;      unwrap((await api.post(`/kodi/platform/pages/${pageId}/permissions`, payload)).data);
-export const fetchRuntimePage = async (pageId) =&amp;gt; -    unwrap((await api.get(`/kodi/platform/runtime/${pageId}`)).data); +export const
fetchRuntimePage = async (pageId, { appId } = {}) =&amp;gt; +    unwrap((await api.get(`/kodi/platform/runtime/${pageId}`, { params: appId ? { appId
} : {} })).data);  export const listAppUsers = async (appId) =&amp;gt;      unwrap((await api.get(`/kodi/platform/apps/${appId}/users`)).data);
export const assignAppUser = async (appId, payload) =&amp;gt; diff --git a/reports/all-changes-diff.html b/reports/all-changes-diff.html index
a8ef8ed9..a4e26f70 100644 --- a/reports/all-changes-diff.html +++ b/reports/all-changes-diff.html @@ -1 +1 @@
-&amp;lt;html&amp;gt;&amp;lt;head&amp;gt;&amp;lt;meta charset='utf-8'&amp;gt;&amp;lt;title&amp;gt;Kodi changes
diff&amp;lt;/title&amp;gt;&amp;lt;style&amp;gt;body{font-family:Consolas,Menlo,monospace;background:#0b1020;color:#e2e8f0;padding:16px}pre{white-
space:pre-wrap;}&amp;lt;/style&amp;gt;&amp;lt;/head&amp;gt;&amp;lt;body&amp;gt;&amp;lt;h1&amp;gt;Kodi changes
diff&amp;lt;/h1&amp;gt;&amp;lt;pre&amp;gt;diff --git a/backend/src/modules/kodi/kodi.controller.js b/backend/src/modules/kodi/kodi.controller.js
index 116c331d..5d6c9ec4 100644 --- a/backend/src/modules/kodi/kodi.controller.js +++ b/backend/src/modules/kodi/kodi.controller.js @@ -66,7 +66,8
@@ const assignAppUserValidators = validate([      body(&amp;amp;#39;permissions&amp;amp;#39;).optional().isObject(),
body(&amp;amp;#39;permissions.canView&amp;amp;#39;).optional().isBoolean(),
body(&amp;amp;#39;permissions.canEdit&amp;amp;#39;).optional().isBoolean(), -
body(&amp;amp;#39;permissions.canUse&amp;amp;#39;).optional().isBoolean() +
body(&amp;amp;#39;permissions.canUse&amp;amp;#39;).optional().isBoolean(), +
body(&amp;amp;#39;roleKey&amp;amp;#39;).optional().isIn([&amp;amp;#39;admin&amp;amp;#39;, &amp;amp;#39;employee&amp;amp;#39;,
&amp;amp;#39;business_user&amp;amp;#39;, &amp;amp;#39;psychologist&amp;amp;#39;])  ]);  const assignPageUserValidators = validate([
param(&amp;amp;#39;id&amp;amp;#39;).custom(isUuidOrInt), @@ -178,7 +179,9 @@ const runtimeLoader = async (req, res) =&amp;amp;gt; {      try {
const payload = await runtime.buildRuntimePayload({              pageId: req.params.pageId, -              role: req.user?.role +              role:
req.user?.role, +              userId: req.user?.id, +              appId: req.query?.appId          });          if (!payload) return
res.status(404).json({ success: false, error: &amp;amp;#39;Page not found&amp;amp;#39; });          return res.json({ success: true, data: payload
}); @@ -201,6 +204,25 @@ const linkPageToApp = async (req, res) =&amp;amp;gt; {      }  };   +const linkAppPage = async (req, res) =&amp;amp;gt; { +
try { +        const appId = req.params.id; +        const pageId = req.body.pageId; +        await service.linkPageToApp({ +            pageId, +
appId, +            navLabel: req.body.navLabel, +            navOrder: req.body.navOrder, +            isDefault: req.body.isDefault, +
isVisible: req.body.isVisible +        }); +        return res.json({ success: true }); +    } catch (error) { +
logControllerError(&amp;amp;#39;linkAppPage&amp;amp;#39;, error); +        return res.status(400).json({ success: false, error: error.message ||
&amp;amp;#39;Failed to link page to app&amp;amp;#39; }); +    } +};  const listApps = async (req, res) =&amp;amp;gt; {      try {          const
apps = await service.listApps(); @@ -211,6 +233,18 @@ const listApps = async (req, res) =&amp;amp;gt; {      }  };   +const getApp = async (req,
res) =&amp;amp;gt; { +    try { +        const apps = await service.listApps(); +        const app = apps.find((item) =&amp;amp;gt; String(item.id)
=== String(req.params.id)); +        if (!app) return res.status(404).json({ success: false, error: &amp;amp;#39;App not found&amp;amp;#39; }); +
return res.json({ success: true, data: app }); +    } catch (error) { +        logControllerError(&amp;amp;#39;getApp&amp;amp;#39;, error); +
return res.status(500).json({ success: false, error: error.message || &amp;amp;#39;Failed to load app&amp;amp;#39; }); +    } +};  const
listAppUsers = async (req, res) =&amp;amp;gt; {      try {          const users = await service.listAppUsers(req.params.id); @@ -252,6 +286,7 @@
const assignAppUser = async (req, res) =&amp;amp;gt; {              appId: req.params.id,              email: req.body.email,
permissions: req.body.permissions || {}, +              roleKey: req.body.roleKey,              assignedBy: req.user?.id          });          return
res.json({ success: true, data: payload }); @@ -261,6 +296,55 @@ const assignAppUser = async (req, res) =&amp;amp;gt; {      }  };   +const
listAppPages = async (req, res) =&amp;amp;gt; { +    try { +        const pages = await service.listAppPages(req.params.id); +        return
```

```
res.json({ success: true, data: pages }); +    } catch (error) { +        logControllerError(&amp;amp;#39;listAppPages&amp;amp;#39;, error); +
return res.status(500).json({ success: false, error: error.message || &amp;amp;#39;Failed to load app pages&amp;amp;#39; }); +    } +}; + +const
updateAppPage = async (req, res) =&amp;amp;gt; { +    try { +        const mapping = await service.updateAppPageMapping({ +            mappingId:
req.params.mappingId, +            appId: req.params.id, +            navLabel: req.body.navLabel, +            navOrder: req.body.navOrder, +
isDefault: req.body.isDefault, +            isVisible: req.body.isVisible +        }); +        if (!mapping) return res.status(404).json({ success:
false, error: &amp;amp;#39;Mapping not found&amp;amp;#39; }); +        return res.json({ success: true, data: mapping }); +    } catch (error) { +
logControllerError(&amp;amp;#39;updateAppPage&amp;amp;#39;, error); +        return res.status(400).json({ success: false, error: error.message ||
&amp;amp;#39;Failed to update app page&amp;amp;#39; }); +    } +}; + +const deleteAppPage = async (req, res) =&amp;amp;gt; { +    try { +
await service.removeAppPageMapping({ mappingId: req.params.mappingId }); +        return res.json({ success: true }); +    } catch (error) { +
logControllerError(&amp;amp;#39;deleteAppPage&amp;amp;#39;, error); +        return res.status(400).json({ success: false, error: error.message ||
&amp;amp;#39;Failed to remove page from app&amp;amp;#39; }); +    } +}; + +const getAppNavigation = async (req, res) =&amp;amp;gt; { +    try { +
const payload = await service.listAppNavigation(req.params.id); +        if (!payload) return res.status(404).json({ success: false, error:
&amp;amp;#39;App not found&amp;amp;#39; }); +        return res.json({ success: true, data: payload }); +    } catch (error) { +
logControllerError(&amp;amp;#39;getAppNavigation&amp;amp;#39;, error); +        return res.status(500).json({ success: false, error: error.message
|| &amp;amp;#39;Failed to load app navigation&amp;amp;#39; }); +    } +}; +  const removeAppUser = async (req, res) =&amp;amp;gt; {      try {
await service.removeAppUser({ appId: req.params.id, userId: req.params.userId }); @@ -464,6 +548,34 @@ const updateApp = async (req, res)
=&amp;amp;gt; {      }  };   +const activateApp = async (req, res) =&amp;amp;gt; { +    try { +        const app = await service.updateApp({ +
appId: req.params.id, +            isActive: true +        }); +        if (!app) return res.status(404).json({ success: false, error:
&amp;amp;#39;App not found&amp;amp;#39; }); +        return res.json({ success: true, data: app }); +    } catch (error) { +
logControllerError(&amp;amp;#39;activateApp&amp;amp;#39;, error); +        return res.status(400).json({ success: false, error: error.message ||
&amp;amp;#39;Failed to activate app&amp;amp;#39; }); +    } +}; + +const deactivateApp = async (req, res) =&amp;amp;gt; { +    try { +        const
app = await service.updateApp({ +            appId: req.params.id, +            isActive: false +        }); +        if (!app) return
res.status(404).json({ success: false, error: &amp;amp;#39;App not found&amp;amp;#39; }); +        return res.json({ success: true, data: app }); +
} catch (error) { +        logControllerError(&amp;amp;#39;deactivateApp&amp;amp;#39;, error); +        return res.status(400).json({ success:
false, error: error.message || &amp;amp;#39;Failed to deactivate app&amp;amp;#39; }); +    } +}; +  const getPagePermissions = async (req, res)
=&amp;amp;gt; {      try {         const pageId = req.params.id; @@ -509,14 +621,22 @@ module.exports = {      activatePage,      runtimeLoader,
linkPageToApp, +    linkAppPage,      listApps, +    getApp,      createApp,      updateApp, +    activateApp, +    deactivateApp,
pagePermissionValidators,      getPagePermissions,      updatePagePermissions,      listAppUsers,      assignAppUser, +    listAppPages, +
updateAppPage, +    deleteAppPage, +    getAppNavigation,      removeAppUser,      listPageUsers,      assignPageUser, diff --git
a/backend/src/modules/kodi/kodi.permissions.js b/backend/src/modules/kodi/kodi.permissions.js index 7baadab0..244268a8 100644 ---
a/backend/src/modules/kodi/kodi.permissions.js +++ b/backend/src/modules/kodi/kodi.permissions.js @@ -10,12 +10,22 @@ const formatPermissions =
(rows) =&amp;amp;gt; {      return map;  };   +const normalizeRole = (value) =&amp;amp;gt; String(value ||
&amp;amp;#39;&amp;amp;#39;).toLowerCase().trim(); +const ADMIN_ALIASES = new Set([&amp;amp;#39;admin&amp;amp;#39;,
&amp;amp;#39;super_admin&amp;amp;#39;, &amp;amp;#39;superadmin&amp;amp;#39;, &amp;amp;#39;system_admin&amp;amp;#39;,
&amp;amp;#39;hr_admin&amp;amp;#39;]); + +const resolveRole = (role) =&amp;amp;gt; { +    const normalized = normalizeRole(role); +    if
(ADMIN_ALIASES.has(normalized)) return &amp;amp;#39;admin&amp;amp;#39;; +    return normalized; +}; +  const userHasViewAccess = (permissionMap,
role) =&amp;amp;gt; { +    const resolvedRole = resolveRole(role);      if (!permissionMap || Object.keys(permissionMap).length === 0) { -
return role === &amp;amp;#39;admin&amp;amp;#39;; +        return resolvedRole === &amp;amp;#39;admin&amp;amp;#39;;      } -     if (!role) return
false; -    const entry = permissionMap[role]; +    if (!resolvedRole) return false; +    const entry = permissionMap[resolvedRole];      return
Boolean(entry?.can_view);  };   diff --git a/backend/src/modules/kodi/kodi.runtime.js b/backend/src/modules/kodi/kodi.runtime.js index
64a6220f..050a327f 100644 --- a/backend/src/modules/kodi/kodi.runtime.js +++ b/backend/src/modules/kodi/kodi.runtime.js @@ -1,7 +1,12 @@  const
service = require(&amp;amp;#39;./kodi.service&amp;amp;#39;);  const perms = require(&amp;amp;#39;./kodi.permissions&amp;amp;#39;);   -const
buildRuntimePayload = async ({ pageId, role }) =&amp;amp;gt; { +const normalizeRole = (value) =&amp;amp;gt; String(value ||
&amp;amp;#39;&amp;amp;#39;).toLowerCase().trim(); +const ADMIN_ALIASES = new Set([&amp;amp;#39;admin&amp;amp;#39;,
&amp;amp;#39;super_admin&amp;amp;#39;, &amp;amp;#39;superadmin&amp;amp;#39;, &amp;amp;#39;system_admin&amp;amp;#39;,
&amp;amp;#39;hr_admin&amp;amp;#39;]); + +const isAdminRole = (role) =&amp;amp;gt; ADMIN_ALIASES.has(normalizeRole(role)); + +const
buildRuntimePayload = async ({ pageId, role, userId, appId }) =&amp;amp;gt; {      const page = await service.getPageById(pageId);      if (!page) {
return null; @@ -11,7 +16,23 @@ const buildRuntimePayload = async ({ pageId, role }) =&amp;amp;gt; {      const permissionMap =
perms.formatPermissions(permissionRows);      const componentRegistry = await service.listComponentRegistry();      const objects = await
service.listObjects(); -    const app = page.linked_app_id ? await service.getAppById(page.linked_app_id) : null; +    const appContextId = appId ||
page.linked_app_id; +    const app = appContextId ? await service.getAppById(appContextId) : null; + +    if (appId) { +        const linkedPages =
await service.listAppPages(appId); +        const isLinked = linkedPages.some((row) =&amp;amp;gt; String(row.page_id) === String(pageId)); +
if (!isLinked) { +            throw new Error(&amp;amp;#39;Access denied&amp;amp;#39;); +        } +        if (!isAdminRole(role)) { +
const appUsers = await service.listAppUsers(appId); +            const isMember = appUsers.some((row) =&amp;amp;gt; String(row.user_id) ===
String(userId)); +            if (!isMember) { +                throw new Error(&amp;amp;#39;Access denied&amp;amp;#39;); +            } +        }
+    }        const hasView = perms.userHasViewAccess(permissionMap, role);      if (!hasView) { diff --git
a/backend/src/modules/kodi/kodi.service.js b/backend/src/modules/kodi/kodi.service.js index 9de7f257..8facb7d7 100644 ---
a/backend/src/modules/kodi/kodi.service.js +++ b/backend/src/modules/kodi/kodi.service.js @@ -212,13 +212,49 @@ const activatePage = async ({ pageId
}) =&amp;amp;gt; {      }  };   -const linkPageToApp = async ({ pageId, appId }) =&amp;amp;gt; { +const getNextNavOrder = async (appId)
=&amp;amp;gt; { +    const result = await database.query( +        `SELECT COALESCE(MAX(nav_order), 0) AS max_order +         FROM app_page_mapping
+         WHERE app_id = $1`, +        [appId] +    ); +    return Number(result.rows[0]?.max_order || 0) + 1; +}; + +const linkPageToApp = async ({
pageId, appId, navLabel, navOrder, isDefault, isVisible }) =&amp;amp;gt; {      try { +        const page = await getPageById(pageId); +        if
(!page) throw new Error(&amp;amp;#39;Page not found&amp;amp;#39;); +        if (page.status !== &amp;amp;#39;activated&amp;amp;#39;) { +
throw new Error(&amp;amp;#39;Only activated pages can be linked to apps&amp;amp;#39;); +        } +        const app = await getAppById(appId); +
if (!app) throw new Error(&amp;amp;#39;App not found&amp;amp;#39;); + +        const nextOrder = navOrder ?? await getNextNavOrder(appId); +
const label = navLabel || page.label; +        const visible = isVisible === undefined ? true : Boolean(isVisible); +        const defaultFlag =
Boolean(isDefault); + +        await database.query(&amp;amp;#39;BEGIN&amp;amp;#39;); +        if (defaultFlag) { +            await database.query(
+             `UPDATE app_page_mapping +                 SET is_default = false +                 WHERE app_id = $1`, +                [appId] +
); +        }          await database.query( -             `INSERT INTO app_page_mapping (app_id, page_id) -             VALUES ($1, $2) -
ON CONFLICT (app_id, page_id) DO NOTHING`, -             [appId, pageId] +             `INSERT INTO app_page_mapping (app_id, page_id, nav_label,
nav_order, is_default, is_visible) +             VALUES ($1, $2, $3, $4, $5, $6) +             ON CONFLICT (app_id, page_id) DO UPDATE +
SET nav_label = EXCLUDED.nav_label, +                 nav_order = EXCLUDED.nav_order, +                 is_default = EXCLUDED.is_default, +
is_visible = EXCLUDED.is_visible`, +             [appId, pageId, label, nextOrder, defaultFlag, visible]          );          await database.query(
`UPDATE kodi_pages @@ -226,7 +262,9 @@ const linkPageToApp = async ({ pageId, appId }) =&amp;amp;gt; {             WHERE id = $1 AND
(linked_app_id IS NULL OR linked_app_id &amp;amp;lt;&amp;amp;gt; $2)`,             [pageId, appId]          ); +        await
database.query(&amp;amp;#39;COMMIT&amp;amp;#39;);      } catch (error) { +        await database.query(&amp;amp;#39;ROLLBACK&amp;amp;#39;).catch(()
=&amp;amp;gt; null);          logServiceError(&amp;amp;#39;linkPageToApp&amp;amp;#39;, error, { pageId, appId });          throw error;      } @@
-256,18 +294,18 @@ const getAppById = async (appId) =&amp;amp;gt; {    const getAppPrimaryPage = async (appId) =&amp;amp;gt; {      const result =
await database.query( -         `SELECT p.id, p.label, p.page_type, p.status +         `SELECT p.id, p.label, p.page_type, p.status, m.is_default
FROM kodi_pages p          JOIN app_page_mapping m ON p.id = m.page_id          WHERE m.app_id = $1 AND p.status =
&amp;amp;#39;activated&amp;amp;#39; -         ORDER BY p.activated_at DESC NULLS LAST +         ORDER BY m.is_default DESC, m.nav_order ASC NULLS
LAST, p.activated_at DESC NULLS LAST          LIMIT 1`,          [appId]      );      return result.rows[0] || null;  };   -const assignUserToApp =
async ({ appId, email, permissions = {}, assignedBy }) =&amp;amp;gt; { +const assignUserToApp = async ({ appId, email, permissions = {}, roleKey,
assignedBy }) =&amp;amp;gt; {      const app = await getAppById(appId);      if (!app) {          throw new Error(&amp;amp;#39;App not
found&amp;amp;#39;); @@ -277,14 +315,15 @@ const assignUserToApp = async ({ appId, email, permissions = {}, assignedBy }) =          throw new
Error(&amp;amp;#39;User not found&amp;amp;#39;);      }      const assignment = await database.query( -         `INSERT INTO kodi_app_users (app_id,
user_id, permissions, assigned_by) -         VALUES ($1, $2, $3::jsonb, $4) +         `INSERT INTO kodi_app_users (app_id, user_id, permissions,
role_key, assigned_by) +         VALUES ($1, $2, $3::jsonb, $4, $5)          ON CONFLICT (app_id, user_id) DO UPDATE                 SET permissions
= EXCLUDED.permissions, +                 role_key = COALESCE(EXCLUDED.role_key, kodi_app_users.role_key),                 updated_at =
CURRENT_TIMESTAMP,                 assigned_by = COALESCE(EXCLUDED.assigned_by, kodi_app_users.assigned_by)          RETURNING *`, -
[appId, user.id, permissions, assignedBy || null] +         [appId, user.id, permissions, roleKey || null, assignedBy || null]      );      const
page = await getAppPrimaryPage(appId);      const baseUrl = process.env.FRONTEND_URL || process.env.SITE_URL ||
&amp;amp;#39;https://welphub.onrender.com&amp;amp;#39;; @@ -347,6 +386,103 @@ const listAppUsers = async (appId) =&amp;amp;gt; {      return
result.rows;  };   +const listAppPages = async (appId) =&amp;amp;gt; { +    const result = await database.query( +         `SELECT m.id AS
mapping_id, +                m.app_id, +                m.page_id, +                m.nav_label, +                m.nav_order, +
m.is_default, +                m.is_visible, +                p.label, +                p.page_type, +                p.status, +
p.activated_at +         FROM app_page_mapping m +         JOIN kodi_pages p ON p.id = m.page_id +         WHERE m.app_id = $1 +         ORDER BY
m.nav_order ASC NULLS LAST, p.label`, +         [appId] +    ); +    return result.rows; +}; + +const updateAppPageMapping = async ({ mappingId,
```

```
appId, navLabel, navOrder, isDefault, isVisible }) =&amp;amp;gt; { +    const updates = []; +    const values = []; +    let idx = 1; +    if
(navLabel !== undefined) { +        updates.push(`nav_label = $${idx++}`); +        values.push(navLabel); +    } +    if (navOrder !== undefined) {
+        updates.push(`nav_order = $${idx++}`); +        values.push(navOrder); +    } +    if (isVisible !== undefined) { +
updates.push(`is_visible = $${idx++}`); +        values.push(Boolean(isVisible)); +    } +    if (isDefault !== undefined) { +
updates.push(`is_default = $${idx++}`); +        values.push(Boolean(isDefault)); +    } +    if (!updates.length) return null; +
values.push(mappingId); + +    await database.query(&amp;amp;#39;BEGIN&amp;amp;#39;); +    try { +        if (isDefault) { +            await
database.query( +                `UPDATE app_page_mapping +                SET is_default = false +                WHERE app_id = $1`, +
[appId] +            ); +        } +        const result = await database.query( +            `UPDATE app_page_mapping +            SET
${updates.join(&amp;amp;#39;, &amp;amp;#39;)} +            WHERE id = $${idx} +            RETURNING *`, +            values +        ); +
await database.query(&amp;amp;#39;COMMIT&amp;amp;#39;); +        return result.rows[0] || null; +    } catch (error) { +        await
database.query(&amp;amp;#39;ROLLBACK&amp;amp;#39;).catch(() =&amp;amp;gt; null); +        throw error; +    } +}; + +const removeAppPageMapping =
async ({ mappingId }) =&amp;amp;gt; { +    await database.query( +        `DELETE FROM app_page_mapping +        WHERE id = $1`, +
[mappingId] +    ); +}; + +const listAppNavigation = async (appId) =&amp;amp;gt; { +    const app = await getAppById(appId); +    if (!app) return
null; +    const pages = await listAppPages(appId); +    const navigation = pages +        .filter((page) =&amp;amp;gt; page.is_visible) +
.map((page) =&amp;amp;gt; ({ +            pageId: page.page_id, +            label: page.nav_label || page.label, +            type: page.page_type,
+            isDefault: Boolean(page.is_default), +            order: page.nav_order +        })); +    return { +        app: { id: app.id, label:
app.name, status: app.is_active ? &amp;amp;#39;active&amp;amp;#39; : &amp;amp;#39;inactive&amp;amp;#39; }, +        navigation +    }; +}; +  const
assignUserToPage = async ({ pageId, email, permissions = {}, assignedBy }) =&amp;amp;gt; {      const page = await getPageById(pageId);      if
(!page) { @@ -524,7 +660,12 @@ const listApps = async () =&amp;amp;gt; {                                  &amp;amp;#39;label&amp;amp;#39;, p.label,
&amp;amp;#39;page_type&amp;amp;#39;, p.page_type,                          &amp;amp;#39;status&amp;amp;#39;, p.status, -
&amp;amp;#39;activated_at&amp;amp;#39;, p.activated_at +                          &amp;amp;#39;activated_at&amp;amp;#39;, p.activated_at, +
&amp;amp;#39;nav_label&amp;amp;#39;, m.nav_label, +                          &amp;amp;#39;nav_order&amp;amp;#39;, m.nav_order, +
&amp;amp;#39;is_default&amp;amp;#39;, m.is_default, +                          &amp;amp;#39;is_visible&amp;amp;#39;, m.is_visible, +
&amp;amp;#39;mapping_id&amp;amp;#39;, m.id                          ) ORDER BY p.created_at DESC) AS linked_pages              FROM app_page_mapping m
JOIN kodi_pages p ON p.id = m.page_id @@ -537,6 +678,7 @@ const listApps = async () =&amp;amp;gt; {
&amp;amp;#39;email&amp;amp;#39;, u.email,                          &amp;amp;#39;display_name&amp;amp;#39;, u.display_name,
&amp;amp;#39;role&amp;amp;#39;, u.role, +                          &amp;amp;#39;role_key&amp;amp;#39;, au.role_key,
&amp;amp;#39;permissions&amp;amp;#39;, au.permissions,                          &amp;amp;#39;assigned_at&amp;amp;#39;, au.created_at
) ORDER BY au.created_at DESC) AS assigned_users @@ -773,6 +915,10 @@ module.exports = {      updateApp,      assignUserToApp,      listAppUsers, +
listAppPages, +    updateAppPageMapping, +    removeAppPageMapping, +    listAppNavigation,      assignUserToPage,      listPageUsers,
createLead, diff --git a/backend/src/routes/kodiRoutes.js b/backend/src/routes/kodiRoutes.js index af643251..e291f776 100644 ---
a/backend/src/routes/kodiRoutes.js +++ b/backend/src/routes/kodiRoutes.js @@ -170,11 +170,41 @@ router.post(  );
router.get(&amp;amp;#39;/platform/apps/:id/users&amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.listAppUsers);  router.post(&amp;amp;#39;/platform/apps/:id/users&amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.assignAppUserValidators, kodiPlatform.assignAppUser); +router.get(&amp;amp;#39;/platform/apps/:id/pages&amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.listAppPages);
+router.patch(&amp;amp;#39;/platform/apps/:id/pages/:mappingId&amp;amp;#39;, authenticate, authorizeAdmin(), validate([ +
param(&amp;amp;#39;id&amp;amp;#39;).custom((val) =&amp;amp;gt; { +        if (val === undefined || val === null) return false; +        const str =
String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return
uuidRegex.test(str) || /^\d+$/.test(str); +    }), +    param(&amp;amp;#39;mappingId&amp;amp;#39;).custom((val) =&amp;amp;gt; { +        if (val ===
undefined || val === null) return false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-
[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.updateAppPage);
+router.delete(&amp;amp;#39;/platform/apps/:id/pages/:mappingId&amp;amp;#39;, authenticate, authorizeAdmin(), validate([ +
param(&amp;amp;#39;id&amp;amp;#39;).custom((val) =&amp;amp;gt; { +        if (val === undefined || val === null) return false; +        const str =
String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return
uuidRegex.test(str) || /^\d+$/.test(str); +    }), +    param(&amp;amp;#39;mappingId&amp;amp;#39;).custom((val) =&amp;amp;gt; { +        if (val ===
undefined || val === null) return false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-
[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.deleteAppPage);
router.get(&amp;amp;#39;/platform/pages/:id/users&amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.pageIdValidator,
kodiPlatform.listPageUsers);  router.post(&amp;amp;#39;/platform/pages/:id/users&amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.assignPageUserValidators, kodiPlatform.assignPageUser);  router.post(&amp;amp;#39;/platform/apps&amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.createAppValidators, kodiPlatform.createApp);  router.put(&amp;amp;#39;/platform/apps/:id&amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.updateAppValidators, kodiPlatform.updateApp);  router.get(&amp;amp;#39;/platform/runtime/:pageId&amp;amp;#39;,
authenticate, kodiPlatform.getRuntimeValidator, kodiPlatform.runtimeLoader); +router.get(&amp;amp;#39;/platform/apps/:id/navigation&amp;amp;#39;,
authenticate, kodiPlatform.appIdValidator, kodiPlatform.getAppNavigation);  router.get(&amp;amp;#39;/platform/apps&amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.listApps);  router.get(&amp;amp;#39;/platform/objects&amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.listObjects);  router.get(&amp;amp;#39;/platform/components&amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.listComponentRegistry); @@ -198,4 +228,51 @@ router.get(&amp;amp;#39;/platform/leads/:id/opportunities&amp;amp;#39;, authenticate,
authorizeAdmin(),  router.get(&amp;amp;#39;/platform/pages/:id/permissions&amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.pageIdValidator, kodiPlatform.getPagePermissions);  router.post(&amp;amp;#39;/platform/pages/:id/permissions&amp;amp;#39;,
authenticate, authorizeAdmin(), kodiPlatform.pagePermissionValidators, kodiPlatform.updatePagePermissions);   +// Kodi Portal aliases (admin
console) +router.get(&amp;amp;#39;/portal/apps&amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.listApps);
+router.post(&amp;amp;#39;/portal/apps&amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.createAppValidators, kodiPlatform.createApp);
+router.get(&amp;amp;#39;/portal/apps/:id&amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.getApp);
+router.patch(&amp;amp;#39;/portal/apps/:id&amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.updateAppValidators, kodiPlatform.updateApp);
+router.post(&amp;amp;#39;/portal/apps/:id/activate&amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.activateApp); +router.post(&amp;amp;#39;/portal/apps/:id/deactivate&amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.deactivateApp); +router.get(&amp;amp;#39;/portal/apps/:id/users&amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.listAppUsers); +router.post(&amp;amp;#39;/portal/apps/:id/users&amp;amp;#39;,
authenticate, authorizeAdmin(), kodiPlatform.assignAppUserValidators, kodiPlatform.assignAppUser);
+router.delete(&amp;amp;#39;/portal/apps/:id/users/:userId&amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.removeAppUser);
+router.get(&amp;amp;#39;/portal/apps/:id/pages&amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.listAppPages); +router.post(&amp;amp;#39;/portal/apps/:id/pages&amp;amp;#39;, authenticate, authorizeAdmin(),
validate([body(&amp;amp;#39;pageId&amp;amp;#39;).custom((val) =&amp;amp;gt; { +    if (val === undefined || val === null) return false; +    const
str = String(val); +    const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +    return
uuidRegex.test(str) || /^\d+$/.test(str); +})]), kodiPlatform.linkAppPage);
+router.patch(&amp;amp;#39;/portal/apps/:id/pages/:mappingId&amp;amp;#39;, authenticate, authorizeAdmin(), validate([ +
param(&amp;amp;#39;id&amp;amp;#39;).custom((val) =&amp;amp;gt; { +        if (val === undefined || val === null) return false; +        const str =
String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return
uuidRegex.test(str) || /^\d+$/.test(str); +    }), +    param(&amp;amp;#39;mappingId&amp;amp;#39;).custom((val) =&amp;amp;gt; { +        if (val ===
undefined || val === null) return false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-
[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.updateAppPage);
+router.delete(&amp;amp;#39;/portal/apps/:id/pages/:mappingId&amp;amp;#39;, authenticate, authorizeAdmin(), validate([ +
param(&amp;amp;#39;id&amp;amp;#39;).custom((val) =&amp;amp;gt; { +        if (val === undefined || val === null) return false; +        const str =
String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return
uuidRegex.test(str) || /^\d+$/.test(str); +    }), +    param(&amp;amp;#39;mappingId&amp;amp;#39;).custom((val) =&amp;amp;gt; { +        if (val ===
undefined || val === null) return false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-
[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.deleteAppPage);
+router.get(&amp;amp;#39;/portal/apps/:id/navigation&amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.getAppNavigation); +  module.exports = router; diff --git a/backend/src/utils/database.js b/backend/src/utils/database.js index
1775564a..809d61a2 100644 --- a/backend/src/utils/database.js +++ b/backend/src/utils/database.js @@ -634,6 +634,11 @@ const createTables = async ()
=&amp;amp;gt; {                id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),                app_id UUID REFERENCES kodi_apps(id) ON DELETE
CASCADE,                page_id UUID REFERENCES kodi_pages(id) ON DELETE CASCADE, +                nav_label VARCHAR(255), +
nav_order INTEGER DEFAULT 0, +                is_default BOOLEAN DEFAULT false, +                is_visible BOOLEAN DEFAULT true, +
created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,                UNIQUE (app_id, page_id)            );   @@ -691,6 +696,7 @@ const createTables =
async () =&amp;amp;gt; {                app_id UUID NOT NULL REFERENCES kodi_apps(id) ON DELETE CASCADE,                user_id UUID NOT NULL
REFERENCES users(id) ON DELETE CASCADE,                permissions JSONB DEFAULT &amp;amp;#39;{}&amp;amp;#39;::jsonb, +                role_key
VARCHAR(50),                assigned_by UUID REFERENCES users(id) ON DELETE SET NULL,                created_at TIMESTAMP DEFAULT
```

```
CURRENT_TIMESTAMP,                  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP, @@ -1087,6 +1093,7 @@ const createTables = async ()
=&amp;amp;gt; {              CREATE INDEX IF NOT EXISTS idx_kodi_pages_status                ON kodi_pages(status);              CREATE INDEX IF NOT
EXISTS idx_kodi_pages_app                  ON kodi_pages(linked_app_id);              CREATE INDEX IF NOT EXISTS idx_app_page_mapping_app
ON app_page_mapping(app_id); +            CREATE INDEX IF NOT EXISTS idx_app_page_mapping_page           ON app_page_mapping(page_id);
CREATE INDEX IF NOT EXISTS idx_kodi_app_users_app              ON kodi_app_users(app_id);              CREATE INDEX IF NOT EXISTS
idx_kodi_audit_entity               ON kodi_audit_logs(entity_type, entity_id);          `; @@ -1408,6 +1415,12 @@ const runMigrations = async ()
=&amp;amp;gt; {              &amp;amp;quot;ALTER TABLE leads ADD COLUMN IF NOT EXISTS source VARCHAR(120);&amp;amp;quot;,
&amp;amp;quot;ALTER TABLE opportunities ADD COLUMN IF NOT EXISTS owner VARCHAR(120);&amp;amp;quot;,              &amp;amp;quot;ALTER TABLE
opportunities ADD COLUMN IF NOT EXISTS value NUMERIC;&amp;amp;quot;, +            &amp;amp;quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT
EXISTS nav_label VARCHAR(255);&amp;amp;quot;, +              &amp;amp;quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS nav_order INTEGER
DEFAULT 0;&amp;amp;quot;, +            &amp;amp;quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_default BOOLEAN DEFAULT
false;&amp;amp;quot;, +            &amp;amp;quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_visible BOOLEAN DEFAULT
true;&amp;amp;quot;, +            &amp;amp;quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS created_at TIMESTAMP DEFAULT
CURRENT_TIMESTAMP;&amp;amp;quot;, +            &amp;amp;quot;ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS role_key
VARCHAR(50);&amp;amp;quot;,            &amp;amp;quot;ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS ip_address VARCHAR(64);&amp;amp;quot;,
&amp;amp;quot;ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS user_agent TEXT;&amp;amp;quot;,              &amp;amp;quot;ALTER TABLE audit_logs ADD
COLUMN IF NOT EXISTS created_at TIMESTAMPTZ DEFAULT CURRENT_TIMESTAMP;&amp;amp;quot;, diff --git a/frontend/src/components/kodi/BuilderCanvas.jsx
b/frontend/src/components/kodi/BuilderCanvas.jsx index 0d413de4..0398f392 100644 --- a/frontend/src/components/kodi/BuilderCanvas.jsx +++
b/frontend/src/components/kodi/BuilderCanvas.jsx @@ -5,12 +5,162 @@ const GRID_COLUMNS = 12;    const clamp = (value, min, max) =&amp;amp;gt;
Math.min(Math.max(value, min), max);   +const SAMPLE_PREVIEWS = { +    RecordDetails: { +        title: &amp;amp;#39;Record Details&amp;amp;#39;, +
fields: [ +            { label: &amp;amp;#39;Name&amp;amp;#39;, value: &amp;amp;#39;Ava Thompson&amp;amp;#39; }, +            { label:
&amp;amp;#39;Email&amp;amp;#39;, value: &amp;amp;#39;ava@kodi.app&amp;amp;#39; }, +            { label: &amp;amp;#39;Status&amp;amp;#39;, value:
&amp;amp;#39;Active&amp;amp;#39; }, +            { label: &amp;amp;#39;Last Touch&amp;amp;#39;, value: &amp;amp;#39;2 hours ago&amp;amp;#39; } +
] +    }, +    RelatedList: { +        title: &amp;amp;#39;Related List&amp;amp;#39;, +        headers: [&amp;amp;#39;Type&amp;amp;#39;,
&amp;amp;#39;Status&amp;amp;#39;, &amp;amp;#39;Owner&amp;amp;#39;], +        rows: [ +            [&amp;amp;#39;Case&amp;amp;#39;,
&amp;amp;#39;Open&amp;amp;#39;, &amp;amp;#39;J. Rivers&amp;amp;#39;], +            [&amp;amp;#39;Task&amp;amp;#39;, &amp;amp;#39;In
Progress&amp;amp;#39;, &amp;amp;#39;T. Patel&amp;amp;#39;], +            [&amp;amp;#39;Note&amp;amp;#39;, &amp;amp;#39;Logged&amp;amp;#39;,
&amp;amp;#39;System&amp;amp;#39;] +        ] +    }, +    ActivityTimeline: { +        title: &amp;amp;#39;Activity Timeline&amp;amp;#39;, +
items: [&amp;amp;#39;Email sent - 10m&amp;amp;#39;, &amp;amp;#39;Call scheduled - 1h&amp;amp;#39;, &amp;amp;#39;Lead converted - 1d&amp;amp;#39;] +
}, +    HighlightsPanel: { +        title: &amp;amp;#39;Highlights Panel&amp;amp;#39;, +        pills: [&amp;amp;#39;Open Cases: 4&amp;amp;#39;,
&amp;amp;#39;ARR: $48k&amp;amp;#39;, &amp;amp;#39;Health: Good&amp;amp;#39;] +    }, +    DataTable: { +        title: &amp;amp;#39;Data
Table&amp;amp;#39;, +        headers: [&amp;amp;#39;Account&amp;amp;#39;, &amp;amp;#39;Stage&amp;amp;#39;, &amp;amp;#39;Value&amp;amp;#39;], +
rows: [ +            [&amp;amp;#39;BlueNova&amp;amp;#39;, &amp;amp;#39;Proposal&amp;amp;#39;, &amp;amp;#39;$12k&amp;amp;#39;], +
[&amp;amp;#39;Futura&amp;amp;#39;, &amp;amp;#39;Qualified&amp;amp;#39;, &amp;amp;#39;$7k&amp;amp;#39;], +
[&amp;amp;#39;Nimbus&amp;amp;#39;, &amp;amp;#39;Discovery&amp;amp;#39;, &amp;amp;#39;$4k&amp;amp;#39;] +        ] +    }, +    CardList: { +
title: &amp;amp;#39;Card List&amp;amp;#39;, +        cards: [ +            { title: &amp;amp;#39;Psychologist Onboard&amp;amp;#39;, meta:
&amp;amp;#39;Due in 2 days&amp;amp;#39; }, +            { title: &amp;amp;#39;Business Review&amp;amp;#39;, meta: &amp;amp;#39;Priority:
High&amp;amp;#39; } +        ] +    }, +    KeyValueFields: { +        title: &amp;amp;#39;Key Value Fields&amp;amp;#39;, +        fields: [ +
{ label: &amp;amp;#39;Industry&amp;amp;#39;, value: &amp;amp;#39;Healthcare&amp;amp;#39; }, +            { label: &amp;amp;#39;Seats&amp;amp;#39;,
value: &amp;amp;#39;128&amp;amp;#39; }, +            { label: &amp;amp;#39;Tier&amp;amp;#39;, value: &amp;amp;#39;Enterprise&amp;amp;#39; } +
] +    }, +    ContactProfile: { +        title: &amp;amp;#39;Contact Profile&amp;amp;#39;, +        subtitle: &amp;amp;#39;Primary decision
maker&amp;amp;#39;, +        fields: [ +            { label: &amp;amp;#39;Name&amp;amp;#39;, value: &amp;amp;#39;Luis Chen&amp;amp;#39; }, +
{ label: &amp;amp;#39;Role&amp;amp;#39;, value: &amp;amp;#39;HR Director&amp;amp;#39; }, +            { label: &amp;amp;#39;Phone&amp;amp;#39;,
value: &amp;amp;#39;+1 (555) 221-8844&amp;amp;#39; } +        ] +    }, +    SubscriptionOverview: { +        title: &amp;amp;#39;Subscription
Overview&amp;amp;#39;, +        pills: [&amp;amp;#39;Plan: Growth&amp;amp;#39;, &amp;amp;#39;Renewal: Jul 14&amp;amp;#39;, &amp;amp;#39;Status:
Active&amp;amp;#39;] +    }, +    EmployeePanel: { +        title: &amp;amp;#39;Employee Panel&amp;amp;#39;, +        fields: [ +            {
label: &amp;amp;#39;Employee&amp;amp;#39;, value: &amp;amp;#39;Sofia Ramos&amp;amp;#39; }, +            { label: &amp;amp;#39;Role&amp;amp;#39;,
value: &amp;amp;#39;People Ops&amp;amp;#39; }, +            { label: &amp;amp;#39;Status&amp;amp;#39;, value: &amp;amp;#39;Onboarding&amp;amp;#39; }
+        ] +    }, +    PsychologistProfile: { +        title: &amp;amp;#39;Psychologist Profile&amp;amp;#39;, +        fields: [ +            {
label: &amp;amp;#39;Specialty&amp;amp;#39;, value: &amp;amp;#39;Trauma&amp;amp;#39; }, +            { label: &amp;amp;#39;Availability&amp;amp;#39;,
value: &amp;amp;#39;Tue - Thu&amp;amp;#39; }, +            { label: &amp;amp;#39;Rating&amp;amp;#39;, value: &amp;amp;#39;4.9&amp;amp;#39; } +
] +    }, +    BusinessInfoPanel: { +        title: &amp;amp;#39;Business Info&amp;amp;#39;, +        fields: [ +            { label:
&amp;amp;#39;Industry&amp;amp;#39;, value: &amp;amp;#39;Fintech&amp;amp;#39; }, +            { label: &amp;amp;#39;Region&amp;amp;#39;, value:
&amp;amp;#39;EMEA&amp;amp;#39; }, +            { label: &amp;amp;#39;Tier&amp;amp;#39;, value: &amp;amp;#39;Premium&amp;amp;#39; } +        ] +
}, +    AccountSummary: { +        title: &amp;amp;#39;Account Summary&amp;amp;#39;, +        pills: [&amp;amp;#39;NPS 52&amp;amp;#39;,
&amp;amp;#39;Usage up 18%&amp;amp;#39;, &amp;amp;#39;Churn risk: Low&amp;amp;#39;] +    }, +    ApplicationStatusPanel: { +        title:
&amp;amp;#39;Application Status&amp;amp;#39;, +        steps: [&amp;amp;#39;Lead&amp;amp;#39;, &amp;amp;#39;Qualified&amp;amp;#39;,
&amp;amp;#39;Under Review&amp;amp;#39;, &amp;amp;#39;Approved&amp;amp;#39;] +    }, +    LeadSummary: { +        title: &amp;amp;#39;Lead
Summary&amp;amp;#39;, +        fields: [ +            { label: &amp;amp;#39;Score&amp;amp;#39;, value: &amp;amp;#39;82&amp;amp;#39; }, +
{ label: &amp;amp;#39;Source&amp;amp;#39;, value: &amp;amp;#39;Referral&amp;amp;#39; }, +            { label: &amp;amp;#39;Stage&amp;amp;#39;,
value: &amp;amp;#39;Qualified&amp;amp;#39; } +        ] +    }, +    OpportunitySummary: { +        title: &amp;amp;#39;Opportunity
Summary&amp;amp;#39;, +        fields: [ +            { label: &amp;amp;#39;Pipeline&amp;amp;#39;, value: &amp;amp;#39;$96k&amp;amp;#39; }, +
{ label: &amp;amp;#39;Close Date&amp;amp;#39;, value: &amp;amp;#39;Aug 02&amp;amp;#39; }, +            { label:
&amp;amp;#39;Probability&amp;amp;#39;, value: &amp;amp;#39;68%&amp;amp;#39; } +        ] +    }, +    ActionButton: { +        title:
&amp;amp;#39;Primary Action&amp;amp;#39;, +        actions: [&amp;amp;#39;Launch Workflow&amp;amp;#39;] +    }, +    QuickActionsBar: { +
title: &amp;amp;#39;Quick Actions&amp;amp;#39;, +        actions: [&amp;amp;#39;Send Email&amp;amp;#39;, &amp;amp;#39;Assign
Psychologist&amp;amp;#39;, &amp;amp;#39;Approve&amp;amp;#39;] +    }, +    LinkList: { +        title: &amp;amp;#39;Link List&amp;amp;#39;, +
links: [&amp;amp;#39;Open Profile&amp;amp;#39;, &amp;amp;#39;View Subscription&amp;amp;#39;, &amp;amp;#39;Audit Log&amp;amp;#39;] +    }, +
FormPanel: { +        title: &amp;amp;#39;Form Panel&amp;amp;#39;, +        fields: [&amp;amp;#39;First name&amp;amp;#39;,
&amp;amp;#39;Email&amp;amp;#39;, &amp;amp;#39;Role&amp;amp;#39;] +    }, +    SendEmailButton: { +        title: &amp;amp;#39;Send
Email&amp;amp;#39;, +        actions: [&amp;amp;#39;Compose&amp;amp;#39;] +    }, +    AssignPsychologistButton: { +        title:
&amp;amp;#39;Assign Psychologist&amp;amp;#39;, +        actions: [&amp;amp;#39;Assign&amp;amp;#39;] +    }, +    ApproveRejectPanel: { +
title: &amp;amp;#39;Approve / Reject&amp;amp;#39;, +        actions: [&amp;amp;#39;Approve&amp;amp;#39;, &amp;amp;#39;Reject&amp;amp;#39;] +    }
+}; + +const resolvePreviewKey = (component) =&amp;amp;gt; +    component?.component_type +    || component?.componentName +    ||
component?.component_name +    || component?.name +    || &amp;amp;#39;&amp;amp;#39;; +  const BuilderCanvas = ({      layout,      selected,
onSelectComponent,      onLayoutChange,      onComponentDrop, +    onRemoveComponent,      previewRole  }) =&amp;amp;gt; {      const canvasRef =
useRef(null); @@ -89,6 +239,115 @@ const BuilderCanvas = ({          return roles.includes(previewRole);      };   +    const renderPreview =
(component) =&amp;amp;gt; { +        const previewKey = resolvePreviewKey(component); +        const preview = SAMPLE_PREVIEWS[previewKey] || null;
+ +        if (!preview) { +            return ( +                &amp;amp;lt;div className=&amp;amp;quot;kodi-builder__preview kodi-
builder__preview--placeholder&amp;amp;quot;&amp;amp;gt; +                &amp;amp;lt;div className=&amp;amp;quot;kodi-builder__preview-
title&amp;amp;quot;&amp;amp;gt;{previewKey || &amp;amp;#39;Component&amp;amp;#39;} Preview&amp;amp;lt;/div&amp;amp;gt; +
&amp;amp;lt;div className=&amp;amp;quot;kodi-builder__preview-text&amp;amp;quot;&amp;amp;gt;Drop in live data bindings to
render.&amp;amp;lt;/div&amp;amp;gt; +                &amp;amp;lt;/div&amp;amp;gt; +            ); +        } + +        return ( +
&amp;amp;lt;div className=&amp;amp;quot;kodi-builder__preview&amp;amp;quot;&amp;amp;gt; +                &amp;amp;lt;div
className=&amp;amp;quot;kodi-builder__preview-title&amp;amp;quot;&amp;amp;gt;{preview.title}&amp;amp;lt;/div&amp;amp;gt; + +
{preview.fields &amp;amp;amp;&amp;amp;amp; ( +                &amp;amp;lt;div className=&amp;amp;quot;kodi-builder__preview-
fields&amp;amp;quot;&amp;amp;gt; +                {preview.fields.map((field) =&amp;amp;gt; ( +                &amp;amp;lt;div
key={field.label} className=&amp;amp;quot;kodi-builder__preview-field&amp;amp;quot;&amp;amp;gt; +
&amp;amp;lt;span&amp;amp;gt;{field.label}&amp;amp;lt;/span&amp;amp;gt; +                &amp;amp;lt;strong&amp;amp;gt;
{field.value}&amp;amp;lt;/strong&amp;amp;gt; +                &amp;amp;lt;/div&amp;amp;gt; +                )} +
&amp;amp;lt;/div&amp;amp;gt; +            )} + +            {preview.items &amp;amp;amp;&amp;amp;amp; ( +                &amp;amp;lt;ul
className=&amp;amp;quot;kodi-builder__preview-list&amp;amp;quot;&amp;amp;gt; +                {preview.items.map((item) =&amp;amp;gt; ( +
&amp;amp;lt;li key={item}&amp;amp;gt;{item}&amp;amp;lt;/li&amp;amp;gt; +                )} +                &amp;amp;lt;/ul&amp;amp;gt;
+            )} + +            {preview.pills &amp;amp;amp;&amp;amp;amp; ( +                &amp;amp;lt;div
className=&amp;amp;quot;kodi-builder__preview-pills&amp;amp;quot;&amp;amp;gt; +                {preview.pills.map((pill) =&amp;amp;gt; ( +
&amp;amp;lt;span key={pill}&amp;amp;gt;{pill}&amp;amp;lt;/span&amp;amp;gt; +                )} +
&amp;amp;lt;/div&amp;amp;gt; +            )} + +            {preview.steps &amp;amp;amp;&amp;amp;amp; ( +                &amp;amp;lt;div
className=&amp;amp;quot;kodi-builder__preview-steps&amp;amp;quot;&amp;amp;gt; +                {preview.steps.map((step, index)
```

```
=&amp;amp;gt; ( +                                &amp;amp;lt;div key={step} className={`kodi-builder__preview-step ${index === 1 ?
&amp;amp;#39;active&amp;amp;#39; : &amp;amp;#39;&amp;amp;#39;}`}&amp;amp;gt; +                                {step} +
&amp;amp;lt;/div&amp;amp;gt; +                                )}} +                                &amp;amp;lt;/div&amp;amp;gt; +                                )} + +
{preview.headers &amp;amp;amp;&amp;amp;amp; preview.rows &amp;amp;amp;&amp;amp;amp; ( +                                &amp;amp;lt;div
className=&amp;amp;quot;kodi-builder__preview-table&amp;amp;quot;&amp;amp;gt; +                                &amp;amp;lt;div className=&amp;amp;quot;kodi-
builder__preview-table-head&amp;amp;quot;&amp;amp;gt; +                                {preview.headers.map((header) =&amp;amp;gt; ( +
&amp;amp;lt;span key={header}&amp;amp;gt;{header}&amp;amp;lt;/span&amp;amp;gt; +                                )}} +
&amp;amp;lt;/div&amp;amp;gt; +                                {preview.rows.map((row, idx) =&amp;amp;gt; ( +                                &amp;amp;lt;div key=
{`${row[0]}-${idx}`} className=&amp;amp;quot;kodi-builder__preview-table-row&amp;amp;quot;&amp;amp;gt; +
{row.map((cell) =&amp;amp;gt; ( +                                &amp;amp;lt;span key={cell}&amp;amp;gt;{cell}&amp;amp;lt;/span&amp;amp;gt; +
)}} +                                &amp;amp;lt;/div&amp;amp;gt; +                                )}} +                                &amp;amp;lt;/div&amp;amp;gt; +
)} + +                {preview.cards &amp;amp;amp;&amp;amp;amp; ( +                                &amp;amp;lt;div className=&amp;amp;quot;kodi-
builder__preview-cards&amp;amp;quot;&amp;amp;gt; +                                {preview.cards.map((card) =&amp;amp;gt; ( +
&amp;amp;lt;div key={card.title} className=&amp;amp;quot;kodi-builder__preview-card&amp;amp;quot;&amp;amp;gt; +
&amp;amp;lt;strong&amp;amp;gt;{card.title}&amp;amp;lt;/strong&amp;amp;gt; +                                &amp;amp;lt;span&amp;amp;gt;
{card.meta}&amp;amp;lt;/span&amp;amp;gt; +                                &amp;amp;lt;/div&amp;amp;gt; +                                )}} +
&amp;amp;lt;/div&amp;amp;gt; +                                )} + +                                {preview.links &amp;amp;amp;&amp;amp;amp; ( +                                &amp;amp;lt;div
className=&amp;amp;quot;kodi-builder__preview-links&amp;amp;quot;&amp;amp;gt; +                                {preview.links.map((link) =&amp;amp;gt; ( +
&amp;amp;lt;div key={link} className=&amp;amp;quot;kodi-builder__preview-link&amp;amp;quot;&amp;amp;gt;{link}&amp;amp;lt;/div&amp;amp;gt; +
)}} +                                &amp;amp;lt;/div&amp;amp;gt; +                                )} + +                                {preview.actions &amp;amp;amp;&amp;amp;amp; ( +
&amp;amp;lt;div className=&amp;amp;quot;kodi-builder__preview-actions&amp;amp;quot;&amp;amp;gt; +
{preview.actions.map((action) =&amp;amp;gt; ( +                                &amp;amp;lt;button key={action}
type=&amp;amp;quot;button&amp;amp;quot;&amp;amp;gt;{action}&amp;amp;lt;/button&amp;amp;gt; +                                )}} +
&amp;amp;lt;/div&amp;amp;gt; +                                )} + +                                {preview.subtitle &amp;amp;amp;&amp;amp;amp; ( +
&amp;amp;lt;div class=&amp;amp;quot;kodi-builder__preview-subtitle&amp;amp;quot;&amp;amp;gt;{preview.subtitle}&amp;amp;lt;/div&amp;amp;gt; +
)} + +                {preview.fields == null &amp;amp;amp;&amp;amp;amp; preview.items == null &amp;amp;amp;&amp;amp;amp; preview.pills == null
&amp;amp;amp;&amp;amp;amp; preview.headers == null &amp;amp;amp;&amp;amp;amp; preview.cards == null &amp;amp;amp;&amp;amp;amp; preview.links == null
&amp;amp;amp;&amp;amp;amp; preview.actions == null &amp;amp;amp;&amp;amp;amp; ( +                                &amp;amp;lt;div className=&amp;amp;quot;kodi-
builder__preview-text&amp;amp;quot;&amp;amp;gt;Preview data is ready.&amp;amp;lt;/div&amp;amp;gt; +                                )} +
&amp;amp;lt;/div&amp;amp;gt; +        ); +    }; +      return (          &amp;amp;lt;section className=&amp;amp;quot;kodi-
builder__canvas&amp;amp;quot; ref={canvasRef}&amp;amp;gt;              {(layout?.rows || []).map((row, rowIndex) =&amp;amp;gt; { @@ -128,10 +387,25
@@ const BuilderCanvas = ({                                &amp;amp;gt;
&amp;amp;lt;div className=&amp;amp;quot;kodi-builder__component-header&amp;amp;quot;&amp;amp;gt;
&amp;amp;lt;strong&amp;amp;gt;{component.label || component.name}&amp;amp;lt;/strong&amp;amp;gt; -
&amp;amp;lt;span&amp;amp;gt;{component.component_type}&amp;amp;lt;/span&amp;amp;gt; +
&amp;amp;lt;div class=&amp;amp;quot;kodi-builder__component-actions&amp;amp;quot;&amp;amp;gt; +
&amp;amp;lt;span&amp;amp;gt;{component.component_type}&amp;amp;lt;/span&amp;amp;gt; +
&amp;amp;lt;button +                                type=&amp;amp;quot;button&amp;amp;quot; +
className=&amp;amp;quot;kodi-builder__component-delete&amp;amp;quot; +                                onClick={(event)
=&amp;amp;gt; { +                                event.stopPropagation(); +
onRemoveComponent?.({ rowIndex, colIndex, compIndex }); +                                }} +
title=&amp;amp;quot;Remove component&amp;amp;quot; +                                &amp;amp;gt; +
x +                                &amp;amp;lt;/button&amp;amp;gt; +
&amp;amp;lt;/div&amp;amp;gt;                                &amp;amp;lt;/div&amp;amp;gt;
&amp;amp;lt;div class=&amp;amp;quot;kodi-builder__component-body&amp;amp;quot;&amp;amp;gt; -
&amp;amp;lt;p&amp;amp;gt;{hasPermission(component) ? (component.description || &amp;amp;#39;Drag to reorder or resize.&amp;amp;#39;) :
&amp;amp;#39;Hidden by permissions&amp;amp;#39;}&amp;amp;lt;/p&amp;amp;gt; +
{hasPermission(component) +                                ? renderPreview(component) +
: &amp;amp;lt;p&amp;amp;gt;Hidden by permissions&amp;amp;lt;/p&amp;amp;gt;}
&amp;amp;lt;/div&amp;amp;gt;                                &amp;amp;lt;ResizeHandle
direction=&amp;amp;quot;width&amp;amp;quot; diff --git a/frontend/src/pages/kodi/KodiBuilder.css b/frontend/src/pages/kodi/KodiBuilder.css index
4e0aea6d..9612a43c 100644 --- a/frontend/src/pages/kodi/KodiBuilder.css +++ b/frontend/src/pages/kodi/KodiBuilder.css @@ -1223,6 +1223,28 @@
margin-bottom: 6px;  }   +.kodi-builder__component-actions { +    display: inline-flex; +    align-items: center; +    gap: 8px; +} + +.kodi-
builder__component-delete { +    border: none; +    background: #fee2e2; +    color: #b91c1c; +    width: 22px; +    height: 22px; +    border-
radius: 50%; +    cursor: pointer; +    font-weight: 700; +    line-height: 1; +} + +.kodi-builder__component-delete:hover { +    background:
#fecaca; +} +  .kodi-resize-handle {      position: absolute;      background: rgba(99, 102, 241, 0.7); @@ -1246,6 +1268,161 @@      border-radius:
4px;  }   +.kodi-builder__preview { +    display: grid; +    gap: 8px; +    font-size: 12px; +    color: #1f2b3b; +} + +.kodi-builder__preview--
placeholder { +    color: #94a3b8; +} + +.kodi-builder__preview-title { +    font-weight: 700; +    font-size: 12px; +    color: #1f2b3b; +} +
+.kodi-builder__preview-text { +    color: #64748b; +} + +.kodi-builder__preview-fields { +    display: grid; +    gap: 6px; +} + +.kodi-
builder__preview-field { +    display: flex; +    justify-content: space-between; +    background: #f8fafc; +    border: 1px solid #e2e8f0; +
border-radius: 8px; +    padding: 6px 8px; +} + +.kodi-builder__preview-list { +    list-style: none; +    padding: 0; +    margin: 0; +    display:
grid; +    gap: 4px; +} + +.kodi-builder__preview-list li { +    padding: 6px 8px; +    border-radius: 8px; +    background: #f8fafc; +    border:
1px solid #e2e8f0; +} + +.kodi-builder__preview-pills { +    display: flex; +    flex-wrap: wrap; +    gap: 6px; +} + +.kodi-builder__preview-pills
span { +    background: #e0e7ff; +    color: #3730a3; +    padding: 4px 8px; +    border-radius: 999px; +    font-weight: 600; +} + +.kodi-
builder__preview-steps { +    display: grid; +    gap: 4px; +} + +.kodi-builder__preview-step { +    padding: 6px 8px; +    border-radius: 8px; +
border: 1px solid #e2e8f0; +    background: #f8fafc; +} + +.kodi-builder__preview-step.active { +    background: #dcfce7; +    border-color:
#86efac; +    color: #166534; +    font-weight: 700; +} + +.kodi-builder__preview-table { +    display: grid; +    gap: 6px; +} + +.kodi-
builder__preview-table-head, +.kodi-builder__preview-table-row { +    display: grid; +    grid-template-columns: repeat(3, minmax(0, 1fr)); +
gap: 6px; +    font-size: 11px; +} + +.kodi-builder__preview-table-head { +    font-weight: 700; +    color: #475569; +} + +.kodi-builder__preview-
table-row { +    background: #f8fafc; +    border: 1px solid #e2e8f0; +    border-radius: 8px; +    padding: 6px 8px; +} + +.kodi-builder__preview-
cards { +    display: grid; +    gap: 6px; +} + +.kodi-builder__preview-card { +    background: #f8fafc; +    border: 1px solid #e2e8f0; +
border-radius: 10px; +    padding: 8px; +    display: grid; +    gap: 4px; +} + +.kodi-builder__preview-links { +    display: grid; +    gap: 4px;
+} + +.kodi-builder__preview-link { +    padding: 6px 8px; +    border-radius: 8px; +    background: #eef2ff; +    color: #4338ca; +    font-weight:
600; +} + +.kodi-builder__preview-actions { +    display: flex; +    flex-wrap: wrap; +    gap: 6px; +} + +.kodi-builder__preview-actions button { +
padding: 4px 8px; +    border-radius: 8px; +    border: 1px solid #cbd5f5; +    background: #ffffff; +    font-weight: 600; +    font-size: 11px; +
cursor: pointer; +} + +.kodi-builder__preview-subtitle { +    color: #64748b; +} +  .kodi-config__header {      display: flex;      justify-content:
space-between; diff --git a/frontend/src/pages/kodi/KodiBuilderPage.jsx b/frontend/src/pages/kodi/KodiBuilderPage.jsx index 4593de77..b4a93420
100644 --- a/frontend/src/pages/kodi/KodiBuilderPage.jsx +++ b/frontend/src/pages/kodi/KodiBuilderPage.jsx @@ -172,6 +172,16 @@ const
KodiBuilderPage = () =&amp;amp;gt; {          });      };   +    const handleRemoveComponent = ({ rowIndex, colIndex, compIndex }) =&amp;amp;gt; { +
updateLayout((draft) =&amp;amp;gt; { +            const targetCol = draft.rows[rowIndex]?.columns[colIndex]; +            if (!targetCol) return; +
targetCol.components.splice(compIndex, 1); +        }); +        setSelectedComponent(null); +        setSelectedPosition(null); +    }; +
const handleSelectComponent = (component, position) =&amp;amp;gt; {          setSelectedComponent(component);
setSelectedPosition(position); @@ -319,6 +329,7 @@ const KodiBuilderPage = () =&amp;amp;gt; {                      onSelectComponent=
{handleSelectComponent}                      onLayoutChange={updateLayout}                      onComponentDrop={handleComponentDrop} +
onRemoveComponent={handleRemoveComponent}                      previewRole={previewRole}                      /&amp;amp;gt;
&amp;amp;lt;ConfigSidebar diff --git a/frontend/src/pages/kodi/KodiPortal.jsx b/frontend/src/pages/kodi/KodiPortal.jsx index 14741b88..0227d8a0
100644 --- a/frontend/src/pages/kodi/KodiPortal.jsx +++ b/frontend/src/pages/kodi/KodiPortal.jsx @@ -68,6 +68,7 @@ const KodiPortal = ()
=&amp;amp;gt; {          open: false,          app: null,          email: &amp;amp;#39;&amp;amp;#39;, +        roleKey:
&amp;amp;#39;employee&amp;amp;#39;,          permissions: { canView: true, canEdit: false, canUse: false },          assigning: false      }); @@
-183,7 +184,7 @@ const KodiPortal = () =&amp;amp;gt; {        const availablePagesForApp = (app) =&amp;amp;gt; {          const linkedIds = new
Set((app.linked_pages || []).map((page) =&amp;amp;gt; page.id)); -        return pages.filter((page) =&amp;amp;gt; !linkedIds.has(page.id)); +
return pages.filter((page) =&amp;amp;gt; !linkedIds.has(page.id) &amp;amp;amp;&amp;amp;amp; page.status === &amp;amp;#39;activated&amp;amp;#39;);
};        const handleCreateApp = async (event) =&amp;amp;gt; { @@ -270,6 +271,7 @@ const KodiPortal = () =&amp;amp;gt; {              open: true,
app,              email: &amp;amp;#39;&amp;amp;#39;, +              roleKey: &amp;amp;#39;employee&amp;amp;#39;,              permissions: { canView:
true, canEdit: false, canUse: false },              assigning: false          }); @@ -301,6 +303,7 @@ const KodiPortal = () =&amp;amp;gt; {
try {              await assignAppUser(assignUserModal.app.id, {              email: assignUserModal.email.trim(), +              roleKey:
assignUserModal.roleKey,              permissions: assignUserModal.permissions              });              toast.success(&amp;amp;#39;User
assigned to app&amp;amp;#39;); @@ -308,6 +311,7 @@ const KodiPortal = () =&amp;amp;gt; {              open: false,              app: null,
```

```
email: &amp;amp;#39;&amp;amp;#39;, +                roleKey: &amp;amp;#39;employee&amp;amp;#39;,                  permissions: { canView: true,
canEdit: false, canUse: false },                  assigning: false              }); @@ -556,7 +560,7 @@ const KodiPortal = () =&amp;amp;gt; {
&amp;amp;lt;div key={user.id} className=&amp;amp;quot;kodi-portal__assigned-row&amp;amp;quot;&amp;amp;gt;
&amp;amp;lt;div&amp;amp;gt;                                                  &amp;amp;lt;strong&amp;amp;gt;{user.display_name ||
user.email}&amp;amp;lt;/strong&amp;amp;gt; -                                          &amp;amp;lt;span&amp;amp;gt;{user.role ||
&amp;amp;#39;role not set&amp;amp;#39;}&amp;amp;lt;/span&amp;amp;gt; +                                                  &amp;amp;lt;span&amp;amp;gt;
{user.role_key || user.role || &amp;amp;#39;role not set&amp;amp;#39;}&amp;amp;lt;/span&amp;amp;gt;
&amp;amp;lt;/div&amp;amp;gt;                                                  &amp;amp;lt;span className=&amp;amp;quot;kodi-portal__status-
chip&amp;amp;quot;&amp;amp;gt;Invite sent&amp;amp;lt;/span&amp;amp;gt;                                                  &amp;amp;lt;/div&amp;amp;gt; @@
-893,6 +897,7 @@ const KodiPortal = () =&amp;amp;gt; {                                                open: false,
app: null,                                        email: &amp;amp;#39;&amp;amp;#39;, +                                  roleKey:
&amp;amp;#39;employee&amp;amp;#39;,                                  permissions: { canView: true, canEdit: false, canUse: false },
assigning: false                                  }) @@ -911,6 +916,21 @@ const KodiPortal = () =&amp;amp;gt; {
placeholder=&amp;amp;quot;user@example.com&amp;amp;quot;                                                  /&amp;amp;gt;
&amp;amp;lt;/label&amp;amp;gt; +                                  &amp;amp;lt;label&amp;amp;gt; +                                  App role +
&amp;amp;lt;select +                                  value={assignUserModal.roleKey} +                                  onChange={(event)
=&amp;amp;gt; +                                  setAssignUserModal((prev) =&amp;amp;gt; ({ ...prev, roleKey: event.target.value })) +
} +                                  &amp;amp;gt; +                                  {PLATFORM_ROLES.map((role) =&amp;amp;gt; ( +
&amp;amp;lt;option key={role} value={role}&amp;amp;gt; +                                  {role} +
&amp;amp;lt;/option&amp;amp;gt; +                                  ))} +                                  &amp;amp;lt;/select&amp;amp;gt; +
&amp;amp;lt;/label&amp;amp;gt;                                  &amp;amp;lt;div className=&amp;amp;quot;kodi-portal__checkbox-
group&amp;amp;quot;&amp;amp;gt;                                  &amp;amp;lt;label&amp;amp;gt;
&amp;amp;lt;input diff --git a/reports/all-changes-diff.html b/reports/all-changes-diff.html index 5737e001..427daf75 100644 Binary files
a/reports/all-changes-diff.html and b/reports/all-changes-diff.html differ&amp;lt;/pre&amp;gt;&amp;lt;/body&amp;gt;&amp;lt;/html&amp;gt;
+&amp;lt;html&amp;gt;&amp;lt;head&amp;gt;&amp;lt;meta charset='utf-8'&amp;gt;&amp;lt;title&amp;gt;Kodi changes
diff&amp;lt;/title&amp;gt;&amp;lt;style&amp;gt;body{font-family:Consolas,Menlo,monospace;background:#0b1020;color:#e2e8f0;padding:16px}pre{white-
space:pre-wrap;}&amp;lt;/style&amp;gt;&amp;lt;/head&amp;gt;&amp;lt;body&amp;gt;&amp;lt;h1&amp;gt;Kodi changes
diff&amp;lt;/h1&amp;gt;&amp;lt;pre&amp;gt;diff --git a/backend/src/modules/kodi/kodi.runtime.js b/backend/src/modules/kodi/kodi.runtime.js index
050a327f..50001b7c 100644 --- a/backend/src/modules/kodi/kodi.runtime.js +++ b/backend/src/modules/kodi/kodi.runtime.js @@ -1,10 +1,7 @@  const
service = require('./kodi.service');  const perms = require('./kodi.permissions'); - -const normalizeRole = (value) =&amp;amp;gt; String(value ||
'').toLowerCase().trim(); -const ADMIN_ALIASES = new Set(['admin', 'super_admin', 'superadmin', 'system_admin', 'hr_admin']); - -const isAdminRole =
(role) =&amp;amp;gt; ADMIN_ALIASES.has(normalizeRole(role)); +const portalService = require('../kodiPortal/kodiPortal.service'); +const portalPerms
= require('../kodiPortal/kodiPortal.permissions');    const buildRuntimePayload = async ({ pageId, role, userId, appId }) =&amp;amp;gt; {      const
page = await service.getPageById(pageId); @@ -19,22 +16,34 @@ const buildRuntimePayload = async ({ pageId, role, userId, appId }) =&amp;amp;gt; {
const appContextId = appId || page.linked_app_id;      const app = appContextId ? await service.getAppById(appContextId) : null;   -    if (appId) {
-        const linkedPages = await service.listAppPages(appId); -        const isLinked = linkedPages.some((row) =&amp;amp;gt; String(row.page_id)
=== String(pageId)); -        if (!isLinked) { +    let effectiveRole = role; +    const isAdmin = portalPerms.isAdminRole(role); +    const
isBuilderManagedPage = ['record', 'app', 'home'].includes(page.page_type); +    const adminBypassMembership = isAdmin &amp;amp;amp;&amp;amp;amp;
isBuilderManagedPage; + +    if (appId &amp;amp;amp;&amp;amp;amp; !adminBypassMembership) { +        const linkedPages = await
portalService.listPages(appId); +        const mapping = linkedPages.find((row) =&amp;amp;gt; String(row.page_id) === String(pageId)); +        if
(!mapping) { +            throw new Error('Access denied'); +        } +        if (app &amp;amp;amp;&amp;amp;amp; app.status !== 'active'
&amp;amp;amp;&amp;amp;amp; !isAdmin) { +            throw new Error('Access denied'); +        } +        const membership = await
portalService.getEffectiveRuntimeRole({ appId, userId, globalRole: role }); +        if (!membership) {            throw new Error('Access
denied');          } -        if (!isAdminRole(role)) { -            const appUsers = await service.listAppUsers(appId); -            const isMember
= appUsers.some((row) =&amp;amp;gt; String(row.user_id) === String(userId)); -            if (!isMember) { +        effectiveRole = membership; +
if (mapping.role_visibility) { +            const allowed = mapping.role_visibility?.[portalPerms.normalizeRole(effectiveRole)]; +            if
(allowed === false) {                throw new Error('Access denied');            }          }      }   -    const hasView =
perms.userHasViewAccess(permissionMap, role); +    const hasView = perms.userHasViewAccess(permissionMap, effectiveRole);      if (!hasView) {
throw new Error('Access denied');      } @@ -56,6 +65,7 @@ const buildRuntimePayload = async ({ pageId, role, userId, appId }) =&amp;amp;gt; {
permissions: permissionMap,          registry: componentRegistry,          objects, +        effectiveRole,          fields: objects.reduce((acc,
obj) =&amp;amp;gt; {              acc[obj.name] = obj.fields || [];              return acc; diff --git a/backend/src/routes/kodiRoutes.js
b/backend/src/routes/kodiRoutes.js index e291f776..1a9672f0 100644 --- a/backend/src/routes/kodiRoutes.js +++ b/backend/src/routes/kodiRoutes.js @@
-6,6 +6,7 @@ const { validate } = require('../middleware/validation');  const kodiController = require('../controllers/kodiController');  const
kodiPages = require('../modules/kodi/kodiPages.controller');  const kodiPlatform = require('../modules/kodi/kodi.controller'); +const kodiPortal =
require('../modules/kodiPortal/kodiPortal.controller');  const { authenticateKodiPageSession } =
require('../modules/kodi/kodiPageSession.middleware');    const router = express.Router(); @@ -228,51 +229,29 @@
router.get('/platform/leads/:id/opportunities', authenticate, authorizeAdmin(),  router.get('/platform/pages/:id/permissions', authenticate,
authorizeAdmin(), kodiPlatform.pageIdValidator, kodiPlatform.getPagePermissions);  router.post('/platform/pages/:id/permissions', authenticate,
authorizeAdmin(), kodiPlatform.pagePermissionValidators, kodiPlatform.updatePagePermissions);   -// Kodi Portal aliases (admin console) -
router.get('/portal/apps', authenticate, authorizeAdmin(), kodiPlatform.listApps); -router.post('/portal/apps', authenticate, authorizeAdmin(),
kodiPlatform.createAppValidators, kodiPlatform.createApp); -router.get('/portal/apps/:id', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.getApp); -router.patch('/portal/apps/:id', authenticate, authorizeAdmin(),
kodiPlatform.updateAppValidators, kodiPlatform.updateApp); -router.post('/portal/apps/:id/activate', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.activateApp); -router.post('/portal/apps/:id/deactivate', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.deactivateApp); -router.get('/portal/apps/:id/users', authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.listAppUsers); -router.post('/portal/apps/:id/users', authenticate, authorizeAdmin(),
kodiPlatform.assignAppUserValidators, kodiPlatform.assignAppUser); -router.delete('/portal/apps/:id/users/:userId', authenticate, authorizeAdmin(),
kodiPlatform.removeAppUser); -router.get('/portal/apps/:id/pages', authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.listAppPages); -router.post('/portal/apps/:id/pages', authenticate, authorizeAdmin(), validate([body('pageId').custom((val)
=&amp;amp;gt; { -    if (val === undefined || val === null) return false; -    const str = String(val); -    const uuidRegex = /^[0-9a-f]{8}-[0-9a-
f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -    return uuidRegex.test(str) || /^\d+$/.test(str); -})]), kodiPlatform.linkAppPage); -
router.patch('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), validate([ -    param('id').custom((val) =&amp;amp;gt; { -
if (val === undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-
9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }), -    param('mappingId').custom((val)
=&amp;amp;gt; { -        if (val === undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-
f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }) -]),
kodiPlatform.updateAppPage); -router.delete('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), validate([ -
param('id').custom((val) =&amp;amp;gt; { -        if (val === undefined || val === null) return false; -        const str = String(val); -
const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -        return uuidRegex.test(str) ||
/^\d+$/.test(str); -    }), -    param('mappingId').custom((val) =&amp;amp;gt; { -        if (val === undefined || val === null) return false; -
const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{12}$/i; -        return
uuidRegex.test(str) || /^\d+$/.test(str); -    }) -]), kodiPlatform.deleteAppPage); -router.get('/portal/apps/:id/navigation', authenticate,
authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.getAppNavigation); +// Kodi Portal (admin console) +router.get('/portal/apps',
authenticate, authorizeAdmin(), kodiPortal.listApps); +router.post('/portal/apps', authenticate, authorizeAdmin(), kodiPortal.createAppValidators,
kodiPortal.createApp); +router.get('/portal/apps/:id', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.getApp);
+router.patch('/portal/apps/:id', authenticate, authorizeAdmin(), kodiPortal.updateAppValidators, kodiPortal.updateApp);
+router.post('/portal/apps/:id/activate', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.activateApp);
+router.post('/portal/apps/:id/deactivate', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.deactivateApp);
+router.get('/portal/apps/:id/settings', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.getSettings);
+router.patch('/portal/apps/:id/settings', authenticate, authorizeAdmin(), kodiPortal.settingsValidators, kodiPortal.updateSettings);
+router.get('/portal/apps/:id/users', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.listUsers);
+router.post('/portal/apps/:id/users', authenticate, authorizeAdmin(), kodiPortal.assignUserValidators, kodiPortal.assignUser);
+router.patch('/portal/apps/:id/users/:userId', authenticate, authorizeAdmin(), kodiPortal.updateUserValidators, kodiPortal.updateUser);
+router.patch('/portal/apps/:id/users/:userId/status', authenticate, authorizeAdmin(), kodiPortal.updateUserStatusValidators,
kodiPortal.updateUserStatus); +router.post('/portal/apps/:id/users/:userId/resend-invite', authenticate, authorizeAdmin(),
kodiPortal.resendInviteValidators, kodiPortal.resendInvite); +router.delete('/portal/apps/:id/users/:userId', authenticate, authorizeAdmin(),
kodiPortal.appIdValidator, kodiPortal.deleteUser); +router.get('/portal/apps/:id/pages', authenticate, authorizeAdmin(), kodiPortal.appIdValidator,
kodiPortal.listPages); +router.get('/portal/pages/activated', authenticate, authorizeAdmin(), kodiPortal.listActivatedPages);
```

```
+router.post('/portal/apps/:id/pages', authenticate, authorizeAdmin(), kodiPortal.linkPageValidators, kodiPortal.linkPage);
+router.patch('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), kodiPortal.updatePageValidators, kodiPortal.updatePage);
+router.delete('/portal/apps/:id/pages/:mappingId', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.deletePage);
+router.post('/portal/apps/:id/pages/reorder', authenticate, authorizeAdmin(), kodiPortal.reorderValidators, kodiPortal.reorderPages);
+router.get('/portal/apps/:id/navigation', authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.getNavigation);
+router.post('/portal/invitations/accept', authenticate, kodiPortal.acceptInviteValidators, kodiPortal.acceptInvite);
+router.get('/portal/user/apps', authenticate, kodiPortal.listUserApps);    module.exports = router; diff --git a/backend/src/server.js
b/backend/src/server.js index 80459a7b..3066b55f 100644 --- a/backend/src/server.js +++ b/backend/src/server.js @@ -34,6 +34,7 @@ const
flowRuntimeRoutes = require('./routes/flowRuntimeRoutes');  const adsRoutes = require('./routes/adsRoutes');  const ticketRoutes =
require('./routes/ticketRoutes');  const kodiRoutes = require('./routes/kodiRoutes'); +const kodiAuthRoutes = require('./routes/kodiAuthRoutes');
const kodiPlatformRoutes = require('./modules/kodi/kodi.routes');  const { initMarketingTables, startMarketingScheduler } =
require('./services/marketingEmailService');  const { startScheduler: startMarketingCampaignScheduler } =
require('./modules/marketing/marketing.scheduler'); @@ -187,6 +188,7 @@ app.use('/api/ads', adsRoutes);  app.use('/api/tickets', ticketRoutes);
app.use('/api/kodi/platform', kodiPlatformRoutes);  app.use('/api/kodi', kodiRoutes); +app.use('/api/kodi-auth', kodiAuthRoutes);    // RBAC Routes
(if available)  if (authV2Routes &amp;amp;amp;&amp;amp;amp; rbacUserRoutes &amp;amp;amp;&amp;amp;amp; roleRoutes) { diff --git
a/backend/src/utils/database.js b/backend/src/utils/database.js index 809d61a2..623fb79f 100644 --- a/backend/src/utils/database.js +++
b/backend/src/utils/database.js @@ -612,9 +612,17 @@ const createTables = async () =&amp;amp;gt; {              CREATE TABLE IF NOT EXISTS kodi_apps
(                 id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),                 name VARCHAR(255) NOT NULL, +                label VARCHAR(255),
description TEXT, -                 is_active BOOLEAN DEFAULT true, -                 created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP +
status VARCHAR(50) NOT NULL DEFAULT 'draft' CHECK (status IN ('draft','active','inactive')), +                icon VARCHAR(255), +
theme_config JSONB DEFAULT '{}'::jsonb, +                settings JSONB DEFAULT '{}'::jsonb, +                navigation_mode VARCHAR(50) DEFAULT
'sidebar', +                landing_behavior VARCHAR(50) DEFAULT 'default_page', +                default_page_id UUID, +                created_at
TIMESTAMP DEFAULT CURRENT_TIMESTAMP, +                updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP              );                CREATE TABLE IF
NOT EXISTS kodi_pages ( @@ -638,6 +646,7 @@ const createTables = async () =&amp;amp;gt; {                nav_order INTEGER DEFAULT 0,
is_default BOOLEAN DEFAULT false,                is_visible BOOLEAN DEFAULT true, +                role_visibility JSONB DEFAULT '{}'::jsonb,
created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,                UNIQUE (app_id, page_id)              ); @@ -697,12 +706,31 @@ const createTables =
async () =&amp;amp;gt; {                user_id UUID NOT NULL REFERENCES users(id) ON DELETE CASCADE,                permissions JSONB DEFAULT
'{}'::jsonb,                role_key VARCHAR(50), +                status VARCHAR(50) NOT NULL DEFAULT 'pending', +                invite_token
VARCHAR(64), +                invited_at TIMESTAMP, +                accepted_at TIMESTAMP, +                disabled_at TIMESTAMP,
assigned_by UUID REFERENCES users(id) ON DELETE SET NULL,                created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,                UNIQUE (app_id, user_id)              );   +                CREATE TABLE IF NOT EXISTS
kodi_portal_identities ( +                id UUID PRIMARY KEY DEFAULT uuid_generate_v4(), +                user_id UUID NOT NULL REFERENCES
users(id) ON DELETE CASCADE, +                username VARCHAR(80) UNIQUE NOT NULL, +                password_hash TEXT, +                otp_hash
TEXT, +                otp_expires_at TIMESTAMP, +                first_login_required BOOLEAN DEFAULT true, +                first_login_token
VARCHAR(80), +                first_login_expires_at TIMESTAMP, +                created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP, +
updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP +            ); +                CREATE TABLE IF NOT EXISTS kodi_page_users (                id UUID
PRIMARY KEY DEFAULT uuid_generate_v4(),                page_id UUID NOT NULL REFERENCES kodi_pages(id) ON DELETE CASCADE, @@ -1095,6 +1123,8 @@
const createTables = async () =&amp;amp;gt; {              CREATE INDEX IF NOT EXISTS idx_app_page_mapping_app              ON
app_page_mapping(app_id);              CREATE INDEX IF NOT EXISTS idx_app_page_mapping_page              ON app_page_mapping(page_id);
CREATE INDEX IF NOT EXISTS idx_kodi_app_users_app              ON kodi_app_users(app_id); +              CREATE INDEX IF NOT EXISTS
idx_kodi_app_users_status              ON kodi_app_users(status); +              CREATE INDEX IF NOT EXISTS idx_kodi_app_users_invite              ON
kodi_app_users(invite_token);              CREATE INDEX IF NOT EXISTS idx_kodi_audit_entity              ON kodi_audit_logs(entity_type,
entity_id);          `;   @@ -1420,7 +1450,24 @@ const runMigrations = async () =&amp;amp;gt; {              "ALTER TABLE app_page_mapping ADD
COLUMN IF NOT EXISTS is_default BOOLEAN DEFAULT false;",              "ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_visible BOOLEAN
DEFAULT true;",              "ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP;", +
"ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS role_visibility JSONB DEFAULT '{}'::jsonb;",              "ALTER TABLE kodi_app_users ADD
COLUMN IF NOT EXISTS role_key VARCHAR(50);", +              "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS status VARCHAR(50) DEFAULT
'pending';", +              "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS invite_token VARCHAR(64);", +              "ALTER TABLE kodi_app_users
ADD COLUMN IF NOT EXISTS invited_at TIMESTAMP;", +              "ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS accepted_at TIMESTAMP;", +
"ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS disabled_at TIMESTAMP;", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS label
VARCHAR(255);", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS status VARCHAR(50) DEFAULT 'draft';", +              "ALTER TABLE
kodi_apps ADD COLUMN IF NOT EXISTS icon VARCHAR(255);", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS theme_config JSONB DEFAULT
'{}'::jsonb;", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS settings JSONB DEFAULT '{}'::jsonb;", +              "ALTER TABLE
kodi_apps ADD COLUMN IF NOT EXISTS navigation_mode VARCHAR(50) DEFAULT 'sidebar';", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS
landing_behavior VARCHAR(50) DEFAULT 'default_page';", +              "ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS default_page_id UUID;", +
"ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP;", +              "CREATE TABLE IF NOT EXISTS
kodi_portal_identities (id UUID PRIMARY KEY DEFAULT uuid_generate_v4(), user_id UUID NOT NULL REFERENCES users(id) ON DELETE CASCADE, username
VARCHAR(80) UNIQUE NOT NULL, password_hash TEXT, otp_hash TEXT, otp_expires_at TIMESTAMP, first_login_required BOOLEAN DEFAULT true,
first_login_token VARCHAR(80), first_login_expires_at TIMESTAMP, created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP, updated_at TIMESTAMP DEFAULT
CURRENT_TIMESTAMP);", +              "CREATE INDEX IF NOT EXISTS idx_kodi_portal_identities_username ON kodi_portal_identities(username);",
"ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS ip_address VARCHAR(64);",              "ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS user_agent
TEXT;",              "ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS created_at TIMESTAMPTZ DEFAULT CURRENT_TIMESTAMP;", diff --git
a/backend/src/utils/emailService.js b/backend/src/utils/emailService.js index 6b4c2962..7b988633 100644 --- a/backend/src/utils/emailService.js +++
b/backend/src/utils/emailService.js @@ -950,6 +950,117 @@ const sendAppAccessEmail = async ({ to, name, appName, loginUrl, pageUrl, pageNa
return sendEmail({ to, subject, html, text });  };   +const sendKodiAppInviteEmail = async ({ to, name, appName, role, loginUrl, inviteUrl, pageUrl,
pageName, username, otp }) =&amp;amp;gt; { +    if (!to || !appName || !inviteUrl) { +        return { success: false, error: 'Missing invitation
details' }; +    } +    const greeting = name ? `Hi ${name}` : 'Hello'; +    const subject = `Invitation to ${appName}`; +    const html = ` +
&amp;amp;lt;!DOCTYPE html&amp;amp;gt; +        &amp;amp;lt;html&amp;amp;gt; +        &amp;amp;lt;body style="font-family: Arial, sans-serif; color:
#111827; line-height: 1.6;"&amp;amp;gt; +          &amp;amp;lt;div style="max-width: 560px; margin: 0 auto; padding: 24px;"&amp;amp;gt; +
&amp;amp;lt;h2&amp;amp;gt;${greeting},&amp;amp;lt;/h2&amp;amp;gt; +            &amp;amp;lt;p&amp;amp;gt;You have been invited to the
&amp;amp;lt;strong&amp;amp;gt;${appName}&amp;amp;lt;/strong&amp;amp;gt; app in Kodi Portal.&amp;amp;lt;/p&amp;amp;gt; +
&amp;amp;lt;p&amp;amp;gt;&amp;amp;lt;strong&amp;amp;gt;Role:&amp;amp;lt;/strong&amp;amp;gt; ${role || 'member'}&amp;amp;lt;/p&amp;amp;gt; +
&amp;amp;lt;p&amp;amp;gt;&amp;amp;lt;strong&amp;amp;gt;Username:&amp;amp;lt;/strong&amp;amp;gt; ${username || 'assigned
separately'}&amp;amp;lt;/p&amp;amp;gt; +            &amp;amp;lt;p&amp;amp;gt;&amp;amp;lt;strong&amp;amp;gt;One-time
password:&amp;amp;lt;/strong&amp;amp;gt; ${otp || 'available in your invite'}&amp;amp;lt;/p&amp;amp;gt; +            &amp;amp;lt;p&amp;amp;gt; +
&amp;amp;lt;a href="${inviteUrl}" style="display: inline-block; background: #2563eb; color: #fff; padding: 10px 18px; border-radius: 999px; text-
decoration: none;"&amp;amp;gt; +                قبول الدعوة / Accept Invitation +              &amp;amp;lt;/a&amp;amp;gt; +
&amp;amp;lt;/p&amp;amp;gt; +            ${pageUrl ? `&amp;amp;lt;p&amp;amp;gt;Default page: &amp;amp;lt;a href="${pageUrl}"&amp;amp;gt;${pageName ||
'Open page'}&amp;amp;lt;/a&amp;amp;gt;&amp;amp;lt;/p&amp;amp;gt;` : ''} +            &amp;amp;lt;p&amp;amp;gt;Login:
${loginUrl}&amp;amp;lt;/p&amp;amp;gt; +            &amp;amp;lt;p style="margin-top: 24px;"&amp;amp;gt;If you did not expect this invitation, ignore
this email.&amp;amp;lt;/p&amp;amp;gt; +            &amp;amp;lt;p&amp;amp;gt;— The Kodi Portal Team&amp;amp;lt;/p&amp;amp;gt; +
&amp;amp;lt;/div&amp;amp;gt; +        &amp;amp;lt;/body&amp;amp;gt; +        &amp;amp;lt;/html&amp;amp;gt; +    `; +    const text = [ +
`${greeting},`, +        '', +        `You have been invited to ${appName}.`, +        `Role: ${role || 'member'}`, +        username ? `Username:
${username}` : '', +        otp ? `One-time password: ${otp}` : '', +        `Accept invitation: ${inviteUrl}`, +        loginUrl ? `Login:
${loginUrl}` : '', +        pageUrl ? `Default page: ${pageName || 'Open page'} - ${pageUrl}` : '', +        '', +        '— The Kodi Portal Team' +
].filter(Boolean).join('\n'); +    return sendEmail({ to, subject, html, text }); +}; +const sendKodiRoleUpdatedEmail = async ({ to, name,
appName, role, loginUrl }) =&amp;amp;gt; { +    if (!to || !appName) { +        return { success: false, error: 'Missing recipient or app name' }; +
} +    const greeting = name ? `Hi ${name}` : 'Hello'; +    const subject = `Role updated in ${appName}`; +    const html = ` +
&amp;amp;lt;!DOCTYPE html&amp;amp;gt; +        &amp;amp;lt;html&amp;amp;gt; +        &amp;amp;lt;body style="font-family: Arial, sans-serif; color:
#111827; line-height: 1.6;"&amp;amp;gt; +          &amp;amp;lt;div style="max-width: 560px; margin: 0 auto; padding: 24px;"&amp;amp;gt; +
&amp;amp;lt;h2&amp;amp;gt;${greeting},&amp;amp;lt;/h2&amp;amp;gt; +            &amp;amp;lt;p&amp;amp;gt;Your role in
&amp;amp;lt;strong&amp;amp;gt;${appName}&amp;amp;lt;/strong&amp;amp;gt; has been updated.&amp;amp;lt;/p&amp;amp;gt; +
&amp;amp;lt;p&amp;amp;gt;&amp;amp;lt;strong&amp;amp;gt;New role:&amp;amp;lt;/strong&amp;amp;gt; ${role || 'member'}&amp;amp;lt;/p&amp;amp;gt; +
&amp;amp;lt;p&amp;amp;gt;Login: &amp;amp;lt;a href="${loginUrl}"&amp;amp;gt;${loginUrl}&amp;amp;lt;/a&amp;amp;gt;&amp;amp;lt;/p&amp;amp;gt; +
&amp;amp;lt;p&amp;amp;gt;— The Kodi Portal Team&amp;amp;lt;/p&amp;amp;gt; +          &amp;amp;lt;/div&amp;amp;gt; +
&amp;amp;lt;/body&amp;amp;gt; +        &amp;amp;lt;/html&amp;amp;gt; +    `; +    const text = [ +        `${greeting},`, +        '', +
`Your role in ${appName} has been updated.`, +        `New role: ${role || 'member'}`, +        loginUrl ? `Login: ${loginUrl}` : '', +        '', +
'— The Kodi Portal Team' +    ].filter(Boolean).join('\n'); +    return sendEmail({ to, subject, html, text }); +}; +const
```

```
sendKodiPageAssignedEmail = async ({ to, name, appName, pageName, pageUrl, loginUrl }) =&amp;amp;gt; { +    if (!to || !appName || !pageName) { +
return { success: false, error: 'Missing recipient or page details' }; +    } +    const greeting = name ? `Hi ${name}` : 'Hello'; +    const
subject = `New page assigned in ${appName}`; +    const html = ` +        &amp;amp;lt;!DOCTYPE html&amp;amp;gt; +
&amp;amp;lt;html&amp;amp;gt; +        &amp;amp;lt;body style="font-family: Arial, sans-serif; color: #111827; line-height: 1.6;"&amp;amp;gt; +
&amp;amp;lt;div style="max-width: 560px; margin: 0 auto; padding: 24px;"&amp;amp;gt; +
&amp;amp;lt;h2&amp;amp;gt;${greeting},&amp;amp;lt;/h2&amp;amp;gt; +            &amp;amp;lt;p&amp;amp;gt;A new page has been assigned in
&amp;amp;lt;strong&amp;amp;gt;${appName}&amp;amp;lt;/strong&amp;amp;gt;.&amp;amp;lt;/p&amp;amp;gt; +
&amp;amp;lt;p&amp;amp;gt;&amp;amp;lt;strong&amp;amp;gt;Page:&amp;amp;lt;/strong&amp;amp;gt; ${pageName}&amp;amp;lt;/p&amp;amp;gt; +
${pageUrl ? `&amp;amp;lt;p&amp;amp;gt;Open: &amp;amp;lt;a
href="${pageUrl}"&amp;amp;gt;${pageUrl}&amp;amp;lt;/a&amp;amp;gt;&amp;amp;lt;/p&amp;amp;gt;` : ''} +            &amp;amp;lt;p&amp;amp;gt;Login:
&amp;amp;lt;a href="${loginUrl}"&amp;amp;gt;${loginUrl}&amp;amp;lt;/a&amp;amp;gt;&amp;amp;lt;/p&amp;amp;gt; +            &amp;amp;lt;p&amp;amp;gt;—
The Kodi Portal Team&amp;amp;lt;/p&amp;amp;gt; +          &amp;amp;lt;/div&amp;amp;gt; +        &amp;amp;lt;/body&amp;amp;gt; +
&amp;amp;lt;/html&amp;amp;gt; +    `; +    const text = [ +        `${greeting},`, +        '', +        `A new page has been assigned in
${appName}.`, +        `Page: ${pageName}`, +        pageUrl ? `Open: ${pageUrl}` : '', +        loginUrl ? `Login: ${loginUrl}` : '', +        '',
+        '— The Kodi Portal Team' +    ].filter(Boolean).join('\n'); +    return sendEmail({ to, subject, html, text }); +}; +  module.exports = {
sendClaimInvitation,      sendVerificationEmail, @@ -965,5 +1076,8 @@ module.exports = {      sendConversationRequestEmail,
sendConversationAcceptedEmail,      sendTicketNotificationEmail, -    sendAppAccessEmail +    sendAppAccessEmail, +    sendKodiAppInviteEmail, +
sendKodiRoleUpdatedEmail, +    sendKodiPageAssignedEmail  }; diff --git a/frontend/src/App.jsx b/frontend/src/App.jsx index f33fb3ee..daaaf184
100644 --- a/frontend/src/App.jsx +++ b/frontend/src/App.jsx @@ -37,6 +37,7 @@ import UserProfile from './pages/UserProfile';  import PrivateRoute
from './components/auth/PrivateRoute';  import AdminRoute from './components/auth/AdminRoute';  import AdminLayout from
'./components/admin/AdminLayout'; +import AppTopBar from './components/kodi/AppTopBar';    // Admin Pages  import AdminDashboard from
'./pages/admin/AdminDashboard'; @@ -63,6 +64,12 @@ import KodiTimes from './pages/kodi/KodiTimes';  import KodiBuilderPage from
'./pages/kodi/KodiBuilderPage';  import KodiRuntimePage from './pages/kodi/KodiRuntimePage';  import KodiPortalPage from
'./pages/kodi/KodiPortalPage'; +import KodiAppShell from './pages/kodi/KodiAppShell'; +import KodiAppRuntimePage from
'./pages/kodi/KodiAppRuntimePage'; +import KodiInviteAccept from './pages/kodi/KodiInviteAccept'; +import KodiAppsList from
'./pages/kodi/KodiAppsList'; +import KodiSignIn from './pages/kodi/auth/KodiSignIn'; +import KodiFirstLogin from './pages/kodi/auth/KodiFirstLogin';
// HR Pages  import Employees from './pages/hr/Employees'; @@ -101,6 +108,7 @@ function App() {                                                    }}
&amp;amp;gt;                                  &amp;amp;lt;div className="app"&amp;amp;gt; +                                &amp;amp;lt;AppTopBar /&amp;amp;gt;
&amp;amp;lt;Navbar /&amp;amp;gt;                                  &amp;amp;lt;main className="main-content"&amp;amp;gt;
&amp;amp;lt;Routes&amp;amp;gt; @@ -202,7 +210,7 @@ function App() {                                                    }
/&amp;amp;gt;                                  &amp;amp;lt;Route -                                  path="/kodi/portal" +
path="/kodi/portal/*"                                  element={                                  &amp;amp;lt;PrivateRoute&amp;amp;gt;
&amp;amp;lt;KodiPortalPage /&amp;amp;gt; @@ -233,10 +241,45 @@ function App() {
&amp;amp;lt;/PrivateRoute&amp;amp;gt;                                  }                                  /&amp;amp;gt; +
&amp;amp;lt;Route +                                  path="/kodi/apps" +                                  element={ +
&amp;amp;lt;PrivateRoute&amp;amp;gt; +                                  &amp;amp;lt;KodiAppsList /&amp;amp;gt; +
&amp;amp;lt;/PrivateRoute&amp;amp;gt; +                                  } +                                  /&amp;amp;gt; +
&amp;amp;lt;Route +                                  path="/kodi/app/:appId" +                                  element={ +
&amp;amp;lt;PrivateRoute&amp;amp;gt; +                                  &amp;amp;lt;KodiAppShell /&amp;amp;gt; +
&amp;amp;lt;/PrivateRoute&amp;amp;gt; +                                  } +                                  &amp;amp;gt; +
&amp;amp;lt;Route path="page/:pageId" element={&amp;amp;lt;KodiAppRuntimePage /&amp;amp;gt;} /&amp;amp;gt; +
&amp;amp;lt;/Route&amp;amp;gt;                                  {/* Public Kodi Record Pages */}
&amp;amp;lt;Route path="/kodi/page/:slug/login" element={&amp;amp;lt;KodiLogin /&amp;amp;gt;} /&amp;amp;gt;
&amp;amp;lt;Route path="/kodi/page/:slug" element={&amp;amp;lt;KodiPage /&amp;amp;gt;} /&amp;amp;gt; +
&amp;amp;lt;Route +                                  path="/kodi/invitations/accept" +                                  element={ +
&amp;amp;lt;PrivateRoute&amp;amp;gt; +                                  &amp;amp;lt;KodiInviteAccept /&amp;amp;gt; +
&amp;amp;lt;/PrivateRoute&amp;amp;gt; +                                  } +                                  /&amp;amp;gt; +
&amp;amp;lt;Route path="/kodi-auth/sign-in" element={&amp;amp;lt;KodiSignIn /&amp;amp;gt;} /&amp;amp;gt; +
&amp;amp;lt;Route +                                  path="/kodi-auth/first-login" +                                  element={ +
&amp;amp;lt;PrivateRoute&amp;amp;gt; +                                  &amp;amp;lt;KodiFirstLogin /&amp;amp;gt; +
&amp;amp;lt;/PrivateRoute&amp;amp;gt; +                                  } +                                  /&amp;amp;gt;
{/* Admin Routes */}                                  &amp;amp;lt;Route diff --git a/frontend/src/components/kodi/BuilderCanvas.jsx
b/frontend/src/components/kodi/BuilderCanvas.jsx index 0398f392..48c8a3ea 100644 --- a/frontend/src/components/kodi/BuilderCanvas.jsx +++
b/frontend/src/components/kodi/BuilderCanvas.jsx @@ -5,148 +5,6 @@ const GRID_COLUMNS = 12;    const clamp = (value, min, max) =&amp;amp;gt;
Math.min(Math.max(value, min), max);   -const SAMPLE_PREVIEWS = { -    RecordDetails: { -        title: 'Record Details', -        fields: [ -
{ label: 'Name', value: 'Ava Thompson' }, -            { label: 'Email', value: 'ava@kodi.app' }, -            { label: 'Status', value: 'Active' },
-            { label: 'Last Touch', value: '2 hours ago' } -        ] -    }, -    RelatedList: { -        title: 'Related List', -        headers:
['Type', 'Status', 'Owner'], -        rows: [ -            ['Case', 'Open', 'J. Rivers'], -            ['Task', 'In Progress', 'T. Patel'], -
['Note', 'Logged', 'System'] -        ] -    }, -    ActivityTimeline: { -        title: 'Activity Timeline', -        items: ['Email sent - 10m',
'Call scheduled - 1h', 'Lead converted - 1d'] -    }, -    HighlightsPanel: { -        title: 'Highlights Panel', -        pills: ['Open Cases: 4',
'ARR: $48k', 'Health: Good'] -    }, -    DataTable: { -        title: 'Data Table', -        headers: ['Account', 'Stage', 'Value'], -        rows:
[ -            ['BlueNova', 'Proposal', '$12k'], -            ['Futura', 'Qualified', '$7k'], -            ['Nimbus', 'Discovery', '$4k'] -        ]
-    }, -    CardList: { -        title: 'Card List', -        cards: [ -            { title: 'Psychologist Onboard', meta: 'Due in 2 days' }, -
{ title: 'Business Review', meta: 'Priority: High' } -        ] -    }, -    KeyValueFields: { -        title: 'Key Value Fields', -        fields:
[ -            { label: 'Industry', value: 'Healthcare' }, -            { label: 'Seats', value: '128' }, -            { label: 'Tier', value:
'Enterprise' } -        ] -    }, -    ContactProfile: { -        title: 'Contact Profile', -        subtitle: 'Primary decision maker', -
fields: [ -            { label: 'Name', value: 'Luis Chen' }, -            { label: 'Role', value: 'HR Director' }, -            { label: 'Phone',
value: '+1 (555) 221-8844' } -        ] -    }, -    SubscriptionOverview: { -        title: 'Subscription Overview', -        pills: ['Plan:
Growth', 'Renewal: Jul 14', 'Status: Active'] -    }, -    EmployeePanel: { -        title: 'Employee Panel', -        fields: [ -            {
label: 'Employee', value: 'Sofia Ramos' }, -            { label: 'Role', value: 'People Ops' }, -            { label: 'Status', value: 'Onboarding'
} -        ] -    }, -    PsychologistProfile: { -        title: 'Psychologist Profile', -        fields: [ -            { label: 'Specialty',
value: 'Trauma' }, -            { label: 'Availability', value: 'Tue - Thu' }, -            { label: 'Rating', value: '4.9' } -        ] -    }, -
BusinessInfoPanel: { -        title: 'Business Info', -        fields: [ -            { label: 'Industry', value: 'Fintech' }, -            { label:
'Region', value: 'EMEA' }, -            { label: 'Tier', value: 'Premium' } -        ] -    }, -    AccountSummary: { -        title: 'Account
Summary', -        pills: ['NPS 52', 'Usage up 18%', 'Churn risk: Low'] -    }, -    ApplicationStatusPanel: { -        title: 'Application Status',
-        steps: ['Lead', 'Qualified', 'Under Review', 'Approved'] -    }, -    LeadSummary: { -        title: 'Lead Summary', -        fields: [ -
{ label: 'Score', value: '82' }, -            { label: 'Source', value: 'Referral' }, -            { label: 'Stage', value: 'Qualified' } -        ]
-    }, -    OpportunitySummary: { -        title: 'Opportunity Summary', -        fields: [ -            { label: 'Pipeline', value: '$96k' }, -
{ label: 'Close Date', value: 'Aug 02' }, -            { label: 'Probability', value: '68%' } -        ] -    }, -    ActionButton: { -
title: 'Primary Action', -        actions: ['Launch Workflow'] -    }, -    QuickActionsBar: { -        title: 'Quick Actions', -        actions:
['Send Email', 'Assign Psychologist', 'Approve'] -    }, -    LinkList: { -        title: 'Link List', -        links: ['Open Profile', 'View
Subscription', 'Audit Log'] -    }, -    FormPanel: { -        title: 'Form Panel', -        fields: ['First name', 'Email', 'Role'] -    }, -
SendEmailButton: { -        title: 'Send Email', -        actions: ['Compose'] -    }, -    AssignPsychologistButton: { -        title: 'Assign
Psychologist', -        actions: ['Assign'] -    }, -    ApproveRejectPanel: { -        title: 'Approve / Reject', -        actions: ['Approve',
'Reject'] -    } -}; -  const resolvePreviewKey = (component) =&amp;amp;gt;      component?.component_type      || component?.componentName @@
-161,7 +19,8 @@ const BuilderCanvas = ({      onLayoutChange,      onComponentDrop,      onRemoveComponent, -    previewRole +    previewRole, +
previewContext  }) =&amp;amp;gt; {      const canvasRef = useRef(null);      const [dragOver, setDragOver] = useState(null); @@ -239,113 +98,257 @@
const BuilderCanvas = ({          return roles.includes(previewRole);      };   -    const renderPreview = (component) =&amp;amp;gt; { -
const previewKey = resolvePreviewKey(component); -        const preview = SAMPLE_PREVIEWS[previewKey] || null; +    const getRecordValue = (record,
field) =&amp;amp;gt; { +        if (!record || !field) return null; +        return field.split('.').reduce((acc, part) =&amp;amp;gt; (acc ?
acc[part] : null), record); +    };   -        if (!preview) { -            return ( -                &amp;amp;lt;div className="kodi-
builder__preview kodi-builder__preview--placeholder"&amp;amp;gt; -                &amp;amp;lt;div className="kodi-builder__preview-
title"&amp;amp;gt;{previewKey || 'Component'} Preview&amp;amp;lt;/div&amp;amp;gt; -                &amp;amp;lt;div className="kodi-
builder__preview-text"&amp;amp;gt;Drop in live data bindings to render.&amp;amp;lt;/div&amp;amp;gt; -                &amp;amp;lt;/div&amp;amp;gt; -
); -        } +    const formatValue = (value) =&amp;amp;gt; { +        if (value === null || value === undefined) return '—'; +        if (typeof
value === 'boolean') return value ? 'Yes' : 'No'; +        return String(value); +    };   -        return ( -            &amp;amp;lt;div
className="kodi-builder__preview"&amp;amp;gt; -                &amp;amp;lt;div className="kodi-builder__preview-title"&amp;amp;gt;
{preview.title}&amp;amp;lt;/div&amp;amp;gt; +    const resolveRecord = (component) =&amp;amp;gt; { +        const bindingObject =
```

```
component?.binding?.object; +        const recordMap = previewContext?.records || {}; +        if (bindingObject &amp;amp;amp;&amp;amp;amp;
recordMap[bindingObject]) { +            return recordMap[bindingObject][0] || previewContext?.record || {}; +        } +        return
previewContext?.record || {}; +    };   -                {preview.fields &amp;amp;amp;&amp;amp;amp; ( -                        &amp;amp;lt;div
className="kodi-builder__preview-fields"&amp;amp;gt; -                        {preview.fields.map((field) =&amp;amp;gt; ( -
&amp;amp;lt;div key={field.label} className="kodi-builder__preview-field"&amp;amp;gt; -                        &amp;amp;lt;span&amp;amp;gt;
{field.label}&amp;amp;lt;/span&amp;amp;gt; -                        &amp;amp;lt;strong&amp;amp;gt;
{field.value}&amp;amp;lt;/strong&amp;amp;gt; -                        &amp;amp;lt;/div&amp;amp;gt; -                        ))} -
&amp;amp;lt;/div&amp;amp;gt; -                )} +    const resolveFields = (component, record) =&amp;amp;gt; { +        const bindingField =
component?.binding?.field; +        const objectFields = previewContext?.object?.fields || []; +        const propsFields =
component?.props?.fields; +        let fields = []; +        if (Array.isArray(propsFields) &amp;amp;amp;&amp;amp;amp; propsFields.length) { +
fields = propsFields; +        } else if (bindingField) { +            fields = [bindingField]; +        } else { +            fields =
Object.keys(record || {}).filter((key) =&amp;amp;gt; key !== 'id').slice(0, 5); +        } +        return fields.map((field) =&amp;amp;gt; { +
const fieldMeta = objectFields.find((item) =&amp;amp;gt; item.field_name === field); +            return { +                label: fieldMeta?.label
|| fieldMeta?.field_name || field, +                value: formatValue(getRecordValue(record, field)) +            }; +        }); +    };   -
{preview.items &amp;amp;amp;&amp;amp;amp; ( -                        &amp;amp;lt;ul className="kodi-builder__preview-list"&amp;amp;gt; -
{preview.items.map((item) =&amp;amp;gt; ( -                        &amp;amp;lt;li key={item}&amp;amp;gt;{item}&amp;amp;lt;/li&amp;amp;gt; -
))} -                        &amp;amp;lt;/ul&amp;amp;gt; -                )} +    const resolveTable = (component, record) =&amp;amp;gt; { +
const items = component?.props?.items; +        if (Array.isArray(items) &amp;amp;amp;&amp;amp;amp; items.length) { +            const headers =
Object.keys(items[0]).slice(0, 3); +            const rows = items.slice(0, 4).map((item) =&amp;amp;gt; headers.map((header) =&amp;amp;gt;
formatValue(item[header]))); +            return { headers, rows }; +        } +        const keys = Object.keys(record || {}).filter((key)
=&amp;amp;gt; key !== 'id').slice(0, 3); +        const headers = keys.length ? keys : ['Item', 'Status', 'Owner']; +        const rows =
Array.from({ length: 3 }).map((_, index) =&amp;amp;gt; +            headers.map((header) =&amp;amp;gt; `${formatValue(getRecordValue(record,
header))}` || `${header} ${index + 1}`) +        ); +        return { headers, rows }; +    };   -                {preview.pills
&amp;amp;amp;&amp;amp;amp; ( -                        &amp;amp;lt;div className="kodi-builder__preview-pills"&amp;amp;gt; -
{preview.pills.map((pill) =&amp;amp;gt; ( -                        &amp;amp;lt;span key={pill}&amp;amp;gt;{pill}&amp;amp;lt;/span&amp;amp;gt; -
))} -                        &amp;amp;lt;/div&amp;amp;gt; -                )} +    const renderPreview = (component) =&amp;amp;gt; { +        const
previewKey = resolvePreviewKey(component); +        const record = resolveRecord(component); +        const fields = resolveFields(component,
record); +        const actions = component?.actions?.length ? component.actions : component?.props?.actions || []; +        const table =
resolveTable(component, record);   -                {preview.steps &amp;amp;amp;&amp;amp;amp; ( -                        &amp;amp;lt;div
className="kodi-builder__preview-steps"&amp;amp;gt; -                        {preview.steps.map((step, index) =&amp;amp;gt; ( -
&amp;amp;lt;div key={step} className={`kodi-builder__preview-step ${index === 1 ? 'active' : ''}`}&amp;amp;gt; -
{step} +        switch (previewKey) { +            case 'RecordDetails': +            case 'KeyValueFields': +                return ( +
&amp;amp;lt;div className="kodi-builder__preview kodi-builder__preview--record"&amp;amp;gt; +                        &amp;amp;lt;div
className="kodi-builder__preview-header"&amp;amp;gt; +                        &amp;amp;lt;div&amp;amp;gt; +
&amp;amp;lt;p className="kodi-builder__preview-eyebrow"&amp;amp;gt;{previewContext?.object?.label || previewContext?.object?.name ||
'Record'}&amp;amp;lt;/p&amp;amp;gt; +                        &amp;amp;lt;h4&amp;amp;gt;{component.label || 'Record
Details'}&amp;amp;lt;/h4&amp;amp;gt;                        &amp;amp;lt;/div&amp;amp;gt; -                        ))} +
&amp;amp;lt;span className="kodi-builder__preview-badge"&amp;amp;gt;Live&amp;amp;lt;/span&amp;amp;gt; +
&amp;amp;lt;/div&amp;amp;gt; +                        &amp;amp;lt;div class="kodi-builder__preview-grid"&amp;amp;gt; +
{fields.map((field) =&amp;amp;gt; ( +                        &amp;amp;lt;div key={field.label} class="kodi-builder__preview-
row"&amp;amp;gt; +                        &amp;amp;lt;span&amp;amp;gt;{field.label}&amp;amp;lt;/span&amp;amp;gt; +
&amp;amp;lt;strong&amp;amp;gt;{field.value}&amp;amp;lt;/strong&amp;amp;gt; +                        &amp;amp;lt;/div&amp;amp;gt; +
))} +                        &amp;amp;lt;/div&amp;amp;gt;                        &amp;amp;lt;/div&amp;amp;gt; -                        )} - -
{preview.headers &amp;amp;amp;&amp;amp;amp; preview.rows &amp;amp;amp;&amp;amp;amp; ( -                        &amp;amp;lt;div class="kodi-
builder__preview-table"&amp;amp;gt; -                        &amp;amp;lt;div class="kodi-builder__preview-table-head"&amp;amp;gt; -
{preview.headers.map((header) =&amp;amp;gt; ( -                        &amp;amp;lt;span key={header}&amp;amp;gt;
{header}&amp;amp;lt;/span&amp;amp;gt; +                        ); +            case 'HighlightsPanel': +                return ( +
&amp;amp;lt;div class="kodi-builder__preview kodi-builder__preview--highlights"&amp;amp;gt; +                        &amp;amp;lt;div
class="kodi-builder__preview-header"&amp;amp;gt; +                        &amp;amp;lt;h4&amp;amp;gt;{component.label ||
'Highlights'}&amp;amp;lt;/h4&amp;amp;gt; +                        &amp;amp;lt;span class="kodi-builder__preview-
pill"&amp;amp;gt;Today&amp;amp;lt;/span&amp;amp;gt; +                        &amp;amp;lt;/div&amp;amp;gt; +                        &amp;amp;lt;div
class="kodi-builder__preview-pills"&amp;amp;gt; +                        {fields.slice(0, 3).map((field) =&amp;amp;gt; ( +
&amp;amp;lt;span key={field.label}&amp;amp;gt;{field.label}: {field.value}&amp;amp;lt;/span&amp;amp;gt; +                        ))} +
&amp;amp;lt;/div&amp;amp;gt; +                        &amp;amp;lt;div class="kodi-builder__preview-actions"&amp;amp;gt; +
{(actions.length ? actions : ['Send Email', 'Assign', 'Review']).map((action) =&amp;amp;gt; ( +                        &amp;amp;lt;button
key={action} type="button"&amp;amp;gt;{action}&amp;amp;lt;/button&amp;amp;gt;                        ))}
&amp;amp;lt;/div&amp;amp;gt; -                        {preview.rows.map((row, idx) =&amp;amp;gt; ( -                        &amp;amp;lt;div key=
{`${row[0]}-${idx}`} class="kodi-builder__preview-table-row"&amp;amp;gt; -                        {row.map((cell) =&amp;amp;gt; ( -
&amp;amp;lt;span key={cell}&amp;amp;gt;{cell}&amp;amp;lt;/span&amp;amp;gt; +                        &amp;amp;lt;/div&amp;amp;gt; +                        ); +
case 'RelatedList': +            case 'DataTable': +                return ( +                        &amp;amp;lt;div class="kodi-builder__preview
kodi-builder__preview--table"&amp;amp;gt; +                        &amp;amp;lt;div class="kodi-builder__preview-header"&amp;amp;gt; +
&amp;amp;lt;h4&amp;amp;gt;{component.label || 'Related Records'}&amp;amp;lt;/h4&amp;amp;gt; +                        &amp;amp;lt;span
class="kodi-builder__preview-badge"&amp;amp;gt;{table.rows.length} rows&amp;amp;lt;/span&amp;amp;gt; +
&amp;amp;lt;/div&amp;amp;gt; +                        &amp;amp;lt;div class="kodi-builder__preview-table"&amp;amp;gt; +
&amp;amp;lt;div class="kodi-builder__preview-table-head"&amp;amp;gt; +                        {table.headers.map((header) =&amp;amp;gt;
( +                        &amp;amp;lt;span key={header}&amp;amp;gt;{header}&amp;amp;lt;/span&amp;amp;gt;
))}                        &amp;amp;lt;/div&amp;amp;gt; -                        )} +                        {table.rows.map((row, idx)
=&amp;amp;gt; ( +                        &amp;amp;lt;div key={`${row[0]}-${idx}`} class="kodi-builder__preview-table-row"&amp;amp;gt; +
{row.map((cell) =&amp;amp;gt; ( +                        &amp;amp;lt;span key={cell}&amp;amp;gt;{cell}&amp;amp;lt;/span&amp;amp;gt;
+                        ))} +                        &amp;amp;lt;/div&amp;amp;gt; +                        )} +
&amp;amp;lt;/div&amp;amp;gt;                        &amp;amp;lt;/div&amp;amp;gt; -                        )} - -                        {preview.cards
&amp;amp;amp;&amp;amp;amp; ( -                        &amp;amp;lt;div class="kodi-builder__preview-cards"&amp;amp;gt; -
{preview.cards.map((card) =&amp;amp;gt; ( -                        &amp;amp;lt;div key={card.title} class="kodi-builder__preview-
card"&amp;amp;gt; -                        &amp;amp;lt;strong&amp;amp;gt;{card.title}&amp;amp;lt;/strong&amp;amp;gt; -
&amp;amp;lt;span&amp;amp;gt;{card.meta}&amp;amp;lt;/span&amp;amp;gt; +                        ); +            case 'ActivityTimeline': +
return ( +                        &amp;amp;lt;div class="kodi-builder__preview kodi-builder__preview--timeline"&amp;amp;gt; +
&amp;amp;lt;div class="kodi-builder__preview-header"&amp;amp;gt; +                        &amp;amp;lt;h4&amp;amp;gt;{component.label ||
'Activity Timeline'}&amp;amp;lt;/h4&amp;amp;gt; +                        &amp;amp;lt;span class="kodi-builder__preview-pill"&amp;amp;gt;Last
7 days&amp;amp;lt;/span&amp;amp;gt; +                        &amp;amp;lt;/div&amp;amp;gt; +                        &amp;amp;lt;ul class="kodi-
builder__preview-timeline"&amp;amp;gt; +                        {(component.props?.items || [ +                        `Updated
${fields[0]?.value || 'record'}`, +                        `Follow-up scheduled`, +                        `Note added to account` +
]).map((item) =&amp;amp;gt; ( +                        &amp;amp;lt;li key={item}&amp;amp;gt;{item}&amp;amp;lt;/li&amp;amp;gt; +
))} +                        &amp;amp;lt;/ul&amp;amp;gt; +                        &amp;amp;lt;/div&amp;amp;gt; +                        ); +            case
'ContactProfile': +            case 'EmployeePanel': +            case 'PsychologistProfile': +            case 'BusinessInfoPanel': +
return ( +                        &amp;amp;lt;div class="kodi-builder__preview kodi-builder__preview--profile"&amp;amp;gt; +
&amp;amp;lt;div class="kodi-builder__preview-header"&amp;amp;gt; +                        &amp;amp;lt;h4&amp;amp;gt;{component.label ||
'Profile'}&amp;amp;lt;/h4&amp;amp;gt; +                        &amp;amp;lt;span class="kodi-builder__preview-
badge"&amp;amp;gt;Active&amp;amp;lt;/span&amp;amp;gt; +                        &amp;amp;lt;/div&amp;amp;gt; +                        &amp;amp;lt;div
class="kodi-builder__preview-profile"&amp;amp;gt; +                        &amp;amp;lt;div class="kodi-builder__preview-
avatar"&amp;amp;gt;{(fields[0]?.value || 'A')[0]}&amp;amp;lt;/div&amp;amp;gt; +                        &amp;amp;lt;div&amp;amp;gt; +
&amp;amp;lt;strong&amp;amp;gt;{fields[0]?.value || 'Profile Name'}&amp;amp;lt;/strong&amp;amp;gt; +
&amp;amp;lt;span&amp;amp;gt;{fields[1]?.value || 'Role'}&amp;amp;lt;/span&amp;amp;gt;                        &amp;amp;lt;/div&amp;amp;gt; -
))} +                        &amp;amp;lt;/div&amp;amp;gt; +                        &amp;amp;lt;div class="kodi-builder__preview-
grid"&amp;amp;gt; +                        {fields.slice(2, 5).map((field) =&amp;amp;gt; ( +                        &amp;amp;lt;div key=
{field.label} class="kodi-builder__preview-row"&amp;amp;gt; +                        &amp;amp;lt;span&amp;amp;gt;
{field.label}&amp;amp;lt;/span&amp;amp;gt; +                        &amp;amp;lt;strong&amp;amp;gt;
{field.value}&amp;amp;lt;/strong&amp;amp;gt; +                        &amp;amp;lt;/div&amp;amp;gt; +                        ))} +
&amp;amp;lt;/div&amp;amp;gt;                        &amp;amp;lt;/div&amp;amp;gt; -                        )} - -                        {preview.links
```

```
&amp;amp;amp;&amp;amp;amp; ( -                    &amp;amp;lt;div className="kodi-builder__preview-links"&amp;amp;gt; -
{preview.links.map((link) =&amp;amp;gt; ( -                              &amp;amp;lt;div key={link} className="kodi-builder__preview-link"&amp;amp;gt;
{link}&amp;amp;lt;/div&amp;amp;gt; -                          )}) +                    ); +              case 'SubscriptionOverview': +            case
'AccountSummary': +            case 'LeadSummary': +            case 'OpportunitySummary': +            case 'ApplicationStatusPanel': +
return ( +                    &amp;amp;lt;div className="kodi-builder__preview kodi-builder__preview--summary"&amp;amp;gt; +
&amp;amp;lt;div className="kodi-builder__preview-header"&amp;amp;gt; +                                &amp;amp;lt;h4&amp;amp;gt;{component.label ||
'Summary'}&amp;amp;lt;/h4&amp;amp;gt; +                                &amp;amp;lt;span className="kodi-builder__preview-badge"&amp;amp;gt;On
Track&amp;amp;lt;/span&amp;amp;gt; +                          &amp;amp;lt;/div&amp;amp;gt; +                                &amp;amp;lt;div className="kodi-
builder__preview-pills"&amp;amp;gt; +                                {fields.slice(0, 3).map((field) =&amp;amp;gt; ( +
&amp;amp;lt;span key={field.label}&amp;amp;gt;{field.label}: {field.value}&amp;amp;lt;/span&amp;amp;gt; +                                        )}) +
&amp;amp;lt;/div&amp;amp;gt; +                          &amp;amp;lt;div className="kodi-builder__preview-actions"&amp;amp;gt; +
{(actions.length ? actions : ['View', 'Update']).map((action) =&amp;amp;gt; ( +                                &amp;amp;lt;button key={action}
type="button"&amp;amp;gt;{action}&amp;amp;lt;/button&amp;amp;gt; +                                )}) +
&amp;amp;lt;/div&amp;amp;gt;                          &amp;amp;lt;/div&amp;amp;gt; -                    )} - -                    {preview.actions
&amp;amp;amp;&amp;amp;amp; ( -                    &amp;amp;lt;div className="kodi-builder__preview-actions"&amp;amp;gt; -
{preview.actions.map((action) =&amp;amp;gt; ( -                                &amp;amp;lt;button key={action} type="button"&amp;amp;gt;
{action}&amp;amp;lt;/button&amp;amp;gt; -                          )}) +                    ); +              case 'QuickActionsBar': +            case
'ActionButton': +            case 'SendEmailButton': +            case 'AssignPsychologistButton': +            case 'ApproveRejectPanel': +
return ( +                    &amp;amp;lt;div className="kodi-builder__preview kodi-builder__preview--actions"&amp;amp;gt; +
&amp;amp;lt;div className="kodi-builder__preview-header"&amp;amp;gt; +                                &amp;amp;lt;h4&amp;amp;gt;{component.label ||
'Actions'}&amp;amp;lt;/h4&amp;amp;gt; +                                &amp;amp;lt;span className="kodi-builder__preview-
pill"&amp;amp;gt;Ready&amp;amp;lt;/span&amp;amp;gt; +                                &amp;amp;lt;/div&amp;amp;gt; +                                &amp;amp;lt;div
className="kodi-builder__preview-actions"&amp;amp;gt; +                                {(actions.length ? actions : ['Primary Action']).map((action)
=&amp;amp;gt; ( +                    &amp;amp;lt;button key={action} type="button"&amp;amp;gt;{action}&amp;amp;lt;/button&amp;amp;gt; +
))} +                    &amp;amp;lt;/div&amp;amp;gt;                    &amp;amp;lt;/div&amp;amp;gt; -                    )} - -
{preview.subtitle &amp;amp;amp;&amp;amp;amp; ( -                    &amp;amp;lt;div className="kodi-builder__preview-subtitle"&amp;amp;gt;
{preview.subtitle}&amp;amp;lt;/div&amp;amp;gt; -                    )} - -                    {preview.fields == null &amp;amp;amp;&amp;amp;amp;
preview.items == null &amp;amp;amp;&amp;amp;amp; preview.pills == null &amp;amp;amp;&amp;amp;amp; preview.headers == null &amp;amp;amp;&amp;amp;amp;
preview.cards == null &amp;amp;amp;&amp;amp;amp; preview.links == null &amp;amp;amp;&amp;amp;amp; preview.actions == null &amp;amp;amp;&amp;amp;amp;
( -                    &amp;amp;lt;div className="kodi-builder__preview-text"&amp;amp;gt;Preview data is ready.&amp;amp;lt;/div&amp;amp;gt; -
)} -            &amp;amp;lt;/div&amp;amp;gt; -            ); +                    ); +              case 'LinkList': +                    return ( +
&amp;amp;lt;div className="kodi-builder__preview kodi-builder__preview--links"&amp;amp;gt; +                                &amp;amp;lt;div className="kodi-
builder__preview-header"&amp;amp;gt; +                                &amp;amp;lt;h4&amp;amp;gt;{component.label || 'Links'}&amp;amp;lt;/h4&amp;amp;gt;
+                    &amp;amp;lt;/div&amp;amp;gt; +                    &amp;amp;lt;div className="kodi-builder__preview-links"&amp;amp;gt; +
{(component.props?.links || fields.slice(0, 3).map((f) =&amp;amp;gt; f.label)).map((link) =&amp;amp;gt; ( +
&amp;amp;lt;div key={link} className="kodi-builder__preview-link"&amp;amp;gt;{link}&amp;amp;lt;/div&amp;amp;gt; +                                        )}) +
&amp;amp;lt;/div&amp;amp;gt; +                    &amp;amp;lt;/div&amp;amp;gt; +                    ); +              case 'CardList': +
return ( +                    &amp;amp;lt;div className="kodi-builder__preview kodi-builder__preview--cards"&amp;amp;gt; +
&amp;amp;lt;div class="kodi-builder__preview-header"&amp;amp;gt; +                                &amp;amp;lt;h4&amp;amp;gt;{component.label ||
'Cards'}&amp;amp;lt;/h4&amp;amp;gt; +                                &amp;amp;lt;/div&amp;amp;gt; +                                &amp;amp;lt;div class="kodi-
builder__preview-cards"&amp;amp;gt; +                                {(component.props?.cards || fields.slice(0, 2)).map((card) =&amp;amp;gt; ( +
&amp;amp;lt;div key={card.title || card.label} class="kodi-builder__preview-card"&amp;amp;gt; +
&amp;amp;lt;strong&amp;amp;gt;{card.title || card.label}&amp;amp;lt;/strong&amp;amp;gt; +
&amp;amp;lt;span&amp;amp;gt;{card.meta || card.value}&amp;amp;lt;/span&amp;amp;gt; +                                &amp;amp;lt;/div&amp;amp;gt; +
))} +                    &amp;amp;lt;/div&amp;amp;gt; +                    &amp;amp;lt;/div&amp;amp;gt; +                    ); +
default: +                    return ( +                    &amp;amp;lt;div class="kodi-builder__preview kodi-builder__preview--
placeholder"&amp;amp;gt; +                    &amp;amp;lt;div class="kodi-builder__preview-title"&amp;amp;gt;{component.label || previewKey
|| 'Component'}&amp;amp;lt;/div&amp;amp;gt; +                    &amp;amp;lt;div class="kodi-builder__preview-text"&amp;amp;gt;Bind fields
to preview live data.&amp;amp;lt;/div&amp;amp;gt; +                    &amp;amp;lt;/div&amp;amp;gt; +                    ); +        }        };
return ( diff --git a/frontend/src/pages/kodi/KodiBuilder.css b/frontend/src/pages/kodi/KodiBuilder.css index 9612a43c..6d5dabe1 100644 ---
a/frontend/src/pages/kodi/KodiBuilder.css +++ b/frontend/src/pages/kodi/KodiBuilder.css @@ -1275,6 +1275,128 @@      color: #1f2b3b;  }   +.kodi-
builder__preview--record, +.kodi-builder__preview--highlights, +.kodi-builder__preview--table, +.kodi-builder__preview--timeline, +.kodi-
builder__preview--profile, +.kodi-builder__preview--summary, +.kodi-builder__preview--actions, +.kodi-builder__preview--links, +.kodi-
builder__preview--cards { +    padding: 10px; +    border-radius: 12px; +    background: #ffffff; +    border: 1px solid #e2e8f0; +    box-shadow: 0
8px 18px rgba(15, 23, 42, 0.06); +} + +.kodi-builder__preview-header { +    display: flex; +    align-items: center; +    justify-content: space-
between; +    gap: 12px; +} + +.kodi-builder__preview-header h4 { +    margin: 0; +    font-size: 13px; +    color: #0f172a; +} + +.kodi-
builder__preview-eyebrow { +    margin: 0 0 2px; +    font-size: 10px; +    text-transform: uppercase; +    letter-spacing: 0.8px; +    color:
#64748b; +} + +.kodi-builder__preview-badge { +    padding: 2px 8px; +    border-radius: 999px; +    background: #e0f2fe; +    color: #0369a1; +
font-weight: 700; +    font-size: 10px; +} + +.kodi-builder__preview-pill { +    padding: 2px 8px; +    border-radius: 999px; +    background:
#ede9fe; +    color: #6d28d9; +    font-weight: 600; +    font-size: 10px; +} + +.kodi-builder__preview-grid { +    display: grid; +    gap: 6px; +}
+ +.kodi-builder__preview-row { +    display: flex; +    justify-content: space-between; +    padding: 6px 8px; +    border-radius: 8px; +
background: #f8fafc; +    border: 1px solid #e2e8f0; +} + +.kodi-builder__preview-row span { +    color: #64748b; +} + +.kodi-builder__preview-row
strong { +    color: #0f172a; +} + +.kodi-builder__preview-profile { +    display: flex; +    align-items: center; +    gap: 10px; +    padding:
8px; +    background: #f8fafc; +    border-radius: 12px; +    border: 1px solid #e2e8f0; +} + +.kodi-builder__preview-avatar { +    width: 36px; +
height: 36px; +    border-radius: 12px; +    background: #c7d2fe; +    color: #312e81; +    font-weight: 700; +    display: flex; +    align-items:
center; +    justify-content: center; +    font-size: 14px; +} + +.kodi-builder__preview-profile span { +    color: #64748b; +    font-size: 11px;
+} + +.kodi-builder__preview-timeline { +    list-style: none; +    margin: 0; +    padding: 0; +    display: grid; +    gap: 6px; +} + +.kodi-
builder__preview-timeline li { +    padding: 6px 10px; +    border-radius: 10px; +    background: #ffffff; +    border: 1px solid #e2e8f0; +    box-
shadow: 0 4px 10px rgba(15, 23, 42, 0.06); +    font-size: 11px; +} +  .kodi-builder__preview--placeholder {      color: #94a3b8;  } @@ -1413,12
+1535,17 @@      padding: 4px 8px;      border-radius: 8px;      border: 1px solid #cbd5f5; -    background: #ffffff; +    background: linear-
gradient(180deg, #ffffff, #f1f5f9);      font-weight: 600;      font-size: 11px;      cursor: pointer;  }   +.kodi-builder__preview-actions
button:hover { +    border-color: #6366f1; +    color: #4338ca; +} +  .kodi-builder__preview-subtitle {      color: #64748b;  } diff --git
a/frontend/src/pages/kodi/KodiBuilderPage.jsx b/frontend/src/pages/kodi/KodiBuilderPage.jsx index b4a93420..6c363edc 100644 ---
a/frontend/src/pages/kodi/KodiBuilderPage.jsx +++ b/frontend/src/pages/kodi/KodiBuilderPage.jsx @@ -94,6 +94,12 @@ const KodiBuilderPage = ()
=&amp;amp;gt; {      const [selectedAppId, setSelectedAppId] = useState('');      const [createModalOpen, setCreateModalOpen] = useState(false);
const [previewRole, setPreviewRole] = useState('admin'); +    const [previewObjectId, setPreviewObjectId] = useState(''); +    const
[previewSampleIndex, setPreviewSampleIndex] = useState(0); +    const [previewRecords, setPreviewRecords] = useState({}); +    const [previewRecord,
setPreviewRecord] = useState({}); +    const [previewAppId, setPreviewAppId] = useState(''); +    const [previewApps, setPreviewApps] =
useState([]);        const currentPage = useMemo(() =&amp;amp;gt; pages.find((page) =&amp;amp;gt; String(page.id) === String(pageId)), [pages,
pageId]);   @@ -121,6 +127,72 @@ const KodiBuilderPage = () =&amp;amp;gt; {        loadData();      }, [pageId]);   +    useEffect(()
=&amp;amp;gt; { +        const first = objects[0]; +        if (first &amp;amp;amp;&amp;amp;amp; !previewObjectId) { +
setPreviewObjectId(first.id); +        } +    }, [objects, previewObjectId]); + +    useEffect(() =&amp;amp;gt; { +        if (!objects.length)
return; +        const names = ['Ava', 'Liam', 'Mia', 'Noah', 'Sofia', 'Ethan']; +        const surnames = ['Thompson', 'Ramos', 'Patel', 'Okafor',
'Chen', 'Rivera']; +        const companies = ['BlueNova', 'Futura', 'Nimbus', 'Atlas', 'Koru', 'Solara']; +        const statuses = ['Active',
'Pending', 'In Progress', 'New', 'Qualified']; +        const buildValue = (field, seed) =&amp;amp;gt; { +            const key =
field.field_name.toLowerCase(); +            if (field.field_type === 'date') { +                const date = new Date(Date.now() - seed *
86400000); +                return date.toISOString().split('T')[0]; +            } +            if (field.field_type === 'boolean') return seed % 2
=== 0; +            if (field.field_type === 'number') return 40 + seed * 3; +            if (key.includes('email')) return `${names[seed %
names.length].toLowerCase()}@kodi.app`; +            if (key.includes('phone')) return `+1 (555) 10${seed} ${200 + seed}`; +            if
(key.includes('name')) return `${names[seed % names.length]} ${surnames[seed % surnames.length]}`; +            if (key.includes('company') ||
key.includes('business')) return companies[seed % companies.length]; +            if (key.includes('status') || key.includes('stage')) return
statuses[seed % statuses.length]; +            return `${field.field_name}_${seed + 1}`; +        }; +        const recordMap = objects.reduce((acc,
obj) =&amp;amp;gt; { +            const samples = Array.from({ length: 3 }).map((_, index) =&amp;amp;gt; { +                const record = {}; +
(obj.fields || []).forEach((field) =&amp;amp;gt; { +                record[field.field_name] = buildValue(field, index); +            }); +
record.id = record.id || `${obj.name}_${index + 1}`; +                return record; +            }); +            acc[obj.name] = samples; +
return acc; +        }, {}); +        setPreviewRecords(recordMap); +    }, [objects]); + +    useEffect(() =&amp;amp;gt; { +        if
(!previewObjectId) return; +        const target = objects.find((obj) =&amp;amp;gt; String(obj.id) === String(previewObjectId)) || objects[0]; +
if (!target) return; +        const samples = previewRecords[target.name] || []; +        setPreviewRecord(samples[previewSampleIndex] || samples[0]
```

```
|| {}); +    }, [objects, previewObjectId, previewSampleIndex, previewRecords]); + +    useEffect(() =&amp;amp;gt; { +        const loadApps = async
() =&amp;amp;gt; { +            try { +                const data = await listPlatformApps(); +                setPreviewApps(data || []); +
if (!previewAppId &amp;amp;amp;&amp;amp;amp; data?.length) { +                setPreviewAppId(data[0].id); +                } +            }
catch (error) { +                // ignore preview app load errors +            } +        }; +        loadApps(); +    }, [previewAppId]); +
const updateLayout = (updater) =&amp;amp;gt; {          setLayout((prev) =&amp;amp;gt; {            const next = cloneLayout(prev); @@ -298,9
+370,36 @@ const KodiBuilderPage = () =&amp;amp;gt; {                        &amp;amp;lt;option
value="psychologist"&amp;amp;gt;Psychologist&amp;amp;lt;/option&amp;amp;gt;                        &amp;amp;lt;option
value="business_user"&amp;amp;gt;Business User&amp;amp;lt;/option&amp;amp;gt;                        &amp;amp;lt;/select&amp;amp;gt; +
&amp;amp;lt;select value={previewObjectId} onChange={(e) =&amp;amp;gt; setPreviewObjectId(e.target.value)}&amp;amp;gt; +
{objects.map((obj) =&amp;amp;gt; ( +                        &amp;amp;lt;option key={obj.id} value={obj.id}&amp;amp;gt; +
{obj.label || obj.name} +                        &amp;amp;lt;/option&amp;amp;gt; +                        )) } +
&amp;amp;lt;/select&amp;amp;gt; +                        &amp;amp;lt;select value={previewSampleIndex} onChange={(e) =&amp;amp;gt;
setPreviewSampleIndex(Number(e.target.value))}&amp;amp;gt; +                        &amp;amp;lt;option value={0}&amp;amp;gt;Sample
A&amp;amp;lt;/option&amp;amp;gt; +                        &amp;amp;lt;option value={1}&amp;amp;gt;Sample B&amp;amp;lt;/option&amp;amp;gt; +
&amp;amp;lt;option value={2}&amp;amp;gt;Sample C&amp;amp;lt;/option&amp;amp;gt; +                        &amp;amp;lt;/select&amp;amp;gt; +
&amp;amp;lt;select value={previewAppId} onChange={(e) =&amp;amp;gt; setPreviewAppId(e.target.value)}&amp;amp;gt; +
{previewApps.map((app) =&amp;amp;gt; ( +                        &amp;amp;lt;option key={app.id} value={app.id}&amp;amp;gt; +
{app.label || app.name} +                        &amp;amp;lt;/option&amp;amp;gt; +                        )) } +
&amp;amp;lt;/select&amp;amp;gt;                        &amp;amp;lt;button className="btn-secondary" onClick={() =&amp;amp;gt;
navigate('/kodi/times')}&amp;amp;gt;Back to Times&amp;amp;lt;/button&amp;amp;gt;                        &amp;amp;lt;button className="btn-secondary"
onClick={() =&amp;amp;gt; setCreateModalOpen(true)}&amp;amp;gt;Create Page&amp;amp;lt;/button&amp;amp;gt;                        &amp;amp;lt;button
className="btn-secondary" onClick={() =&amp;amp;gt; window.open(`/kodi/runtime/${pageId}`, '_blank')}&amp;amp;gt;Preview
Runtime&amp;amp;lt;/button&amp;amp;gt; +                        {currentPage?.linked_app_id &amp;amp;amp;&amp;amp;amp; ( +
&amp;amp;lt;button +                        className="btn-secondary" +                        onClick={() =&amp;amp;gt;
navigate(`/kodi/portal/apps/${currentPage.linked_app_id}/settings`)} +                        &amp;amp;gt; +                        App Shell
Settings +                        &amp;amp;lt;/button&amp;amp;gt; +                        )}                        &amp;amp;lt;button className="btn-
secondary" onClick={openLinkModal}&amp;amp;gt;Link to App&amp;amp;lt;/button&amp;amp;gt;                        &amp;amp;lt;button className="btn-
secondary" onClick={handleActivate}&amp;amp;gt;Activate Page&amp;amp;lt;/button&amp;amp;gt;                        &amp;amp;lt;button className="btn-
primary" onClick={handleSave} disabled={saving}&amp;amp;gt; @@ -331,6 +430,13 @@ const KodiBuilderPage = () =&amp;amp;gt; {
onComponentDrop={handleComponentDrop}                        onRemoveComponent={handleRemoveComponent}                        previewRole={previewRole}
+                        previewContext={{ +                        record: previewRecord, +                        records: previewRecords, +
object: objects.find((obj) =&amp;amp;gt; String(obj.id) === String(previewObjectId)), +                        app: previewApps.find((app)
=&amp;amp;gt; String(app.id) === String(previewAppId)), +                        role: previewRole +                        }}
/&amp;amp;gt;                        &amp;amp;lt;ConfigSidebar                        component={selectedComponent} diff --git
a/frontend/src/pages/kodi/KodiPortal.css b/frontend/src/pages/kodi/KodiPortal.css index 83ae7d5a..d478c455 100644 ---
a/frontend/src/pages/kodi/KodiPortal.css +++ b/frontend/src/pages/kodi/KodiPortal.css @@ -375,3 +375,226 @@      letter-spacing: 0.05em;      text-
transform: uppercase;  } + +/* New portal screens */ +.kodi-portal-screen { +    padding: 28px; +    display: grid; +    gap: 20px; +} + +.kodi-
portal-header { +    display: flex; +    justify-content: space-between; +    align-items: center; +    gap: 16px; +} + +.kodi-portal-header-actions
{ +    display: flex; +    gap: 10px; +} + +.kodi-portal-eyebrow { +    text-transform: uppercase; +    font-size: 0.7rem; +    color: #94a3b8; +
margin: 0; +} + +.kodi-portal-grid { +    display: grid; +    grid-template-columns: repeat(auto-fit, minmax(260px, 1fr)); +    gap: 16px; +} +
+.kodi-portal-card { +    background: #fff; +    border-radius: 14px; +    border: 1px solid #e2e8f0; +    padding: 16px; +    display: grid; +
gap: 12px; +    box-shadow: 0 10px 24px rgba(15, 23, 42, 0.06); +} + +.kodi-portal-card-meta { +    display: flex; +    gap: 12px; +    font-size:
0.8rem; +    color: #64748b; +} + +.kodi-portal-card-actions { +    display: flex; +    gap: 10px; +} + +.kodi-portal-table { +    background: #fff;
+    border-radius: 14px; +    border: 1px solid #e2e8f0; +    padding: 12px; +    display: grid; +    gap: 10px; +} + +.kodi-portal-table__row { +
display: grid; +    grid-template-columns: 1.5fr 1fr 0.6fr 0.6fr 0.6fr 2fr 1fr; +    gap: 12px; +    align-items: center; +    font-size: 0.85rem;
+} + +.kodi-portal-table__row.user { +    grid-template-columns: 1.5fr 1fr 0.8fr 1fr; +} + +.kodi-portal-table__row.header { +    font-weight: 700;
+    color: #475569; +} + +.kodi-portal-table__actions { +    display: flex; +    gap: 8px; +} + +.kodi-portal-empty { +    color: #94a3b8; +} +
+.kodi-portal-modal { +    position: fixed; +    inset: 0; +    background: rgba(15, 23, 42, 0.55); +    display: flex; +    align-items: center; +
justify-content: center; +    z-index: 50; +} + +.kodi-portal-modal__content { +    background: #fff; +    border-radius: 16px; +    padding: 20px;
+    width: min(520px, 90vw); +    display: grid; +    gap: 12px; +} + +.kodi-portal-modal__header { +    display: flex; +    justify-content:
space-between; +    align-items: center; +} + +.kodi-portal-form { +    display: grid; +    gap: 12px; +} + +.kodi-portal-form__grid { +    display:
grid; +    grid-template-columns: repeat(auto-fit, minmax(160px, 1fr)); +    gap: 12px; +} + +.kodi-portal-form input, +.kodi-portal-form textarea,
+.kodi-portal-form select { +    width: 100%; +    padding: 8px 10px; +    border-radius: 8px; +    border: 1px solid #d8dde6; +} + +.kodi-portal-
checkboxes { +    display: flex; +    gap: 12px; +} + +.kodi-portal-summary-card { +    background: #fff; +    border-radius: 14px; +    padding:
16px; +    border: 1px solid #e2e8f0; +    display: grid; +    gap: 10px; +} + +.kodi-portal-summary-meta { +    display: flex; +    gap: 14px; +
font-size: 0.85rem; +    color: #64748b; +} + +.kodi-portal-nav-preview { +    list-style: none; +    padding: 0; +    margin: 0; +    display:
grid; +    gap: 6px; +} + +.kodi-portal-role-grid { +    display: grid; +    grid-template-columns: repeat(2, minmax(0, 1fr)); +    gap: 6px; +
font-size: 0.72rem; +} + +.status-pill.pending { +    background: #fef3c7; +    color: #92400e; +    padding: 4px 8px; +    border-radius: 999px; +
font-size: 0.72rem; +} + +.status-pill.active { +    background: #dcfce7; +    color: #166534; +    padding: 4px 8px; +    border-radius: 999px; +
font-size: 0.72rem; +} + +.status-pill.disabled { +    background: #fee2e2; +    color: #991b1b; +    padding: 4px 8px; +    border-radius: 999px; +
font-size: 0.72rem; +} + +.kodi-auth { +    min-height: 100vh; +    display: grid; +    place-items: center; +    background: radial-gradient(circle
at top, #e2e8f0, #f8fafc); +} + +.kodi-auth__card { +    background: #ffffff; +    padding: 28px; +    border-radius: 16px; +    width: min(420px,
90vw); +    display: grid; +    gap: 12px; +    border: 1px solid #e2e8f0; +    box-shadow: 0 18px 40px rgba(15, 23, 42, 0.12); +} + +.kodi-
auth__card h1 { +    margin: 0 0 8px; +} + +.kodi-auth__card input { +    width: 100%; +    padding: 10px 12px; +    border-radius: 10px; +
border: 1px solid #d8dde6; +} diff --git a/frontend/src/pages/kodi/KodiPortalPage.jsx b/frontend/src/pages/kodi/KodiPortalPage.jsx index
93b14822..fe595a9d 100644 --- a/frontend/src/pages/kodi/KodiPortalPage.jsx +++ b/frontend/src/pages/kodi/KodiPortalPage.jsx @@ -1,6 +1,20 @@  import
React from 'react'; -import KodiPortal from './KodiPortal'; +import { Routes, Route, Navigate } from 'react-router-dom'; +import AppsList from
'./portal/AppsList'; +import AppDetail from './portal/AppDetail'; +import AppUsers from './portal/AppUsers'; +import AppPages from
'./portal/AppPages'; +import AppSettings from './portal/AppSettings';   -const KodiPortalPage = () =&amp;amp;gt; &amp;amp;lt;KodiPortal
/&amp;amp;gt;; +const KodiPortalPage = () =&amp;amp;gt; ( +    &amp;amp;lt;Routes&amp;amp;gt; +        &amp;amp;lt;Route path="/" element=
{&amp;amp;lt;Navigate to="apps" replace /&amp;amp;gt;} /&amp;amp;gt; +        &amp;amp;lt;Route path="apps" element={&amp;amp;lt;AppsList
/&amp;amp;gt;} /&amp;amp;gt; +        &amp;amp;lt;Route path="apps/:appId" element={&amp;amp;lt;AppDetail /&amp;amp;gt;} /&amp;amp;gt; +
&amp;amp;lt;Route path="apps/:appId/users" element={&amp;amp;lt;AppUsers /&amp;amp;gt;} /&amp;amp;gt; +        &amp;amp;lt;Route
path="apps/:appId/pages" element={&amp;amp;lt;AppPages /&amp;amp;gt;} /&amp;amp;gt; +        &amp;amp;lt;Route path="apps/:appId/settings" element=
{&amp;amp;lt;AppSettings /&amp;amp;gt;} /&amp;amp;gt; +    &amp;amp;lt;/Routes&amp;amp;gt; +);    export default KodiPortalPage; diff --git
a/frontend/src/pages/kodi/KodiRuntime.css b/frontend/src/pages/kodi/KodiRuntime.css index d10f47c3..646d213f 100644 ---
a/frontend/src/pages/kodi/KodiRuntime.css +++ b/frontend/src/pages/kodi/KodiRuntime.css @@ -231,3 +231,160 @@      text-align: center;      color:
#64748b;  } + +.kodi-app-shell { +    display: grid; +    grid-template-columns: 240px 1fr; +    min-height: 100vh; +    background: #f8fafc; +} +
+.kodi-app-shell__nav { +    background: var(--kodi-app-surface, #0f172a); +    color: var(--kodi-app-text, #e2e8f0); +    padding: 20px; +
display: grid; +    gap: 16px; +} + +.kodi-app-shell__header { +    display: grid; +    gap: 8px; +} + +.kodi-app-shell__header select { +    width:
100%; +    padding: 6px 8px; +    border-radius: 8px; +    border: 1px solid rgba(148, 163, 184, 0.4); +    background: rgba(15, 23, 42, 0.6); +
color: var(--kodi-app-text, #e2e8f0); +} + +.kodi-app-shell__menu { +    display: grid; +    gap: 8px; +} + +.kodi-app-shell__menu a { +    color:
var(--kodi-app-text, #e2e8f0); +    text-decoration: none; +    padding: 8px 10px; +    border-radius: 8px; +} + +.kodi-app-shell__menu a.active { +
background: var(--kodi-app-primary, #2563eb); +} + +.kodi-app-shell__content { +    padding: 20px; +} + +.kodi-app-shell--compact .kodi-app-
shell__content { +    padding: 12px; +} + +.kodi-topbar { +    position: sticky; +    top: 0; +    z-index: 20; +    background: var(--kodi-app-
surface, #0b1120); +    color: var(--kodi-app-text, #e2e8f0); +    display: flex; +    align-items: center; +    gap: 16px; +    padding: 8px 16px;
+} + +.kodi-topbar__switcher { +    background: transparent; +    color: inherit; +    border: 1px solid rgba(148, 163, 184, 0.4); +    border-
radius: 8px; +    width: 34px; +    height: 34px; +} + +.kodi-topbar__appname { +    font-weight: 700; +} + +.kodi-topbar__tabs { +    display:
flex; +    gap: 10px; +    flex: 1; +    overflow-x: auto; +} + +.kodi-topbar__tabs a { +    color: var(--kodi-app-text, #cbd5f5); +    text-
decoration: none; +    padding: 6px 10px; +    border-radius: 999px; +    white-space: nowrap; +} + +.kodi-topbar__tabs a.active { +    background:
var(--kodi-app-primary, #2563eb); +    color: #fff; +} + +.kodi-topbar__menu { +    position: absolute; +    top: 48px; +    left: 16px; +
background: #111827; +    border: 1px solid rgba(148, 163, 184, 0.3); +    border-radius: 12px; +    padding: 8px; +    display: grid; +    gap:
6px; +} + +.kodi-topbar__menu button { +    background: transparent; +    color: #e2e8f0; +    border: none; +    padding: 6px 8px; +    text-align:
left; +} + +.kodi-topbar__menu button.active { +    background: #1f2937; +    border-radius: 8px; +} + +.kodi-topbar--light { +    box-shadow: 0 6px
18px rgba(15, 23, 42, 0.08); +} + +.kodi-topbar--light .kodi-topbar__menu { +    background: #ffffff; +    color: #0f172a; +} + +.kodi-topbar--light
.kodi-topbar__menu button { +    color: #0f172a; +} + +.kodi-topbar__logo { +    width: 28px; +    height: 28px; +    border-radius: 6px; +
object-fit: cover; +} + +.kodi-app-shell--top { +    grid-template-columns: 1fr; +} + +@media (max-width: 900px) { +    .kodi-app-shell { +
grid-template-columns: 1fr; +    } +    .kodi-app-shell__nav { +        position: sticky; +        top: 0; +    } +} diff --git
```

```
a/frontend/src/pages/kodi/KodiRuntimePage.jsx b/frontend/src/pages/kodi/KodiRuntimePage.jsx index 4e54835f..eecf7cd8 100644 ---
a/frontend/src/pages/kodi/KodiRuntimePage.jsx +++ b/frontend/src/pages/kodi/KodiRuntimePage.jsx @@ -36,7 +36,7 @@ const KodiRuntimePage = ()
=&amp;amp;amp;gt; {          load();      }, [pageId]);   -    const role = user?.role; +    const role = payload?.effectiveRole || user?.role;
const hasAccess = useMemo(() =&amp;amp;amp;gt; {          if (!role) return true;          const map = payload?.permissions || {}; diff --git
a/frontend/src/pages/kodi/KodiTimes.jsx b/frontend/src/pages/kodi/KodiTimes.jsx index 74eadbfc..16c2471d 100644 ---
a/frontend/src/pages/kodi/KodiTimes.jsx +++ b/frontend/src/pages/kodi/KodiTimes.jsx @@ -6,9 +6,9 @@ import {      activatePlatformPage,
createPlatformPage,      linkPlatformPage, -    listPlatformApps,      listPlatformPages  } from '../../services/kodiPageService'; +import {
listPortalApps } from '../../services/kodiPortalService';  import './KodiTimes.css';    const PAGE_TYPES = [ @@ -58,7 +58,7 @@ const KodiTimes = ()
=&amp;amp;amp;gt; {      const fetchApps = async () =&amp;amp;amp;gt; {          setLoadingApps(true);          try { -            const data = await
listPlatformApps(); +            const data = await listPortalApps();              setApps(data);          } catch (error) {
toast.error('Cannot load Kodi apps'); diff --git a/frontend/src/services/api.js b/frontend/src/services/api.js index d9996b41..51d0f281 100644 ---
a/frontend/src/services/api.js +++ b/frontend/src/services/api.js @@ -60,7 +60,11 @@ api.interceptors.response.use(            }
localStorage.removeItem('token');              sessionStorage.removeItem('token'); -            window.location.href = '/login'; +            if
(window.location.pathname.startsWith('/kodi')) { +                window.location.href = '/kodi-auth/sign-in'; +            } else { +
window.location.href = '/login'; +            }          }            return Promise.reject(error); diff --git
a/frontend/src/services/kodiPageService.js b/frontend/src/services/kodiPageService.js index c0e0525f..72438298 100644 ---
a/frontend/src/services/kodiPageService.js +++ b/frontend/src/services/kodiPageService.js @@ -55,8 +55,8 @@ export const listPagePermissions = async
(pageId) =&amp;amp;amp;gt;      unwrap((await api.get(`/kodi/platform/pages/${pageId}/permissions`)).data);  export const updatePagePermissions = async
(pageId, payload) =&amp;amp;amp;gt;      unwrap((await api.post(`/kodi/platform/pages/${pageId}/permissions`, payload)).data); -export const
fetchRuntimePage = async (pageId) =&amp;amp;amp;gt; -    unwrap((await api.get(`/kodi/platform/runtime/${pageId}`)).data); +export const
fetchRuntimePage = async (pageId, { appId } = {}) =&amp;amp;amp;gt; +    unwrap((await api.get(`/kodi/platform/runtime/${pageId}`, { params: appId ? {
appId } : {} })).data);  export const listAppUsers = async (appId) =&amp;amp;amp;gt;      unwrap((await
api.get(`/kodi/platform/apps/${appId}/users`)).data);  export const assignAppUser = async (appId, payload) =&amp;amp;amp;gt; diff --git a/reports/all-
changes-diff.html b/reports/all-changes-diff.html index a8ef8ed9..7b090699 100644 --- a/reports/all-changes-diff.html +++ b/reports/all-changes-
diff.html @@ -1 +1 @@ -&amp;amp;amp;lt;html&amp;amp;amp;gt;&amp;amp;amp;lt;head&amp;amp;amp;gt;&amp;amp;amp;lt;meta charset='utf-
8'&amp;amp;amp;gt;&amp;amp;amp;lt;title&amp;amp;amp;gt;Kodi changes diff&amp;amp;amp;lt;/title&amp;amp;amp;gt;&amp;amp;amp;lt;style&amp;amp;amp;gt;body{font-
family:Consolas,Menlo,monospace;background:#0b1020;color:#e2e8f0;padding:16px}pre{white-space:pre-
wrap;}&amp;amp;amp;lt;/style&amp;amp;amp;gt;&amp;amp;amp;lt;/head&amp;amp;amp;gt;&amp;amp;amp;lt;body&amp;amp;amp;gt;&amp;amp;amp;lt;h1&amp;amp;amp;gt;Kodi changes
diff&amp;amp;amp;lt;/h1&amp;amp;amp;gt;&amp;amp;amp;lt;pre&amp;amp;amp;gt;diff --git a/backend/src/modules/kodi/kodi.controller.js
b/backend/src/modules/kodi/kodi.controller.js index 116c331d..5d6c9ec4 100644 --- a/backend/src/modules/kodi/kodi.controller.js +++
b/backend/src/modules/kodi/kodi.controller.js @@ -66,7 +66,8 @@ const assignAppUserValidators = validate([
body(&amp;amp;amp;amp;#39;permissions&amp;amp;amp;amp;#39;).optional().isObject(),
body(&amp;amp;amp;amp;#39;permissions.canView&amp;amp;amp;amp;#39;).optional().isBoolean(),
body(&amp;amp;amp;amp;#39;permissions.canEdit&amp;amp;amp;amp;#39;).optional().isBoolean(), -
body(&amp;amp;amp;amp;#39;permissions.canUse&amp;amp;amp;amp;#39;).optional().isBoolean() +
body(&amp;amp;amp;amp;#39;permissions.canUse&amp;amp;amp;amp;#39;).optional().isBoolean(), +
body(&amp;amp;amp;amp;#39;roleKey&amp;amp;amp;amp;#39;).optional().isIn([&amp;amp;amp;amp;#39;admin&amp;amp;amp;amp;#39;,
&amp;amp;amp;amp;#39;employee&amp;amp;amp;amp;#39;, &amp;amp;amp;amp;#39;business_user&amp;amp;amp;amp;#39;, &amp;amp;amp;amp;#39;psychologist&amp;amp;amp;amp;#39;])  ]);
const assignPageUserValidators = validate([      param(&amp;amp;amp;amp;#39;id&amp;amp;amp;amp;#39;).custom(isUuidOrInt), @@ -178,7 +179,9 @@ const
runtimeLoader = async (req, res) =&amp;amp;amp;gt; {      try {          const payload = await runtime.buildRuntimePayload({              pageId:
req.params.pageId, -            role: req.user?.role +            role: req.user?.role, +            userId: req.user?.id, +            appId:
req.query?.appId          });          if (!payload) return res.status(404).json({ success: false, error: &amp;amp;amp;amp;#39;Page not
found&amp;amp;amp;amp;#39; });          return res.json({ success: true, data: payload }); @@ -201,6 +204,25 @@ const linkPageToApp = async (req, res)
=&amp;amp;amp;gt; {      }  };   +const linkAppPage = async (req, res) =&amp;amp;amp;gt; { +    try { +        const appId = req.params.id; +
const pageId = req.body.pageId; +        await service.linkPageToApp({ +            pageId, +            appId, +            navLabel:
req.body.navLabel, +            navOrder: req.body.navOrder, +            isDefault: req.body.isDefault, +            isVisible: req.body.isVisible
+        }); +        return res.json({ success: true }); +    } catch (error) { +
logControllerError(&amp;amp;amp;amp;#39;linkAppPage&amp;amp;amp;amp;#39;, error); +        return res.status(400).json({ success: false, error:
error.message || &amp;amp;amp;amp;#39;Failed to link page to app&amp;amp;amp;amp;#39; }); +    } +}; +  const listApps = async (req, res) =&amp;amp;amp;gt;
{      try {          const apps = await service.listApps(); @@ -211,6 +233,18 @@ const listApps = async (req, res) =&amp;amp;amp;gt; {      }  };
+const getApp = async (req, res) =&amp;amp;amp;gt; { +    try { +        const apps = await service.listApps(); +        const app =
apps.find((item) =&amp;amp;amp;gt; String(item.id) === String(req.params.id)); +        if (!app) return res.status(404).json({ success: false,
error: &amp;amp;amp;amp;#39;App not found&amp;amp;amp;amp;#39; }); +        return res.json({ success: true, data: app }); +    } catch (error) { +
logControllerError(&amp;amp;amp;amp;#39;getApp&amp;amp;amp;amp;#39;, error); +        return res.status(500).json({ success: false, error: error.message ||
&amp;amp;amp;amp;#39;Failed to load app&amp;amp;amp;amp;#39; }); +    } +}; +  const listAppUsers = async (req, res) =&amp;amp;amp;gt; {      try {
const users = await service.listAppUsers(req.params.id); @@ -252,6 +286,7 @@ const assignAppUser = async (req, res) =&amp;amp;amp;gt; {
appId: req.params.id,              email: req.body.email,              permissions: req.body.permissions || {}, +            roleKey:
req.body.roleKey,              assignedBy: req.user?.id          });          return res.json({ success: true, data: payload }); @@ -261,6 +296,55
@@ const assignAppUser = async (req, res) =&amp;amp;amp;gt; {      }  };   +const listAppPages = async (req, res) =&amp;amp;amp;gt; { +    try { +
const pages = await service.listAppPages(req.params.id); +        return res.json({ success: true, data: pages }); +    } catch (error) { +
logControllerError(&amp;amp;amp;amp;#39;listAppPages&amp;amp;amp;amp;#39;, error); +        return res.status(500).json({ success: false, error:
error.message || &amp;amp;amp;amp;#39;Failed to load app pages&amp;amp;amp;amp;#39; }); +    } +}; + +const updateAppPage = async (req, res)
=&amp;amp;amp;gt; { +    try { +        const mapping = await service.updateAppPageMapping({ +            mappingId: req.params.mappingId, +
appId: req.params.id, +            navLabel: req.body.navLabel, +            navOrder: req.body.navOrder, +            isDefault:
req.body.isDefault, +            isVisible: req.body.isVisible +        }); +        if (!mapping) return res.status(404).json({ success: false,
error: &amp;amp;amp;amp;#39;Mapping not found&amp;amp;amp;amp;#39; }); +        return res.json({ success: true, data: mapping }); +    } catch (error) { +
logControllerError(&amp;amp;amp;amp;#39;updateAppPage&amp;amp;amp;amp;#39;, error); +        return res.status(400).json({ success: false, error:
error.message || &amp;amp;amp;amp;#39;Failed to update app page&amp;amp;amp;amp;#39; }); +    } +}; + +const deleteAppPage = async (req, res)
=&amp;amp;amp;gt; { +    try { +        await service.removeAppPageMapping({ mappingId: req.params.mappingId }); +        return res.json({ success:
true }); +    } catch (error) { +        logControllerError(&amp;amp;amp;amp;#39;deleteAppPage&amp;amp;amp;amp;#39;, error); +        return
res.status(400).json({ success: false, error: error.message || &amp;amp;amp;amp;#39;Failed to remove page from app&amp;amp;amp;amp;#39; }); +    } +}; +
+const getAppNavigation = async (req, res) =&amp;amp;amp;gt; { +    try { +        const payload = await service.listAppNavigation(req.params.id); +
if (!payload) return res.status(404).json({ success: false, error: &amp;amp;amp;amp;#39;App not found&amp;amp;amp;amp;#39; }); +        return res.json({
success: true, data: payload }); +    } catch (error) { +        logControllerError(&amp;amp;amp;amp;#39;getAppNavigation&amp;amp;amp;amp;#39;, error); +
return res.status(500).json({ success: false, error: error.message || &amp;amp;amp;amp;#39;Failed to load app navigation&amp;amp;amp;amp;#39; }); +    } +};
+  const removeAppUser = async (req, res) =&amp;amp;amp;gt; {      try {          await service.removeAppUser({ appId: req.params.id, userId:
req.params.userId }); @@ -464,6 +548,34 @@ const updateApp = async (req, res) =&amp;amp;amp;gt; {      }  };   +const activateApp = async (req, res)
=&amp;amp;amp;gt; { +    try { +        const app = await service.updateApp({ +            appId: req.params.id, +            isActive: true +
}); +        if (!app) return res.status(404).json({ success: false, error: &amp;amp;amp;amp;#39;App not found&amp;amp;amp;amp;#39; }); +        return
res.json({ success: true, data: app }); +    } catch (error) { +        logControllerError(&amp;amp;amp;amp;#39;activateApp&amp;amp;amp;amp;#39;, error); +
return res.status(400).json({ success: false, error: error.message || &amp;amp;amp;amp;#39;Failed to activate app&amp;amp;amp;amp;#39; }); +    } +}; +
+const deactivateApp = async (req, res) =&amp;amp;amp;gt; { +    try { +        const app = await service.updateApp({ +            appId:
req.params.id, +            isActive: false +        }); +        if (!app) return res.status(404).json({ success: false, error:
&amp;amp;amp;amp;#39;App not found&amp;amp;amp;amp;#39; }); +        return res.json({ success: true, data: app }); +    } catch (error) { +
logControllerError(&amp;amp;amp;amp;#39;deactivateApp&amp;amp;amp;amp;#39;, error); +        return res.status(400).json({ success: false, error:
error.message || &amp;amp;amp;amp;#39;Failed to deactivate app&amp;amp;amp;amp;#39; }); +    } +}; +  const getPagePermissions = async (req, res)
=&amp;amp;amp;gt; {      try {          const pageId = req.params.id; @@ -509,14 +621,22 @@ module.exports = {      activatePage,
runtimeLoader,      linkPageToApp, +    linkAppPage,      listApps, +    getApp,      createApp,      updateApp, +    activateApp, +
deactivateApp,      pagePermissionValidators,      getPagePermissions,      updatePagePermissions,      listAppUsers,      assignAppUser, +
listAppPages, +    updateAppPage, +    deleteAppPage, +    getAppNavigation,      removeAppUser,      listPageUsers,      assignPageUser, diff --git
a/backend/src/modules/kodi/kodi.permissions.js b/backend/src/modules/kodi/kodi.permissions.js index 7baadab0..244268a8 100644 ---
a/backend/src/modules/kodi/kodi.permissions.js +++ b/backend/src/modules/kodi/kodi.permissions.js @@ -10,12 +10,22 @@ const formatPermissions =
(rows) =&amp;amp;amp;gt; {      return map;  };   +const normalizeRole = (value) =&amp;amp;amp;gt; String(value ||
&amp;amp;amp;amp;#39;&amp;amp;amp;amp;#39;).toLowerCase().trim(); +const ADMIN_ALIASES = new Set([&amp;amp;amp;amp;#39;admin&amp;amp;amp;amp;#39;,
&amp;amp;amp;amp;#39;super_admin&amp;amp;amp;amp;#39;, &amp;amp;amp;amp;#39;superadmin&amp;amp;amp;amp;#39;, &amp;amp;amp;amp;#39;system_admin&amp;amp;amp;amp;#39;,
&amp;amp;amp;amp;#39;hr_admin&amp;amp;amp;amp;#39;]); + +const resolveRole = (role) =&amp;amp;amp;gt; { +    const normalized = normalizeRole(role); +    if
(ADMIN_ALIASES.has(normalized)) return &amp;amp;amp;amp;#39;admin&amp;amp;amp;amp;#39;; +    return normalized; +}; +  const userHasViewAccess =
(permissionMap, role) =&amp;amp;amp;gt; { +    const resolvedRole = resolveRole(role);      if (!permissionMap || Object.keys(permissionMap).length
```

```
=== 0) { -        return role === &amp;amp;amp;#39;admin&amp;amp;amp;#39;; +        return resolvedRole === &amp;amp;amp;#39;admin&amp;amp;amp;#39;;
} -    if (!role) return false; -    const entry = permissionMap[role]; +    if (!resolvedRole) return false; +    const entry =
permissionMap[resolvedRole];      return Boolean(entry?.can_view);  };   diff --git a/backend/src/modules/kodi/kodi.runtime.js
b/backend/src/modules/kodi/kodi.runtime.js index 64a6220f..050a327f 100644 --- a/backend/src/modules/kodi/kodi.runtime.js +++
b/backend/src/modules/kodi/kodi.runtime.js @@ -1,7 +1,12 @@  const service = require(&amp;amp;amp;#39;./kodi.service&amp;amp;amp;#39;);  const perms
= require(&amp;amp;amp;#39;./kodi.permissions&amp;amp;amp;#39;);   -const buildRuntimePayload = async ({ pageId, role }) =&amp;amp;amp;gt; { +const
normalizeRole = (value) =&amp;amp;amp;gt; String(value || &amp;amp;amp;#39;&amp;amp;amp;#39;).toLowerCase().trim(); +const ADMIN_ALIASES = new
Set([&amp;amp;amp;#39;admin&amp;amp;amp;#39;, &amp;amp;amp;#39;super_admin&amp;amp;amp;#39;, &amp;amp;amp;#39;superadmin&amp;amp;amp;#39;,
&amp;amp;amp;#39;system_admin&amp;amp;amp;#39;, &amp;amp;amp;#39;hr_admin&amp;amp;amp;#39;]); + +const isAdminRole = (role) =&amp;amp;amp;gt;
ADMIN_ALIASES.has(normalizeRole(role)); + +const buildRuntimePayload = async ({ pageId, role, userId, appId }) =&amp;amp;amp;gt; {      const page =
await service.getPageById(pageId);      if (!page) {          return null; @@ -11,7 +16,23 @@ const buildRuntimePayload = async ({ pageId, role })
=&amp;amp;amp;gt; {      const permissionMap = perms.formatPermissions(permissionRows);      const componentRegistry = await
service.listComponentRegistry();      const objects = await service.listObjects(); -    const app = page.linked_app_id ? await
service.getAppById(page.linked_app_id) : null; +    const appContextId = appId || page.linked_app_id; +    const app = appContextId ? await
service.getAppById(appContextId) : null; + +    if (appId) { +        const linkedPages = await service.listAppPages(appId); +        const isLinked
= linkedPages.some((row) =&amp;amp;amp;gt; String(row.page_id) === String(pageId)); +        if (!isLinked) { +            throw new
Error(&amp;amp;amp;#39;Access denied&amp;amp;amp;#39;); +        } +        if (!isAdminRole(role)) { +            const appUsers = await
service.listAppUsers(appId); +            const isMember = appUsers.some((row) =&amp;amp;amp;gt; String(row.user_id) === String(userId)); +
if (!isMember) { +                throw new Error(&amp;amp;amp;#39;Access denied&amp;amp;amp;#39;); +            } +        } +    }        const
hasView = perms.userHasViewAccess(permissionMap, role);      if (!hasView) { diff --git a/backend/src/modules/kodi/kodi.service.js
b/backend/src/modules/kodi/kodi.service.js index 9de7f257..8facb7d7 100644 --- a/backend/src/modules/kodi/kodi.service.js +++
b/backend/src/modules/kodi/kodi.service.js @@ -212,13 +212,49 @@ const activatePage = async ({ pageId }) =&amp;amp;amp;gt; {      }  };   -const
linkPageToApp = async ({ pageId, appId }) =&amp;amp;amp;gt; { +const getNextNavOrder = async (appId) =&amp;amp;amp;gt; { +    const result = await
database.query( +        `SELECT COALESCE(MAX(nav_order), 0) AS max_order +        FROM app_page_mapping +        WHERE app_id = $1`, +
[appId] +    ); +    return Number(result.rows[0]?.max_order || 0) + 1; +}; + +const linkPageToApp = async ({ pageId, appId, navLabel, navOrder,
isDefault, isVisible }) =&amp;amp;amp;gt; {      try { +        const page = await getPageById(pageId); +        if (!page) throw new
Error(&amp;amp;amp;#39;Page not found&amp;amp;amp;#39;); +        if (page.status !== &amp;amp;amp;#39;activated&amp;amp;amp;#39;) { +
throw new Error(&amp;amp;amp;#39;Only activated pages can be linked to apps&amp;amp;amp;#39;); +        } +        const app = await
getAppById(appId); +        if (!app) throw new Error(&amp;amp;amp;#39;App not found&amp;amp;amp;#39;); + +        const nextOrder = navOrder ??
await getNextNavOrder(appId); +        const label = navLabel || page.label; +        const visible = isVisible === undefined ? true :
Boolean(isVisible); +        const defaultFlag = Boolean(isDefault); + +        await database.query(&amp;amp;amp;#39;BEGIN&amp;amp;amp;#39;); +
if (defaultFlag) { +            await database.query( +                `UPDATE app_page_mapping +                SET is_default = false +
WHERE app_id = $1`, +                [appId] +            ); +        }        await database.query( -            `INSERT INTO app_page_mapping
(app_id, page_id) -            VALUES ($1, $2) -            ON CONFLICT (app_id, page_id) DO NOTHING`, -            [appId, pageId] +
`INSERT INTO app_page_mapping (app_id, page_id, nav_label, nav_order, is_default, is_visible) +            VALUES ($1, $2, $3, $4, $5, $6) +
ON CONFLICT (app_id, page_id) DO UPDATE +                SET nav_label = EXCLUDED.nav_label, +                nav_order = EXCLUDED.nav_order,
+                is_default = EXCLUDED.is_default, +                is_visible = EXCLUDED.is_visible`, +            [appId, pageId, label,
nextOrder, defaultFlag, visible]          );          await database.query(          `UPDATE kodi_pages @@ -226,7 +262,9 @@ const linkPageToApp
= async ({ pageId, appId }) =&amp;amp;amp;gt; {              WHERE id = $1 AND (linked_app_id IS NULL OR linked_app_id
&amp;amp;amp;lt;&amp;amp;amp;gt; $2)`,          [pageId, appId]          ); +        await
database.query(&amp;amp;amp;#39;COMMIT&amp;amp;amp;#39;);      } catch (error) { +        await
database.query(&amp;amp;amp;#39;ROLLBACK&amp;amp;amp;#39;).catch(() =&amp;amp;amp;gt; null);
logServiceError(&amp;amp;amp;#39;linkPageToApp&amp;amp;amp;#39;, error, { pageId, appId });          throw error;      } @@ -256,18 +294,18 @@ const
getAppById = async (appId) =&amp;amp;amp;gt; {    const getAppPrimaryPage = async (appId) =&amp;amp;amp;gt; {      const result = await
database.query( -        `SELECT p.id, p.label, p.page_type, p.status +        `SELECT p.id, p.label, p.page_type, p.status, m.is_default
FROM kodi_pages p            JOIN app_page_mapping m ON p.id = m.page_id            WHERE m.app_id = $1 AND p.status =
&amp;amp;amp;#39;activated&amp;amp;amp;#39; -            ORDER BY p.activated_at DESC NULLS LAST +            ORDER BY m.is_default DESC, m.nav_order ASC
NULLS LAST, p.activated_at DESC NULLS LAST            LIMIT 1`,          [appId]      );      return result.rows[0] || null;  };   -const
assignUserToApp = async ({ appId, email, permissions = {}, assignedBy }) =&amp;amp;amp;gt; { +const assignUserToApp = async ({ appId, email,
permissions = {}, roleKey, assignedBy }) =&amp;amp;amp;gt; {      const app = await getAppById(appId);      if (!app) {          throw new
Error(&amp;amp;amp;#39;App not found&amp;amp;amp;#39;); @@ -277,14 +315,15 @@ const assignUserToApp = async ({ appId, email, permissions = {},
assignedBy }) =          throw new Error(&amp;amp;amp;#39;User not found&amp;amp;amp;#39;);          }      const assignment = await database.query( -
`INSERT INTO kodi_app_users (app_id, user_id, permissions, assigned_by) -            VALUES ($1, $2, $3::jsonb, $4) +        `INSERT INTO
kodi_app_users (app_id, user_id, permissions, role_key, assigned_by) +            VALUES ($1, $2, $3::jsonb, $4, $5)          ON CONFLICT (app_id,
user_id) DO UPDATE                SET permissions = EXCLUDED.permissions, +                role_key = COALESCE(EXCLUDED.role_key,
kodi_app_users.role_key),                updated_at = CURRENT_TIMESTAMP,                assigned_by = COALESCE(EXCLUDED.assigned_by,
kodi_app_users.assigned_by)            RETURNING *`, -        [appId, user.id, permissions, assignedBy || null] +        [appId, user.id,
permissions, roleKey || null, assignedBy || null]      );      const page = await getAppPrimaryPage(appId);      const baseUrl =
process.env.FRONTEND_URL || process.env.SITE_URL || &amp;amp;amp;#39;https://welphub.onrender.com&amp;amp;amp;#39;; @@ -347,6 +386,103 @@ const
listAppUsers = async (appId) =&amp;amp;amp;gt; {      return result.rows;  };   +const listAppPages = async (appId) =&amp;amp;amp;gt; { +    const
result = await database.query( +        `SELECT m.id AS mapping_id, +                m.app_id, +                m.page_id, +
m.nav_label, +                m.nav_order, +                m.is_default, +                m.is_visible, +                p.label, +
p.page_type, +                p.status, +                p.activated_at +        FROM app_page_mapping m +        JOIN kodi_pages p ON p.id =
m.page_id +        WHERE m.app_id = $1 +        ORDER BY m.nav_order ASC NULLS LAST, p.label`, +        [appId] +    ); +    return result.rows;
+}; + +const updateAppPageMapping = async ({ mappingId, appId, navLabel, navOrder, isDefault, isVisible }) =&amp;amp;amp;gt; { +    const updates =
[]; +    const values = []; +    let idx = 1; +    if (navLabel !== undefined) { +        updates.push(`nav_label = $${idx++}`); +
values.push(navLabel); +    } +    if (navOrder !== undefined) { +        updates.push(`nav_order = $${idx++}`); +        values.push(navOrder); +
} +    if (isVisible !== undefined) { +        updates.push(`is_visible = $${idx++}`); +        values.push(Boolean(isVisible)); +    } +    if
(isDefault !== undefined) { +        updates.push(`is_default = $${idx++}`); +        values.push(Boolean(isDefault)); +    } +    if
(!updates.length) return null; +    values.push(mappingId); + +    await database.query(&amp;amp;amp;#39;BEGIN&amp;amp;amp;#39;); +    try { +
if (isDefault) { +            await database.query( +                `UPDATE app_page_mapping +                SET is_default = false +
WHERE app_id = $1`, +                [appId] +            ); +        } +        const result = await database.query( +            `UPDATE
app_page_mapping +            SET ${updates.join(&amp;amp;amp;#39;, &amp;amp;amp;#39;)} +            WHERE id = $${idx} +            RETURNING
*`, +            values +        ); +        await database.query(&amp;amp;amp;#39;COMMIT&amp;amp;amp;#39;); +        return result.rows[0] || null;
+    } catch (error) { +        await database.query(&amp;amp;amp;#39;ROLLBACK&amp;amp;amp;#39;).catch(() =&amp;amp;amp;gt; null); +        throw
error; +    } +}; + +const removeAppPageMapping = async ({ mappingId }) =&amp;amp;amp;gt; { +    await database.query( +        `DELETE FROM
app_page_mapping +        WHERE id = $1`, +        [mappingId] +    ); +}; + +const listAppNavigation = async (appId) =&amp;amp;amp;gt; { +
const app = await getAppById(appId); +    if (!app) return null; +    const pages = await listAppPages(appId); +    const navigation = pages +
.filter((page) =&amp;amp;amp;gt; page.is_visible) +        .map((page) =&amp;amp;amp;gt; ({ +            pageId: page.page_id, +            label:
page.nav_label || page.label, +            type: page.page_type, +            isDefault: Boolean(page.is_default), +            order:
page.nav_order +        })); +    return { +        app: { id: app.id, label: app.name, status: app.is_active ?
&amp;amp;amp;#39;active&amp;amp;amp;#39; : &amp;amp;amp;#39;inactive&amp;amp;amp;#39; }, +        navigation +    }; +}; +  const assignUserToPage =
async ({ pageId, email, permissions = {}, assignedBy }) =&amp;amp;amp;gt; {      const page = await getPageById(pageId);      if (!page) { @@ -524,7
+660,12 @@ const listApps = async () =&amp;amp;amp;gt; {                  &amp;amp;amp;#39;label&amp;amp;amp;#39;, p.label,
&amp;amp;amp;#39;page_type&amp;amp;amp;#39;, p.page_type,                  &amp;amp;amp;#39;status&amp;amp;amp;#39;, p.status, -
&amp;amp;amp;#39;activated_at&amp;amp;amp;#39;, p.activated_at +                  &amp;amp;amp;#39;activated_at&amp;amp;amp;#39;,
p.activated_at, +                  &amp;amp;amp;#39;nav_label&amp;amp;amp;#39;, m.nav_label, +
&amp;amp;amp;#39;nav_order&amp;amp;amp;#39;, m.nav_order, +                  &amp;amp;amp;#39;is_default&amp;amp;amp;#39;, m.is_default, +
&amp;amp;amp;#39;is_visible&amp;amp;amp;#39;, m.is_visible, +                  &amp;amp;amp;#39;mapping_id&amp;amp;amp;#39;, m.id
) ORDER BY p.created_at DESC) AS linked_pages              FROM app_page_mapping m              JOIN kodi_pages p ON p.id = m.page_id @@ -537,6
+678,7 @@ const listApps = async () =&amp;amp;amp;gt; {                  &amp;amp;amp;#39;email&amp;amp;amp;#39;, u.email,
&amp;amp;amp;#39;display_name&amp;amp;amp;#39;, u.display_name,                  &amp;amp;amp;#39;role&amp;amp;amp;#39;, u.role, +
&amp;amp;amp;#39;role_key&amp;amp;amp;#39;, au.role_key,                  &amp;amp;amp;#39;permissions&amp;amp;amp;#39;, au.permissions,
&amp;amp;amp;#39;assigned_at&amp;amp;amp;#39;, au.created_at                  ) ORDER BY au.created_at DESC) AS assigned_users @@ -773,6 +915,10
@@ module.exports = {      updateApp,      assignUserToApp,      listAppUsers, +    listAppPages, +    updateAppPageMapping, +
removeAppPageMapping, +    listAppNavigation,      assignUserToPage,      listPageUsers,      createLead, diff --git
a/backend/src/routes/kodiRoutes.js b/backend/src/routes/kodiRoutes.js index af643251..e291f776 100644 --- a/backend/src/routes/kodiRoutes.js +++
b/backend/src/routes/kodiRoutes.js @@ -170,11 +170,41 @@ router.post(  );  router.get(&amp;amp;amp;#39;/platform/apps/:id/users&amp;amp;amp;#39;,
```

```
authenticate, authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.listAppUsers);
router.post(&amp;amp;amp;#39;/platform/apps/:id/users&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.assignAppUserValidators,
kodiPlatform.assignAppUser); +router.get(&amp;amp;amp;#39;/platform/apps/:id/pages&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.listAppPages); +router.patch(&amp;amp;amp;#39;/platform/apps/:id/pages/:mappingId&amp;amp;amp;#39;,
authenticate, authorizeAdmin(), validate([ +    param(&amp;amp;amp;#39;id&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { +        if (val ===
undefined || val === null) return false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-
[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +    }), +
param(&amp;amp;amp;#39;mappingId&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { +        if (val === undefined || val === null) return false; +
const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return
uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.updateAppPage);
+router.delete(&amp;amp;amp;#39;/platform/apps/:id/pages/:mappingId&amp;amp;amp;#39;, authenticate, authorizeAdmin(), validate([ +
param(&amp;amp;amp;#39;id&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { +        if (val === undefined || val === null) return false; +
const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return
uuidRegex.test(str) || /^\d+$/.test(str); +    }), +    param(&amp;amp;amp;#39;mappingId&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { +
if (val === undefined || val === null) return false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-
9a-f]{3}-[89ab][0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.deleteAppPage);
router.get(&amp;amp;amp;#39;/platform/pages/:id/users&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.pageIdValidator,
kodiPlatform.listPageUsers);  router.post(&amp;amp;amp;#39;/platform/pages/:id/users&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.assignPageUserValidators, kodiPlatform.assignPageUser);  router.post(&amp;amp;amp;#39;/platform/apps&amp;amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.createAppValidators, kodiPlatform.createApp);  router.put(&amp;amp;amp;#39;/platform/apps/:id&amp;amp;amp;#39;,
authenticate, authorizeAdmin(), kodiPlatform.updateAppValidators, kodiPlatform.updateApp);
router.get(&amp;amp;amp;#39;/platform/runtime/:pageId&amp;amp;amp;#39;, authenticate, kodiPlatform.getRuntimeValidator, kodiPlatform.runtimeLoader);
+router.get(&amp;amp;amp;#39;/platform/apps/:id/navigation&amp;amp;amp;#39;, authenticate, kodiPlatform.appIdValidator,
kodiPlatform.getAppNavigation);  router.get(&amp;amp;amp;#39;/platform/apps&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.listApps);  router.get(&amp;amp;amp;#39;/platform/objects&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.listObjects);
router.get(&amp;amp;amp;#39;/platform/components&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.listComponentRegistry); @@ -198,4
+228,51 @@ router.get(&amp;amp;amp;#39;/platform/leads/:id/opportunities&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
router.get(&amp;amp;amp;#39;/platform/pages/:id/permissions&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.pageIdValidator,
kodiPlatform.getPagePermissions);  router.post(&amp;amp;amp;#39;/platform/pages/:id/permissions&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.pagePermissionValidators, kodiPlatform.updatePagePermissions);   +// Kodi Portal aliases (admin console)
+router.get(&amp;amp;amp;#39;/portal/apps&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.listApps);
+router.post(&amp;amp;amp;#39;/portal/apps&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.createAppValidators,
kodiPlatform.createApp); +router.get(&amp;amp;amp;#39;/portal/apps/:id&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.getApp); +router.patch(&amp;amp;amp;#39;/portal/apps/:id&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.updateAppValidators, kodiPlatform.updateApp); +router.post(&amp;amp;amp;#39;/portal/apps/:id/activate&amp;amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.activateApp);
+router.post(&amp;amp;amp;#39;/portal/apps/:id/deactivate&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.deactivateApp); +router.get(&amp;amp;amp;#39;/portal/apps/:id/users&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.listAppUsers); +router.post(&amp;amp;amp;#39;/portal/apps/:id/users&amp;amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.assignAppUserValidators, kodiPlatform.assignAppUser);
+router.delete(&amp;amp;amp;#39;/portal/apps/:id/users/:userId&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.removeAppUser);
+router.get(&amp;amp;amp;#39;/portal/apps/:id/pages&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.listAppPages); +router.post(&amp;amp;amp;#39;/portal/apps/:id/pages&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
validate([body(&amp;amp;amp;#39;pageId&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { +    if (val === undefined || val === null) return false;
+    const str = String(val); +    const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +    return
uuidRegex.test(str) || /^\d+$/.test(str); +})]), kodiPlatform.linkAppPage);
+router.patch(&amp;amp;amp;#39;/portal/apps/:id/pages/:mappingId&amp;amp;amp;#39;, authenticate, authorizeAdmin(), validate([ +
param(&amp;amp;amp;#39;id&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { +        if (val === undefined || val === null) return false; +
const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return
uuidRegex.test(str) || /^\d+$/.test(str); +    }), +    param(&amp;amp;amp;#39;mappingId&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { +
if (val === undefined || val === null) return false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-
9a-f]{3}-[89ab][0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.updateAppPage);
+router.delete(&amp;amp;amp;#39;/portal/apps/:id/pages/:mappingId&amp;amp;amp;#39;, authenticate, authorizeAdmin(), validate([ +
param(&amp;amp;amp;#39;id&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { +        if (val === undefined || val === null) return false; +
const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; +        return
uuidRegex.test(str) || /^\d+$/.test(str); +    }), +    param(&amp;amp;amp;#39;mappingId&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { +
if (val === undefined || val === null) return false; +        const str = String(val); +        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-
9a-f]{3}-[89ab][0-9a-f]{12}$/i; +        return uuidRegex.test(str) || /^\d+$/.test(str); +    }) +]), kodiPlatform.deleteAppPage);
+router.get(&amp;amp;amp;#39;/portal/apps/:id/navigation&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.getAppNavigation); +  module.exports = router; diff --git a/backend/src/utils/database.js b/backend/src/utils/database.js index
1775564a..809d61a2 100644 --- a/backend/src/utils/database.js +++ b/backend/src/utils/database.js @@ -634,6 +634,11 @@ const createTables = async ()
=&amp;amp;amp;gt; {                  id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),                  app_id UUID REFERENCES kodi_apps(id) ON DELETE
CASCADE,                  page_id UUID REFERENCES kodi_pages(id) ON DELETE CASCADE, +                  nav_label VARCHAR(255), +
nav_order INTEGER DEFAULT 0, +                  is_default BOOLEAN DEFAULT false, +                  is_visible BOOLEAN DEFAULT true, +
created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,                  UNIQUE (app_id, page_id)              );   @@ -691,6 +696,7 @@ const createTables =
async () =&amp;amp;amp;gt; {                  app_id UUID NOT NULL REFERENCES kodi_apps(id) ON DELETE CASCADE,                  user_id UUID NOT
NULL REFERENCES users(id) ON DELETE CASCADE,                  permissions JSONB DEFAULT &amp;amp;amp;#39;{}&amp;amp;amp;#39;::jsonb, +
role_key VARCHAR(50),                  assigned_by UUID REFERENCES users(id) ON DELETE SET NULL,                  created_at TIMESTAMP DEFAULT
CURRENT_TIMESTAMP,                  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP, @@ -1087,6 +1093,7 @@ const createTables = async ()
=&amp;amp;amp;gt; {              CREATE INDEX IF NOT EXISTS idx_kodi_pages_status                  ON kodi_pages(status);              CREATE INDEX IF
NOT EXISTS idx_kodi_pages_app                  ON kodi_pages(linked_app_id);              CREATE INDEX IF NOT EXISTS idx_app_page_mapping_app
ON app_page_mapping(app_id); +              CREATE INDEX IF NOT EXISTS idx_app_page_mapping_page              ON app_page_mapping(page_id);
CREATE INDEX IF NOT EXISTS idx_kodi_app_users_app                  ON kodi_app_users(app_id);              CREATE INDEX IF NOT EXISTS
idx_kodi_audit_entity                  ON kodi_audit_logs(entity_type, entity_id);          `; @@ -1408,6 +1415,12 @@ const runMigrations = async ()
=&amp;amp;amp;gt; {              &amp;amp;amp;quot;ALTER TABLE leads ADD COLUMN IF NOT EXISTS source VARCHAR(120);&amp;amp;amp;quot;,
&amp;amp;amp;quot;ALTER TABLE opportunities ADD COLUMN IF NOT EXISTS owner VARCHAR(120);&amp;amp;amp;quot;,              &amp;amp;amp;quot;ALTER
TABLE opportunities ADD COLUMN IF NOT EXISTS value NUMERIC;&amp;amp;amp;quot;, +              &amp;amp;amp;quot;ALTER TABLE app_page_mapping ADD
COLUMN IF NOT EXISTS nav_label VARCHAR(255);&amp;amp;amp;quot;, +              &amp;amp;amp;quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS
nav_order INTEGER DEFAULT 0;&amp;amp;amp;quot;, +              &amp;amp;amp;quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_default
BOOLEAN DEFAULT false;&amp;amp;amp;quot;, +              &amp;amp;amp;quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_visible BOOLEAN
DEFAULT true;&amp;amp;amp;quot;, +              &amp;amp;amp;quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS created_at TIMESTAMP DEFAULT
CURRENT_TIMESTAMP;&amp;amp;amp;quot;, +              &amp;amp;amp;quot;ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS role_key
VARCHAR(50);&amp;amp;amp;quot;,              &amp;amp;amp;quot;ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS ip_address
VARCHAR(64);&amp;amp;amp;quot;,              &amp;amp;amp;quot;ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS user_agent TEXT;&amp;amp;amp;quot;,
&amp;amp;amp;quot;ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS created_at TIMESTAMPTZ DEFAULT CURRENT_TIMESTAMP;&amp;amp;amp;quot;, diff --git
a/frontend/src/components/kodi/BuilderCanvas.jsx b/frontend/src/components/kodi/BuilderCanvas.jsx index 0d413de4..0398f392 100644 ---
a/frontend/src/components/kodi/BuilderCanvas.jsx +++ b/frontend/src/components/kodi/BuilderCanvas.jsx @@ -5,12 +5,162 @@ const GRID_COLUMNS = 12;
const clamp = (value, min, max) =&amp;amp;amp;gt; Math.min(Math.max(value, min), max);   +const SAMPLE_PREVIEWS = { +    RecordDetails: { +
title: &amp;amp;amp;#39;Record Details&amp;amp;amp;#39;, +        fields: [ +            { label: &amp;amp;amp;#39;Name&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;Ava Thompson&amp;amp;amp;#39; }, +            { label: &amp;amp;amp;#39;Email&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;ava@kodi.app&amp;amp;amp;#39; }, +            { label: &amp;amp;amp;#39;Status&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;Active&amp;amp;amp;#39; }, +            { label: &amp;amp;amp;#39;Last Touch&amp;amp;amp;#39;, value: &amp;amp;amp;#39;2 hours
ago&amp;amp;amp;#39; } +        ] +    }, +    RelatedList: { +        title: &amp;amp;amp;#39;Related List&amp;amp;amp;#39;, +        headers:
[&amp;amp;amp;#39;Type&amp;amp;amp;#39;, &amp;amp;amp;#39;Status&amp;amp;amp;#39;, &amp;amp;amp;#39;Owner&amp;amp;amp;#39;], +        rows: [ +
[&amp;amp;amp;#39;Case&amp;amp;amp;#39;, &amp;amp;amp;#39;Open&amp;amp;amp;#39;, &amp;amp;amp;#39;J. Rivers&amp;amp;amp;#39;], +
[&amp;amp;amp;#39;Task&amp;amp;amp;#39;, &amp;amp;amp;#39;In Progress&amp;amp;amp;#39;, &amp;amp;amp;#39;T. Patel&amp;amp;amp;#39;], +
[&amp;amp;amp;#39;Note&amp;amp;amp;#39;, &amp;amp;amp;#39;Logged&amp;amp;amp;#39;, &amp;amp;amp;#39;System&amp;amp;amp;#39;] +        ] +    }, +
ActivityTimeline: { +        title: &amp;amp;amp;#39;Activity Timeline&amp;amp;amp;#39;, +        items: [&amp;amp;amp;#39;Email sent -
```

```
10m&amp;amp;amp;#39;, &amp;amp;amp;#39;Call scheduled - 1h&amp;amp;amp;#39;, &amp;amp;amp;#39;Lead converted - 1d&amp;amp;amp;#39;] +    }, +
HighlightsPanel: { +        title: &amp;amp;amp;#39;Highlights Panel&amp;amp;amp;#39;, +        pills: [&amp;amp;amp;#39;Open Cases:
4&amp;amp;amp;#39;, &amp;amp;amp;#39;ARR: $48k&amp;amp;amp;#39;, &amp;amp;amp;#39;Health: Good&amp;amp;amp;#39;] +    }, +    DataTable: { +
title: &amp;amp;amp;#39;Data Table&amp;amp;amp;#39;, +        headers: [&amp;amp;amp;#39;Account&amp;amp;amp;#39;,
&amp;amp;amp;#39;Stage&amp;amp;amp;#39;, &amp;amp;amp;#39;Value&amp;amp;amp;#39;], +        rows: [ +
[&amp;amp;amp;#39;BlueNova&amp;amp;amp;#39;, &amp;amp;amp;#39;Proposal&amp;amp;amp;#39;, &amp;amp;amp;#39;$12k&amp;amp;amp;#39;], +
[&amp;amp;amp;#39;Futura&amp;amp;amp;#39;, &amp;amp;amp;#39;Qualified&amp;amp;amp;#39;, &amp;amp;amp;#39;$7k&amp;amp;amp;#39;], +
[&amp;amp;amp;#39;Nimbus&amp;amp;amp;#39;, &amp;amp;amp;#39;Discovery&amp;amp;amp;#39;, &amp;amp;amp;#39;$4k&amp;amp;amp;#39;] +        ] +    }, +
CardList: { +        title: &amp;amp;amp;#39;Card List&amp;amp;amp;#39;, +        cards: [ +            { title: &amp;amp;amp;#39;Psychologist
Onboard&amp;amp;amp;#39;, meta: &amp;amp;amp;#39;Due in 2 days&amp;amp;amp;#39; }, +            { title: &amp;amp;amp;#39;Business
Review&amp;amp;amp;#39;, meta: &amp;amp;amp;#39;Priority: High&amp;amp;amp;#39; } +        ] +    }, +    KeyValueFields: { +        title:
&amp;amp;amp;#39;Key Value Fields&amp;amp;amp;#39;, +        fields: [ +            { label: &amp;amp;amp;#39;Industry&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;Healthcare&amp;amp;amp;#39; }, +            { label: &amp;amp;amp;#39;Seats&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;128&amp;amp;amp;#39; }, +            { label: &amp;amp;amp;#39;Tier&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;Enterprise&amp;amp;amp;#39; } +        ] +    }, +    ContactProfile: { +        title: &amp;amp;amp;#39;Contact
Profile&amp;amp;amp;#39;, +        subtitle: &amp;amp;amp;#39;Primary decision maker&amp;amp;amp;#39;, +        fields: [ +            { label:
&amp;amp;amp;#39;Name&amp;amp;amp;#39;, value: &amp;amp;amp;#39;Luis Chen&amp;amp;amp;#39; }, +            { label:
&amp;amp;amp;#39;Role&amp;amp;amp;#39;, value: &amp;amp;amp;#39;HR Director&amp;amp;amp;#39; }, +            { label:
&amp;amp;amp;#39;Phone&amp;amp;amp;#39;, value: &amp;amp;amp;#39;+1 (555) 221-8844&amp;amp;amp;#39; } +        ] +    }, +    SubscriptionOverview:
{ +        title: &amp;amp;amp;#39;Subscription Overview&amp;amp;amp;#39;, +        pills: [&amp;amp;amp;#39;Plan: Growth&amp;amp;amp;#39;,
&amp;amp;amp;#39;Renewal: Jul 14&amp;amp;amp;#39;, &amp;amp;amp;#39;Status: Active&amp;amp;amp;#39;] +    }, +    EmployeePanel: { +        title:
&amp;amp;amp;#39;Employee Panel&amp;amp;amp;#39;, +        fields: [ +            { label: &amp;amp;amp;#39;Employee&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;Sofia Ramos&amp;amp;amp;#39; }, +            { label: &amp;amp;amp;#39;Role&amp;amp;amp;#39;, value: &amp;amp;amp;#39;People
Ops&amp;amp;amp;#39; }, +            { label: &amp;amp;amp;#39;Status&amp;amp;amp;#39;, value: &amp;amp;amp;#39;Onboarding&amp;amp;amp;#39; } +
] +    }, +    PsychologistProfile: { +        title: &amp;amp;amp;#39;Psychologist Profile&amp;amp;amp;#39;, +        fields: [ +            {
label: &amp;amp;amp;#39;Specialty&amp;amp;amp;#39;, value: &amp;amp;amp;#39;Trauma&amp;amp;amp;#39; }, +            { label:
&amp;amp;amp;#39;Availability&amp;amp;amp;#39;, value: &amp;amp;amp;#39;Tue - Thu&amp;amp;amp;#39; }, +            { label:
&amp;amp;amp;#39;Rating&amp;amp;amp;#39;, value: &amp;amp;amp;#39;4.9&amp;amp;amp;#39; } +        ] +    }, +    BusinessInfoPanel: { +
title: &amp;amp;amp;#39;Business Info&amp;amp;amp;#39;, +        fields: [ +            { label: &amp;amp;amp;#39;Industry&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;Fintech&amp;amp;amp;#39; }, +            { label: &amp;amp;amp;#39;Region&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;EMEA&amp;amp;amp;#39; }, +            { label: &amp;amp;amp;#39;Tier&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;Premium&amp;amp;amp;#39; } +        ] +    }, +    AccountSummary: { +        title: &amp;amp;amp;#39;Account
Summary&amp;amp;amp;#39;, +        pills: [&amp;amp;amp;#39;NPS 52&amp;amp;amp;#39;, &amp;amp;amp;#39;Usage up 18%&amp;amp;amp;#39;,
&amp;amp;amp;#39;Churn risk: Low&amp;amp;amp;#39;] +    }, +    ApplicationStatusPanel: { +        title: &amp;amp;amp;#39;Application
Status&amp;amp;amp;#39;, +        steps: [&amp;amp;amp;#39;Lead&amp;amp;amp;#39;, &amp;amp;amp;#39;Qualified&amp;amp;amp;#39;,
&amp;amp;amp;#39;Under Review&amp;amp;amp;#39;, &amp;amp;amp;#39;Approved&amp;amp;amp;#39;] +    }, +    LeadSummary: { +        title:
&amp;amp;amp;#39;Lead Summary&amp;amp;amp;#39;, +        fields: [ +            { label: &amp;amp;amp;#39;Score&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;82&amp;amp;amp;#39; }, +            { label: &amp;amp;amp;#39;Source&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;Referral&amp;amp;amp;#39; }, +            { label: &amp;amp;amp;#39;Stage&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;Qualified&amp;amp;amp;#39; } +        ] +    }, +    OpportunitySummary: { +        title: &amp;amp;amp;#39;Opportunity
Summary&amp;amp;amp;#39;, +        fields: [ +            { label: &amp;amp;amp;#39;Pipeline&amp;amp;amp;#39;, value:
&amp;amp;amp;#39;$96k&amp;amp;amp;#39; }, +            { label: &amp;amp;amp;#39;Close Date&amp;amp;amp;#39;, value: &amp;amp;amp;#39;Aug
02&amp;amp;amp;#39; }, +            { label: &amp;amp;amp;#39;Probability&amp;amp;amp;#39;, value: &amp;amp;amp;#39;68%&amp;amp;amp;#39; } +
] +    }, +    ActionButton: { +        title: &amp;amp;amp;#39;Primary Action&amp;amp;amp;#39;, +        actions: [&amp;amp;amp;#39;Launch
Workflow&amp;amp;amp;#39;] +    }, +    QuickActionsBar: { +        title: &amp;amp;amp;#39;Quick Actions&amp;amp;amp;#39;, +        actions:
[&amp;amp;amp;#39;Send Email&amp;amp;amp;#39;, &amp;amp;amp;#39;Assign Psychologist&amp;amp;amp;#39;, &amp;amp;amp;#39;Approve&amp;amp;amp;#39;] +
}, +    LinkList: { +        title: &amp;amp;amp;#39;Link List&amp;amp;amp;#39;, +        links: [&amp;amp;amp;#39;Open Profile&amp;amp;amp;#39;,
&amp;amp;amp;#39;View Subscription&amp;amp;amp;#39;, &amp;amp;amp;#39;Audit Log&amp;amp;amp;#39;] +    }, +    FormPanel: { +        title:
&amp;amp;amp;#39;Form Panel&amp;amp;amp;#39;, +        fields: [&amp;amp;amp;#39;First name&amp;amp;amp;#39;,
&amp;amp;amp;#39;Email&amp;amp;amp;#39;, &amp;amp;amp;#39;Role&amp;amp;amp;#39;] +    }, +    SendEmailButton: { +        title:
&amp;amp;amp;#39;Send Email&amp;amp;amp;#39;, +        actions: [&amp;amp;amp;#39;Compose&amp;amp;amp;#39;] +    }, +    AssignPsychologistButton: {
+        title: &amp;amp;amp;#39;Assign Psychologist&amp;amp;amp;#39;, +        actions: [&amp;amp;amp;#39;Assign&amp;amp;amp;#39;] +    }, +
ApproveRejectPanel: { +        title: &amp;amp;amp;#39;Approve / Reject&amp;amp;amp;#39;, +        actions:
[&amp;amp;amp;#39;Approve&amp;amp;amp;#39;, &amp;amp;amp;#39;Reject&amp;amp;amp;#39;] +    } +}; + +const resolvePreviewKey = (component)
=&amp;amp;amp;gt; +    component?.component_type +    || component?.componentName +    || component?.component_name +    || component?.name +    ||
&amp;amp;amp;#39;&amp;amp;amp;#39;; +  const BuilderCanvas = ({      layout,      selected,      onSelectComponent,      onLayoutChange,
onComponentDrop, +    onRemoveComponent,      previewRole  }) =&amp;amp;amp;gt; {      const canvasRef = useRef(null); @@ -89,6 +239,115 @@ const
BuilderCanvas = ({          return roles.includes(previewRole);      };   +    const renderPreview = (component) =&amp;amp;amp;gt; { +        const
previewKey = resolvePreviewKey(component); +        const preview = SAMPLE_PREVIEWS[previewKey] || null; + +        if (!preview) { +
return ( +                &amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-builder__preview kodi-builder__preview--
placeholder&amp;amp;amp;quot;&amp;amp;amp;gt; +                &amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-builder__preview-
title&amp;amp;amp;quot;&amp;amp;amp;gt;{previewKey || &amp;amp;amp;#39;Component&amp;amp;amp;#39;} Preview&amp;amp;amp;lt;/div&amp;amp;amp;gt; +
&amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-builder__preview-text&amp;amp;amp;quot;&amp;amp;amp;gt;Drop in live data bindings to
render.&amp;amp;amp;lt;/div&amp;amp;amp;gt; +                &amp;amp;amp;lt;/div&amp;amp;amp;gt; +            ); +        } + +        return ( +
&amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-builder__preview&amp;amp;amp;quot;&amp;amp;amp;gt; +                &amp;amp;amp;lt;div
className=&amp;amp;amp;quot;kodi-builder__preview-title&amp;amp;amp;quot;&amp;amp;amp;gt;{preview.title}&amp;amp;amp;lt;/div&amp;amp;amp;gt; + +
{preview.fields &amp;amp;amp;amp;&amp;amp;amp;amp; ( +                &amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-builder__preview-
fields&amp;amp;amp;quot;&amp;amp;amp;gt; +                {preview.fields.map((field) =&amp;amp;amp;gt; ( +
&amp;amp;amp;lt;div key={field.label} className=&amp;amp;amp;quot;kodi-builder__preview-field&amp;amp;amp;quot;&amp;amp;amp;gt; +
&amp;amp;amp;lt;span&amp;amp;amp;amp;gt;{field.label}&amp;amp;amp;amp;lt;/span&amp;amp;amp;amp;gt; +
&amp;amp;amp;lt;strong&amp;amp;amp;amp;gt;{field.value}&amp;amp;amp;amp;lt;/strong&amp;amp;amp;amp;gt; +
&amp;amp;amp;lt;/div&amp;amp;amp;gt; +                )} +                &amp;amp;amp;lt;/div&amp;amp;amp;gt; +            )} + +
{preview.items &amp;amp;amp;amp;&amp;amp;amp;amp; ( +                &amp;amp;amp;lt;ul className=&amp;amp;amp;quot;kodi-builder__preview-
list&amp;amp;amp;quot;&amp;amp;amp;gt; +                {preview.items.map((item) =&amp;amp;amp;gt; ( +
&amp;amp;amp;lt;li key={item}&amp;amp;amp;gt;{item}&amp;amp;amp;lt;/li&amp;amp;amp;gt; +                )} +
&amp;amp;amp;lt;/ul&amp;amp;amp;gt; +            )} + +            {preview.pills &amp;amp;amp;amp;&amp;amp;amp;amp; ( +
&amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-builder__preview-pills&amp;amp;amp;quot;&amp;amp;amp;gt; +
{preview.pills.map((pill) =&amp;amp;amp;gt; ( +                &amp;amp;amp;lt;span key={pill}&amp;amp;amp;gt;
{pill}&amp;amp;amp;lt;/span&amp;amp;amp;gt; +                )} +                &amp;amp;amp;lt;/div&amp;amp;amp;gt; +
)} + +            {preview.steps &amp;amp;amp;amp;&amp;amp;amp;amp; ( +                &amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-
builder__preview-steps&amp;amp;amp;quot;&amp;amp;amp;gt; +                {preview.steps.map((step, index) =&amp;amp;amp;gt; ( +
&amp;amp;amp;lt;div key={step} className={`kodi-builder__preview-step ${index === 1 ? &amp;amp;amp;#39;active&amp;amp;amp;#39; :
&amp;amp;amp;#39;&amp;amp;amp;#39;}`}&amp;amp;amp;gt; +                {step} +
&amp;amp;amp;lt;/div&amp;amp;amp;gt; +                )} +                &amp;amp;amp;lt;/div&amp;amp;amp;gt; +            )} + +
{preview.headers &amp;amp;amp;amp;&amp;amp;amp;amp; preview.rows &amp;amp;amp;amp;&amp;amp;amp;amp; ( +                &amp;amp;amp;lt;div
className=&amp;amp;amp;quot;kodi-builder__preview-table&amp;amp;amp;quot;&amp;amp;amp;gt; +                &amp;amp;amp;lt;div
className=&amp;amp;amp;quot;kodi-builder__preview-table-head&amp;amp;amp;quot;&amp;amp;amp;gt; +
{preview.headers.map((header) =&amp;amp;amp;gt; ( +                &amp;amp;amp;lt;span key={header}&amp;amp;amp;gt;
{header}&amp;amp;amp;lt;/span&amp;amp;amp;gt; +                )} +                &amp;amp;amp;lt;/div&amp;amp;amp;gt; +
{preview.rows.map((row, idx) =&amp;amp;amp;gt; ( +                &amp;amp;amp;lt;div key={`${row[0]}-${idx}`}
className=&amp;amp;amp;quot;kodi-builder__preview-table-row&amp;amp;amp;quot;&amp;amp;amp;gt; +                {row.map((cell)
=&amp;amp;amp;gt; ( +                &amp;amp;amp;lt;span key={cell}&amp;amp;amp;gt;{cell}&amp;amp;amp;lt;/span&amp;amp;amp;gt;
+                )} +                &amp;amp;amp;lt;/div&amp;amp;amp;gt; +                )} +
&amp;amp;amp;lt;/div&amp;amp;amp;gt; +            )} + +            {preview.cards &amp;amp;amp;amp;&amp;amp;amp;amp; ( +
&amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-builder__preview-cards&amp;amp;amp;quot;&amp;amp;amp;gt; +
{preview.cards.map((card) =&amp;amp;amp;gt; ( +                &amp;amp;amp;lt;div key={card.title} className=&amp;amp;amp;quot;kodi-
builder__preview-card&amp;amp;amp;quot;&amp;amp;amp;gt; +                &amp;amp;amp;lt;strong&amp;amp;amp;gt;
{card.title}&amp;amp;amp;lt;/strong&amp;amp;amp;gt; +                &amp;amp;amp;lt;span&amp;amp;amp;gt;
```

```
{card.meta}&amp;amp;amp;lt;/span&amp;amp;amp;gt; +                                &amp;amp;amp;lt;/div&amp;amp;amp;gt; +                                 ))} +
&amp;amp;amp;lt;/div&amp;amp;amp;gt; +                )} + +                {preview.links &amp;amp;amp;amp;&amp;amp;amp;amp; ( +
&amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-builder__preview-links&amp;amp;amp;quot;&amp;amp;amp;gt; +
{preview.links.map((link) =&amp;amp;amp;gt; ( +                                &amp;amp;amp;lt;div key={link} className=&amp;amp;amp;quot;kodi-
builder__preview-link&amp;amp;amp;quot;&amp;amp;amp;gt;{link}&amp;amp;amp;lt;/div&amp;amp;amp;gt; +                                 ))} +
&amp;amp;amp;lt;/div&amp;amp;amp;gt; +                )} + +                {preview.actions &amp;amp;amp;amp;&amp;amp;amp;amp; ( +
&amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-builder__preview-actions&amp;amp;amp;quot;&amp;amp;amp;gt; +
{preview.actions.map((action) =&amp;amp;amp;gt; ( +                                &amp;amp;amp;lt;button key={action}
type=&amp;amp;amp;quot;button&amp;amp;amp;quot;&amp;amp;amp;gt;{action}&amp;amp;amp;lt;/button&amp;amp;amp;gt; +                                 ))} +
&amp;amp;amp;lt;/div&amp;amp;amp;gt; +                )} + +                {preview.subtitle &amp;amp;amp;amp;&amp;amp;amp;amp; ( +
&amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-builder__preview-subtitle&amp;amp;amp;quot;&amp;amp;amp;gt;
{preview.subtitle}&amp;amp;amp;lt;/div&amp;amp;amp;gt; +                )} + +                {preview.fields == null
&amp;amp;amp;amp;&amp;amp;amp;amp; preview.items == null &amp;amp;amp;amp;&amp;amp;amp;amp; preview.pills == null &amp;amp;amp;amp;&amp;amp;amp;amp;
preview.headers == null &amp;amp;amp;amp;&amp;amp;amp;amp; preview.cards == null &amp;amp;amp;amp;&amp;amp;amp;amp; preview.links == null
&amp;amp;amp;amp;&amp;amp;amp;amp; preview.actions == null &amp;amp;amp;amp;&amp;amp;amp;amp; ( +                                &amp;amp;amp;lt;div
className=&amp;amp;amp;quot;kodi-builder__preview-text&amp;amp;amp;quot;&amp;amp;amp;gt;Preview data is ready.&amp;amp;amp;lt;/div&amp;amp;amp;gt; +
)} +            &amp;amp;amp;lt;/div&amp;amp;amp;gt; +        ); +    }; +      return (           &amp;amp;amp;lt;section
className=&amp;amp;amp;amp;quot;kodi-builder__canvas&amp;amp;amp;quot; ref={canvasRef}&amp;amp;amp;gt;              {(layout?.rows || []).map((row,
rowIndex) =&amp;amp;amp;gt; { @@ -128,10 +387,25 @@ const BuilderCanvas = ({                                                &amp;amp;amp;gt;
&amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-builder__component-header&amp;amp;amp;quot;&amp;amp;amp;gt;
&amp;amp;amp;lt;strong&amp;amp;amp;gt;{component.label || component.name}&amp;amp;amp;lt;/strong&amp;amp;amp;gt; -
&amp;amp;amp;lt;span&amp;amp;amp;gt;{component.component_type}&amp;amp;amp;lt;/span&amp;amp;amp;gt; +
&amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-builder__component-actions&amp;amp;amp;quot;&amp;amp;amp;gt; +
&amp;amp;amp;lt;span&amp;amp;amp;gt;{component.component_type}&amp;amp;amp;lt;/span&amp;amp;amp;gt; +
&amp;amp;amp;lt;button +                                                                  type=&amp;amp;amp;quot;button&amp;amp;amp;quot; +
className=&amp;amp;amp;quot;kodi-builder__component-delete&amp;amp;amp;quot; +                                                                  onClick=
{(event) =&amp;amp;amp;gt; { +                                                                  event.stopPropagation(); +
onRemoveComponent?.({ rowIndex, colIndex, compIndex }); +                                                                  }} +
title=&amp;amp;amp;quot;Remove component&amp;amp;amp;quot; +                                                                  &amp;amp;amp;gt; +
x +                                                  &amp;amp;amp;lt;/button&amp;amp;amp;gt; +
&amp;amp;amp;lt;/div&amp;amp;amp;gt;                                                  &amp;amp;amp;lt;/div&amp;amp;amp;gt;
&amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-builder__component-body&amp;amp;amp;quot;&amp;amp;amp;gt; -
&amp;amp;amp;lt;p&amp;amp;amp;gt;{hasPermission(component) ? (component.description || &amp;amp;amp;#39;Drag to reorder or resize.&amp;amp;amp;#39;)
: &amp;amp;amp;#39;Hidden by permissions&amp;amp;amp;#39;}&amp;amp;amp;lt;/p&amp;amp;amp;gt; +
{hasPermission(component) +                                                  ? renderPreview(component) +
: &amp;amp;amp;lt;p&amp;amp;amp;gt;Hidden by permissions&amp;amp;amp;lt;/p&amp;amp;amp;gt;}
&amp;amp;amp;lt;/div&amp;amp;amp;gt;                                                  &amp;amp;amp;lt;ResizeHandle
direction=&amp;amp;amp;quot;width&amp;amp;amp;quot; diff --git a/frontend/src/pages/kodi/KodiBuilder.css b/frontend/src/pages/kodi/KodiBuilder.css
index 4e0aea6d..9612a43c 100644 --- a/frontend/src/pages/kodi/KodiBuilder.css +++ b/frontend/src/pages/kodi/KodiBuilder.css @@ -1223,6 +1223,28 @@
margin-bottom: 6px;  }   +.kodi-builder__component-actions { +    display: inline-flex; +    align-items: center; +    gap: 8px; +} + +.kodi-
builder__component-delete { +    border: none; +    background: #fee2e2; +    color: #b91c1c; +    width: 22px; +    height: 22px; +    border-
radius: 50%; +    cursor: pointer; +    font-weight: 700; +    line-height: 1; +} + +.kodi-builder__component-delete:hover { +    background:
#fecaca; +} +  .kodi-resize-handle {      position: absolute;      background: rgba(99, 102, 241, 0.7); @@ -1246,6 +1268,161 @@      border-radius:
4px;  }   +.kodi-builder__preview { +    display: grid; +    gap: 8px; +    font-size: 12px; +    color: #1f2b3b; +} + +.kodi-builder__preview--
placeholder { +    color: #94a3b8; +} + +.kodi-builder__preview-title { +    font-weight: 700; +    font-size: 12px; +    color: #1f2b3b; +} +
+.kodi-builder__preview-text { +    color: #64748b; +} + +.kodi-builder__preview-fields { +    display: grid; +    gap: 6px; +} + +.kodi-
builder__preview-field { +    display: flex; +    justify-content: space-between; +    background: #f8fafc; +    border: 1px solid #e2e8f0; +
border-radius: 8px; +    padding: 6px 8px; +} + +.kodi-builder__preview-list { +    list-style: none; +    padding: 0; +    margin: 0; +    display:
grid; +    gap: 4px; +} + +.kodi-builder__preview-list li { +    padding: 6px 8px; +    border-radius: 8px; +    background: #f8fafc; +    border:
1px solid #e2e8f0; +} + +.kodi-builder__preview-pills { +    display: flex; +    flex-wrap: wrap; +    gap: 6px; +} + +.kodi-builder__preview-pills
span { +    background: #e0e7ff; +    color: #3730a3; +    padding: 4px 8px; +    border-radius: 999px; +    font-weight: 600; +} + +.kodi-
builder__preview-steps { +    display: grid; +    gap: 4px; +} + +.kodi-builder__preview-step { +    padding: 6px 8px; +    border-radius: 8px; +
border: 1px solid #e2e8f0; +    background: #f8fafc; +} + +.kodi-builder__preview-step.active { +    background: #dcfce7; +    border-color:
#86efac; +    color: #166534; +    font-weight: 700; +} + +.kodi-builder__preview-table { +    display: grid; +    gap: 6px; +} + +.kodi-
builder__preview-table-head, +.kodi-builder__preview-table-row { +    display: grid; +    grid-template-columns: repeat(3, minmax(0, 1fr)); +
gap: 6px; +    font-size: 11px; +} + +.kodi-builder__preview-table-head { +    font-weight: 700; +    color: #475569; +} + +.kodi-builder__preview-
table-row { +    background: #f8fafc; +    border: 1px solid #e2e8f0; +    border-radius: 8px; +    padding: 6px 8px; +} + +.kodi-builder__preview-
cards { +    display: grid; +    gap: 6px; +} + +.kodi-builder__preview-card { +    background: #f8fafc; +    border: 1px solid #e2e8f0; +
border-radius: 10px; +    padding: 8px; +    display: grid; +    gap: 4px; +} + +.kodi-builder__preview-links { +    display: grid; +    gap: 4px;
+} + +.kodi-builder__preview-link { +    padding: 6px 8px; +    border-radius: 8px; +    background: #eef2ff; +    color: #4338ca; +    font-weight:
600; +} + +.kodi-builder__preview-actions { +    display: flex; +    flex-wrap: wrap; +    gap: 6px; +} + +.kodi-builder__preview-actions button { +
padding: 4px 8px; +    border-radius: 8px; +    border: 1px solid #cbd5f5; +    background: #ffffff; +    font-weight: 600; +    font-size: 11px; +
cursor: pointer; +} + +.kodi-builder__preview-subtitle { +    color: #64748b; +} +  .kodi-config__header {      display: flex;      justify-content:
space-between; diff --git a/frontend/src/pages/kodi/KodiBuilderPage.jsx b/frontend/src/pages/kodi/KodiBuilderPage.jsx index 4593de77..b4a93420
100644 --- a/frontend/src/pages/kodi/KodiBuilderPage.jsx +++ b/frontend/src/pages/kodi/KodiBuilderPage.jsx @@ -172,6 +172,16 @@ const
KodiBuilderPage = () =&amp;amp;amp;gt; {          });      };   +    const handleRemoveComponent = ({ rowIndex, colIndex, compIndex })
=&amp;amp;amp;gt; { +        updateLayout((draft) =&amp;amp;amp;gt; { +            const targetCol = draft.rows[rowIndex]?.columns[colIndex]; +
if (!targetCol) return; +            targetCol.components.splice(compIndex, 1); +        }); +        setSelectedComponent(null); +
setSelectedPosition(null); +    }; +      const handleSelectComponent = (component, position) =&amp;amp;amp;gt; {
setSelectedComponent(component);          setSelectedPosition(position); @@ -319,6 +329,7 @@ const KodiBuilderPage = () =&amp;amp;amp;gt; {
onSelectComponent={handleSelectComponent}                    onLayoutChange={updateLayout}                    onComponentDrop=
{handleComponentDrop} +                    onRemoveComponent={handleRemoveComponent}                    previewRole={previewRole}
/&amp;amp;amp;gt;                    &amp;amp;amp;lt;ConfigSidebar diff --git a/frontend/src/pages/kodi/KodiPortal.jsx
b/frontend/src/pages/kodi/KodiPortal.jsx index 14741b88..0227d8a0 100644 --- a/frontend/src/pages/kodi/KodiPortal.jsx +++
b/frontend/src/pages/kodi/KodiPortal.jsx @@ -68,6 +68,7 @@ const KodiPortal = () =&amp;amp;amp;gt; {          open: false,          app: null,
email: &amp;amp;amp;#39;&amp;amp;amp;#39;, +        roleKey: &amp;amp;amp;#39;employee&amp;amp;amp;#39;,          permissions: { canView: true,
canEdit: false, canUse: false },          assigning: false      }); @@ -183,7 +184,7 @@ const KodiPortal = () =&amp;amp;amp;gt; {        const
availablePagesForApp = (app) =&amp;amp;amp;gt; {          const linkedIds = new Set((app.linked_pages || []).map((page) =&amp;amp;amp;amp;gt; page.id));
-        return pages.filter((page) =&amp;amp;amp;gt; !linkedIds.has(page.id)); +        return pages.filter((page) =&amp;amp;amp;gt;
!linkedIds.has(page.id) &amp;amp;amp;amp;&amp;amp;amp;amp; page.status === &amp;amp;amp;#39;activated&amp;amp;amp;#39;);      };        const
handleCreateApp = async (event) =&amp;amp;amp;gt; { @@ -270,6 +271,7 @@ const KodiPortal = () =&amp;amp;amp;gt; {             open: true,
app,             email: &amp;amp;amp;#39;&amp;amp;amp;#39;, +            roleKey: &amp;amp;amp;#39;employee&amp;amp;amp;#39;,
permissions: { canView: true, canEdit: false, canUse: false },             assigning: false          }); @@ -301,6 +303,7 @@ const KodiPortal = ()
=&amp;amp;amp;gt; {          try {             await assignAppUser(assignUserModal.app.id, {                 email: assignUserModal.email.trim(),
+                roleKey: assignUserModal.roleKey,                 permissions: assignUserModal.permissions                 });
toast.success(&amp;amp;amp;#39;User assigned to app&amp;amp;amp;#39;); @@ -308,6 +311,7 @@ const KodiPortal = () =&amp;amp;amp;gt; {
open: false,                app: null,                email: &amp;amp;amp;#39;&amp;amp;amp;#39;, +                roleKey:
&amp;amp;amp;#39;employee&amp;amp;amp;#39;,                permissions: { canView: true, canEdit: false, canUse: false },
assigning: false             }); @@ -556,7 +560,7 @@ const KodiPortal = () =&amp;amp;amp;gt; {
&amp;amp;amp;lt;div key={user.id} className=&amp;amp;amp;quot;kodi-portal__assigned-row&amp;amp;amp;quot;&amp;amp;amp;gt;
&amp;amp;amp;lt;div&amp;amp;amp;gt;                                                  &amp;amp;amp;lt;strong&amp;amp;amp;gt;{user.display_name ||
user.email}&amp;amp;amp;lt;/strong&amp;amp;amp;gt; -                                                  &amp;amp;amp;lt;span&amp;amp;amp;gt;{user.role
|| &amp;amp;amp;#39;role not set&amp;amp;amp;#39;}&amp;amp;amp;lt;/span&amp;amp;amp;gt; +
&amp;amp;amp;lt;span&amp;amp;amp;gt;{user.role_key || user.role || &amp;amp;amp;#39;role not
set&amp;amp;amp;#39;}&amp;amp;amp;lt;/span&amp;amp;amp;gt;                                                  &amp;amp;amp;lt;/div&amp;amp;amp;gt;
&amp;amp;amp;lt;span className=&amp;amp;amp;quot;kodi-portal__status-chip&amp;amp;amp;quot;&amp;amp;amp;gt;Invite
sent&amp;amp;amp;lt;/span&amp;amp;amp;gt;                                                  &amp;amp;amp;lt;/div&amp;amp;amp;gt; @@ -893,6 +897,7 @@ const
KodiPortal = () =&amp;amp;amp;gt; {                                                  open: false,                                                  app: null,
```

```
email: &amp;amp;amp;#39;&amp;amp;amp;#39;, +                                    roleKey: &amp;amp;amp;#39;employee&amp;amp;amp;#39;,
permissions: { canView: true, canEdit: false, canUse: false },                                    assigning: false
}) @@ -911,6 +916,21 @@ const KodiPortal = () =&amp;amp;amp;gt; {
placeholder=&amp;amp;amp;quot;user@example.com&amp;amp;amp;quot;                                    /&amp;amp;amp;gt;
&amp;amp;amp;lt;/label&amp;amp;amp;gt; +                    &amp;amp;amp;lt;label&amp;amp;amp;gt; +                                App role
+                    &amp;amp;amp;lt;select +                                value={assignUserModal.roleKey} +
onChange={(event) =&amp;amp;amp;gt; +                                setAssignUserModal((prev) =&amp;amp;amp;gt; ({ ...prev, roleKey:
event.target.value })) +                                                    &amp;amp;amp;gt; +
{PLATFORM_ROLES.map((role) =&amp;amp;amp;gt; ( +                                    &amp;amp;amp;lt;option key={role} value=
{role}&amp;amp;amp;gt; +                                                    {role} +
&amp;amp;amp;lt;/option&amp;amp;amp;gt; +                                                    ))} +
&amp;amp;amp;lt;/select&amp;amp;amp;gt; +                                    &amp;amp;amp;lt;/label&amp;amp;amp;gt;
&amp;amp;amp;lt;div className=&amp;amp;amp;quot;kodi-portal__checkbox-group&amp;amp;amp;quot;&amp;amp;amp;gt;
&amp;amp;amp;lt;label&amp;amp;amp;gt;                                                    &amp;amp;amp;lt;input diff --git a/reports/all-changes-diff.html
b/reports/all-changes-diff.html index 5737e001..427daf75 100644 Binary files a/reports/all-changes-diff.html and b/reports/all-changes-diff.html
differ&amp;amp;lt;/pre&amp;amp;gt;&amp;amp;lt;/body&amp;amp;gt;&amp;amp;lt;/html&amp;amp;gt;
+&amp;amp;lt;html&amp;amp;gt;&amp;amp;lt;head&amp;amp;gt;&amp;amp;lt;meta charset='utf-8'&amp;amp;gt;&amp;amp;lt;title&amp;amp;gt;Kodi changes
diff&amp;amp;lt;/title&amp;amp;gt;&amp;amp;lt;style&amp;amp;gt;body{font-
family:Consolas,Menlo,monospace;background:#0b1020;color:#e2e8f0;padding:16px}pre{white-space:pre-
wrap;}&amp;amp;lt;/style&amp;amp;gt;&amp;amp;lt;/head&amp;amp;gt;&amp;amp;lt;body&amp;amp;gt;&amp;amp;lt;h1&amp;amp;gt;Kodi changes
diff&amp;amp;lt;/h1&amp;amp;gt;&amp;amp;lt;pre&amp;amp;gt;diff --git a/backend/src/modules/kodi/kodi.runtime.js
b/backend/src/modules/kodi/kodi.runtime.js index 050a327f..5dac6602 100644 --- a/backend/src/modules/kodi/kodi.runtime.js +++
b/backend/src/modules/kodi/kodi.runtime.js @@ -1,10 +1,7 @@  const service = require(&amp;amp;amp;#39;./kodi.service&amp;amp;amp;#39;);  const perms
= require(&amp;amp;amp;#39;./kodi.permissions&amp;amp;amp;#39;); - -const normalizeRole = (value) =&amp;amp;amp;gt; String(value ||
&amp;amp;amp;#39;&amp;amp;amp;#39;).toLowerCase().trim(); -const ADMIN_ALIASES = new Set([&amp;amp;amp;#39;admin&amp;amp;amp;#39;,
&amp;amp;amp;#39;super_admin&amp;amp;amp;#39;, &amp;amp;amp;#39;superadmin&amp;amp;amp;#39;, &amp;amp;amp;#39;system_admin&amp;amp;amp;#39;,
&amp;amp;amp;#39;hr_admin&amp;amp;amp;#39;]); - -const isAdminRole = (role) =&amp;amp;amp;gt; ADMIN_ALIASES.has(normalizeRole(role)); +const
portalService = require(&amp;amp;amp;#39;../kodiPortal/kodiPortal.service&amp;amp;amp;#39;); +const portalPerms =
require(&amp;amp;amp;#39;../kodiPortal/kodiPortal.permissions&amp;amp;amp;#39;);    const buildRuntimePayload = async ({ pageId, role, userId, appId
}) =&amp;amp;amp;gt; {      const page = await service.getPageById(pageId); @@ -19,22 +16,32 @@ const buildRuntimePayload = async ({ pageId, role,
userId, appId }) =&amp;amp;amp;gt; {      const appContextId = appId || page.linked_app_id;      const app = appContextId ? await
service.getAppById(appContextId) : null;   +    let effectiveRole = role;      if (appId) { -        const linkedPages = await
service.listAppPages(appId); -        const isLinked = linkedPages.some((row) =&amp;amp;amp;gt; String(row.page_id) === String(pageId)); -        if
(!isLinked) { +        const linkedPages = await portalService.listPages(appId); +        const mapping = linkedPages.find((row) =&amp;amp;amp;gt;
String(row.page_id) === String(pageId)); +        if (!mapping) { +            throw new Error(&amp;amp;amp;#39;Access denied&amp;amp;amp;#39;); +
} +        if (app &amp;amp;amp;amp;amp;amp;amp;amp; app.status !== &amp;amp;amp;#39;active&amp;amp;amp;#39; &amp;amp;amp;amp;amp;amp;amp;amp;
!portalPerms.isAdminRole(role)) {              throw new Error(&amp;amp;amp;#39;Access denied&amp;amp;amp;#39;);          } -        if
(!isAdminRole(role)) { -            const appUsers = await service.listAppUsers(appId); -            const isMember = appUsers.some((row)
=&amp;amp;amp;amp;gt; String(row.user_id) === String(userId)); -            if (!isMember) { +        if (!portalPerms.isAdminRole(role)) { +
const membership = await portalService.getEffectiveRuntimeRole({ appId, userId, globalRole: role }); +            if (!membership) { +
throw new Error(&amp;amp;amp;#39;Access denied&amp;amp;amp;#39;); +            } +            effectiveRole = membership; +        } +        if
(mapping.role_visibility) { +            const allowed = mapping.role_visibility?.[portalPerms.normalizeRole(effectiveRole)]; +            if
(allowed === false) {                throw new Error(&amp;amp;amp;#39;Access denied&amp;amp;amp;#39;);                }        }      }   -
const hasView = perms.userHasViewAccess(permissionMap, role); +    const hasView = perms.userHasViewAccess(permissionMap, effectiveRole);      if
(!hasView) {          throw new Error(&amp;amp;amp;#39;Access denied&amp;amp;amp;#39;);      } @@ -56,6 +63,7 @@ const buildRuntimePayload = async
({ pageId, role, userId, appId }) =&amp;amp;amp;gt; {          permissions: permissionMap,          registry: componentRegistry,          objects, +
effectiveRole,          fields: objects.reduce((acc, obj) =&amp;amp;amp;gt; {              acc[obj.name] = obj.fields || [];              return
acc; diff --git a/backend/src/routes/kodiRoutes.js b/backend/src/routes/kodiRoutes.js index e291f776..1a9672f0 100644 ---
a/backend/src/routes/kodiRoutes.js +++ b/backend/src/routes/kodiRoutes.js @@ -6,6 +6,7 @@ const { validate } =
require(&amp;amp;amp;#39;../middleware/validation&amp;amp;amp;#39;);  const kodiController =
require(&amp;amp;amp;#39;../controllers/kodiController&amp;amp;amp;#39;);  const kodiPages =
require(&amp;amp;amp;#39;../modules/kodi/kodiPages.controller&amp;amp;amp;#39;);  const kodiPlatform =
require(&amp;amp;amp;#39;../modules/kodi/kodi.controller&amp;amp;amp;#39;); +const kodiPortal =
require(&amp;amp;amp;#39;../modules/kodiPortal/kodiPortal.controller&amp;amp;amp;#39;);  const { authenticateKodiPageSession } =
require(&amp;amp;amp;#39;../modules/kodi/kodiPageSession.middleware&amp;amp;amp;#39;);    const router = express.Router(); @@ -228,51 +229,29 @@
router.get(&amp;amp;amp;#39;/platform/leads/:id/opportunities&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
router.get(&amp;amp;amp;#39;/platform/pages/:id/permissions&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.pageIdValidator,
kodiPlatform.getPagePermissions);  router.post(&amp;amp;amp;#39;/platform/pages/:id/permissions&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.pagePermissionValidators, kodiPlatform.updatePagePermissions);   -// Kodi Portal aliases (admin console) -
router.get(&amp;amp;amp;#39;/portal/apps&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.listApps); -
router.post(&amp;amp;amp;#39;/portal/apps&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.createAppValidators,
kodiPlatform.createApp); -router.get(&amp;amp;amp;#39;/portal/apps/:id&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.getApp); -router.patch(&amp;amp;amp;#39;/portal/apps/:id&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.updateAppValidators, kodiPlatform.updateApp); -router.post(&amp;amp;amp;#39;/portal/apps/:id/activate&amp;amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.appIdValidator, kodiPlatform.activateApp); -
router.post(&amp;amp;amp;#39;/portal/apps/:id/deactivate&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.deactivateApp); -router.get(&amp;amp;amp;#39;/portal/apps/:id/users&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPlatform.appIdValidator, kodiPlatform.listAppUsers); -router.post(&amp;amp;amp;#39;/portal/apps/:id/users&amp;amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPlatform.assignAppUserValidators, kodiPlatform.assignAppUser); -
router.delete(&amp;amp;amp;#39;/portal/apps/:id/users/:userId&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.removeAppUser); -
router.get(&amp;amp;amp;#39;/portal/apps/:id/pages&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.listAppPages); -router.post(&amp;amp;amp;#39;/portal/apps/:id/pages&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
validate([body(&amp;amp;amp;#39;pageId&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { -    if (val === undefined || val === null) return false;
-    const str = String(val); -    const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -    return
uuidRegex.test(str) || /^\d+$/.test(str); -})]), kodiPlatform.linkAppPage); -
router.patch(&amp;amp;amp;#39;/portal/apps/:id/pages/:mappingId&amp;amp;amp;#39;, authenticate, authorizeAdmin(), validate([ -
param(&amp;amp;amp;#39;id&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { -        if (val === undefined || val === null) return false; -
const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -        return
uuidRegex.test(str) || /^\d+$/.test(str); -    }), -    param(&amp;amp;amp;#39;mappingId&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { -
if (val === undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-
9a-f]{3}-[89ab][0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }) -]), kodiPlatform.updateAppPage); -
router.delete(&amp;amp;amp;#39;/portal/apps/:id/pages/:mappingId&amp;amp;amp;#39;, authenticate, authorizeAdmin(), validate([ -
param(&amp;amp;amp;#39;id&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { -        if (val === undefined || val === null) return false; -
const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i; -        return
uuidRegex.test(str) || /^\d+$/.test(str); -    }), -    param(&amp;amp;amp;#39;mappingId&amp;amp;amp;#39;).custom((val) =&amp;amp;amp;gt; { -
if (val === undefined || val === null) return false; -        const str = String(val); -        const uuidRegex = /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-
9a-f]{3}-[89ab][0-9a-f]{12}$/i; -        return uuidRegex.test(str) || /^\d+$/.test(str); -    }) -]), kodiPlatform.deleteAppPage); -
router.get(&amp;amp;amp;#39;/portal/apps/:id/navigation&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPlatform.appIdValidator,
kodiPlatform.getAppNavigation); +// Kodi Portal (admin console) +router.get(&amp;amp;amp;#39;/portal/apps&amp;amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPortal.listApps); +router.post(&amp;amp;amp;#39;/portal/apps&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPortal.createAppValidators, kodiPortal.createApp); +router.get(&amp;amp;amp;#39;/portal/apps/:id&amp;amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.getApp); +router.patch(&amp;amp;amp;#39;/portal/apps/:id&amp;amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPortal.updateAppValidators, kodiPortal.updateApp); +router.post(&amp;amp;amp;#39;/portal/apps/:id/activate&amp;amp;amp;#39;,
authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.activateApp);
+router.post(&amp;amp;amp;#39;/portal/apps/:id/deactivate&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPortal.appIdValidator,
kodiPortal.deactivateApp); +router.get(&amp;amp;amp;#39;/portal/apps/:id/settings&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPortal.appIdValidator, kodiPortal.getSettings); +router.patch(&amp;amp;amp;#39;/portal/apps/:id/settings&amp;amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPortal.settingsValidators, kodiPortal.updateSettings); +router.get(&amp;amp;amp;#39;/portal/apps/:id/users&amp;amp;amp;#39;,
```

```
authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.listUsers);
+router.post(&amp;amp;amp;#39;/portal/apps/:id/users&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPortal.assignUserValidators,
kodiPortal.assignUser); +router.patch(&amp;amp;amp;#39;/portal/apps/:id/users/:userId&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPortal.updateUserValidators, kodiPortal.updateUser); +router.patch(&amp;amp;amp;#39;/portal/apps/:id/users/:userId/status&amp;amp;amp;#39;,
authenticate, authorizeAdmin(), kodiPortal.updateUserStatusValidators, kodiPortal.updateUserStatus);
+router.post(&amp;amp;amp;#39;/portal/apps/:id/users/:userId/resend-invite&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPortal.resendInviteValidators, kodiPortal.resendInvite); +router.delete(&amp;amp;amp;#39;/portal/apps/:id/users/:userId&amp;amp;amp;#39;,
authenticate, authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.deleteUser);
+router.get(&amp;amp;amp;#39;/portal/apps/:id/pages&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPortal.appIdValidator,
kodiPortal.listPages); +router.get(&amp;amp;amp;#39;/portal/pages/activated&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPortal.listActivatedPages); +router.post(&amp;amp;amp;#39;/portal/apps/:id/pages&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPortal.linkPageValidators, kodiPortal.linkPage); +router.patch(&amp;amp;amp;#39;/portal/apps/:id/pages/:mappingId&amp;amp;amp;#39;,
authenticate, authorizeAdmin(), kodiPortal.updatePageValidators, kodiPortal.updatePage);
+router.delete(&amp;amp;amp;#39;/portal/apps/:id/pages/:mappingId&amp;amp;amp;#39;, authenticate, authorizeAdmin(), kodiPortal.appIdValidator,
kodiPortal.deletePage); +router.post(&amp;amp;amp;#39;/portal/apps/:id/pages/reorder&amp;amp;amp;#39;, authenticate, authorizeAdmin(),
kodiPortal.reorderValidators, kodiPortal.reorderPages); +router.get(&amp;amp;amp;#39;/portal/apps/:id/navigation&amp;amp;amp;#39;, authenticate,
authorizeAdmin(), kodiPortal.appIdValidator, kodiPortal.getNavigation); +router.post(&amp;amp;amp;#39;/portal/invitations/accept&amp;amp;amp;#39;,
authenticate, kodiPortal.acceptInviteValidators, kodiPortal.acceptInvite); +router.get(&amp;amp;amp;#39;/portal/user/apps&amp;amp;amp;#39;,
authenticate, kodiPortal.listUserApps);    module.exports = router; diff --git a/backend/src/utils/database.js b/backend/src/utils/database.js index
809d61a2..51baaa74 100644 --- a/backend/src/utils/database.js +++ b/backend/src/utils/database.js @@ -612,9 +612,17 @@ const createTables = async ()
=&amp;amp;amp;gt; {              CREATE TABLE IF NOT EXISTS kodi_apps (                  id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
name VARCHAR(255) NOT NULL, +                label VARCHAR(255),                  description TEXT, -                  is_active BOOLEAN DEFAULT true,
-                created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP +                status VARCHAR(50) NOT NULL DEFAULT
&amp;amp;amp;#39;draft&amp;amp;amp;#39; CHECK (status IN
(&amp;amp;amp;#39;draft&amp;amp;amp;#39;,&amp;amp;amp;#39;active&amp;amp;amp;#39;,&amp;amp;amp;#39;inactive&amp;amp;amp;#39;)), +
icon VARCHAR(255), +                theme_config JSONB DEFAULT &amp;amp;amp;#39;{}&amp;amp;amp;#39;::jsonb, +                settings JSONB DEFAULT
&amp;amp;amp;#39;{}&amp;amp;amp;#39;::jsonb, +                navigation_mode VARCHAR(50) DEFAULT &amp;amp;amp;#39;sidebar&amp;amp;amp;#39;, +
landing_behavior VARCHAR(50) DEFAULT &amp;amp;amp;#39;default_page&amp;amp;amp;#39;, +                default_page_id UUID, +
created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP, +                updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP              );
CREATE TABLE IF NOT EXISTS kodi_pages ( @@ -638,6 +646,7 @@ const createTables = async () =&amp;amp;amp;gt; {                nav_order INTEGER
DEFAULT 0,                is_default BOOLEAN DEFAULT false,                is_visible BOOLEAN DEFAULT true, +                role_visibility
JSONB DEFAULT &amp;amp;amp;#39;{}&amp;amp;amp;#39;::jsonb,                created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,                UNIQUE
(app_id, page_id)              ); @@ -697,6 +706,11 @@ const createTables = async () =&amp;amp;amp;gt; {                user_id UUID NOT NULL
REFERENCES users(id) ON DELETE CASCADE,                permissions JSONB DEFAULT &amp;amp;amp;#39;{}&amp;amp;amp;#39;::jsonb,
role_key VARCHAR(50), +                status VARCHAR(50) NOT NULL DEFAULT &amp;amp;amp;#39;pending&amp;amp;amp;#39;, +                invite_token
VARCHAR(64), +                invited_at TIMESTAMP, +                accepted_at TIMESTAMP, +                disabled_at TIMESTAMP,
assigned_by UUID REFERENCES users(id) ON DELETE SET NULL,                created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP, @@ -1095,6 +1109,8 @@ const createTables = async () =&amp;amp;amp;gt; {              CREATE INDEX IF
NOT EXISTS idx_app_page_mapping_app              ON app_page_mapping(app_id);              CREATE INDEX IF NOT EXISTS idx_app_page_mapping_page
ON app_page_mapping(page_id);              CREATE INDEX IF NOT EXISTS idx_kodi_app_users_app              ON kodi_app_users(app_id); +
CREATE INDEX IF NOT EXISTS idx_kodi_app_users_status              ON kodi_app_users(status); +              CREATE INDEX IF NOT EXISTS
idx_kodi_app_users_invite              ON kodi_app_users(invite_token);              CREATE INDEX IF NOT EXISTS idx_kodi_audit_entity              ON
kodi_audit_logs(entity_type, entity_id);              `;   @@ -1420,7 +1436,22 @@ const runMigrations = async () =&amp;amp;amp;gt; {
&amp;amp;amp;quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_default BOOLEAN DEFAULT false;&amp;amp;amp;quot;,
&amp;amp;amp;quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS is_visible BOOLEAN DEFAULT true;&amp;amp;amp;quot;,
&amp;amp;amp;quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP;&amp;amp;amp;quot;, +
&amp;amp;amp;quot;ALTER TABLE app_page_mapping ADD COLUMN IF NOT EXISTS role_visibility JSONB DEFAULT &amp;amp;amp;#39;
{}&amp;amp;amp;#39;::jsonb;&amp;amp;amp;quot;,              &amp;amp;amp;quot;ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS role_key
VARCHAR(50);&amp;amp;amp;amp;quot;, +            &amp;amp;amp;quot;ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS status VARCHAR(50) DEFAULT
&amp;amp;amp;#39;pending&amp;amp;amp;#39;;&amp;amp;amp;quot;, +            &amp;amp;amp;quot;ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS
invite_token VARCHAR(64);&amp;amp;amp;quot;, +            &amp;amp;amp;quot;ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS invited_at
TIMESTAMP;&amp;amp;amp;quot;, +            &amp;amp;amp;quot;ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS accepted_at
TIMESTAMP;&amp;amp;amp;quot;, +            &amp;amp;amp;quot;ALTER TABLE kodi_app_users ADD COLUMN IF NOT EXISTS disabled_at
TIMESTAMP;&amp;amp;amp;quot;, +            &amp;amp;amp;quot;ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS label VARCHAR(255);&amp;amp;amp;quot;, +
&amp;amp;amp;quot;ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS status VARCHAR(50) DEFAULT
&amp;amp;amp;#39;draft&amp;amp;amp;#39;;&amp;amp;amp;quot;, +            &amp;amp;amp;quot;ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS icon
VARCHAR(255);&amp;amp;amp;quot;, +            &amp;amp;amp;quot;ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS theme_config JSONB DEFAULT
&amp;amp;amp;#39;{}&amp;amp;amp;#39;::jsonb;&amp;amp;amp;quot;, +            &amp;amp;amp;quot;ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS
settings JSONB DEFAULT &amp;amp;amp;#39;{}&amp;amp;amp;#39;::jsonb;&amp;amp;amp;quot;, +            &amp;amp;amp;quot;ALTER TABLE kodi_apps ADD
COLUMN IF NOT EXISTS navigation_mode VARCHAR(50) DEFAULT &amp;amp;amp;#39;sidebar&amp;amp;amp;#39;;&amp;amp;amp;quot;, +
&amp;amp;amp;quot;ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS landing_behavior VARCHAR(50) DEFAULT
&amp;amp;amp;#39;default_page&amp;amp;amp;#39;;&amp;amp;amp;quot;, +            &amp;amp;amp;quot;ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS
default_page_id UUID;&amp;amp;amp;amp;quot;, +            &amp;amp;amp;quot;ALTER TABLE kodi_apps ADD COLUMN IF NOT EXISTS updated_at TIMESTAMP DEFAULT
CURRENT_TIMESTAMP;&amp;amp;amp;amp;quot;,            &amp;amp;amp;quot;ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS ip_address
VARCHAR(64);&amp;amp;amp;amp;quot;,              &amp;amp;amp;quot;ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS user_agent TEXT;&amp;amp;amp;amp;quot;,
&amp;amp;amp;amp;quot;ALTER TABLE audit_logs ADD COLUMN IF NOT EXISTS created_at TIMESTAMPTZ DEFAULT CURRENT_TIMESTAMP;&amp;amp;amp;amp;quot;, diff --git
a/backend/src/utils/emailService.js b/backend/src/utils/emailService.js index 6b4c2962..9a7b2c8b 100644 --- a/backend/src/utils/emailService.js +++
b/backend/src/utils/emailService.js @@ -950,6 +950,113 @@ const sendAppAccessEmail = async ({ to, name, appName, loginUrl, pageUrl, pageNa
return sendEmail({ to, subject, html, text });  };   +const sendKodiAppInviteEmail = async ({ to, name, appName, role, loginUrl, inviteUrl, pageUrl,
pageName }) =&amp;amp;amp;amp;gt; { +    if (!to || !appName || !inviteUrl) { +        return { success: false, error: &amp;amp;amp;#39;Missing
invitation details&amp;amp;amp;#39; }; +    } +    const greeting = name ? `Hi ${name}` : &amp;amp;amp;#39;Hello&amp;amp;amp;#39;; +    const
subject = `Invitation to ${appName}`; +    const html = ` +        &amp;amp;amp;lt;!DOCTYPE html&amp;amp;amp;gt; +
&amp;amp;amp;lt;html&amp;amp;amp;gt; +        &amp;amp;amp;lt;body style=&amp;amp;amp;quot;font-family: Arial, sans-serif; color: #111827; line-
height: 1.6;&amp;amp;amp;amp;quot;&amp;amp;amp;amp;gt; +            &amp;amp;amp;lt;div style=&amp;amp;amp;quot;max-width: 560px; margin: 0 auto; padding:
24px;&amp;amp;amp;quot;&amp;amp;amp;amp;gt; +            &amp;amp;amp;lt;h2&amp;amp;amp;amp;gt;${greeting},&amp;amp;amp;lt;/h2&amp;amp;amp;amp;gt; +
&amp;amp;amp;lt;p&amp;amp;amp;amp;gt;You have been invited to the
&amp;amp;amp;lt;strong&amp;amp;amp;amp;gt;${appName}&amp;amp;amp;lt;/strong&amp;amp;amp;amp;gt; app in Kodi Portal.&amp;amp;amp;lt;/p&amp;amp;amp;amp;gt; +
&amp;amp;amp;lt;p&amp;amp;amp;amp;gt;&amp;amp;amp;amp;lt;strong&amp;amp;amp;amp;gt;Role:&amp;amp;amp;amp;lt;/strong&amp;amp;amp;amp;gt; ${role ||
&amp;amp;amp;#39;member&amp;amp;amp;#39;}&amp;amp;amp;lt;/p&amp;amp;amp;amp;gt; +            &amp;amp;amp;lt;p&amp;amp;amp;amp;gt; +
&amp;amp;amp;lt;a href=&amp;amp;amp;quot;${inviteUrl}&amp;amp;amp;quot; style=&amp;amp;amp;quot;display: inline-block; background: #2563eb; color:
#fff; padding: 10px 18px; border-radius: 999px; text-decoration: none;&amp;amp;amp;amp;quot;&amp;amp;amp;amp;gt; +                قبول الدعوة / Accept
Invitation +            &amp;amp;amp;lt;/a&amp;amp;amp;amp;gt; +            &amp;amp;amp;lt;/p&amp;amp;amp;amp;gt; +            ${pageUrl ?
`&amp;amp;amp;lt;p&amp;amp;amp;amp;gt;Default page: &amp;amp;amp;lt;a href=&amp;amp;amp;quot;${pageUrl}&amp;amp;amp;quot;&amp;amp;amp;amp;gt;${pageName ||
&amp;amp;amp;#39;Open page&amp;amp;amp;#39;}&amp;amp;amp;lt;/a&amp;amp;amp;amp;gt;&amp;amp;amp;lt;/p&amp;amp;amp;amp;gt;` :
&amp;amp;amp;#39;&amp;amp;amp;#39;} +            &amp;amp;amp;lt;p&amp;amp;amp;amp;gt;Login: ${loginUrl}&amp;amp;amp;amp;lt;/p&amp;amp;amp;amp;gt; +
&amp;amp;amp;lt;p style=&amp;amp;amp;quot;margin-top: 24px;&amp;amp;amp;quot;&amp;amp;amp;amp;gt;If you did not expect this invitation, ignore this
email.&amp;amp;amp;lt;/p&amp;amp;amp;amp;gt; +            &amp;amp;amp;lt;p&amp;amp;amp;amp;gt;— The Kodi Portal Team&amp;amp;amp;lt;/p&amp;amp;amp;amp;gt; +
&amp;amp;amp;lt;/div&amp;amp;amp;amp;gt; +        &amp;amp;amp;lt;/body&amp;amp;amp;amp;gt; +        &amp;amp;amp;lt;/html&amp;amp;amp;amp;gt; +    `; +
const text = [ +        `${greeting},`, +        &amp;amp;amp;#39;&amp;amp;amp;#39;, +        `You have been invited to ${appName}.`, +
`Role: ${role || &amp;amp;amp;#39;member&amp;amp;amp;#39;}`, +        `Accept invitation: ${inviteUrl}`, +        loginUrl ? `Login: ${loginUrl}` :
&amp;amp;amp;#39;&amp;amp;amp;#39;, +        pageUrl ? `Default page: ${pageName || &amp;amp;amp;#39;Open page&amp;amp;amp;#39;} - ${pageUrl}` :
&amp;amp;amp;#39;&amp;amp;amp;#39;, +        &amp;amp;amp;#39;&amp;amp;amp;#39;, +        &amp;amp;amp;#39;— The Kodi Portal Team&amp;amp;amp;#39; +
].filter(Boolean).join(&amp;amp;amp;#39;\n&amp;amp;amp;#39;); +    return sendEmail({ to, subject, html, text }); +}; +const
sendKodiRoleUpdatedEmail = async ({ to, name, appName, role, loginUrl }) =&amp;amp;amp;gt; { +    if (!to || !appName) { +        return { success:
false, error: &amp;amp;amp;#39;Missing recipient or app name&amp;amp;amp;#39; }; +    } +    const greeting = name ? `Hi ${name}` :
&amp;amp;amp;#39;Hello&amp;amp;amp;#39;; +    const subject = `Role updated in ${appName}`; +    const html = ` +        &amp;amp;amp;lt;!DOCTYPE
html&amp;amp;amp;gt; +        &amp;amp;amp;lt;html&amp;amp;amp;gt; +        &amp;amp;amp;lt;body style=&amp;amp;amp;quot;font-family: Arial, sans-
serif; color: #111827; line-height: 1.6;&amp;amp;amp;amp;quot;&amp;amp;amp;amp;gt; +            &amp;amp;amp;lt;div style=&amp;amp;amp;quot;max-width: 560px;
```

```
margin: 0 auto; padding: 24px;&amp;amp;amp;amp;quot;&amp;amp;amp;amp;gt; +
&amp;amp;amp;amp;lt;h2&amp;amp;amp;amp;gt;${greeting},&amp;amp;amp;amp;lt;/h2&amp;amp;amp;amp;gt; +            &amp;amp;amp;amp;lt;p&amp;amp;amp;amp;gt;Your role in
&amp;amp;amp;amp;lt;strong&amp;amp;amp;amp;gt;${appName}&amp;amp;amp;amp;lt;/strong&amp;amp;amp;amp;gt; has been updated.&amp;amp;amp;amp;lt;/p&amp;amp;amp;amp;gt; +
&amp;amp;amp;amp;lt;p&amp;amp;amp;amp;gt;&amp;amp;amp;amp;lt;strong&amp;amp;amp;amp;gt;New role:&amp;amp;amp;amp;lt;/strong&amp;amp;amp;amp;gt; ${role ||
&amp;amp;amp;amp;#39;member&amp;amp;amp;amp;#39;}&amp;amp;amp;amp;lt;/p&amp;amp;amp;amp;gt; +            &amp;amp;amp;amp;lt;p&amp;amp;amp;amp;gt;Login: &amp;amp;amp;amp;lt;a
href=&amp;amp;amp;amp;quot;${loginUrl}&amp;amp;amp;amp;quot;&amp;amp;amp;amp;gt;${loginUrl}&amp;amp;amp;amp;lt;/a&amp;amp;amp;amp;gt;&amp;amp;amp;amp;lt;/p&amp;amp;amp;amp;gt;
+            &amp;amp;amp;amp;lt;p&amp;amp;amp;amp;gt;— The Kodi Portal Team&amp;amp;amp;amp;lt;/p&amp;amp;amp;amp;gt; +
&amp;amp;amp;amp;lt;/div&amp;amp;amp;amp;gt; +        &amp;amp;amp;amp;lt;/body&amp;amp;amp;amp;gt; +        &amp;amp;amp;amp;lt;/html&amp;amp;amp;amp;gt; +    `; +
const text = [ +        `${greeting},`, +        &amp;amp;amp;amp;#39;&amp;amp;amp;amp;#39;, +        `Your role in ${appName} has been updated.`, +
`New role: ${role || &amp;amp;amp;amp;#39;member&amp;amp;amp;amp;#39;}`, +        loginUrl ? `Login: ${loginUrl}` : &amp;amp;amp;amp;#39;&amp;amp;amp;amp;#39;, +
&amp;amp;amp;amp;#39;&amp;amp;amp;amp;#39;, +        &amp;amp;amp;amp;#39;— The Kodi Portal Team&amp;amp;amp;amp;#39; +
].filter(Boolean).join(&amp;amp;amp;amp;#39;\n&amp;amp;amp;amp;#39;); +    return sendEmail({ to, subject, html, text }); +}; + +const
sendKodiPageAssignedEmail = async ({ to, name, appName, pageName, pageUrl, loginUrl }) =&amp;amp;amp;amp;gt; { +    if (!to || !appName || !pageName) {
+        return { success: false, error: &amp;amp;amp;amp;#39;Missing recipient or page details&amp;amp;amp;amp;#39; }; +    } +    const greeting = name ?
`Hi ${name}` : &amp;amp;amp;amp;#39;Hello&amp;amp;amp;amp;#39;; +    const subject = `New page assigned in ${appName}`; +    const html = ` +
&amp;amp;amp;amp;lt;!DOCTYPE html&amp;amp;amp;amp;gt; +        &amp;amp;amp;amp;lt;html&amp;amp;amp;amp;gt; +        &amp;amp;amp;amp;lt;body
style=&amp;amp;amp;amp;quot;font-family: Arial, sans-serif; color: #111827; line-height: 1.6;&amp;amp;amp;amp;quot;&amp;amp;amp;amp;gt; +
&amp;amp;amp;amp;lt;div style=&amp;amp;amp;amp;quot;max-width: 560px; margin: 0 auto; padding: 24px;&amp;amp;amp;amp;quot;&amp;amp;amp;amp;gt; +
&amp;amp;amp;amp;lt;h2&amp;amp;amp;amp;gt;${greeting},&amp;amp;amp;amp;lt;/h2&amp;amp;amp;amp;gt; +            &amp;amp;amp;amp;lt;p&amp;amp;amp;amp;gt;A new page has been
assigned in &amp;amp;amp;amp;lt;strong&amp;amp;amp;amp;gt;${appName}&amp;amp;amp;amp;lt;/strong&amp;amp;amp;amp;gt;.&amp;amp;amp;amp;lt;/p&amp;amp;amp;amp;gt; +
&amp;amp;amp;amp;lt;p&amp;amp;amp;amp;gt;&amp;amp;amp;amp;lt;strong&amp;amp;amp;amp;gt;Page:&amp;amp;amp;amp;lt;/strong&amp;amp;amp;amp;gt;
${pageName}&amp;amp;amp;amp;lt;/p&amp;amp;amp;amp;gt; +            ${pageUrl ? `&amp;amp;amp;amp;lt;p&amp;amp;amp;amp;gt;Open: &amp;amp;amp;amp;lt;a
href=&amp;amp;amp;amp;quot;${pageUrl}&amp;amp;amp;amp;quot;&amp;amp;amp;amp;gt;${pageUrl}&amp;amp;amp;amp;lt;/a&amp;amp;amp;amp;gt;&amp;amp;amp;amp;lt;/p&amp;amp;amp;amp;gt;` :
&amp;amp;amp;amp;#39;&amp;amp;amp;amp;#39;} +            &amp;amp;amp;amp;lt;p&amp;amp;amp;amp;gt;Login: &amp;amp;amp;amp;lt;a
href=&amp;amp;amp;amp;quot;${loginUrl}&amp;amp;amp;amp;quot;&amp;amp;amp;amp;gt;${loginUrl}&amp;amp;amp;amp;lt;/a&amp;amp;amp;amp;gt;&amp;amp;amp;amp;lt;/p&amp;amp;amp;amp;gt;
+            &amp;amp;amp;amp;lt;p&amp;amp;amp;amp;gt;— The Kodi Portal Team&amp;amp;amp;amp;lt;/p&amp;amp;amp;amp;gt; +
&amp;amp;amp;amp;lt;/div&amp;amp;amp;amp;gt; +        &amp;amp;amp;amp;lt;/body&amp;amp;amp;amp;gt; +        &amp;amp;amp;amp;lt;/html&amp;amp;amp;amp;gt; +    `; +
const text = [ +        `${greeting},`, +        &amp;amp;amp;amp;#39;&amp;amp;amp;amp;#39;, +        `A new page has been assigned in ${appName}.`, +
`Page: ${pageName}`, +        pageUrl ? `Open: ${pageUrl}` : &amp;amp;amp;amp;#39;&amp;amp;amp;amp;#39;, +        loginUrl ? `Login: ${loginUrl}` :
&amp;amp;amp;amp;#39;&amp;amp;amp;amp;#39;, +        &amp;amp;amp;amp;#39;&amp;amp;amp;amp;#39;, +        &amp;amp;amp;amp;#39;— The Kodi Portal Team&amp;amp;amp;amp;#39; +
].filter(Boolean).join(&amp;amp;amp;amp;#39;\n&amp;amp;amp;amp;#39;); +    return sendEmail({ to, subject, html, text }); +}; +  module.exports = {
sendClaimInvitation,      sendVerificationEmail, @@ -965,5 +1072,8 @@ module.exports = {      sendConversationRequestEmail,
sendConversationAcceptedEmail,      sendTicketNotificationEmail, -    sendAppAccessEmail +    sendAppAccessEmail, +    sendKodiAppInviteEmail, +
sendKodiRoleUpdatedEmail, +    sendKodiPageAssignedEmail  }; diff --git a/frontend/src/App.jsx b/frontend/src/App.jsx index f33fb3ee..d2b02b9d
100644 --- a/frontend/src/App.jsx +++ b/frontend/src/App.jsx @@ -63,6 +63,10 @@ import KodiTimes from
&amp;amp;amp;amp;#39;./pages/kodi/KodiTimes&amp;amp;amp;amp;#39;;  import KodiBuilderPage from
&amp;amp;amp;amp;#39;./pages/kodi/KodiBuilderPage&amp;amp;amp;amp;#39;;  import KodiRuntimePage from
&amp;amp;amp;amp;#39;./pages/kodi/KodiRuntimePage&amp;amp;amp;amp;#39;;  import KodiPortalPage from
&amp;amp;amp;amp;#39;./pages/kodi/KodiPortalPage&amp;amp;amp;amp;#39;; +import KodiAppShell from
&amp;amp;amp;amp;#39;./pages/kodi/KodiAppShell&amp;amp;amp;amp;#39;; +import KodiAppRuntimePage from
&amp;amp;amp;amp;#39;./pages/kodi/KodiAppRuntimePage&amp;amp;amp;amp;#39;; +import KodiInviteAccept from
&amp;amp;amp;amp;#39;./pages/kodi/KodiInviteAccept&amp;amp;amp;amp;#39;; +import KodiAppsList from
&amp;amp;amp;amp;#39;./pages/kodi/KodiAppsList&amp;amp;amp;amp;#39;;    // HR Pages  import Employees from
&amp;amp;amp;amp;#39;./pages/hr/Employees&amp;amp;amp;amp;#39;; @@ -202,7 +206,7 @@ function App() {                                                    }
/&amp;amp;amp;amp;gt;                                    &amp;amp;amp;amp;lt;Route -
path=&amp;amp;amp;amp;quot;/kodi/portal&amp;amp;amp;amp;quot; +                                path=&amp;amp;amp;amp;quot;/kodi/portal/*&amp;amp;amp;amp;quot;
element={                                    &amp;amp;amp;amp;lt;PrivateRoute&amp;amp;amp;amp;gt;
&amp;amp;amp;amp;lt;KodiPortalPage /&amp;amp;amp;amp;gt; @@ -233,10 +237,36 @@ function App() {
&amp;amp;amp;amp;lt;/PrivateRoute&amp;amp;amp;amp;gt;                                    }                                    /&amp;amp;amp;amp;gt; +
&amp;amp;amp;amp;lt;Route +                                path=&amp;amp;amp;amp;quot;/kodi/apps&amp;amp;amp;amp;quot; +
element={ +                                    &amp;amp;amp;amp;lt;PrivateRoute&amp;amp;amp;amp;gt; +
&amp;amp;amp;amp;lt;KodiAppsList /&amp;amp;amp;amp;gt; +                                    &amp;amp;amp;amp;lt;/PrivateRoute&amp;amp;amp;amp;gt; +
} +                                /&amp;amp;amp;amp;gt; +                                &amp;amp;amp;amp;lt;Route +
path=&amp;amp;amp;amp;quot;/kodi/app/:appId&amp;amp;amp;amp;quot; +                                element={ +
&amp;amp;amp;amp;lt;PrivateRoute&amp;amp;amp;amp;gt; +                                    &amp;amp;amp;amp;lt;KodiAppShell /&amp;amp;amp;amp;gt; +
&amp;amp;amp;amp;lt;/PrivateRoute&amp;amp;amp;amp;gt; +                                } +                                    &amp;amp;amp;amp;gt; +
&amp;amp;amp;amp;lt;Route path=&amp;amp;amp;amp;quot;page/:pageId&amp;amp;amp;amp;quot; element={&amp;amp;amp;amp;lt;KodiAppRuntimePage /&amp;amp;amp;amp;gt;}
/&amp;amp;amp;amp;gt; +                                    &amp;amp;amp;amp;lt;/Route&amp;amp;amp;amp;gt;                                    {/* Public Kodi Record
Pages */}                                    &amp;amp;amp;amp;lt;Route path=&amp;amp;amp;amp;quot;/kodi/page/:slug/login&amp;amp;amp;amp;quot; element=
{&amp;amp;amp;amp;lt;KodiLogin /&amp;amp;amp;amp;gt;} /&amp;amp;amp;amp;gt;                                    &amp;amp;amp;amp;lt;Route
path=&amp;amp;amp;amp;quot;/kodi/page/:slug&amp;amp;amp;amp;quot; element={&amp;amp;amp;amp;lt;KodiPage /&amp;amp;amp;amp;gt;} /&amp;amp;amp;amp;gt; +
&amp;amp;amp;amp;lt;Route +                                path=&amp;amp;amp;amp;quot;/kodi/invitations/accept&amp;amp;amp;amp;quot; +
element={ +                                    &amp;amp;amp;amp;lt;PrivateRoute&amp;amp;amp;amp;gt; +
&amp;amp;amp;amp;lt;KodiInviteAccept /&amp;amp;amp;amp;gt; +                                    &amp;amp;amp;amp;lt;/PrivateRoute&amp;amp;amp;amp;gt; +
} +                                /&amp;amp;amp;amp;gt;                                    {/* Admin Routes */}
&amp;amp;amp;amp;lt;Route diff --git a/frontend/src/pages/kodi/KodiPortal.css b/frontend/src/pages/kodi/KodiPortal.css index 83ae7d5a..775023f0 100644 -
-- a/frontend/src/pages/kodi/KodiPortal.css +++ b/frontend/src/pages/kodi/KodiPortal.css @@ -375,3 +375,191 @@      letter-spacing: 0.05em;
text-transform: uppercase;  } + +/* New portal screens */ +.kodi-portal-screen { +    padding: 28px; +    display: grid; +    gap: 20px; +} +
+.kodi-portal-header { +    display: flex; +    justify-content: space-between; +    align-items: center; +    gap: 16px; +} + +.kodi-portal-header-
actions { +    display: flex; +    gap: 10px; +} + +.kodi-portal-eyebrow { +    text-transform: uppercase; +    font-size: 0.7rem; +    color:
#94a3b8; +    margin: 0; +} + +.kodi-portal-grid { +    display: grid; +    grid-template-columns: repeat(auto-fit, minmax(260px, 1fr)); +    gap:
16px; +} + +.kodi-portal-card { +    background: #fff; +    border-radius: 14px; +    border: 1px solid #e2e8f0; +    padding: 16px; +    display:
grid; +    gap: 12px; +    box-shadow: 0 10px 24px rgba(15, 23, 42, 0.06); +} + +.kodi-portal-card-meta { +    display: flex; +    gap: 12px; +
font-size: 0.8rem; +    color: #64748b; +} + +.kodi-portal-card-actions { +    display: flex; +    gap: 10px; +} + +.kodi-portal-table { +
background: #fff; +    border-radius: 14px; +    border: 1px solid #e2e8f0; +    padding: 12px; +    display: grid; +    gap: 10px; +} + +.kodi-
portal-table__row { +    display: grid; +    grid-template-columns: 1.5fr 1fr 0.6fr 0.6fr 0.6fr 2fr 1fr; +    gap: 12px; +    align-items: center; +
font-size: 0.85rem; +} + +.kodi-portal-table__row.user { +    grid-template-columns: 1.5fr 1fr 0.8fr 1fr; +} + +.kodi-portal-table__row.header { +
font-weight: 700; +    color: #475569; +} + +.kodi-portal-table__actions { +    display: flex; +    gap: 8px; +} + +.kodi-portal-empty { +    color:
#94a3b8; +} + +.kodi-portal-modal { +    position: fixed; +    inset: 0; +    background: rgba(15, 23, 42, 0.55); +    display: flex; +    align-
items: center; +    justify-content: center; +    z-index: 50; +} + +.kodi-portal-modal__content { +    background: #fff; +    border-radius: 16px;
+    padding: 20px; +    width: min(520px, 90vw); +    display: grid; +    gap: 12px; +} + +.kodi-portal-modal__header { +    display: flex; +
justify-content: space-between; +    align-items: center; +} + +.kodi-portal-form { +    display: grid; +    gap: 12px; +} + +.kodi-portal-form
input, +.kodi-portal-form textarea, +.kodi-portal-form select { +    width: 100%; +    padding: 8px 10px; +    border-radius: 8px; +    border: 1px
solid #d8dde6; +} + +.kodi-portal-checkboxes { +    display: flex; +    gap: 12px; +} + +.kodi-portal-summary-card { +    background: #fff; +
border-radius: 14px; +    padding: 16px; +    border: 1px solid #e2e8f0; +    display: grid; +    gap: 10px; +} + +.kodi-portal-summary-meta { +
display: flex; +    gap: 14px; +    font-size: 0.85rem; +    color: #64748b; +} + +.kodi-portal-nav-preview { +    list-style: none; +    padding:
0; +    margin: 0; +    display: grid; +    gap: 6px; +} + +.kodi-portal-role-grid { +    display: grid; +    grid-template-columns: repeat(2,
minmax(0, 1fr)); +    gap: 6px; +    font-size: 0.72rem; +} + +.status-pill.pending { +    background: #fef3c7; +    color: #92400e; +    padding:
4px 8px; +    border-radius: 999px; +    font-size: 0.72rem; +} + +.status-pill.active { +    background: #dcfce7; +    color: #166534; +
padding: 4px 8px; +    border-radius: 999px; +    font-size: 0.72rem; +} + +.status-pill.disabled { +    background: #fee2e2; +    color: #991b1b; +
padding: 4px 8px; +    border-radius: 999px; +    font-size: 0.72rem; +} diff --git a/frontend/src/pages/kodi/KodiPortalPage.jsx
b/frontend/src/pages/kodi/KodiPortalPage.jsx index 93b14822..fe595a9d 100644 --- a/frontend/src/pages/kodi/KodiPortalPage.jsx +++
b/frontend/src/pages/kodi/KodiPortalPage.jsx @@ -1,6 +1,20 @@  import React from &amp;amp;amp;amp;#39;react&amp;amp;amp;amp;#39;; -import KodiPortal from
&amp;amp;amp;amp;#39;./KodiPortal&amp;amp;amp;amp;#39;; +import { Routes, Route, Navigate } from &amp;amp;amp;amp;#39;react-router-dom&amp;amp;amp;amp;#39;; +import
AppsList from &amp;amp;amp;amp;#39;./portal/AppsList&amp;amp;amp;amp;#39;; +import AppDetail from &amp;amp;amp;amp;#39;./portal/AppDetail&amp;amp;amp;amp;#39;;
+import AppUsers from &amp;amp;amp;amp;#39;./portal/AppUsers&amp;amp;amp;amp;#39;; +import AppPages from
&amp;amp;amp;amp;#39;./portal/AppPages&amp;amp;amp;amp;#39;; +import AppSettings from &amp;amp;amp;amp;#39;./portal/AppSettings&amp;amp;amp;amp;#39;;   -const
KodiPortalPage = () =&amp;amp;amp;amp;gt; &amp;amp;amp;amp;lt;KodiPortal /&amp;amp;amp;amp;gt;; +const KodiPortalPage = () =&amp;amp;amp;amp;gt; ( +
```

<Routes> + <Route path="/" element={<Navigate to="apps" replace />} /> + <Route path="apps" element={<AppsList />} /> + <Route path="apps/:appId" element={<AppDetail />} /> + <Route path="apps/:appId/users" element={<AppUsers />} /> + <Route path="apps/:appId/pages" element={<AppPages />} /> + <Route path="apps/:appId/settings" element={<AppSettings />} /> + </Routes> +); export default KodiPortalPage; diff --git a/frontend/src/pages/kodi/KodiRuntime.css b/frontend/src/pages/kodi/KodiRuntime.css index d10f47c3..5fd61b9e 100644 --- a/frontend/src/pages/kodi/KodiRuntime.css +++ b/frontend/src/pages/kodi/KodiRuntime.css @@ -231,3 +231,62 @@ text-align: center; color: #64748b; } + +.kodi-app-shell { + display: grid; + grid-template-columns: 240px 1fr; + min-height: 100vh; + background: #f8fafc; +} + +.kodi-app-shell__nav { + background: #0f172a; + color: #e2e8f0; + padding: 20px; + display: grid; + gap: 16px; +} + +.kodi-app-shell__header { + display: grid; + gap: 8px; +} + +.kodi-app-shell__header select { + width: 100%; + padding: 6px 8px; + border-radius: 8px; + border: 1px solid #334155; + background: #1e293b; + color: #e2e8f0; +} + +.kodi-app-shell__menu { + display: grid; + gap: 8px; +} + +.kodi-app-shell__menu a { + color: #e2e8f0; + text-decoration: none; + padding: 8px 10px; + border-radius: 8px; +} + +.kodi-app-shell__menu a.active { + background: #2563eb; +} + +.kodi-app-shell__content { + padding: 20px; +} + +@media (max-width: 900px) { + .kodi-app-shell { + grid-template-columns: 1fr; + } + .kodi-app-shell__nav { + position: sticky; + top: 0; + } +} diff --git a/frontend/src/pages/kodi/KodiRuntimePage.jsx b/frontend/src/pages/kodi/KodiRuntimePage.jsx index 4e54835f..eecf7cd8 100644 --- a/frontend/src/pages/kodi/KodiRuntimePage.jsx +++ b/frontend/src/pages/kodi/KodiRuntimePage.jsx @@ -36,7 +36,7 @@ const KodiRuntimePage = () => { load(); }, [pageId]); - const role = user?.role; + const role = payload?.effectiveRole || user?.role; const hasAccess = useMemo(() => { if (!role) return true; const map = payload?.permissions || {}; diff --git a/frontend/src/pages/kodi/KodiTimes.jsx b/frontend/src/pages/kodi/KodiTimes.jsx index 74eadbfc..16c2471d 100644 --- a/frontend/src/pages/kodi/KodiTimes.jsx +++ b/frontend/src/pages/kodi/KodiTimes.jsx @@ -6,9 +6,9 @@ import { activatePlatformPage, createPlatformPage, linkPlatformPage, - listPlatformApps, listPlatformPages } from '../../services/kodiPageService'; +import { listPortalApps } from '../../services/kodiPortalService'; import './KodiTimes.css'; const PAGE_TYPES = [@@ -58,7 +58,7 @@ const KodiTimes = () => { const fetchApps = async () => { setLoadingApps(true); try { - const data = await listPlatformApps(); + const data = await listPortalApps(); setApps(data); } catch (error) { toast.error('Cannot load Kodi apps'); diff --git a/frontend/src/services/kodiPageService.js b/frontend/src/services/kodiPageService.js index c0e0525f..72438298 100644 --- a/frontend/src/services/kodiPageService.js +++ b/frontend/src/services/kodiPageService.js @@ -55,8 +55,8 @@ export const listPagePermissions = async (pageId) => unwrap((await api.get(`/kodi/platform/pages/${pageId}/permissions`)).data); export const updatePagePermissions = async (pageId, payload) => unwrap((await api.post(`/kodi/platform/pages/${pageId}/permissions`, payload)).data); -export const fetchRuntimePage = async (pageId) => - unwrap((await api.get(`/kodi/platform/runtime/${pageId}`)).data); +export const fetchRuntimePage = async (pageId, { appId } = {}) => + unwrap((await api.get(`/kodi/platform/runtime/${pageId}`, { params: appId ? { appId } : {} })).data); export const listAppUsers = async (appId) => unwrap((await api.get(`/kodi/platform/apps/${appId}/users`)).data); export const assignAppUser = async (appId, payload) =></pre></body></html></pre></body></ </pre></body></html>