Examen Betek-Omar Ramírez González

Realice el exámen en el siguiente orden:

1. Crear un par de claves nuevo
2. Lanzar una instancia de servidor web
3. Conectarse a la instancia de Linux via SSH
4. Crear un EBS con TAGS y asociarlo a la instancia
5. Crear un bucket (S3) con TAGs y subir un archivo .TXT básico
6. Subir las evidencias a su repositorio de GitHub

Evidencias

1. Creation de EC2
   La instancia se llama demo-ec2-examen-omaruzgonzalez





En este punto configuramos la .pem y el nombre es ‘examenomar.pem’

Comprobamos VPC predeterminada y la subnet.





Aca configuramos el grupo de seguridad, permitimos el trafico para puerto 22 y puerto 80.



Copiamos el codigo requerido en el User data, que es lo que se correra cuando llamemos nuestra instancia.





Creación exitosa de la instancia



Aca se visualiza la instancia con el respectivo nombre



Aca buscamos la informacion para realizar la conexión SSH



En esta parte nos conectamos al servidor desde la consola con la conexión SSH.



En esta parte empezamos con la creación del (volumen) para asociarlo al servidor que creamos. Dejamos ese volumen tal cual las instrucciones.



Colocamos los respectivos tags, la zona de disponibilidad la colocamos en 1d porque en esa misma estaba nuestra EC2 creada hace un momento.



Conectamos el volumen con la EC2.



Aca podemos visualizar la EC2 y el volumen.



En esta parte empezamos la creación del BUCKETS y también se observa el archivo .txt




Search
[Alt+S]
United States (N. Virginia)
Account ID: 6546-5447-8122
omaruzgonzalez@gmail.com
Amazon S3 > Buckets > examen-omar > Upload
Checksum function
Checksum functions are used to calculate the checksum value. For objects smaller than 16 MB, only the full object checksum type is supported, for all checksum algorithms.
CRC64NVME (recommended)
Precalculated value - optional
When you provide a precalculated value for a single object, S3 compares it to the value it calculates using the selected checksum function. If the values don't match, the upload will fail. Learn more
Enter value
The precalculated value must be a Base64 encoded string. It must not exceed 128 characters, and can contain only letters (a-z, A-Z), numbers (0-9), forward slash (/), plus (+), or equals (=).
Tags - optional
You can use object tags to analyze, manage, and specify permissions for objects. Learn more
Key
Value - optional
Examen
Guardar las cosas del examen
Remove
Omar
Examen
Remove
Add tag
Metadata - optional
Metadata is optional information provided as a name-value (key-value) pair. Learn more
No metadata associated with this resource.
Add metadata
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
United States (N. Virginia)
Account ID: 6546-5447-8122
omaruzgonzalez@gmail.com
Amazon S3 > Buckets > examen-omar
examen-omar Info
Objects
Metadata
Properties
Permissions
Metrics
Management
Access Points
Objects (1)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
Examen Omar Ramirez Gonzalez.txt
txt
February 20, 2026, 16:53:21 (UTC-05:00)
28.0 B
Standard
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences