```
PS C:\Users\USUARIO\Desktop\Cursos\AWS\examen-terraform-s3> terraform init
Initializing the backend...
Initializing modules...
Initializing provider plugins...
- Reusing previous version of hashicorp/aws from the dependency lock file
- Using previously-installed hashicorp/aws v5.100.0

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see
any changes that are required for your infrastructure. All Terraform commands
should now work.

If you ever set or change modules or backend configuration for Terraform,
rerun this command to reinitialize your working directory. If you forget, other
commands will detect it and remind you to do so if necessary.
PS C:\Users\USUARIO\Desktop\Cursos\AWS\examen-terraform-s3> terraform fmt -recursive
PS C:\Users\USUARIO\Desktop\Cursos\AWS\examen-terraform-s3> terraform validate
Success! The configuration is valid.

PS C:\Users\USUARIO\Desktop\Cursos\AWS\examen-terraform-s3> terraform plan

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated wit
following symbols:
  + create

Terraform will perform the following actions:

  # module.s3_website.aws_s3_bucket.website will be created
  + resource "aws_s3_bucket" "website" {
```

```
Terraform will perform the following actions:

  # module.s3_website.aws_s3_bucket.website will be created
  + resource "aws_s3_bucket" "website" {
      + acceleration_status         = (known after apply)
      + acl                         = (known after apply)
      + arn                         = (known after apply)
      + bucket                      = "cloudnova-examen-omar-ramirez-2026"
      + bucket_domain_name          = (known after apply)
      + bucket_prefix               = (known after apply)
      + bucket_regional_domain_name = (known after apply)
      + force_destroy               = false
      + hosted_zone_id              = (known after apply)
      + id                          = (known after apply)
      + object_lock_enabled         = (known after apply)
      + policy                      = (known after apply)
      + region                      = (known after apply)
      + request_payer               = (known after apply)
      + tags                        = {
          + "Environment" = "dev"
          + "Owner"       = "Omar Ramirez Gonzalez"
          + "Project"     = "Betek"
        }
      + tags_all                    = {
          + "Environment" = "dev"
          + "Owner"       = "Omar Ramirez Gonzalez"
          + "Project"     = "Betek"
        }
      + website_domain              = (known after apply)
      + website_endpoint            = (known after apply)
```

```
Note: You didn't use the -out option to save this plan, so Terraform can't guarantee to take exactly these actions if
you run "terraform apply" now.
PS C:\Users\USUARIO\Desktop\Cursos\AWS\examen-terraform-s3> terraform apply -auto-approve

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the
following symbols:
  + create

Terraform will perform the following actions:

  # module.s3_website.aws_s3_bucket.website will be created
  + resource "aws_s3_bucket" "website" {
      + acceleration_status         = (known after apply)
      + acl                         = (known after apply)
      + arn                         = (known after apply)
      + bucket                      = "cloudnova-examen-omar-ramirez-2026"
      + bucket_domain_name          = (known after apply)
      + bucket_prefix               = (known after apply)
      + bucket_regional_domain_name = (known after apply)
      + force_destroy               = false
      + hosted_zone_id              = (known after apply)
      + id                          = (known after apply)
      + object_lock_enabled         = (known after apply)
      + policy                      = (known after apply)
      + region                      = (known after apply)
      + request_payer               = (known after apply)
      + tags                        = {
```

```
Plan: 5 to add, 0 to change, 0 to destroy.

Changes to Outputs:
  + bucket_arn    = (known after apply)
  + bucket_id     = (known after apply)
  + url_sitio_web = (known after apply)
module.s3_website.aws_s3_bucket.website: Creating...
module.s3_website.aws_s3_bucket.website: Creation complete after 3s [id=cloudnova-examen-omar-ramirez-2026]
module.s3_website.aws_s3_bucket_website_configuration.website: Creating...
module.s3_website.aws_s3_bucket_public_access_block.website: Creating...
module.s3_website.aws_s3_object.index: Creating...
module.s3_website.aws_s3_bucket_public_access_block.website: Creation complete after 1s [id=cloudnova-examen-omar-ramire
z-2026]
module.s3_website.aws_s3_bucket_policy.website: Creating...
module.s3_website.aws_s3_bucket_website_configuration.website: Creation complete after 1s [id=cloudnova-examen-omar-rami
rez-2026]
module.s3_website.aws_s3_object.index: Creation complete after 1s [id=index.html]
module.s3_website.aws_s3_bucket_policy.website: Creation complete after 0s [id=cloudnova-examen-omar-ramirez-2026]

Apply complete! Resources: 5 added, 0 changed, 0 destroyed.

Outputs:

bucket_arn = "arn:aws:s3:::cloudnova-examen-omar-ramirez-2026"
bucket_id = "cloudnova-examen-omar-ramirez-2026"
url_sitio_web = "http://cloudnova-examen-omar-ramirez-2026.s3-website-us-east-1.amazonaws.com"
PS C:\Users\USUARIO\Desktop\Cursos\AWS\examen-terraform-s3>
```





https://github.com/omramirezg/BETEK/tree/main/examen-terraform-s3

http://cloudnova-examen-omar-ramirez-2026.s3-website-us-east-1.amazonaws.com/