Weighbridge Automation

Configuration Report

Generated on August 10, 2026

Device Configuration Status

Component	Device Status
Server Configuration	✓ Success
RFID Configuration	✓ Success
Top Camera Configuration	✓ Success
Front Camera Configuration	✓ Success
Display Configuration	✓ Success
I/O Controller Configuration	✓ Success
Sensor 1 Configuration	✓ Success
Sensor 2 Configuration	✓ Success
Sensor 3 Configuration	✓ Success
Entry Traffic Light Configuration	✓ Success
Exit Traffic Light Configuration	✓ Success
Entry Boom Barrier Configuration	■ Skipped
Exit Boom Barrier Configuration	■ Skipped
Digitizer Configuration	✓ Success
Audio System Configuration	✓ Success

Device Configuration Setup Report

1. Setup Information

Weighbridge ID:	00844
Weighbridge Name:	THE GREAT INDIAN WEIGHBRIDGE
Weighbridge type:	Unidirectional
Vendor Company:	Vendor Company
Verified By:	Bidyadhar Muduli
Verification Date:	2026-08-10
Remarks:	ok

2. Server Configuration

IP Address:	localhost
Port:	8800
Status:	✓ Validated

3. RFID Reader Configuration

IP Address:	192.168.63.87
Port:	5555
Mode:	API
Make:	Zebra

Model:	fx900
Status:	✓ Validated

4. Camera Configuration

Top Camera

RTSP URL:	
Make:	
Model:	
Status:	✓ Validated

Front Camera

RTSP URL:	rtsp://zafir:Csm_12345@192.168.40.69:554/Streaming/Channels/103
Make:	ok
Model:	ok
Status:	✓ Validated
Image:	

5. Display Configuration

Type:	mqtt
IP Address:	127.0.0.1
Port:	1883
Make:	Display
Model:	Display
Status:	✓ Validated

6. I/O Controller Configuration

Connection Settings

Type:	ethernet
Output Mode:	direct
IP Address:	192.168.63.89
Port:	502
Timeout:	1
Slave ID:	1
Make:	waveshare
Model:	8DI-DO
Status:	✓ Validated

Register Mappings

Digital Inputs

Start Address:	0
Count:	8
Function Code:	2

Digital Outputs

Start Address:	0
Count:	8
Function Code:	5

7. Ultrasonic Sensor Configuration

Entry sensor

Make:	N/A
Model:	N/A
Pin No:	0
Signal When Not Triggered:	LOW
Setup test:	Tested (validated)

WB Sensor

Make:	N/A
Model:	N/A
Pin No:	
Signal When Not Triggered:	LOW
Setup test:	Tested (validated)
I/O section:	✓ Validated

Exit Sensor

Make:	N/A
Model:	N/A
Pin No:	
Signal When Not Triggered:	LOW
Setup test:	Tested (validated)

8. Traffic Lights Configuration

Entry Traffic Light

Make:	demo
Model:	3ert
Red Pin:	0
Green Pin:	1
Setup test:	Tested (validated)

Exit Traffic Light

Make:	N/A
Model:	N/A
Red Pin:	
Green Pin:	
Setup test:	Tested (validated)

9. Boom Barrier Configuration

Entry Boom Barrier

Make:	N/A
Model:	N/A
Open Pin:	
Close Pin:	N/A
Setup test:	Skipped

Exit Boom Barrier

Make:	N/A
Model:	N/A
Open Pin:	
Close Pin:	N/A
Setup test:	Skipped

10. Digitizer Configuration

Port:	8100
Baud Rate:	9600
Data Bits:	8
Parity:	N/A
Stop Bits:	1
Timeout:	30
Stable Count:	10
Conversion Method:	Auto-detect (not configured)
Make:	
Model:	
Status:	✓ Validated

11. Audio System Configuration

Enabled:	Yes
Status:	✓ Validated

✓ The devices have been configured successfully.

Report generated on 2026-08-10 19:00:39