



You are Proctored by Invigilator

Question 2:

Marks: 1

_____ class implements a single line text-entry area.

Button

TextField

Checkbox

TextArea

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517

01:22:41

You are Proctored by Invigilator

Question 21:**Marks: 1**

Which Swing classes can be used with progress bars?

- JProgressBar
- ProgressMonitor
- ProgressMonitorInputStream
- all the above

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517



00:49:32

You are Proctored by Invigilator

Question 49:**Marks: 1**

Which method is used to perform DML statements in JDBC?

- execute()
- executeQuery()
- executeUpdate()
- executeResult()

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



You are Proctored by Invigilator

Question 3:

Marks: 1

Which layout is used to align fixed width components at the edges?

BorderLayout

FlowLayout

GridLayout

CardLayout

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 2251 /



00:21:30

You are Proctored by Invigilator

Question 48:**Marks: 1**

Identify Correct Syntax for following method of
ResultSet

_____ absolute (_____);

boolean, int

boolean, void

void, int

void, void

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

You are Proctored by Invigilator

Question 32:**Marks: 1**

The getStateChange () method returns the state change.

- The mouse pressed or released
- Selected or Deselected
- A page-up or page-down
- The window gained input focus.

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27

**Question 10:****Marks: 1**

The, getButton() method returns-

- returns int value that represents the button that caused the event.
- returns boolean value that represents the button that caused the event.
- returns void and generates events.
- returns object and generates events.

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Subject: 22517

00:47:26

You are Proctored by Invigilator

Question 60:**Marks: 1**

_____ method of HttpServletResponse
interface adds cookies to the HTTP response .

- public void addCookie(Cookie cookie)
- public void addCookie()
- public void getCookie(Cookie cookie)
- public void getCookie()

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: ZZ51/

UT:ZZ:Z3

You are Proctored by Invigilator

Question 23:**Marks: 1**

Which of these interfaces define a method
keyPressed()?

- MouseMotion Listener
- MouseListener
- KeyBoardListener
- KeyListener

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517

01:18:51

You are Proctored by Invigilator**Question 40:****Marks: 1**

When you will use this ServerSocket(int port, int que) constructor to create server socket

to create ServerSocket with port number

to create ServerSocket with port number & Ip address

to create ServerSocket with port number and number of incoming client queue

B & C

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517



01:21:05

You are Proctored by Invigilator**Question 31:****Marks: 1**

In Adapter class it is sufficient to include only the methods required to override.

 TRUE FALSE Sometimes Never**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517

01:19:59

You are Proctored by Invigilator**Question 38:****Marks: 1**

getLastModified() method present in which class

- URL
- URLDecoder
- URLConnection
- All of the mentioned

Previous**Save & Next** To be Reviewed Later**End Exam Button Available on Last Question****2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517



00:47:50

Question 58:**Marks: 1**

Information that is saved for each cookie includes _____

- The name, the value and expiration date of the cookie.
- The name and expiration date of the cookie only
- The name of Cookie only.
- The name and the value of the cookie

[Previous](#)[Save & Next](#)

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



You are Proctored by Invigilator

Question 4:**Marks: 1**

Which of the following are passed as an argument to the paint() method?

- A Canvas object
- A Graphics object
- An Image object
- A paint object

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



You are Proctored by Invigilator

Question 51:

Marks: 1

Which of the Following is NOT true for Two Tier Architecture

- The direct communication takes place between client and server.
- There is no intermediate between client and server.
- A 2 tiered application will run faster.
- In two tier architecture the server can

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Subject: 22517



01:27:01

Question 19:**Marks: 1**

Menus are attached to the windows by calling _____ method

- addMenus()
- setMenu()
- setJMenuBar()
- addJMenuBar()

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



You are Proctored by Invigilator

Question 26:

Marks: 1

windowGainedFocus() and windowLostFocus()
methods are belongs to _____ interface .

- WindowInterface
- WindowFocused Interface
- WindowFocusListener
- WindowAction Interface

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517

00:23:34

You are Proctored by Invigilator

Question 35:**Marks: 1**

TCP communication is -----

- connection oriented
- reliable
- both A and B
- None of the above

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517



01:27:18

You are Proctored by Invigilator

Question 17:**Marks: 1**

What happens if setSize() is not called on a JFrame ?

- The window is displayed at its preferred size
- The window is not displayed
- The window is displayed at its absolute size
- Only the title bar appears

[Previous](#)[Save & Next](#)

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 2251 /



UU:ZT1:54

You are Proctored by Invigilator**Question 32:****Marks: 1**

The getStateChange () method returns the state change.

- The mouse pressed or released
- Selected or Deselected
- A page-up or page-down
- The window gained input focus.

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517

01:22:14

You are Proctored by Invigilator

Question 24:**Marks: 1**

Java allows a programmer to write a class within another class, is called as _____.

- Abstract Class X
- Inner Class X
- Derived Class
- Simple Class X

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517



00:46:11

You are Proctored by Invigilator**Question 67:****Marks: 1**

_____ method invalidates this session and removes it from the context?

 void invalidate() void validate() void verify() void removeAttribute()**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



You are Proctored by Invigilator

Question 34:

Marks: 1

In an adapter class program, if it contains 5 methods, how many methods are to be overridden?

1

2

4

5

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 2251 /

UU:45:40

You are Proctored by Invigilator

Question 70:**Marks: 1**

.Which of the following package is missing for the below program?

```
import java.io.*;
import javax.servlet.*;
public class PostParameterServlet extends
GenericServlet{
```

- import java.util.*;
- import javax.servlet.http.*;
- import java.awt.*;
- None of these

Previous**Save**

To be Reviewed Later

End Exam**2010510459**

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

**Question 8:****Marks: 1**

Button B1=new Button("Submit");Which method is used to obtain output as "Submit"

 setText() setLabel() getText() **getLabel()****Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Subject: 22517

01:21:34

You are Proctored by Invigilator**Question 28:****Marks: 1**

Which of the following statements is true?

- keyTyped() is method of KeyListener Interface
- keyTyped() is method of MouseListener Interface
- keyTyped() is method of ActionListener Interface

Previous**Save & Next** To be Reviewed Later**End Exam Button Available on Last Question****2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517

01:21:23

You are Proctored by Invigilator**Question 29:****Marks: 1**

The WindowEvent class, WINDOW_ICONIFIED, integer constants meaning-

- Showing a window for the first time.
- The window which contains the focus owner.
- Reducing the window from to minimized.
- Restoring the window to its original size.

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



You are Proctored by Invigilator

Question 68:

Marks: 1

Write the missing statement in the below code

```
import javax.servlet.*;
public class WelcomeServlet extends
GenericServlet
{
```

pw.close();

pw.stop();

pw.destroy();

none of these

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



You are Proctored by invigilator

Question 64:**Marks: 1**

_____ returns true if the server created the session and it has not yet been accessed by the client.

- invalidate()
- isNew()
- getLastAccessedTime()
- None of the above

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517

00:50:20

You are Proctored by Invigilator

Question 45:**Marks: 1**

PreparedStatement interface extends which interface?

- Statement
- CallableStatement
- ResultSet
- None of the above

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 220...

IP: 01.20.10

You are Proctored by Invigilator

Question 11:**Marks: 1**

Which of the following are true?

- A. The event-inheritance model has replaced the event-delegation model.
- B. The event-inheritance model is more efficient than the event-delegation model.
- C. The event-delegation model uses event

Statement A is true

Statement B is true

Statement C is true

Statement D is true

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



You are Proctored by Invigilator

Question 51:

Marks: 1

Which of the Following is NOT true for Two Tier Architecture

The direct communication takes place between client and server.

There is no intermediate between client and server.

A 2 tiered application will run faster.

In two tier architecture the server can

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517

01:29:30

You are Proctored by Invigilator**Question 1:****Marks: 1**

Which of the following methods can be used to change the size of a java.awt.Component object?

setSize() and resize()

- (A) dimension()
- (B) setSize()
- (C) size()

 (A), (B), (C) and (D) (A), (B) and (D) (B), (C) and (D) (B) and (D)[Previous](#)[Save & Next](#)

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517



00:47:17

You are Proctored by Invigilator

Question 61:**Marks: 1**

which of the following are the methods in belong to HttpServletRequest interface.

- String getAuthType()
- Cookie[] getCookies()
- Both A and B
- Neither A nor B

[Previous](#)[Save & Next](#)

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9

**Question 7:****Marks: 1**

TextArea a2=new TextArea("Advanced is multitasking",5,30);

Which method is used to get output as "Advanced Java is multitasking"

insert("Java ",9)

append("Java",9)

getRows("Java",10) 

None of these

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



You are Proctored by Invigilator

Question 35:

Marks: 1

TCP communication is -----

connection oriented

reliable

both A and B

None of the above

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517



00:48:01

You are Proctored by Invigilator**Question 57:****Marks: 1**

getCookies() method returns _____ of the cookies in this request

array

enum

object

none of the above

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517

01:20:21

You are Proctored by Invigilator**Question 36:****Marks: 1**

which class is used to create servers that listen
for either local or client program

- ServerMachine
- ClientMachine
- HttpServer
- ServerSocket

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517

01:21:13

You are Proctored by Invigilator

Question 30:**Marks: 1**

Which are two ways to create Java Anonymous inner class ?

- Class,Interface
- Class,Object
- Interface,Object
- Class,Constructor

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



You are Proctored by Invigilator

Question 5:

Marks: 1

_____ is immediate super class of Menu class.

MenuBar

MenuItem

MenuComponent

Object

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27



Subject: 22517



00:21:48

You are Proctored by Invigilator**Question 33:****Marks: 1**

Can outer Java classes access inner class
private members?

 No Sometimes Yes Never**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



You are Proctored by Invigilator

Question 44:**Marks: 1**

What is the output of the following statement?

```
ServerSocket ss=new ServerSocket(1234);
                                                                           
Socket s1=ss.accept();
                  
System.out.println(s1.getPort());                  
```

- port number of client socket
- 1234
- local port
- All of the above

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Subject: 22517

01:27:35

You are Proctored by Invigilator**Question 15:****Marks: 1**

Swing components are preceded by the letter

 S A X J**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517

00:49:47

You are Proctored by Invigilator**Question 48:****Marks: 1**

Identify Correct Syntax for following method of
ResultSet

_____ absolute (_____);

boolean, int

boolean, void

void, int

void, void

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517

01:20:11

You are Proctored by Invigilator**Question 37:****Marks: 1**

Socket method called _____ returns the port number that socket is bound to on local machine

 int getLocalPortt() int getPort() InetAddress getInetAddress() string getHostAddress()[Previous](#)[Save & Next](#)

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517



00:46:33

You are Proctored by Invigilator

Question 65:**Marks: 1**

Which method sets status code for this response to code

- void setStatus(int code)
- void setStatus()
- void Status(int code)
- None of the above

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517

00:49:56

You are Proctored by Invigilator**Question 47:****Marks: 1**

Which method is used to find the number of column in ResultSet?

 getNumberOfColumn() getMaxColumn() getColumnCount() getColumns()**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9

**Question 31:****Marks: 1**

In Adapter class it is sufficient to include only the methods required to override.

TRUE

FALSE

Sometimes

Never

...



Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27



You are Proctored by Invigilator

Question 6:**Marks: 1**

Which of the following layout manager should be used so that every component occupies the same size in the container?

 Grid Layout Card Layout Border Layout Flow Layout[Previous](#)[Save & Next](#)

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Subject: 22517



00:49:02

You are Proctored by Invigilator**Question 52:****Marks: 1**

Connection object can be initialized using the _____ method of the Driver Manager class.

- putConnection()
- setConnection()
- Connection()
- getConnnection()

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517

01:21:42

You are Proctored by Invigilator**Question 27:****Marks: 1**

mouseExited() is method of _____ interface.

 Mouse Interface MouseMotionListener Interface MouseExited Interface MouseListener Interface**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9

**Question 14:****Marks: 1**

What is the name of the Swing class that is used for frames?

 SwingFrame Window Frame JFrame[Previous](#)[Save & Next](#)

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27



Subject: 22517



00:48:10

You are Proctored by Invigilator

Question 56:**Marks: 1**

_____ is the super class of all event classes.

- Event
- Object
- EventObject
- EventClass

[Previous](#)[Save & Next](#)

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



You are Proctored by Invigilator

Question 59:

Marks: 1

setAttribute(), getAttribute(),
getAttributeNames(), and removeAttribute()
methods of _____ interface.

HttpSession

HttpServlet

HttpServletResponse

HttpServletRequest

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



You are Proctored by Invigilator

Question 9:

Marks: 1

When a ----- Dialog box is active, it blocks user input to all other windows in the program.

modal

modeless

file

none of the above

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517

00:23:12

You are Proctored by Invigilator

Question 36:**Marks: 1**

which class is used to create servers that listen
for either local or client program

 ServerMachine ClientMachine HttpServer ServerSocket**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517



00:48:27

You are Proctored by Invigilator

Question 55:**Marks: 1**

Consider the following program. What should be the correction done in the program to get correct output?

```
import java.sql.*;  
public class DataBase{  
public static void main(String[] args) {
```

- Insert try and
catch(FileNotFoundException fe)
- Insert try(Exception e)
- Insert try and catch(Exception e)
- Insert catch(Exception e)

[Previous](#)[Save & Next](#)

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517



00:46:21

You are Proctored by Invigilator

Question 66:**Marks: 1**

HttpServlet class methods throw _____.

- IOException only
- ServletException only
- IllegalStateException only
- IOException and ServletException only

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



You are Proctored by Invigilator

Question 62:**Marks: 1**

_____ is removed each time when user closes the browser.



Non-persistent cookie



Persistent cookie



session



http servlet

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517

00:48:41

You are Proctored by Invigilator**Question 54:****Marks: 1**

subname part of JDBC URL string NOT contains

 Database name Username and password Port number Protocol**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517

00:45:50

You are Proctored by Invigilator**Question 69:****Marks: 1**

In case of _____ we can implement only required methods of any interface.

- interface
- package
- adapter classes
- event classes

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517

01:28:03

You are Proctored by Invigilator

Question 12:**Marks: 1**

Which of the following statements are used to create panel in border layout?

- Frame p=new Frame(new BorderLayout());
- Panel p=new Panel(); p.setLayout(new BorderLayout());
- Panel p=new Panel();
- Panel p=new Panel(); p.setLayout(new

Previous**Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9

**Question 46:****Marks: 1**

Methods of ResultSet throws _____ exception.

IOException

SQLException

MethodNotFoundException

ResultSetException

[Previous](#)

[Save & Next](#)

To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517

00:22:17

You are Proctored by Invigilator**Question 30:****Marks: 1**

Which are two ways to create Java Anonymous inner class ?

 Class,Interface Class,Object Interface,Object Class,Constructor**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517



01:27:09

You are Proctored by Invigilator**Question 18:****Marks: 1**

The code below draws a line. What is the color of the line created?

```
Color c=new Color(255,0,0);  
g.setColor(c);  
g.drawLine(0, 0, 100,100);
```

 Red Green Yellow Cyan[Previous](#)[Save & Next](#)

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517

00:48:50

You are Proctored by Invigilator**Question 53:****Marks: 1**

which driver converts JDBC API calls directly into the DBMS specific network protocol without a middle tier?

 Type 1 Type 2 Type 3 Type 4**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517



01:20:47

You are Proctored by Invigilator

Question 33:**Marks: 1**

Can outer Java classes access inner class
private members?

 No Sometimes Yes Never**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517

01:27:27

You are Proctored by Invigilator**Question 16:****Marks: 1**

In Swing the content pane can be obtained by using _____ method.

 getContent() getContentPane() Both A and B getContainedPane()**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517



00:46:53

You are Proctored by Invigilator**Question 63:****Marks: 1**

GenericServlet class is encapsulated inside
_____ package

 java.lang javax.servlet java.servlet javax.servlet.http**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9



Subject: 22517

00:49:21

You are Proctored by Invigilator**Question 50:****Marks: 1**

Which of the following is used to set the maximum number of rows can contain?

 setMaxRows(int i) setMinRows(int i) getMaxrows(int i) getMinRows(int i)**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9

Question 13:**Marks: 1**

Which is the correct constructor of GridLayout

- GridLayout(int numrows)
- GridLayout(int numrows, int numcols,intx)
- GridLayout(int numrows, int numcols,intx,inty)
- GridLayout(int numrows, int numcols)

Previous**Save & Next** To be Reviewed Later**End Exam Button Available on Last Question****2010510459**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45



You are Proctored by Invigilator

Question 25:**Marks: 1**

Fill in the blank:

✓ MouseMotionListener interface
define _____ methods

7

5

one

two

three

four

Previous

Save & Next



To be Reviewed Later

End Exam Button Available on Last Question

2010510459

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18



Subject: 22517

01:26:52

You are Proctored by Invigilator

Question 20:**Marks: 1**

Which method will cause a JFrame to get displayed?

 show() setVisible() showFrame() displayFrame()**Previous****Save & Next**

To be Reviewed Later

End Exam Button Available on Last Question**2010510459**

1

2

3

4

5

6

7

8

9