




EvoMaster

⬅

➡

✕

🏠

🔍

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

POST: /users

HTTP

200

201

400

404

500

FAULTS

F1

F2

F3

GET: /users/42

EvoMaster

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

POST: /users

HTTP

200

201

400

404

500

FAULTS

F1

F2

F3

200

Test Case 1

Test Case 2

Test Case 3

EvoMaster

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

POST: /users

HTTP

200

201

400

404

500

FAULTS

F1

F2

F3

201

Test Case 1

Test Case 2

EvoMaster

⬅

➡

✕

🏠

🔍

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

POST: /users

HTTP

200

201

400

404

500

FAULTS

F1

F2

F3

400

Test Case 1

Test Case 2

EvoMaster

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

POST: /users

HTTP

200

201

400

404

500

FAULTS

F1

F2

F3

400

Test Case 1

Test Case 2

EvoMaster

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

POST: /users

HTTP

200

201

400

404

500

FAULTS

F1

F2

F3

400

Test Case 1

EvoMaster

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

POST: /users

HTTP

200

201

400

404

500

FAULTS

F1

F2

F3

F1

Test Case 1

EvoMaster

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

POST: /users

HTTP

200

201

400

404

500

FAULTS

F1

F2

F3

F2

Test Case 1

EvoMaster

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

POST: /users

HTTP

200

201

400

404

500

FAULTS

F1

F2

F3

F3

Test Case 1

Test Case 2

EvoMaster



Q

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 1

Test

HTTP

200

Others

HTTP

201

400

FAULTS

F1

file_path.py

```
# Calls:
# (200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

    headers = {}
    headers["content-type"] = "application/json"
    body = "username=selimhorri&password=test"
    cookies_ROLE_EMP_jar = requests
    .post(self.baseUrlOfSut + "/app/login",
        headers=headers, data=body, allow_redirects=False).cookies
    cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)
```

EvoMaster



Q

Creation Date: 01.01.26

Tool: EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 2

Test

HTTP

200

Others

HTTP

201

400

FAULTS

F1

file_path.py

Calls:
(200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

 headers = {}
 headers["content-type"] = "application/json"
 body = "username=selimhorri&password=test"
 cookies_ROLE_EMP_jar = requests
 .post(self.baseUrlOfSut + "/app/login",
 headers=headers, data=body, allow_redirects=False).cookies
 cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)

EvoMaster



Q

Creation Date: 01.01.26

Tool: EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 3

Test

HTTP

200

Others

HTTP

201

400

FAULTS

F1

file_path.py

```
# Calls:
# (200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

    headers = {}
    headers["content-type"] = "application/json"
    body = "username=selimhorri&password=test"
    cookies_ROLE_EMP_jar = requests
    .post(self.baseUrlOfSut + "/app/login",
          headers=headers, data=body, allow_redirects=False).cookies
    cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)
```

EvoMaster



Q

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 1

Test

HTTP

201

Others

HTTP

201

400

FAULTS

F1

file_path.py

```
# Calls:
# (200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

    headers = {}
    headers["content-type"] = "application/json"
    body = "username=selimhorri&password=test"
    cookies_ROLE_EMP_jar = requests
    .post(self.baseUrlOfSut + "/app/login",
        headers=headers, data=body, allow_redirects=False).cookies
    cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)
```

EvoMaster



Q

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 2

Test

HTTP

201

Others

HTTP

201

400

FAULTS

F1

file_path.py

```
# Calls:
# (200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

    headers = {}
    headers["content-type"] = "application/json"
    body = "username=selimhorri&password=test"
    cookies_ROLE_EMP_jar = requests
    .post(self.baseUrlOfSut + "/app/login",
        headers=headers, data=body, allow_redirects=False).cookies
    cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)
```

EvoMaster



Q

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 1

Test

HTTP

400

Others

HTTP

201

400

FAULTS

F1

file_path.py

```
# Calls:
# (200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

    headers = {}
    headers["content-type"] = "application/json"
    body = "username=selimhorri&password=test"
    cookies_ROLE_EMP_jar = requests
        .post(self.baseUrlOfSut + "/app/login",
            headers=headers, data=body, allow_redirects=False).cookies
    cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)
```

EvoMaster



Q

Creation Date: 01.01.26

Tool: EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 2

Test

HTTP

400

Others

HTTP

201

400

FAULTS

F1

file_path.py

```
# Calls:
# (200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

    headers = {}
    headers["content-type"] = "application/json"
    body = "username=selimhorri&password=test"
    cookies_ROLE_EMP_jar = requests
    .post(self.baseUrlOfSut + "/app/login",
          headers=headers, data=body, allow_redirects=False).cookies
    cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)
```

EvoMaster



Q

Creation Date: 01.01.26

Tool: EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 1

Test

HTTP

404

Others

HTTP

201

400

FAULTS

F1

file_path.py

```
# Calls:
# (200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

    headers = {}
    headers["content-type"] = "application/json"
    body = "username=selimhorri&password=test"
    cookies_ROLE_EMP_jar = requests
    .post(self.baseUrlOfSut + "/app/login",
        headers=headers, data=body, allow_redirects=False).cookies
    cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)
```

EvoMaster



Q

Creation Date: 01.01.26

Tool: EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 2

Test

HTTP

404

Others

HTTP

201

400

FAULTS

F1

file_path.py

```
# Calls:
# (200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

    headers = {}
    headers["content-type"] = "application/json"
    body = "username=selimhorri&password=test"
    cookies_ROLE_EMP_jar = requests
    .post(self.baseUrlOfSut + "/app/login",
        headers=headers, data=body, allow_redirects=False).cookies
    cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)
```

EvoMaster



Q

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 1

Test

HTTP

500

Others

HTTP

201

400

FAULTS

F1

file_path.py

```
# Calls:
# (200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

    headers = {}
    headers["content-type"] = "application/json"
    body = "username=selimhorri&password=test"
    cookies_ROLE_EMP_jar = requests
    .post(self.baseUrlOfSut + "/app/login",
        headers=headers, data=body, allow_redirects=False).cookies
    cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)
```

EvoMaster



Q

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 1

Test

FAULTS

F1

Others

HTTP

201

400

FAULTS

F1

file_path.py

```
# Calls:
# (200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

    headers = {}
    headers["content-type"] = "application/json"
    body = "username=selimhorri&password=test"
    cookies_ROLE_EMP_jar = requests
    .post(self.baseUrlOfSut + "/app/login",
        headers=headers, data=body, allow_redirects=False).cookies
    cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)
```

EvoMaster



Q

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 1

Test

FAULTS

F2

Others

HTTP

201

400

FAULTS

F1

file_path.py

```
# Calls:
# (200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

    headers = {}
    headers["content-type"] = "application/json"
    body = "username=selimhorri&password=test"
    cookies_ROLE_EMP_jar = requests
    .post(self.baseUrlOfSut + "/app/login",
        headers=headers, data=body, allow_redirects=False).cookies
    cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)
```

EvoMaster



Q

Creation Date: 01.01.26

Tool: EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 1

Test

FAULTS

F3

Others

HTTP

201

400

FAULTS

F1

file_path.py

```
# Calls:
# (200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

    headers = {}
    headers["content-type"] = "application/json"
    body = "username=selimhorri&password=test"
    cookies_ROLE_EMP_jar = requests
    .post(self.baseUrlOfSut + "/app/login",
        headers=headers, data=body, allow_redirects=False).cookies
    cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)
```

EvoMaster



Q

Creation Date: 01.01.26

Tool:EvoMaster - 1.0.0

Schema Version: 0.0.1

Overview

Endpoints

Test Case 1

Test

FAULTS

F3

Others

HTTP

201

400

FAULTS

F1

file_path.py

```
# Calls:
# (200) GET:/app/api/assignments
@timeout_decorator.timeout(60)
def test_13(self):

    headers = {}
    headers["content-type"] = "application/json"
    body = "username=selimhorri&password=test"
    cookies_ROLE_EMP_jar = requests
    .post(self.baseUrlOfSut + "/app/login",
        headers=headers, data=body, allow_redirects=False).cookies
    cookies_ROLE_EMP = requests.utils.dict_from_cookiejar(cookies_ROLE_EMP_jar)
```