

Rrr

by The User

Submission date: 04-Apr-2023 02:07PM (UTC-0700)

Submission ID: 2055971777

File name: 0615-0403-002-.docx (28.29K)

Word count: 2127

Character count: 11669

³Chapter 3: Research Design

Overview

This chapter ³will provide an overview of the research design adopted in this study in order to achieve the aims and objectives outlined in Chapter 1. The methodology, sampling method, ¹⁹data collection, data analysis, and ethical considerations will be discussed in detail. The research design will utilize a quantitative approach, involving the use of survey questionnaires, to investigate the application of intelligent technology for fire prevention and control in Sham Shui Po. The survey questionnaires will be distributed to a sample of 57 people who live in Sham Shui Po. ¹²Descriptive statistics and inferential statistics will be used to analyze the data from the survey questionnaire.

Additionally, ethical considerations and potential limitations of the study will be discussed.

³3.1 Methodology and research design

3.1.1 *Methods*

A convenient sampling method will be used in this study. The sample for this study will be drawn from a population of people living in Sham Shui Po. The sampling frame will be the population of Sham Shui Po and the sampling method will be a random sampling procedure. Random sampling ⁸will ensure that the sample is representative of the population (Acharya, et al., 2013). The sample size for this study will be 57 people, chosen randomly from the population of people living in Sham Shui Po. To ensure the randomness of the sample, the participants will be chosen using a computerized random number generator. ²⁷The sample size is based on the number of people who can effectively fill out the survey questionnaires within a reasonable timeframe. The sample size of 57 people was chosen because it is large enough to represent the population of Sham Shui Po and provide a meaningful statistical analysis of the research data. Additionally, this sample size allows for the precise estimation of the true population parameters.

3.1.2 Research design

This research will utilize a quantitative design, involving the use of survey questionnaires, to investigate the application of intelligent technology for fire prevention and control in Sham Shui Po. The survey questionnaires will be distributed to a sample of 57 people who live in Sham Shui Po. The survey questionnaires will include both single-choice and multiple-choice questions. The data collected through the survey questionnaires will then be analyzed using descriptive statistics such as frequency tables, percentages, and proportions. The data will then be used to draw conclusions regarding the application of intelligent technology for fire prevention and control in Sham Shui Po.

17

3.2 Participants

The research participants will be selected through convenience sampling, which is a non-probability sampling technique that relies on the ease of access to participants to select a sample. The participants will be selected on the basis of their availability and willingness to participate in the research. The sample size of 57 people was chosen because it is large enough to represent the population of Sham Shui Po and provide a meaningful statistical analysis of the research data. Additionally, this sample size allows for the precise estimation of the true population parameters.

3.3 War storm

21

Data for this study will be collected using survey questionnaires. The survey questionnaire was designed to assess the attitudes, behaviors, and opinions of the participants on this topic (Goodman, et al., 2013). The survey questionnaires will be distributed to a sample of 57 people who live in Sham Shui Po via email. The participants will be asked to respond to the survey questions within 3 days of receiving the survey link. The survey questionnaires will contain a series of questions designed to investigate the application of intelligent technology for fire prevention and control in

11

Sham Shui Po. The survey will contain 13 questions, which will be used to collect data on respondents' ages, genders, lengths of residence in the area, number of family members living together, and past experiences with fire incidents. The survey questionnaire was designed to be self-administered, which allows for the anonymous completion of the questionnaire. This encourages participants to provide honest and accurate responses to the questions, as they do not need to feel pressured to answer in a certain way. Furthermore, the survey questionnaire is cost-effective and relatively easy to administer, and it is also convenient for participants to complete. Further, the survey will collect data on respondents' opinions on the installation of IoT intelligent fire protection equipment, the potential positive and negative effects of such equipment, and any valuable suggestions they may have. The survey questionnaires will be distributed in an online format. The survey will be hosted on an online survey platform, Google Forms (Evans & Mathur, 2018). Participants will receive an email or ¹³ a link to the survey and will be asked to complete it within a designated period of time.

3.4 Program and Schedule

Phase	Tasks	Date
Pre-Survey	<ul style="list-style-type: none"> • Design the survey questionnaire • Test the survey questionnaire • Distribute the survey questionnaire. 	<ul style="list-style-type: none"> • March 10th • March 15th • March 16th
Survey	<ul style="list-style-type: none"> • Collect survey responses 	<ul style="list-style-type: none"> • March 16th - March 10th

Post-Survey	<ul style="list-style-type: none"> Analyze survey data Write up survey results 	<ul style="list-style-type: none"> March 26th April 3th

6 **3.5 Data Analysis**

The collected data will be analyzed using descriptive statistics and inferential statistics. Descriptive statistics will be used to summarize the data and present it in a way that is easy to understand (Mertler & Vannatta, 2016). Descriptive statistics such as frequencies, percentages, means, and standard deviations will be used to summarize the data.

Inferential statistics will be used to analyze the data and draw conclusions from the results (Waller & Johnson, 2013). Inferential statistics such as chi-square tests, t-tests, ANOVA tests, and regression analysis will be used to compare the results of the survey questions and draw conclusions about the application of intelligent technology for fire prevention and control in Sham Shui Po.

Inferential Tests

Test 1: Chi-squared Goodness-of-fit Test

15 This test was conducted to examine the differences between the observed and expected frequencies for the age of participants. The null hypothesis (H₀): The age of the participants is distributed

according to the expected proportions. The alternative hypothesis (H1): The age of the participants is not distributed according to the expected proportions.

The Chi-squared test results indicated that the chi-square statistic was 3.44 and the p-value was 0.722. Since the p-value (0.722) is greater than the significance level (0.05), we fail to reject the null hypothesis. Therefore, we can conclude that the age of the participants is distributed according to the expected proportions.

Test 2: Chi-squared Test of Independence

This test was conducted to examine the relationship between the gender of participants and their willingness to accept the installation of IoT fire protection equipment. The null hypothesis (H0): There is no relationship between the gender of participants and their willingness to accept the installation of IoT fire protection equipment. The alternative hypothesis (H1): There is a relationship between the gender of participants and their willingness to accept the installation of IoT fire protection equipment.

The Chi-squared test results indicated that the chi-square statistic was 5.99 and the p-value was 0.015. Since the p-value (0.015) is less than the significance level (0.05), we reject the null hypothesis. Therefore, we can conclude that there is a relationship between the gender of the participants and their willingness to accept the installation of IoT fire protection equipment.

Descriptive Statistics

The data from the survey questionnaire were analyzed using descriptive statistics. The results indicated that the majority of the participants were between 18-30 years old (35.09%), female (56.14%), and had been living in Sham Shui Po for 5-10 years (29.82%). The majority of the participants lived in families with 1-2 members (29.82%). Of the participants, 36.84% reported that there had been a fire in the building they lived in. The majority of the participants believed

that the fire hazards in their living area came from cooking stoves (33.33%), followed by debris accumulation (28.07%) and ageing/exposed wires (26.32%). Of the participants, 68.42% were willing to accept the installation of IoT fire protection equipment without having to pay, 28.07% were willing to pay for the installation and 3.51% were uncertain. The majority of the participants believed that the positive effects of IoT smart fire protection equipment were the provision of timely fire alarms (73.68%), quickly planning a reasonable escape route (66.67%), and automatically dialing the “999” alarm function to speed up the fire alarm (75.44%). The majority of the participants believed that the negative effects of IoT smart fire protection equipment were high equipment cost and maintenance costs (68.42%) and inconvenience to use (47.37%).

²⁴ The results of the descriptive statistics indicate that the majority of the participants were between 18-30 years old, female, and had been living in Sham Shui Po for 5-10 years. The majority of the participants believed that the fire hazards in their living area came from cooking stoves and were willing to accept the installation of IoT fire protection equipment without having to pay. The majority of the participants also believed that the positive effects of IoT smart fire protection equipment were the provision of timely fire alarms, quickly planning a reasonable escape route, and automatically dialing the “999” alarm function to speed up the fire alarm. However, they also believed that the negative effects of the equipment were high equipment cost and maintenance costs and inconvenience to use.

The results of the two statistical tests concerning the survey questionnaire on the application of intelligent technology for fire prevention and control in Sham Shui Po indicate that the age of the participants is distributed according to the expected proportions and ¹ there is a relationship between the gender of the participants and their willingness to accept the installation of IoT fire protection equipment.

The results of the Chi-squared Goodness-of-fit Test indicated that the chi-square statistic was 3.44 and the p-value was 0.722. Since the p-value (0.722) is greater than the significance level (0.05), we fail to reject the null hypothesis. This suggests that the age of the participants is distributed according to the expected proportions. The results of the test are consistent with the findings of the descriptive statistics which showed that the majority of the participants were between 18-30 years old.

The results of the Chi-squared Test of Independence indicated that the chi-square statistic was 5.99 and the p-value was 0.015. Since the p-value (0.015) is less than the significance level (0.05), we reject the null hypothesis. This suggests that there is a relationship between the gender of the participants and their willingness to accept the installation of IoT fire protection equipment. The results of the test are consistent with the findings of the descriptive statistics which showed that the majority of the participants were female and were willing to accept the installation of IoT fire protection equipment without having to pay.

The results from the two statistical tests provide evidence that the application of intelligent technology for fire prevention and control in Sham Shui Po is likely to be accepted by the residents. This is especially encouraging given the number of fire incidents that have occurred in the area in recent years. Intelligent technology has the potential to reduce the risk of fire and save lives.

3.6 Ethics and Limitations

This research project has taken into consideration the ethical considerations of the research. All participants were informed of their rights as participants; they were informed that their participation was voluntary and their responses would remain anonymous. The participants were also informed that they could withdraw from the research at any time without any consequences.

This study has several potential ⁹limitations. One of the limitations of this study is the small sample size. The survey questionnaires were only distributed to a sample of 57 people, which may not be representative of the population of Sham Shui Po. Additionally, the survey questionnaires were distributed via email, which may have resulted in a lower response rate. Also, since email is an online format, therefore it is possible that the responses may be biased towards those who are more tech-savvy. Furthermore, the survey questions may have been phrased in a way that elicited biased responses from the participants. Finally, ¹⁴the results of this study may not be generalizable to other populations or contexts.

References

- Acharya, A., Prakash, A., Saxena, P. & Nigam, A., 2013. Sampling: Why and how of it. *Indian Journal of Medical Specialties*, 4(2), pp. pp.330-333.
- Evans, J. & Mathur, A., 2018. *The value of online surveys: A look back and a look ahead*. *Internet research*. s.l.: s.n.
- Goodman, J., Cryder, C. & Cheema, A., 2013. Data collection in a flat world: The strengths and weaknesses of Mechanical Turk samples. *Journal of Behavioral Decision Making*, 26(3), pp. pp.213-224.
- Mertler, C. & Vannatta, R., 2016. *Advanced and multivariate statistical methods: Practical application and interpretation*. Taylor & Francis. s.l.: s.n.
- Waller, J. & Johnson, M., 2013. *Chi-Square and T-Tests using SAS®: performance and interpretation*. Retrieved on January, 3, p.2014. s.l.: s.n.

ORIGINALITY REPORT

23%

SIMILARITY INDEX

19%

INTERNET SOURCES

7%

PUBLICATIONS

15%

STUDENT PAPERS

PRIMARY SOURCES

1

Submitted to University of Mauritius

Student Paper

3%

2

Submitted to The University of Memphis

Student Paper

3%

3

eprints.qut.edu.au

Internet Source

2%

4

Submitted to Southern New Hampshire
University - Continuing Education

Student Paper

1%

5

Submitted to UC, San Diego

Student Paper

1%

6

Submitted to Heriot-Watt University

Student Paper

1%

7

assets.researchsquare.com

Internet Source

1%

8

Submitted to College of Banking and Financial
Studies

Student Paper

1%

9

centenary.dspacedirect.org

1 %

10

Omid Zamani, Craig Chibanda, Janine Pelikan.
"Impacts of import restrictions on poultry
producers in Ghana", Q Open, 2022

Publication

1 %

11

repository.up.ac.za

Internet Source

1 %

12

Submitted to University of Ghana

Student Paper

1 %

13

Submitted to University of Malaya

Student Paper

1 %

14

www.ncbi.nlm.nih.gov

Internet Source

1 %

15

Submitted to Case Western Reserve
University

Student Paper

1 %

16

www.researchgate.net

Internet Source

1 %

17

www.scirp.org

Internet Source

<1 %

18

Submitted to Glasgow Caledonian University

Student Paper

<1 %

19

ulspace.ul.ac.za

Internet Source

<1 %

20	www.heraldopenaccess.us Internet Source	<1 %
21	getd.libs.uga.edu Internet Source	<1 %
22	knepublishing.com Internet Source	<1 %
23	pure.manchester.ac.uk Internet Source	<1 %
24	repository.smuc.edu.et Internet Source	<1 %
25	scholarworks.waldenu.edu Internet Source	<1 %
26	ukzn-dspace.ukzn.ac.za Internet Source	<1 %
27	www.researchprotocols.org Internet Source	<1 %

Exclude quotes Off

Exclude matches Off

Exclude bibliography On