

PRODUCT EXPERIENCE REPORT

GoWithUs

Interface UX/UI

- -

Simulator

iOS (SwiftUI)




: 3

2026

1.

GoWithUs : → → / →
→



- P0 — Full-screen Image Viewer /
- P1 — Navigation :
NavigationStack “Back” “ ”
- P1 — component , chip, card, empty state
- P1 — action Find Buddy “ / ”
Like/Pass
- P2 — AI Chat next action


iPhone 13 Simulator (iOS 18.0), View,
ViewModel Service Simulator;

2. Interface

ContentView.swift persistent tabs / opacity hit testing
bottom tab 5 : , , , , Side Menu
AI



+ Bottom Tab



Side Menu

-
- Diagram illustrating the layout of a mobile application interface, showing various components and their positions:
- Side Menu**: Located on the left side of the screen.
 - Bottom Tab**: Located at the bottom right of the screen.
 - safe-area inset**: Located at the bottom center of the screen.
 - tab bar**: Located at the bottom left of the screen.

3. —



: HomeView

Interface

HomeView
 segmented control (/ /) TripCard
 TripDetailView


UX/UI

- control
- 0% 0%

• bottom content inset

“+N”; hero 2 “ ”; tag 2 + contrast

4. Gallery



Trip Detail



Full-screen Gallery

Interface

TripDetailView

hero image, / , badge,
tag itinerary gallery

,
action bar

“ / / ”

- (
-) state fullScreenCover/item dismiss
- sticky action bar anchor/section spacing
- “ ” “ ” ”;
- ×3

action 10–15%, Pass / Like , /

6. Empty State



Interface

MyTripsView segmented picker 3 : , ,
MyTripsViewModel CTA

UX/UI

- empty state CTA
- illustration
- “ ” Side Menu tab

7.

22:41

< Back

ยกเลิก

สร้างทริปใหม่

เริ่มต้นการผจญภัยของคุณ

ชื่อทริป

เช่น เที่ยวเชียงใหม่ 3 วัน 2 คืน

รูปภาพ

เลือกรูปภาพ (ได้หลายรูป)
รูปแรกจะเป็นรูปหน้าปก

หรือวาง URL รูปภาพ

จังหวัด

เลือกจังหวัด

ระบุสถานที่เจาะจง (ไม่จำเป็น)

เช่น ชื่อดอย, ชื่อชายหาด, ชื่อร้านค้า

สไตล์ของทริป

ผจญภัย

22:44

< Back

ยกเลิก

สาธารณะ
ทุกคนสามารถเห็นทริปนี้ได้

วันเริ่ม

3 ส.ค. 2569

วันสิ้นสุด

วันเดียว (ไม่มีวันกลับ)

งบประมาณ (บาท)

ระบุจำนวนเงิน

จำนวนคน

10

ประเภทชม: ☒ ต่อคน ☐ ต่อทริป (รวม)

สไตล์กิจกรรม

ชิลล์ๆ (1) 5 เน้นกิจกรรม (10)

ช่วงเวลาของทริป

เช้า
ตั้งแต่เช้า สดอากาศสด

กลางวัน
ท่องเที่ยวระหว่างวัน

เย็น



:

Interface

CreateTripView

/


AI
activity style

tag
itinerary

UX/UI

- 3 : → / →
- “Back” “ ”
- “ / ” “ 1,500
- × 3 = 4,500 ”
- safe-area

8. AI



Interface

AIChatView prompt AIChatViewModel/GeminiService
 TripDraft CreateTripView

UX/UI

- “ → → / ”
- suggestion chips “ 3 5,000”
 AI

- “AI”

9.



Interface

ChatView Mutual Matches
ChatViewModel/MessageService

unread count;

ChatDetailView

UX/UI

- Empty state

CTA

“

”

“


”

“

”

- unread accent

10.





Interface

ProfileView header, bio, ; EditProfileView
6 username privacy
settings

UX/UI

- completion checklist
- Link
- in-app browser
- section hierarchy Save sticky

11.

NotificationView sheet Home Simulator NotificationRow, mark as read, sheet ,

Match Trip

MatchTripView Tinder swipe empty/error/retry state
MatchTripViewModel action gesture

Authentication / Onboarding

LoginView, RegisterView, OTPVerificationView OnboardingView
session validation,
keyboard, error state, OTP timeout

Settings

SideMenuView / vibration setting switch/selection

12.

GoWithUs	
interaction	“ ” feedback
Primary Navy	#203F73 navigation
Mist Blue	#5B8DEF selection, link, focus icon active
Canvas	#F7F8FA
Surface	#FFFFFF sheet
Ink	#243044
Muted	#667085
Success	#2E7D64 /
Danger	#B42318 /
• accent 1 ; / semantic state • Canvas Surface #E4E7EC • Ink ; Muted contrast	

13. Design System

Component

- GWPrimaryButton / GWSecondaryButton / GWDestructiveButton — 48–52 pt, radius 14–16 pt
- GWCard — radius 18–20 pt padding 16 pt
- GWChip — selected/unselected,
- GWEmptyState — icon, title, description CTA 1
- GWNavigationHeader — back, title trailing action
- Spacing tokens: 4, 8, 12, 16, 24, 32 pt; typography tokens: 12, 14, 16, 20, 28 pt

Roadmap

1	Gallery	, safe area,	bug
	navigation		
2	color/spacing/type tokens		
	component		
3	Home, Create Trip, Find		
	Buddy		
4	auth, accessibility,		
	error/empty/loading		
•			
•		3 interaction	
•	loading, empty, error	success state	
GoWithUs			effect
hierarchy			