- ❖ Batiments:
  - ➢ create batiment:
    - ■ methode: POST
    - ■ url: /batiments
    - ■ param: {

      "nom": "",
      "nombreEtage": "",
      "SexeFixer": ""

      }
  - ➢ get All batiments
    - ■ Methode: GET
    - ■ url: batiments
    - ■ param:
  - ➢ get One batiment:
    - ■ Methode: GET
    - ■ url: /batiments/{id}
    - ■ param:
  - ➢ Changer Nombre Etage
    - ■ Methode: PUT
    - ■ url:/batiments/nombreEtages
    - ■ param: {

      "id": "",
      "nombre": ""

      }
  - ➢ changer nom:
    - ■ Methode: PUT
    - ■ url:/batiments/nom
    - ■ param: {

      "id": "",
      "nom": ""

      }
  - ➢ changer sexeFixer:
    - ■ Methode: PUT
    - ■ url:/batiments/sexeFixer
    - ■ param: {

      "id": "",
      "sexe": ""

      }
  - ➢ changer anneeDetudeFixer:
    - ■ Methode: PUT
    - ■ url:/batiments/anneeDetudeFixer
    - ■ param: {

      "id": "",
      "annee": ""

      }
  - ➢ ajouter departement fixer:

- ■ Methode: PUT
- ■ url:/batiments/departementFixer
- ■ param: {

  "idContenue": "",   //id du departement
  "idConteneur": ""   //id du batiment

  }
- ➢ supprimer departementFixer:
  - ■ Methode: DELETE
  - ■ url:/batiments/anneeDetudeFixer
  - ■ param: {

    "idContenue": "",   //id du departement
    "idConteneur": ""   //id du batiment
  - ■   }
- ➢ supprimer batiment:
  - ■ Methode: DELETE
  - ■ url:/batiments/{id}

- ❖ Etage:
  - ➢ get All etages
    - ■ Methode: GET
    - ■ url: /etages
    - ■ param:
  - ➢ get One etages:
    - ■ Methode: GET
    - ■ url: /etages/{id}
    - ■ param:
  - ➢ renseigner Nombre de couloires
    - ■ Methode: PUT
    - ■ url:/etages/nombreCouloire
    - ■ param: {

      "id": "",
      "nombre": ""

      }
  - ➢ changer sexeFixer:
    - ■ Methode: PUT
    - ■ url:/etages/sexeFixer
    - ■ param: {

      "id": "",
      "sexe": ""

      }
  - ➢ changer anneeDetudeFixer:
    - ■ Methode: PUT
    - ■ url:/etages/anneeDetudeFixer

- param: {

        "id": "",
        "annee": ""

    }
- ➢ ajouter departement fixer:
    - ■ Methode: PUT
    - ■ url:/etages/departementFixer
    - ■ param: {

            "idContenue": "",   //id du departement
            "idConteneur": ""   //id du batiment

        }
- ➢ supprimer departementFixer:
    - ■ Methode: DELETE
    - ■ url:/etages/anneeDetudeFixer
    - ■ param: {

            "idContenue": "",   //id du departement
            "idConteneur": ""   //id du batiment

        }
- ➢ supprimer etage:
    - ■ Methode: DELETE
    - ■ url:/etage/{id}

- ❖ Couloire:
    - ➢ get All Couloire
        - ■ Methode: GET
        - ■ url: /couloires
        - ■ param:
    - ➢ get One couloire:
        - ■ Methode: GET
        - ■ url: /couloires/{id}
        - ■ param:
    - ➢ renseigner Nombre de chambres
        - ■ Methode: PUT
        - ■ url:/couloires/nombreChambre
        - ■ param:{

                "id": "",
                "nombre": ""

            }
    - ➢ changer sexeFixer:
        - ■ Methode: PUT
        - ■ url:/couloires/sexeFixer
        - ■ param: {

"id": "",
                    "sexe": ""
            }
- ➤ changer anneeDetudeFixer:
    - ■ Methode: PUT
    - ■ url:/couloires/anneeDetudeFixer
    - ■ param: {
                    "id": "",
                    "annee": ""
    - ■   }
- ➤ ajouter departement fixer:
    - ■ Methode: PUT
    - ■ url:/couloires/departementFixer
    - ■ param:{
                    "idContenue": "",   //id du departement
                    "idConteneur": ""   //id du batiment
            }
- ➤ supprimer departementFixer:
    - ■ Methode: DELETE
    - ■ url:/couloires/anneeDetudeFixer
    - ■ param: {
                    "idContenue": "",   //id du departement
                    "idConteneur": ""   //id du batiment
            }
- ➤ supprimer couloire:
    - ■ Methode: DELETE
    - ■ url:/couloires/{id}
    - ■ param:

- ❖ Chambre:
    - ➤ get All Chambre
        - ■ Methode: GET
        - ■ url: /chambres
        - ■ param:
    - ➤ get One Chambre:
        - ■ Methode: GET
        - ■ url: /chambres/{id}
        - ■ param:
    - ➤ renseigner Nombre de position
        - ■ Methode: PUT
        - ■ url:/chambres/nombrePosition
        - ■ param: {

"id": "",
                                          "nombre": ""
                            }
      ➢ changer sexeFixer:
            ■ Methode: PUT
            ■ url:/chambres/sexeFixer
            ■ param: {
                                          "id": "",
                                          "sexe": ""
            ■   }
      ➢ changer anneeDetudeFixer:
            ■ Methode: PUT
            ■ url:/chambres/anneeDetudeFixer
            ■ param: {
                                          "id": "",
                                          "annee": ""
            ■   }
      ➢ ajouter departement fixer:
            ■ Methode: PUT
            ■ url:/chambres/departementFixer
            ■ param: {
                                          "idContenue": "",   //id du departement
                                          "idConteneur": ""   //id du batiment
                            }
      ➢ supprimer departementFixer:
            ■ Methode: DELETE
            ■ url:/chambres/anneeDetudeFixer
            ■ param: {
                                          "idContenue": "",   //id du departement
                                          "idConteneur": ""   //id du batiment
                            }
      ➢ supprimer chambres:
            ■ Methode: DELETE
            ■ url:/chambres/{id}
            ■ param:

❖ position:
      ➢ get All position
            ■ Methode: GET
            ■ url: /positions
            ■ param:

- ➢ get One position:
  - ■ Methode: GET
  - ■ url: /positions/{id}
  - ■ param:
- ➢ changer anneeDetudeFixer:
  - ■ Methode: PUT
  - ■ url:/positions/anneeDetudeFixer
  - ■ param: {
    "id": "",
    "annee": ""
    }
- ➢ supprimer chambres:
  - ■ Methode: DELETE
  - ■ url:/chambres/{id}
  - ■ param:

- ❖ codificationSpecs
  - ➢ create codificationSpecs:
    - ■ methode: POST
    - ■ url: /codificationSpecs
    - ■ param: {
      "anneeScolaire": "",
      "dateDeDebut": "",
      "dateDeFin": ""
      }
  - ➢ get All codificationSpecs
    - ■ Methode: GET
    - ■ url: codificationSpecs
    - ■ param:
  - ➢ get One codificationSpecs:
    - ■ Methode: GET
    - ■ url: /codificationSpecs/{id}
    - ■ param:
  - ➢ get codificationSpecs actif:
    - ■ Methode: GET
    - ■ url: /codificationSpecs/actif
    - ■ param:
  - ➢ changer date de debut de la codification:
    - ■ Methode: PUT
    - ■ url: /codificationSpecs/dateDebut
    - ■ param: {
      "id": "",
      "dateDeDebut": ""

}
- ➢ changer date de cloture de la codification:
  - ■ Methode: PUT
  - ■ url: /codificationSpecs/dateFin
  - ■ param: {

        "id": "",
        "dateDeFin": ""
    }
- ➢ supprimer batiment:
  - ■ Methode: DELETE
  - ■ url:/codificationSpecs/{id}

- ❖ codifications
  - ➢ create codifications:
    - ■ methode: POST
    - ■ url: /codifications
    - ■ param: {

          "idEtudiant": "",
          "idPosition": ""
      }
  - ➢ get All codifications
    - ■ Methode: GET
    - ■ url: /codifications
    - ■ param:
  - ➢ get One codifications:
    - ■ Methode: GET
    - ■ url: /codifications/{id}
    - ■ param:
  - ➢ get codificationSpecs actif:
    - ■ Methode: GET
    - ■ url: /codificationSpecs/actif
    - ■ param:
  - ➢ changer date de debut de la codification:
    - ■ Methode: PUT
    - ■ url: /codificationSpecs/dateDebut
    - ■ param: {

          "id": "",
          "dateDeDebut": ""
      }
  - ➢ changer date de cloture de la codification:
    - ■ Methode: PUT
    - ■ url: /codificationSpecs/dateFin

- param: {

  "id": "",

  "dateDeFin": ""

  }
➢ supprimer batiment:
  - Methode: DELETE
  - url:/codificationSpecs/{id}