



Tylersoft Technologies Integration

Revision History

Version	Author	Date	Description
1.0	Mompati Mokoka	2024-08-12	Initial draft
1.1	Mompati Mokoka	2025-04-14	Updated

Contents

Introduction3

Workflow Overview.....3

1. Authorization Request.....3

2. Payment Request4

Request Parameters4

Illustration6

Introduction

Tylersoft offers two options to integrate into the payment Gateway Secure acceptance and Rest API.

Workflow Overview

The Secure Acceptance integration involves two key steps:

1. **Generate Web Token** – Request an authorization token to enable secure communication with the payment gateway.
2. **Process Payment** – Submit payment details and redirect customers to the secure checkout page.

1. Authorization Request

Endpoint :	https://Url:0000/ecommerce/web-token
Content -Type :	application/json
Method :	Post
Authorization	Basic

Parameters

password	Your API password provided by Tylersoft.
username	Your API username provided by Tylersoft.

Success Response

The server returns a web token that must be included in subsequent API calls:

```
{
  "status": "00",
  "statusDescription": "Success",
  "token": "b0c95e2144bdd4c86b94501a814f9bbd9d025651d8497df"
}
```

Failure Response

```
{
  "status": "99",
  "statusDescription": "Invalid request",
  "token": "
```

```
}
```

2. Payment Request

Endpoint :	https://Url:0000/ecommerce/pay
Content -Type :	application/json
Method :	Post
Authorization	Bearer web_token

Service Ids

- 2034– Client ID

Request Parameters

Field	Description
amount	The transaction amount.
accountno	Customer's account number.
serviceid	Service identifier assigned by Tylersoft.
msisdn	Customer's mobile number.
currencycode	Currency code, e.g., BWP (Botswana Pula).
name	Customer's full name.
transactionid	Unique identifier for this transaction.

Sample Request

```
{  
  "amount": "50",  
  "accountno": " 26777063984",  
  "serviceid": "1000",  
  "msisdn": "26777063984",  
  "currencycode": "BWP",  
  "name": "Mompoti Mokoka ",  
  "transactionid": "TRX_0008786707"  
}
```

Success Response

```
{
  "names": " Mompoti Mokoka ",
  "Amount": "50",
  "decision": "ACCEPT",
  "accountno": "26777063984",
  "message": "Request was processed successfully.",
  "Phonenumber": "26777063984",
  "email": "mompoti@gmail.com",
  "responseCode": "100",
  "TransactionId": "5db6e116-74fb-44ec "
}
```

Failure Responses

Code	Description
99	Invalid request.
101	Unauthorized access.

Redirection Response

Once the payment request is processed, the customer is redirected to the secure checkout page to provide their card details and complete the payment. After completion, they are then redirected to a predefined success or error page, based on the transaction outcome.

Sample Redirection Response

```
<form id="redirectForm" method="POST" action="https://secure.cybersource.com">
<input type="hidden" name="transaction_id" value="TRX_0008786707">
<input type="hidden" name="redirect_url" value="https://merchant.com/success">
</form>
<script type="text/javascript">
document.getElementById("redirectForm").submit();
</script>
```

Instructions for Handling on the Front End:

Render the server response containing the HTML form and JavaScript in the browser.

Illustration

Below is the first page that appears after clicking the checkout button

Payment Details

Card Type * * Required field

☒  Visa

☐  Mastercard

☐  Amex

Card Number *

Expiration Date *

Cancel

Next

Your Order

Total amount **P10.00**

Card selected. [Change payment method](#)

Second Page

Review your Order

Payment Details

Card Type

Card Number

Expiration Date

Visa

xxxxxxxxxxxx1111

05-2023

Edit Details

Your Order

Total amount **P10.00**

Back

Pay

[Cancel Order](#)

Response Codes and Meaning

Status Code	StatusMessage	Meaning	Origin of Response
100	ACCEPT	Successful Transaction	Issuing Bank
203	Declined	General decline of the card. No other information provided by the issuing bank	Issuing Bank
204	Insufficient funds	Insufficient funds in the account	Issuing Bank
205	Lost Card	Stolen or lost card	Issuing Bank