

E-SHOPPING(MYRA SHOPPING)

LAXMAN DEVRAM SONAWANE COLLEGE



(Affiliated to University Of Mumbai)

2022 – 2023

Project Report On E-SHOPPING

Project work submitted in partial fulfilment of the
requirements for the award of the degree of

B.Sc. (Computer Science)

SUBMITTED BY
ONASWEE VIVEK JOSHI

PROJECT GUIDE
MS. SNEHAL YEOLE

CERTIFICATE



This is to verify that
ONASWEE VIVEK JOSHI

Has satisfactorily carried out the project work on the
topic

“E-SHOPPING(MYRA SHOPPING)”
For the T.Y.B.Sc (COMPUTER SCIENCE)
ACADEMIC YEAR
2022- 2023

Project Guide

B.Sc (CS) Co-ordinator

External Examiner

E-SHOPPING(MYRA SHOPPING)

INDEX

Sr.No.		Topic
		Acknowledgement
1		Abstract
2		Preliminary Investigation
	1	Objectives and scope of the system
	2	Description of System
	3	Feasibility Study
	4	Project Analysis
	5	System And Design User Requirement
	6	Gantt Chart
3		Project Design
	1	Design Document
	2	Data Flow Diagram
	3	Activity / Registration Diagram
	4	UML
	5	Products
	6	Moderators
	7	Users
	8	SQL(Structured Query Language)
	9	Database Diagram
4		Screen Layout
5		System Implementation
6		System Maintenance
7		Project Testing
8		Conclusion

ACKNOWLEDGEMENT :

We Thank The Almighty For Giving Us The Courage & Perseverance In Completing The Project. This Project Itself Is An Acknowledgement For All Those Who Have Given Us Their Heart-Felt-Co-Operation In Making It A Grand Success.

We Are Greatly Indebted To, Head Of Computer Science,
Mrs.Kanyakumari J Basani For Providing Valuable Guidance At Every Stage Of This Project Work.

We Are Also Thankful To The Project Coordinator & Guide,
Mrs.Snehal Yeole For Extending Their Sincere & Heartfelt Guidance Throughout This Project Work. Without Their Supervision And Many Hours Of Devoted Guidance, Stimulating & Constructive Criticism, This Thesis Would Never Come Out In This Form.

It Is A Pleasure To Express Our Deep And Sincere Gratitude To The Project Guide And Are Profoundly Grateful Towards The Unmatched Help Rendered By Him. Our Special Thanks To All The Lectures Of Information Technology, For Their Valuable Advises At Every Stage Of This Work.

Last But Not The Least; We Would Like To Express Our Deep Sense And Earnest Thanks Giving To Our Dear Parents For Their Moral Support And Heartfelt Cooperation In Doing The Project. We Would Also Like To Thank Our Friends, Whose Direct Or Indirect Help Has Enabled Us To Complete This Work Successfully.

ABSTRACT

The E-Shopping(Myra Shopping) Website Aims To Maintain And Manage The Various Products And Processes.It Is Primarily For E-Shopping In The Database's Core Section The System Gives The Information On The Various Products That Are Available, As Well As Their Current Availability Status. Customers Can Visit The Website And Register With The System By Providing The Required Information. Each Registered Customer Will Get Information About The Availability Of The Products Of The Specific Category They Have Requested For

This Application Allows The E-Shopping Website To Operate The Entire System From A Single Online Interface, Given Them More Power And Flexibility. Selecting Specific Product From Given Categories And Other Process Till Payment And Placing The Order Are Included In This Project

The Admin Can Use The System To Check The Available Products. Customers Can See And Order Their Favourite Products From The Given Specific Categories.Admin Has The Authority To Confirm Or Reject A Customer's Order. As A Result The System Is Used By The Admin To Control The Activities For The Website.

PRELIMINARY INVESTIGATION

OBJECTIVE AND SCOPE OF THE SYSTEM

Objectives Of The Proposed System

1. To Place Quick Orders
2. To Make Accuracy In Shipping Orders
3. To Provide Proper Information Briefly
4. To Provide Data Security
5. To Provide Huge Maintenance Of Records
6. Flexibility Of Transactions Can Be Completed In Time

After Understanding The Existing System And Understanding The Need For Developing A New System Different People Involved In The Related Activities Have Been Consulted. The Data Needed For The Study Has Been Collected From Website Records.

The System Help The Customer To See Any Product Information In Specific Category With Details At The Click Of A Button. The Record Data Is Maintained And Backed Up Such A Way That Data Is Not Loss. The Speed Of The System Could Also Increased.

Scope Of The Project:

E-SHOPPING (MYRA SHOPPING) Uses An Access Database To Store All The Records Of Customers, Products And Purchase Order Information. A Full Fledged E-Shopping System Will Increase Efficiency Through Paper Works. The Complete Integration Of E-Shopping With Financial Accounting Provides A Full Featured System To Manage Shopping Facility

E-SHOPPING(MYRA SHOPPING)

PROJECT OVERVIEW:

The Entire System Is Divided Into 3 Major Modules

- 1. Registration Module**
- 2. User Module**
- 3. Payment Module**

Registration Module:

In This Registration Module It Creates And Maintains All Customer Details, Product Details, Order Placed Details, User Payment Details..

User Module:

In This User Module, It Creates Users, Maintain User Details And Maintain User's Purchase Details.

Payment Module:

In This Payment Module It Creates Express Payments, Quick Order Place, Secure Payment.

DESCRIPTION OF SYSTEM :

As The Name Specifies " E-SHOPPING(MYRA SHOPPING) " Is A Website Developed For

Online Shopping.

For The Past Few Years The Number Of Customers Is Increasing Rapidly.

Thereby The Number Of Orders Is Also Increasing For The Accommodation Of The Customers Purchasing The Products. And Hence There Is A Lot Of Strain On The Peoples Who Are Running This Site.

This Particular Project Deals With The Problems On Managing A Website And Avoids The Problems Which Occur When Carried Manually Identification Of The Drawbacks Of The Existing System Leads To The Designing Of Computerized System That Will Be Compatible To The Existing System With The System

Which Is More User Friendly And More GUI Oriented. We Can Improve The Efficiency Of

The System, Thus Overcome The Drawbacks Of The Existing System.

- Less Human Error
- Strength And Strain Of Manual Labour Can Be Reduced
- High Security
- Data Redundancy Can Be Avoided To Some Extent
- Data Consistency
- Easy To Handle
- Easy Data Updating And Record Keeping

FEASIBILITY STUDY

Feasibility: A Measure Of How Beneficial Or Practical The Development Of Information System Would Be To An Organization Can Be Termed As Project Feasibility.

❖ Feasibility Should Be Measured Throughout The Life Cycle. The Scope And Complexity Of An Apparently Feasible Project Can Change After The Initial Problems And Opportunities Are Fully Analyzed And After The System Has Been Designed. Thus, A Project That Is Feasible At One Point May Become Infeasible Later.

❖ The Checkpointsfor Feasibility Study Are: -

- A Survey Phase Checkpoint
- A Study Phase Checkpoint.
- A Definition Phase Checkpoint
- A Selection Phase Checkpoint.

❖ Generally There Are Following Areas Of Risk For A New System That Are Considered When Confirming Project Feasibility:

1.Operational Feasibility /Organizational And Cultural Feasibility Are Measure Of How Well The Solution Will Work In The Organization. It Is Also A Measure Of How People Feel About The System Or Project.

2. Technicalfeasibilityis A Measure Of How The Practicality Of A Specific Technical Solution And The Availability Of Technical Resources And Expertise.

3.Schedule Feasibility Is A Measure Of How Responsible The Project Timetable Is.

4. Economic Feasibility Is A Measure Of Cost-Effectiveness Of A Project Or Solution. This Is Often Called A Cost-Benefit Analysis.

PROJECT ANALYSIS

1. Existing System

Present System Is Manual. The Project Metrics Has To Enter All The Details Of Project, Documents, And Tasks. It Also Maintain The Team Information And Also Efforts Estimation. For This Purpose The Organization Maintain The Size Of The Document, Source Code And Update The Information About Team Member's Details Manually. Which Is Much Of Time Consuming Process And More Importantly It Is Error Prone. Limitations Of The Manual System

1. It Is Time Consuming
2. It Leads To Error Prone Results
3. It Consumes Lot Of Manpower To Better Results
4. It Lacks Of Data Security
5. Retrieval Of Data Takes Lot Of Time
6. Percentage Of Accuracy Is Less
7. Reports Take Time To Produce

Hence Computerization Of The Existing System Is Proposed. The New System Completely Removes All Manual Burdens And Provide Efficient On The Entry System.

SYSTEM AND DESIGN USER REQUIREMENT

DEVELOPMENT TOOL USED

SOFTWARE CONFIGURATION

OPERATING PLATFORM	:	WINDOWS 10
RDBMS	:	SQLSERVER 2008
SOFTWARE	:	VS.NET 2010
FRONT END TOOL	:	ASP.NET


HARDWARE CONFIGURATION

RAM	:	8 GB
HARD DISK	:	MINIMUM 500 GB
PROCESSER	:	2.30 GHz

E-SHOPPING(MYRA SHOPPING)

GANTT CHART

A **Gantt Chart** Is A Type Of Bar Chart That Illustrates A Project Schedule. Gantt Charts Illustrate The Start And Finish Dates Of The Terminal Elements And Summary Elements Of A Project. Terminal Elements And Summary Elements Comprise The Work Breakdown Structure Of The Project.



Expected Date :

Date Of Completion :

PROJECT DESIGNING

DESIGN DOCUMENT

- The Entire System Is Projected With A Physical Diagram Which Specifics The Actual Storage Parameters That Are Physically Necessary For Any Database To Be Stored On To The Disk. The Overall Systems Existential Idea Is Derived From This Diagram.
- The Relation Upon The System Is Structure Through A Conceptual ER-Diagram, Which Not Only Specifics The Existential Entities But Also The Standard Relations Through Which The System Exists And The Cardinalities That Are Necessary For The System State To Continue.
- The Content Level DFD Is Provided To Have An Idea Of The Functional Inputs And Outputs That Are Achieved Through The System. The System Depicts The Input And Out Put Standards At The High Level Of The Systems Existence.

DATA FLOW DIAGRAMS:

Data Flows Are Data Structures In Motion, While Data Stores Are Data Structures. Data Flows Are Paths Or 'Pipe Lines', Along Which Data Structures Travel, Where As The Data Stores Are Place Where Data Structures Are Kept Until Needed.

Data Flows Are Data Structures In Motion, While Data Stores Are Data Structures At Rest. Hence It Is Possible That The Data Flow And The Data Store Would Be Made Up Of The Same Data Structure.

Data Flow Diagrams Is A Very Handy Tool For The System Analyst Because It Gives The Analyst The Overall Picture Of The System, It Is A Diagrammatic Approach.

A DFD Is A Pictorial Representation Of The Path Which Data Takes From Its Initial Interaction With The Existing System Until It Completes Any Interaction. The Diagram Will Describe The Logical Data Flows Dealing The Movements Of Any Physical Items. The DFD Also Gives The Insight Into The Data That Is Used In The System I.E., Who Actually Uses It Is Temporarily Stored.

A DFD Does Not Show A Sequence Of Steps. A DFD Only Shows What The Different Process In A System Is And What Data Flows Between Them.

- **Process:**

A Transaction Of Information That Resides Within The Bounds Of The System To Be Module.

- **DATASTORE:**

A Repository Of Data That Is To Be Stored For Use By One Or More Processes, May Be As Simple As A Buffer Or Queue Or As A Relational Database.


E-SHOPPING(MYRA SHOPPING)

RULES FOR DFD:


- Fix The Scope Of The System By Means Of Context Diagrams.
- Organize The DFD So That The Main Sequence Of The Actions Reads Left To Right And Top To Bottom.
- Identify All Inputs And Outputs.
- Identify And Label Each Process Internal To The System With Rounded Circles. Process Is Required For All The Data Transformation And Transfers. Therefore, Never Connect A Data Store To A Data Source Or The Destinations Or Another Data Store With Just A Data Flow Arrow.
- Do Not Indicate Hardware And Ignore Control Information.
- Make Sure The Names Of The Processes Accurately Convey Everything The Process Is Done.
- There Must Not Be Unnamed Process.
- Indicate External Sources And Destinations Of The Data, With Squares.
- Number Each Occurrence Of Repeated External Entities.
- Identify All Data Flows For Each Process Step, Except Simple Record Retrievals.
- Label Data Flow On Each Arrow.
- Use Details Flow On Each Arrow.
- Use The Details Flow Arrow To Indicate Data Movements.
- There Can't Be Unnamed Data Flow.
- A Data Flow Can't Connect Two External Entities.

E-SHOPPING(MYRA SHOPPING)

Myra Shopping DFD's




About Us DFD's




E-SHOPPING(MYRA SHOPPING)

Contact Us DFD's




Product DFD's




E-SHOPPING(MYRA SHOPPING)

Sign Up DFD's




Sign In DFD's




ACTIVITY DIAGRAM:

Activity Diagrams Are Graphical Representations Of Work Flows Of Stepwise Activities And Action Which Support For Choice Interaction And Concurrency

User Login Activity



USER REGISTRATION ACTIVITY



UNIFIED MODELING LANGUAGE DIAGRAMS(UML):

- The Unified Modeling Language Allows The Software Engineer To Express An Analysis Model Using The Modeling Notation That Is Governed By A Set Of Syntactic Semantic And Pragmatic Rules.
- A UML System Is Represented Using Five Different Views That Describe The System From Distinctly Different Perspective. Each View Is Defined By A Set Of Diagram, Which Is As Follows.

User Model View

- i. This View Represents The System From The Users Perspective.
- ii. The Analysis Representation Describes A Usage Scenario From The End-Users Perspective.

Structural Model View

- ◆ In This Model The Data And Functionality Are Arrived From Inside The System.
- ◆ This Model View Models The Static Structures.

Behavioral Model View

- ◆ It Represents The Dynamic Of Behavioral As Parts Of The System, Depicting The Interactions Of Collection Between Various Structural Elements Described In The User Model And Structural Model View.

E-SHOPPING(MYRA SHOPPING)

Implementation Model View

- ◆ In This The Structural And Behavioral As Parts Of The System Are Represented As They Are To Be Built.

Environmental Model View

In This The Structural And Behavioral Aspects Of The Environment In Which The System Is To Be Implemented Are Represented.UML Is Specifically Constructed Through Two Different Domains They Are

- ◆ UML Analysis Modeling, Which Focuses On The User Model And Structural Model Views Of The System.

PRODUCTS

This Website Is Of Men Clothings And Accessories. Here Are Many Products Available At Affordable Price And Best Quality With Bulk Quantity. The Products Are Shirts, T-Shirts, Pants, Shoes, Jackets, Hats, Watches. These Products Are Available In Premium Quality, And All Type Of Fabrics. The Shoes Are Available Of All Brands An As Well As The Watches. The Hats And Jackets Are Available In All Types Leather, Jute, Cotton, Etc.

Creating This Website Makes A Good Oppourtunity For The Admin To Start A Business With Easy Shipping Process With All Types Of Products.

MANAGE PRODUCTS

Add Products -


The Shopping Project Contains Different Kinds Of Products. The Products Can Be Classified Into Many Different Types And Categories By Name. Admin Can Add New Products Into The Existing System With All Details Including Its Images.

Delete Products -

Admin Can Delete The Products Based On The Stock And Availability Of The Particular Product And Its Quantity.

Search Products –

Admin Has Kept A List Of Available Products On The Site.



MANAGE ORDERS

View Order –


Admin Can View The Order Which Is Generated By The User / Customer.

Admin Can Verify The Details Of The Purchase.

Delete Order-


Admin Can Delete The Order From Order List Once It Is Delivered To The Customer.

He Can Also Delete The Order If The Customer Has Canceled The Order.



MODERATORS

A Moderator Is Considered As A Staff Who Can Manage Orders For The Time Begin. As A Future Update Moderator May Give Facility To Add And Manage His Own Products. Moderators Can Reduce The Word Load Of Admin. Now Moderator Has All The Privilege An Admin Having Except Managing Other Moderators. He Can Add Products And Users. He Can Also Check The Orders And Edit His Profile.



USERS

A New User Will Have To Register In The System By Providing Essential Details In Order To View The Products In The System. The Admin Must Accept A New User By Unblocking Him.

❖ **LOGIN-**

A User Must Login With His/Her Username And Password To The System After The Registration.

❖ **VIEW PRODUCTS-**

User Can View The List Of Products In Their Names After Successful Login.A Detailed Of A Particular Product With Product Name, Product Details, Product Images, Price Can Be Viewwd By Users


❖ **BUY NOW-**

The User Can Buy The Desired Product From The Specific Category.

❖ **PAYMENT METHOD-**

After Buying The Product User Comes To Payment Method. He/She Has To Fill The Appropriate Details As Per Asked. After The Payment Method The Order Is Been Placed And Delivered With In Given Time.

E-SHOPPING(MYRA SHOPPING)



SQL(STRUCTURED QUERY LANGUAGE)

Basically, SQL Stands For **Structured Query Language** Which Is Basically A Language Used By Databases. This Language Allows To Handle The Information Using Tables And Shows A Language To Query These Tables And Other Objects Related (Views, Functions, Procedures, Etc.). Most Of The Databases Like SQL Server, Oracle, Postgresql, Mysql, Mariadb Handle This Language (With Some Extensions And Variations) To Handle The Data.

With SQL You Can Insert, Delete, And Update Data. You Can Also Create, Delete, Or Alter Database Objects.

What Is SQL?

- SQL Stands For Structured Query Language
- SQL Lets You Access And Manipulate Databases
- SQL Became A Standard Of The American National Standards Institute (ANSI) In 1986, And Of The International Organization For Standardization (ISO) In 1987

What Are The Basics Of SQL?

- The Basic Use Of SQL For Data Professionals And SQL Users Is To Insert, Update, And Delete The Data From The Relational Database.
- SQL Allows The Data Professionals And Users To Retrieve The Data From The Relational Database Management Systems.
- It Also Helps Them To Describe The Structured Data.

What Are Tables In SQL?

- Tables Are Database Objects That Contain All The Data In A Database. In Tables, Data Is Logically Organized In A Row-And-Column Format Similar To A Spreadsheet. Each Row Represents A Unique Record, And Each Column Represents A Field In The Record

How Many Types Of Table Are There In SQL?

- There Are Three Types Of Tables: Base, View, And Merged. Every Table Is A Document With Its Own Title, Viewers, Saved Visualizations, And Set Of Data. The Data In Each Type Of Table Has Different Properties.

What Is A Table For Data?

- Data Tables Display Information In A Grid-Like Format Of Rows And Columns. They Organize Information In A Way That's Easy To Scan So That Users Can Look For Patterns And Develop Insights From Data. Data Tables Can Contain: Interactive Components (Such As Chips, Buttons, Or Menus)

DATABASE DESIGN

E-SHOPPING(MYRA SHOPPING)

Column Name	Data Type	Constraint
Username	Nvarchar(100)	Null
Password	nvarchar(100)	Null
Name	nvarchar(100)	Null
Mobile	nvarchar(100)	Null
Email	nvarchar(100)	Null


SQL DATABASE CODE

```
create table tblUsers
(
  Uid int identity(1,1) primary key not null,
  Username nvarchar(100)Null,
  Password nvarchar(100)Null,
  Name nvarchar(100)Null,
  Mobile nvarchar(100)Null,
  Email nvarchar(100)Null,
)
select * from tblUsers
```

E-SHOPPING(MYRA SHOPPING)

```
MyraShoppingDB...7M7DP8\HP (52))
create table tblUsers
(
  Uid int identity(1,1) primary key not null,
  Username nvarchar(100) Null,
  Password nvarchar(100) Null,
  Name nvarchar(100) Null,
  Mobile nvarchar(100) Null,
  Email nvarchar(100) Null,
)
select * from tblUsers
```



Results		Messages				
	Uid	Username	Password	Name	Mobile	Email
1	1	justin	00000	Onaswee Joshi	+919545424587	jonaswee01@gmail.com
2	2	justin	00000	Onaswee Joshi	+919545424587	jonaswee01@gmail.com
3	3	justin	00000	Onaswee Joshi	+919545424587	jonaswee01@gmail.com
4	4	onaswee	1234567	Onaswee Joshi	+919545424587	jonaswee01@gmail.com
5	5	onaswee	1234567	Onaswee Joshi	+919545424587	jonaswee01@gmail.com
6	6	onaswee	1234567	Onaswee Joshi	+919545424587	jonaswee01@gmail.com
7	7	justin	00000	Onaswee Joshi	+919545424587	jonaswee01@gmail.com
8	8	justin	00000	Onaswee Joshi	+919545424587	jonaswee01@gmail.com
9	9	onaswee	1234567	Onaswee Joshi	+919545424587	jonaswee01@gmail.com
10	10	justin	00000	Onaswee Joshi	+919545424587	jonaswee01@gmail.com

 Query executed successfully. | DESKTOP-47M7DP8\SQLEXPRESS ... | DESKTOP-47M7DP8\HP (52) | MyraShoppingDB | 00:00:00 | 10 rows

SCREENS:

E-SHOPPING(MYRA SHOPPING)

- **Default.aspx page:**



E-SHOPPING(MYRA SHOPPING)

```
<%@ Page Language="C#" AutoEventWireup="true"
CodeFile="Default.aspx.cs" Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Myra Shopping Website</title>

    <meta charset="utf-8"/>
    <meta name="viewport" content="width=device-width,
initial-scale=1" />
    <meta http-equiv="X-UA-Compatible" content="IE-edge" />
    <link href="css/Custom.css" rel="stylesheet"
type="text/css" />

    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootst
rap.min.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.
min.js"></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstr
ap.min.js"></script>

</head>
<body>
    <form id="form1" runat="server">
        <div>

            <div class ="navbar navbar-default navbar-fixed-
top" role ="navigation">
                <div class ="container">
                    <div class ="navbae-header">
                        <button type="button" class ="navbar-
toggle" data-toggle ="collapse" data-target =".navbar-
collapse">

                            <span class ="sr-only">Toggle
Navigation</span>
```

E-SHOPPING(MYRA SHOPPING)

```
<span class ="icon-bar"></span>
<span class ="icon-bar"></span>
<span class ="icon-bar"></span>

</button>
<a class ="navbar-brand" href
="Default.aspx"><span> </span> Myra Shopping</a>

</div>
<div class ="navbar-collapse collapse">
<ul class ="nav navbar-nav navbar-
right">
<li class ="active"><a href
="Default.aspx">Home</a></li>
<li ><a href ="About Us.aspx">About
Us</a></li>
<li ><a href ="Contact
Us.aspx">Contact Us</a> </li>
<li class ="dropdown">
<a href ="#" class ="dropdown-
toggle" data-toggle="dropdown">Products<b class
="caret"></b></a>
<ul class ="dropdown-menu">
<li class ="dropdown-
header" >Men</li>
<li role="separator" class
="divider"></li>
<li> <a href
="MenShirts.aspx">Shirts </a></li>
<li> <a href
="MensPants.aspx">Pants </a></li>
<li> <a href
="MenShoes.aspx">Shoes </a></li>
<li> <a href
="MensJackets.aspx">Jackets </a></li>
<li> <a href
="MensHats.aspx">Hats </a></li>
<li> <a href
="MensWatches.aspx">Watches </a></li>
<li role="separator" class
="divider"></li>
```


E-SHOPPING(MYRA SHOPPING)

```

        </ul>

        </li>
        <li ><a href
="Singup1.aspx">SignUp</a> </li>
        <li ><a href
="Signin.aspx">SignIn</a> </li>

    </ul>

</div>

</div>
</div>
<!--image slider---->
<div class="container">
<h2>Carousel Example</h2>
<div id="myCarousel" class="carousel slide" data-
ride="carousel">
    <!-- Indicators -->
    <ol class="carousel-indicators">
        <li data-target="#myCarousel" data-slide-to="0"
class="active"></li>
        <li data-target="#myCarousel" data-slide-to="1"></li>
        <li data-target="#myCarousel" data-slide-to="2"></li>
    </ol>

    <!-- Wrapper for slides -->
    <div class="carousel-inner">
        <div class="item active">
            

            <div class="carousel-caption">
                <p><a class ="btn btn-lg btn-primary" href ="#" role
="button" > Buy Now</a></p>
                <h2 style="color:MidnightBlue; font-style:italic;">

            </h2>

```

E-SHOPPING(MYRA SHOPPING)

```

    </div>
</div>

<div class="item">
    
    <div class="carousel-caption">
        <h2 style="color:MidnightBlue; font-style:italic;">

            </h2>
    </div>
</div>

<div class="item">
    
    <div class="carousel-caption">
        <h2 style="color:MidnightBlue; font-style:italic;">

            </div>
    </div>
</div>

<!-- Left and right controls -->
<a class="left carousel-control" href="#myCarousel" data-
slide="prev">
    <span class="glyphicon glyphicon-chevron-left"></span>
    <span class="sr-only">Previous</span>
</a>
<a class="right carousel-control" href="#myCarousel" data-
slide="next">
    <span class="glyphicon glyphicon-chevron-right"></span>
    <span class="sr-only">Next</span>
</a>
</div>
</div>

<!---image slider End---->
```

E-SHOPPING(MYRA SHOPPING)

```
                                <li role="separator" class  
="divider"></li>
```

```
    </div>  
    <!--Middle CContents start---->  
    <hr />  
    <div class ="container center">  
        <div class ="row">  
            <div class ="col-lg-4">  
  
                  
                <h2>SHIRTS</h2>  
                <p>  
                    Freaturing-      Wrinkle Free,      Stain  
Free,      100% Pure Cotton  
                </p>  
                <p><h2 style="color:MidnightBlue; font-  
style:italic;"></p>  
                <p> <a class ="btn btn-default "href  
="MenShirts.aspx" role="button">View More &raquo;</a></p>  
  
            </div>  
  
            <div class ="col-lg-4">  
  
                  
                <h2>PANTS</h2>  
                <p>  
                    Freaturing- Wrinkle Free,      Stain Free,  
100% Pure Denim  
                </p>  
                <p><h2 style="color:MidnightBlue; font-  
style:italic;"></p>  
                <p> <a class ="btn btn-default "href  
="MensPants.aspx" role="button">View More &raquo;</a></p>  
  
            </div>  
  
            <div class ="col-lg-4">
```

E-SHOPPING(MYRA SHOPPING)

```

<h2>SHOES</h2>
<p>
    Freaturing- All Types Of Shoes
</p>
<p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
    <p> <a class ="btn btn-default "href
="MenShoes.aspx" role="button">View More &raquo;</a></p>

</div>

<div class ="col-lg-4">

    
<h2>Jackets</h2>
<p>
    Freaturing- All Types Of Jackets s And
    Coats
</p>
<p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
    <p> <a class ="btn btn-default "href
="MensJackets.aspx" role="button">View More &raquo;</a></p>

</div>

<div class ="col-lg-4">

    
<h2>Hats</h2>
<p>
    Freaturing- All Types Of Hats and Caps
</p>
<p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
    <p> <a class ="btn btn-default "href
="MensHats.aspx" role="button">View More &raquo;</a></p>

</div>

<div class ="col-lg-4">
```

E-SHOPPING(MYRA SHOPPING)

```

<h2>Watches</h2>
<p>
    Freaturing- Brand New and Fashionable
</p>
<p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
<p> <a class ="btn btn-default "href
="MensWatches.aspx" role="button">View More &raquo;</a></p>

</div>

<li role="separator"
class ="divider"></li>

</div>

</div>

<!--Middle COnents start End---->

<!--Footer COnents start End---->
<hr />
<footer>
<div class ="container ">
    <p class ="pull-right"><a href ="#">Back To
Top</a></p>
    <p>&copy;Myra shopping.in &middot; <a href
="Default.aspx">Home</a>&middot;<a href ="About
Us.aspx">About</a>&middot;<a href ="Contact Us.aspx">Contact
Us<a /></p>

</div>
```

E-SHOPPING(MYRA SHOPPING)

</footer>

<!--Footer COntents start End---->


</form>

</body>

</html>

E-SHOPPING(MYRA SHOPPING)

- **About Us.aspx:**



```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="About
Us.aspx.cs" Inherits="About_Us" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>About Us</title>
    <meta charset="utf-8"/>
    <meta name="viewport" content="width=device-width, initial-
scale=1" />
    <meta http-equiv="X-UA-Compatible" content="IE-edge" />
    <link href="css/Custom.css" rel="stylesheet" type="text/css" />

    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.mi
n.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"
></script>
```

E-SHOPPING(MYRA SHOPPING)

```
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.
js"></script>

</head>
<body>
    <form id="form1" runat="server">
        <div>

            <div class="navbar navbar-default navbar-fixed-top" role
="navigation">
                <div class="container">
                    <div class="navbae-header">
                        <button type="button" class="navbar-toggle"
data-toggle="collapse" data-target=".navbar-collapse">
                            <span class="sr-only">Toggle
Navigation</span>

                            <span class="icon-bar"></span>
                            <span class="icon-bar"></span>
                            <span class="icon-bar"></span>

                        </button>
                        <a class="navbar-brand" href
="Default.aspx"><span> </span> Myra Shopping </a>

                    </div>
                    <div class="navbar-collapse collapse">
                        <ul class="nav navbar-nav navbar-right">
                            <li><a href="Default.aspx">Home</a></li>
                            <li><a href="#">About Us</a> </li>
                            <li><a href="Contact Us.aspx">Contact
US</a> </li>

                            <li class="dropdown">
                                <a href="#" class="dropdown-toggle"
data-toggle="dropdown">Products<b class="caret"></b></a>
                                <ul class="dropdown-menu">
                                    <li class="dropdown-header">
                                        <b>Men</b></li>

                                    <li role="separator" class
="divider"></li>

                                    <li> <a href="#">Shirts </a></li>
                                    <li> <a href="#">Pants </a></li>
                                    <li> <a href="#">Shoes </a></li>
```


E-SHOPPING(MYRA SHOPPING)

```
</a></li>
</a></li>

= "divider"></li>

<li> <a href="#">Jackets
<li> <a href="#">Hats </a></li>
<li> <a href="#">Watches

<li role="separator" class

</ul>

</li>
<li> <a href ="Singup1.aspx">SignUp</a>
</li>
<li> <a href ="Signin.aspx">SignIn</a>
</ul>

</div>

</div>

</div>

</div>

</a>
<br />
<asp:Label ID="Label1" runat="server" Font-Italic="True"
    Font-Names="Book Antiqua" Font-Size="X-Large"
    ForeColor="Black" Text="ABOUT US"></asp:Label>
<br />
<br />
<a />
```

E-SHOPPING(MYRA SHOPPING)

```
<asp:Image ID="Image1" runat="server" Height="201px"  
ImageUrl=~\IMG/shop1.jpg"  
Width="262px" />  
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~  
<asp:Image ID="Image2" runat="server" Height="204px"  
ImageUrl=~\IMG/shop2.jpg"  
Width="269px" />  
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~  
<asp:Image ID="Image3" runat="server" Height="207px"  
ImageUrl=~\IMG/shop3.jpg"  
Width="261px" />  
</a>  
<br />  
<br />  
~ MOST AFFORDABLE&nbsp;&nbsp;& ~WEEKLY NEW COLLECTION<br />  
~PREMIUM QUALITY&nbsp;&nbsp;& ~FASTEST DELIVERY<br />  
~SHIPPING PAN INDIA&nbsp;& ~MOST TRUSTED SITE<br />  
<br />  
<br />  
<asp:Image ID="Image4" runat="server" Height="29px"  
ImageUrl=~\IMG/instalogo.png" Width="118px" />  
<br />  
<br />  
</form>  
<!--Footer COntents start End---->  
    <hr />  
        <footer class="footer-pos">  
            <div class ="container ">  
                <p class ="pull-right"><a href ="#">Back To Top</a></p>  
                <p>&copy;Myra shopping.in &middot; <a href  
="Default.aspx">Home</a>&middot;<a href ="About  
Us.aspx">About</a>&middot;<a href ="Contact Us.aspx">Contact Us</p>  
  
            </div>  
  
        </footer>  
  
    <a />  
  
    <!--Footer COntents start End---->  
</body>  
</html>
```

E-SHOPPING(MYRA SHOPPING)

- **Contact US.aspx:**

Myra Shopping

Home About Us Contact Us Products SignUp SignIn

CONTACT US

Name

Mobile Number

Message

Shop Address

Back To Top

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="Contact Us.aspx.cs" Inherits="Contact_Us" %>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title>Contact Us</title>
```

```
<meta charset="utf-8"/>
```

```
<meta name="viewport" content="width=device-width, initial-scale=1" />
```

```
<meta http-equiv="X-UA-Compatible" content="IE-edge" />
```

```
<link href="css/Custom.css" rel="stylesheet" type="text/css" />
```

```
<link rel="stylesheet"
```

```
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
```

```
<script
```

```
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"
```

```
>>/script>
```

E-SHOPPING(MYRA SHOPPING)

```
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.
js"></script>

</head>
<body>
    <form id="form1" runat="server" enableviewstate="False">
        <div>
            <div class ="navbar navbar-default navbar-fixed-top" role
="navigation">
                <div class ="container">
                    <div class ="navbae-header">
                        <button type="button" class ="navbar-toggle"
data-toggle ="collapse" data-target =".navbar-collapse">
                            <span class ="sr-only">Toggle
Navigation</span>
                            <span class ="icon-bar"></span>
                            <span class ="icon-bar"></span>
                            <span class ="icon-bar"></span>
                        </button>
                        <a class ="navbar-brand" href
="Default.aspx"><span> </span> Myra Shopping </a>
                    </div>
                    <div class ="navbar-collapse collapse">
                        <ul class ="nav navbar-nav navbar-right">
                            <li ><a href ="Default.aspx">Home</a></li>
                            <li ><a href ="About Us.aspx">About Us</a>
</li>
                            <li ><a href ="#">Contact US</a> </li>
                            <li class ="dropdown">
                                <a href ="#" class ="dropdown-toggle"
data-toggle="dropdown">Products<b class ="caret"></b></a>
                                <ul class ="dropdown-menu">
                                    <li class ="dropdown-header"
>Men</li>
                                    <li role="separator" class
="divider"></li>
                                    <li> <a href ="#">Shirts </a></li>
                                    <li> <a href ="#">Pants </a></li>
                                    <li> <a href ="#">Shoes </a></li>
```

E-SHOPPING(MYRA SHOPPING)

[illegible]

E-SHOPPING(MYRA SHOPPING)

[illegible]

E-SHOPPING(MYRA SHOPPING)

```
<asp:TextBox ID="TextBox3" runat="server"
TextMode="MultiLine"></asp:TextBox>
</p>
<br />
<asp:Button ID="Button1" runat="server" Font-Bold="True" Font-
Names="Calibri"
Font-Size="Large" ForeColor="Black" onclick="Button1_Click"
PostBackUrl="~/Default.aspx" Text="Submit" />
<br />
<br />
<asp:Label ID="Label4" runat="server" Font-Bold="True" Font-
Names="Calibri"
Font-Size="Large" ForeColor="Black" Text="Shop
Address"></asp:Label>
<asp:TextBox ID="TextBox4" runat="server" AutoPostBack="True"
Height="104px"
TextMode="MultiLine" Width="322px" ReadOnly="True">Myra
Clothings,
Ananya Heights, Shop number 07,
Near Kanakia Wall Street,
Marol Metro Station,
Andheri East 400047</asp:TextBox>
<br />
<br />
<br />
<asp:Image ID="Image1" runat="server" Height="162px"
ImageUrl="~/IMG/map1.jpg"
Width="608px" />
<br />
<br />
<br />
<p>
<br />
<br />
```

E-SHOPPING(MYRA SHOPPING)

```
<br />
<br />
<br />
<br />
</form>
<br />
<!--Footer COntents start End---->
    <hr />
    <footer class="footer-pos">
    <div class ="container ">
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p class ="pull-right"><a href ="#">Back To Top</a></p>
    <p>&copy;Myra shopping.in &middot; <a href
="Default.aspx">Home</a>&middot;<a href ="About
Us.aspx">About</a>&middot;<a href ="Contact Us.aspx">Contact Us</p><a
/>

    </a>
    <br />
    <br />

</div>

</footer>

<a />

<!--Footer COntents start End---->
</body>
</html>
```


E-SHOPPING(MYRA SHOPPING)

- **Sign Up.aspx:**

UserName:
onaswee
Password:

Your Full Name:
Onaswee Joshi
Your Mobile Number:
+919545424587
Email:
jonaswee01@gmail.com
Sign Up

©Myra shopping.in Home About Contact Us Back To Top

```
<%@ Page Language="C#" AutoEventWireup="true"
CodeFile="Singup1.aspx.cs" Inherits="Singup1" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Signup</title>
    <meta charset="utf-8"/>
    <meta name="viewport" content="width=device-width, initial-
scale=1" />
    <meta http-equiv="X-UA-Compatible" content="IE-edge" />
    <link href="css/Custom.css" rel="stylesheet" type="text/css" />

    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.mi
n.css">
```

E-SHOPPING(MYRA SHOPPING)

```
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"
></script>
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.
js"></script>

</head>
<body>
    <form id="form1" runat="server">
    <div>

        <div class ="navbar navbar-default navbar-fixed-top" role
="navigation">
            <div class ="container">
                <div class ="navbae-header">
                    <button type="button" class ="navbar-toggle"
data-toggle ="collapse" data-target =".navbar-collapse">
                        <span class ="sr-only">Toggle
Navigation</span>

                        <span class ="icon-bar"></span>
                        <span class ="icon-bar"></span>
                        <span class ="icon-bar"></span>

                    </button>
                    <a class ="navbar-brand" href
="Default.aspx"><span> </span> Myra Shopping </a>

                </div>
                <div class ="navbar-collapse collapse">
                    <ul class ="nav navbar-nav navbar-right">
                        <li><a href ="Default.aspx">Home</a></li>
                        <li><a href ="About Us.aspx">About
Us</a></li>

                        <li><a href ="Contact Us.aspx">Contact
US</a> </li>

                        <li class ="dropdown">
                            <a href ="#" class ="dropdown-toggle"
data-toggle="dropdown">Products<b class ="caret"></b></a>
                            <ul class ="dropdown-menu">
                                <li class ="dropdown-header"
>Men</li>

                                <li role="separator" class
="divider"></li>
```

E-SHOPPING(MYRA SHOPPING)

```
</a></li>
<a></li>

<li> <a href="#">Shirts </a></li>
<li> <a href="#">Pants </a></li>
<li> <a href="#">Shoes </a></li>
<li> <a href="#">Jackets

<li> <a href="#">Hats </a></li>
<li> <a href="#">Watches

<li role="separator" class
="divider"></li>

</ul>

</li>
<li> <a href ="Singup1.aspx">SignUp</a>

<li> <a href ="Signin.aspx">SignIn</a>

</li>

</ul>

</div>

</div>
</div>

</div>

<!--signup page-->
<div class ="center-page">

<label class="col-xs-11">UserName:</label>
<div class="col-xs-11">
<asp:TextBox ID="txtUname" runat="server" Class="form-
control" placeholder="Enter Your UserName"></asp:TextBox>
</div>

<label class="col-xs-11">Password:</label>
<div class="col-xs-11">
```

E-SHOPPING(MYRA SHOPPING)

```
<asp:TextBox ID="txtpass" runat="server"
TextMode="Password" Class="form-control" placeholder="Enter Your
Password"></asp:TextBox>
</div>

<label class="col-xs-11">Your Full Name:</label>
<div class="col-xs-11">
<asp:TextBox ID="txtName" runat="server" Class="form-
control" placeholder="Enter Your Full Name"></asp:TextBox>
</div>

<label class="col-xs-11">Your Mobile Number:</label>
<div class="col-xs-11">
<asp:TextBox ID="txtMobNo" runat="server" Class="form-
control" placeholder="Enter Your Mobile Number"></asp:TextBox>
</div>

<label class="col-xs-11">Email:</label>
<div class="col-xs-11">
<asp:TextBox ID="txtEmail" runat="server" Class="form-
control" placeholder="Enter Your Email"></asp:TextBox>
</div>

<label class="col-xs-11"></label>
<div class="col-xs-11">
<asp:Button ID="txtsignup" Class="btn btn-success"
runat="server" Text="SignUp"
onclick="txtsignup_Click" />
<onclick ="txtsignup_Click" />
<br />
<br />
</div>
</div>

<!--signup page end-->

<!--Footer C0ntents start End---->
<hr />
<footer class="footer-pos">
<div class ="container ">
<p class ="pull-right"><a href ="#">Back To Top</a></p>
<p>&copy;Myra shopping.in &middot; <a href
="Default.aspx">Home</a>&middot;<a href ="About
```

E-SHOPPING(MYRA SHOPPING)

```
Us.aspx">About</a>&middot;<a href ="Contact Us.aspx">Contact Us<a  
/></p>
```

```
</div>
```

```
</footer>
```

```
<!--Footer CContents start End-->
```

```
<p>  
    &nbsp;</p>
```

```
<p>  
    &nbsp;</p>
```

```
<p>  
    &nbsp;</p>
```

```
<p>  
    &nbsp;</p>
```

```
<p>  
    &nbsp;</p>
```

```
<p>  
    &nbsp;</p>
```

```
</form>
```

```
</html>
```

E-SHOPPING(MYRA SHOPPING)

- **SignUp.aspx.cs:**

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data;
using System.Data.SqlClient;
using System.Configuration;

public partial class Singup1 : System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {

    }
    protected void txtsignup_Click(object sender, EventArgs e)
    {

        if (isformvalid())
        {
            using (SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["MyraShoppingDB2"
].ConnectionString))
            {
                con.Open();
                SqlCommand cmd = new SqlCommand("Insert into tblUsers
(Username,Password,Name,Moblie,Email) Values('" + txtUname.Text +
"', '" + txtpass.Text + "', '" + txtName.Text + "', '" + txtMobNo.Text +
"', '" + txtEmail.Text + "')" , con);
                cmd.ExecuteNonQuery();

                Response.Write("<script> alert('Registration
Successfully Done'); </script>");
                clr();
                con.Close();

            }
            Response.Redirect("~/SignIn.aspx");
        }
    }
}
```

E-SHOPPING(MYRA SHOPPING)

```
private bool isformvalid()
{
    if (txtUname.Text == "")
    {
        Response.Write("<script> alert('User Name Not Valid');
</script>");
        return false;
    }
    else if (txtpass.Text == "")
    {
        Response.Write("<script> alert('Password Not Valid');
</script>");
        return false;
    }
    else if (txtName.Text == "")
    {
        Response.Write("<script> alert('Your Full Name Is
Incorrect'); </script>");
        return false;
    }
    else if (txtMobNo.Text == "")
    {
        Response.Write("<script> alert('Mobile Number Not Valid');
</script>");
        return false;
    }
    else if (txtEmail.Text == "")
    {
        Response.Write("<script> alert('Email Not Valid');
</script>");
        return false;
    }
    return true;
}

private void clr()
{
    txtUname.Text = string.Empty;
    txtpass.Text = string.Empty;
    txtName.Text = string.Empty;
    txtMobNo.Text = string.Empty;
    txtEmail.Text = string.Empty;
}
}
```

E-SHOPPING(MYRA SHOPPING)

- **Sign In.aspx:**

Myra Shopping

Home About Us Contact Us Products Sign Up Sign In

Login Form

Username onacwag

Password *****

☒ Remember me

Login Sign Up

©Myra shopping In Home About Contact Us Back To Top

```
<%@ Page Language="C#" AutoEventWireup="true"
CodeFile="SignIn.aspx.cs" Inherits="SignIn" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>SignIn</title>

    <meta charset="utf-8"/>
    <meta name="viewport" content="width=device-width, initial-
scale=1" />
    <meta http-equiv="X-UA-Compatible" content="IE-edge" />
    <link href="css/Custom.css" rel="stylesheet" type="text/css" />

    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.mi
n.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"
></script>
```


E-SHOPPING(MYRA SHOPPING)

```
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.
js"></script>

</head>
<body>
    <form id="form1" runat="server">
    <div>
    <div>
        <div class ="navbar navbar-default navbar-fixed-top" role
="navigation">
            <div class ="container">
                <div class ="navbae-header">
                    <button type="button" class ="navbar-toggle"
data-toggle ="collapse" data-target =".navbar-collapse">
                        <span class ="sr-only">Toggle
Navigation</span>
                        <span class ="icon-bar"></span>
                        <span class ="icon-bar"></span>
                        <span class ="icon-bar"></span>
                    </button>
                    <a class ="navbar-brand" href
="Default.aspx"><span> </span> Myra Shopping</a>
                </div>
                <div class ="navbar-collapse collapse">
                    <ul class ="nav navbar-nav navbar-right">
                        <li ><a href ="Default.aspx">Home</a></li>
                        <li ><a href ="About Us.aspx">About
Us</a></li>
                        <li ><a href ="Contact Us.aspx">Contact
US</a> </li>
                        <li class ="dropdown">
                            <a href ="#" class ="dropdown-toggle"
data-toggle="dropdown">Products<b class ="caret"></b></a>
                            <ul class ="dropdown-menu">
                                <li class ="dropdown-header"
                                <li role="separator" class
="divider"></li>
                                <li> <a href
"MenShirts.aspx">Shirts </a></li>
                                <li> <a href
"MensPants.aspx">Pants </a></li>
```

E-SHOPPING(MYRA SHOPPING)

```

                                <li> <a href
"MenShoes.aspx">Shoes </a></li>
                                <li> <a href
"MensJackets.aspx">Jackets </a></li>
                                <li> <a href "MensHats.aspx">Hats
</a></li>
                                <li> <a href
"MensWatches.aspx">Watches </a></li>
                                <li role="separator" class
="divider"></li>

                                </ul>

                                </li>
                                <li ><a href ="Singup1.aspx">SignUp</a>
</li>
                                <li class ="active"><a href
="Signin.aspx">SignIn</a> </li>

                                </ul>

                                </div>

                                </div>

</div>
</div>
</div>

<br />
<br />
<br />

<!--signin form start-->

<div class ="container">
```

E-SHOPPING(MYRA SHOPPING)

```
<div class ="form-horizontal">
<h2>Login Form</h2>
<hr />
<div class ="form-group">
    <asp:Label ID="Label1" CssClass ="col-md-2
control-label" runat="server" Text="Username"></asp:Label>
    <div class ="col-md-3">

        <asp:TextBox ID="txtUsername"
CssClass="form-control" runat="server"></asp:TextBox>
        <asp:RequiredFieldValidator
ID="RequiredFieldValidatorusername" runat="server" CssClass ="text-
danger"
                                ErrorMessage="Enter Username"
ControlToValidate="txtUsername"
ForeColor="Red"></asp:RequiredFieldValidator>
    </div>
</div>

<div class ="form-group">
    <asp:Label ID="Label2" CssClass ="col-md-2
control-label" runat="server" Text="Password"></asp:Label>
    <div class ="col-md-3">

        <asp:TextBox ID="txtpass" CssClass="form-
control" runat="server" TextMode="Password"></asp:TextBox>
        <asp:RequiredFieldValidator
ID="RequiredFieldValidatorpass" runat="server" CssClass ="text-
danger"
                                ErrorMessage="Enter Valid
Password" ControlToValidate="txtpass"
ForeColor="Red"></asp:RequiredFieldValidator>
    </div>
</div>

<div class ="form-group">
    <div class ="col-md-2"></div>
    <div class ="col-md-6">

        <asp:CheckBox ID="CheckBox1"
runat="server" />
        <asp:Label ID="Label4" CssClass ="
control-label" runat="server" Text="Remember me"></asp:Label>

    </div>
</div>
```

E-SHOPPING(MYRA SHOPPING)

```
</div>

<div class ="form-group">
    <div class ="col-md-2"></div>
    <div class ="col-md-6">
        <asp:Button ID="btnlogin" CssClass
="btn btn-success" runat="server"
        Text="Login&raquo;"
onclick="btnlogin_Click" />
        <asp:HyperLink
            ID="HyperLink1" runat="server"
NavigateUrl="~/Singup1.aspx">Sign Up</asp:HyperLink>
    </div>
</div>

<div class ="form-group">
    <div class ="col-md-2"></div>
    <div class ="col-md-6">
        <asp:Label ID="lblError"
CssClass="text-danger" runat="server" ></asp:Label>
    </div>
</div>

</div>

</div>
<!--signin form End-->

<!--Footer COnents start End-->
<hr />
<footer class="footer-pos">
<div class ="container ">
    <p class ="pull-right"><a href ="#">Back To Top</a></p>
```

E-SHOPPING(MYRA SHOPPING)

```
<p>&copy;Myra shopping.in &middot; <a href  
="Default.aspx">Home</a>&middot;<a href ="About  
Us.aspx">About</a>&middot;<a href ="Contact Us.aspx">Contact Us<a  
</p>
```

```
</div>
```

```
</footer>
```

```
<!--Footer COntents start End---->
```

```
</form>  
</body>  
</html>
```

- **Sign In.aspx.cs:**

```
using System;  
using System.Collections.Generic;  
using System.Linq;  
using System.Web;  
using System.Web.UI;  
using System.Web.UI.WebControls;  
using System.Data.SqlClient;  
using System.Configuration;  
using System.Data;  
  
public partial class SignIn : System.Web.UI.Page  
{  
    protected void Page_Load(object sender, EventArgs e)  
    {  
        if (!IsPostBack)  
        {  
            if (Request.Cookies["UNAME"] != null &&  
Request.Cookies["UPWD"] != null )  
            {  
                txtUsername .Text=Request .Cookies ["UNAME"].Value;  
                txtpass .Text=Request .Cookies ["UPWD"].Value;  
                CheckBox1 .Checked =true;
```

E-SHOPPING(MYRA SHOPPING)

```
    }  
    }  
}  
protected void btnlogin_Click(object sender, EventArgs e)  
{  
    using (SqlConnection con = new  
SqlConnection(ConfigurationManager.ConnectionStrings["MyraShoppingDB2"  
].ConnectionString))  
    {  
        con.Open();  
        SqlCommand cmd = new SqlCommand("Select * from tblUsers  
where Username=@username and password=@pwd", con);  
        cmd.Parameters.AddWithValue("@username", txtUsername.Text  
);  
  
        cmd.Parameters.AddWithValue("@pwd", txtpass.Text);  
        SqlDataAdapter sda = new SqlDataAdapter(cmd);  
        DataTable dt = new DataTable();  
        sda.Fill(dt);  
        if (dt.Rows.Count != 0)  
        {  
            if (CheckBox1.Checked)  
            {  
                Response.Cookies["UNAME"].Value =  
txtUsername.Text;  
                Response.Cookies["UPWD"].Value = txtpass .Text;  
  
                Response.Cookies["UNAME"].Expires = DateTime .Now  
.AddDays (10);  
  
                Response.Cookies["UPWD"].Expires =  
DateTime.Now.AddDays(10);  
            }  
            else  
            {  
                Response.Cookies["UNAME"].Expires =  
DateTime.Now.AddDays(-1);  
  
                Response.Cookies["UPWD"].Expires =  
DateTime.Now.AddDays(-1);  
            }  
        }  
    }  
}
```

E-SHOPPING(MYRA SHOPPING)

```
        Session["Username"] = txtUsername.Text;
        Response.Redirect("~/UserHome.aspx");
    }
    else
    {
        lblError.Text = "Invalid Username and password";
    }


    //Response.Write("<script> alert('Login Successfully
Done'); </script>");
    clr();
    con.Close();

    }
}

private void clr()
{
    txtpass.Text = string.Empty;
    txtUsername.Text = string.Empty;
    txtUsername.Focus();
}
}
```

E-SHOPPING(MYRA SHOPPING)

- **MenShirts.aspx:**



```
<%@ Page Language="C#" AutoEventWireup="true"
CodeFile="MenShirts.aspx.cs" Inherits="MenShirts" %>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Mens Shirts</title>
<meta charset="utf-8"/>
    <meta name="viewport" content="width=device-width, initial-
scale=1" />
    <meta http-equiv="X-UA-Compatible" content="IE-edge" />
    <link href="css/Custom.css" rel="stylesheet" type="text/css" />
```

```
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.mi
n.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"
></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.
js"></script>
```


E-SHOPPING(MYRA SHOPPING)

```
</head>
<body>
  <form id="form1" runat="server">
    <div>
      <div class ="navbar navbar-default navbar-fixed-top" role
="navigation">
        <div class ="container">
          <div class ="navbae-header">
            <button type="button" class ="navbar-toggle"
data-toggle ="collapse" data-target =".navbar-collapse">
              <span class ="sr-only">Toggle
Navigation</span>
              <span class ="icon-bar"></span>
              <span class ="icon-bar"></span>
              <span class ="icon-bar"></span>
            </button>
            <a class ="navbar-brand" href
="Default.aspx"><span> </span> Myra Shopping </a>
          </div>
          <div class ="navbar-collapse collapse">
            <ul class ="nav navbar-nav navbar-right">
              <li ><a href ="Default.aspx">Home</a></li>
              <li ><a href ="About Us.aspx">About
Us</a></li>
              <li ><a href ="#">Contact US</a> </li>
              <li class ="dropdown">
                <a href ="#" class ="dropdown-toggle"
data-toggle="dropdown">Products<b class ="caret"></b></a>
                <ul class ="dropdown-menu">
                  <li class ="dropdown-header"
>Men</li>
                  <li role="separator" class
="divider"></li>
                  <li> <a href
"MenShirts.aspx">Shirts </a></li>
                  <li> <a href
"MensPants.aspx">Pants </a></li>
                  <li> <a href
"MenShoes.aspx">Shoes </a></li>
                  <li> <a href
"MensJackets.aspx">Jackets </a></li>
```

E-SHOPPING(MYRA SHOPPING)

```
</a></li>
<li> <a href "MensHats.aspx">Hats
</li> <a href
"MensWatches.aspx">Watches </a></li>

<li role="separator" class
="divider"></li>

</ul>

</li>
<li ><a href ="Singup1.aspx">SignUp</a>
</li>
<li ><a href ="Signin.aspx">SignIn</a>
</li>

</ul>

</div>
<!--Middle CContents start---->
<hr />
<div class ="container center">
  <div class ="row">
    <div class ="col-lg-4">
      
      <h2>T-SHIRT</h2>
      <p>
        Freaturing-Mens Regular Fit Round Neck Half
        Sleeved T-Shirt
      </p>
      <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
      <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
      </div>

      <div class ="col-lg-4">
        
        <h2>T-SHIRT</h2>
        <p>
          Freaturing-Mens Regular Fit Round Neck Half
          Sleeved T-Shirt
        </p>
```

E-SHOPPING(MYRA SHOPPING)

```

        <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
        <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
        </div>

        <div class ="col-lg-4">
        
        <h2>T-SHIRT</h2>
        <p>
        Freaturing-Mens Slim Fit Formal Shirt Full Sleeve
        </p>
        <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
        <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
        </div>

        <li role="separator" class ="divider"></li>
    </div>
</div>

</div>

```

<!--Middle COnents start End---->

<!--Footer COnents start End---->

```

    <hr />
    <footer class="footer-pos">
    <div class ="container ">
        <p class ="pull-right"><a href ="#">Back To Top</a></p>
        <p>&copy;Myra shopping.in &middot; <a href
="Default.aspx">Home</a>&middot;<a href ="About
Us.aspx">About</a>&middot;<a href ="Contact Us.aspx">Contact Us<a
/></p>

```

E-SHOPPING(MYRA SHOPPING)

```
</div>
```

```
</footer>
```


```
<!--Footer COnents start End-->
```

```
</form>
```

```
</body>
```

```
</html>
```

- **MensPants.aspx:**



```
<%@ Page Language="C#" AutoEventWireup="true"  
CodeFile="MensPants.aspx.cs" Inherits="MensPants" %>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"  
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">  
<head runat="server">  
    <title>Mens Pants</title>
```

E-SHOPPING(MYRA SHOPPING)

```
<meta charset="utf-8"/>
  <meta name="viewport" content="width=device-width, initial-
scale=1" />
  <meta http-equiv="X-UA-Compatible" content="IE-edge" />
  <link href="css/Custom.css" rel="stylesheet" type="text/css" />

  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.mi
n.css">
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"
></script>
  <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.
js"></script>

</head>
<body>
  <form id="form1" runat="server">
    <div>
      <div class ="navbar navbar-default navbar-fixed-top" role
="navigation">
        <div class ="container">
          <div class ="navbae-header">
            <button type="button" class ="navbar-toggle"
data-toggle ="collapse" data-target =".navbar-collapse">
              <span class ="sr-only">Toggle
Navigation</span>
              <span class ="icon-bar"></span>
              <span class ="icon-bar"></span>
              <span class ="icon-bar"></span>
            </button>
            <a class ="navbar-brand" href
="Default.aspx"><span> </span> Myra Shopping </a>
          </div>
          <div class ="navbar-collapse collapse">
            <ul class ="nav navbar-nav navbar-right">
              <li ><a href ="Default.aspx">Home</a></li>
              <li ><a href ="About Us.aspx">About
Us</a></li>
              <li ><a href ="#">Contact US</a> </li>
```

E-SHOPPING(MYRA SHOPPING)

```

        <li class ="dropdown">
            <a href ="#" class ="dropdown-toggle"
data-toggle="dropdown">Products<b class ="caret"></b></a>
            <ul class ="dropdown-menu">
                <li class ="dropdown-header"
>Men</li>
                <li role="separator" class
="divider"></li>
                <li> <a href
"MenShirts.aspx">Shirts </a></li>
                <li> <a href
"MenPants.aspx">Pants </a></li>
                <li> <a href
"MenShoes.aspx">Shoes </a></li>
                <li> <a href
"MenJackets.aspx">Jackets </a></li>
                <li> <a href "MenHats.aspx">Hats
</a></li>
                <li> <a href
"MenWatches.aspx">Watches </a></li>
                <li role="separator" class
="divider"></li>
            </ul>
        </li>
        <li><a href ="Singup1.aspx">SignUp</a>
        </li>
        <li><a href ="Signin.aspx">SignIn</a>
        </li>
    </ul>
</div>
<!--Middle C0ntents start---->
<hr />
<div class ="container center">
    <div class ="row">
        <div class ="col-lg-4">
            
            <h2>Denim</h2>
            <p>
                Freaturing-Mens SLim Casual Pants
            </p>
        </div>
    </div>
</div>

```

E-SHOPPING(MYRA SHOPPING)

```

        </p>
        <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
        <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
        </div>

        <div class ="col-lg-4">
        
        <h2>Denim</h2>
        <p>
        Freaturing-Mens Regular Fit Denim Jeans
        </p>
        <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
        <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
        </div>

        <div class ="col-lg-4">
        
        <h2>Denim</h2>
        <p>
        Freaturing-Mens Stretchable Jeans
        </p>
        <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
        <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
        </div>

        <li role="separator" class ="divider"></li>
    </div>
</div>

</div>

```

E-SHOPPING(MYRA SHOPPING)

```
<!--Middle COnents start End---->

<!--Footer COnents start End---->
<hr />
<footer class="footer-pos">
<div class ="container ">
<p class ="pull-right"><a href ="#">Back To Top</a></p>
<p>&copy;Myra shopping.in &middot; <a href
="Default.aspx">Home</a>&middot;<a href ="About
Us.aspx">About</a>&middot;<a href ="Contact Us.aspx">Contact Us<a
/></p>>


</div>

</footer>

<!--Footer COnents start End---->
</form>
</body>
</html>
```


E-SHOPPING(MYRA SHOPPING)

- **MenShoes.aspx:**



```
<%@ Page Language="C#" AutoEventWireup="true"
CodeFile="MenShoes.aspx.cs" Inherits="MenShoes" %>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Mens Shoes</title>
<meta charset="utf-8"/>
    <meta name="viewport" content="width=device-width, initial-
scale=1" />
    <meta http-equiv="X-UA-Compatible" content="IE-edge" />
    <link href="css/Custom.css" rel="stylesheet" type="text/css" />
```

```
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.mi
n.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"
></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.
js"></script>
```

E-SHOPPING(MYRA SHOPPING)

```
</head>
<body>
  <form id="form1" runat="server">
    <div>
      <div class ="navbar navbar-default navbar-fixed-top" role
="navigation">
        <div class ="container">
          <div class ="navbae-header">
            <button type="button" class ="navbar-toggle"
data-toggle ="collapse" data-target =".navbar-collapse">
              <span class ="sr-only">Toggle
Navigation</span>
              <span class ="icon-bar"></span>
              <span class ="icon-bar"></span>
              <span class ="icon-bar"></span>
            </button>
            <a class ="navbar-brand" href
="Default.aspx"><span> </span> Myra Shopping </a>
          </div>
          <div class ="navbar-collapse collapse">
            <ul class ="nav navbar-nav navbar-right">
              <li ><a href ="Default.aspx">Home</a></li>
              <li ><a href ="About Us.aspx">About</a></li>
              <li ><a href ="#">Contact US</a> </li>
              <li class ="dropdown">
                <a href ="#" class ="dropdown-toggle"
data-toggle="dropdown">Products<b class ="caret"></b></a>
                <ul class ="dropdown-menu">
                  <li class ="dropdown-header"
>Men</li>
                  <li role="separator" class
="divider"></li>
                  <li> <a href
"MenShirts.aspx">Shirts </a></li>
                  <li> <a href
"MensPants.aspx">Pants </a></li>
                  <li> <a href
"MenShoes.aspx">Shoes </a></li>
                  <li> <a href
"MensJackets.aspx">Jackets </a></li>
```

E-SHOPPING(MYRA SHOPPING)

```
</a></li>
<li> <a href "MensHats.aspx">Hats
</li> <a href
"MensWatches.aspx">Watches </a></li>

<li role="separator" class
="divider"></li>

</ul>

</li>
<li ><a href ="Singup1.aspx">SignUp</a>
</li>
<li ><a href ="Signin.aspx">SignIn</a>
</li>

</ul>

</div>
<!--Middle COnents start---->
<hr />
<div class ="container center">
  <div class ="row">
    <div class ="col-lg-4">
      
      <h2>Shoes</h2>
      <p>
        Freaturing-Mens Latest Stylish Shoes
      </p>
      <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
      <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
    </div>

    <div class ="col-lg-4">
      
      <h2>Shoes</h2>
      <p>
        Freaturing-Mens Regular Fit Casual Shoes
      </p>
      <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
```

E-SHOPPING(MYRA SHOPPING)

```

        <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
        </div>

        <div class ="col-lg-4">
            
            <h2>Shoes</h2>
            <p>
                Freaturing-Mens Comfortable Running Shoes
            </p>
            <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
            <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
            </div>

        <li role="separator" class ="divider"></li>
    </div>
</div>

<!--Middle COnents start End---->

<!--Footer COnents start End---->
    <hr />
    <footer class="footer-pos">
        <div class ="container ">
            <p class ="pull-right"><a href ="#">Back To Top</a></p>
            <p>&copy;Myra shopping.in &middot; <a href
="Default.aspx">Home</a>&middot;<a href ="About
Us.aspx">About</a>&middot;<a href ="Contact Us.aspx">Contact Us<a
/></p>>

        </div>

```


E-SHOPPING(MYRA SHOPPING)

```
        </footer>

        <!--Footer C0ntents start End---->
    </form>
</body>
</html>
```

E-SHOPPING(MYRA SHOPPING)

- **MensJackets.aspx:**



```
<%@ Page Language="C#" AutoEventWireup="true"
CodeFile="MensJackets.aspx.cs" Inherits="MensJackets" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Mens Jackets</title>
<meta charset="utf-8"/>
    <meta name="viewport" content="width=device-width, initial-
scale=1" />
    <meta http-equiv="X-UA-Compatible" content="IE-edge" />
    <link href="css/Custom.css" rel="stylesheet" type="text/css" />

    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.mi
n.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"
></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.
js"></script>
```

E-SHOPPING(MYRA SHOPPING)

```
</head>
<body>
  <form id="form1" runat="server">
    <div>
      <div class ="navbar navbar-default navbar-fixed-top" role
="navigation">
        <div class ="container">
          <div class ="navbae-header">
            <button type="button" class ="navbar-toggle"
data-toggle ="collapse" data-target =".navbar-collapse">
              <span class ="sr-only">Toggle
Navigation</span>
              <span class ="icon-bar"></span>
              <span class ="icon-bar"></span>
              <span class ="icon-bar"></span>
            </button>
            <a class ="navbar-brand" href
="Default.aspx"><span> </span> Myra Shopping </a>
          </div>
          <div class ="navbar-collapse collapse">
            <ul class ="nav navbar-nav navbar-right">
              <li ><a href ="Default.aspx">Home</a></li>
              <li ><a href ="About Us.aspx">About
Us</a></li>
              <li ><a href ="#">Contact US</a> </li>
              <li class ="dropdown">
                <a href ="#" class ="dropdown-toggle"
data-toggle="dropdown">Products<b class ="caret"></b></a>
                <ul class ="dropdown-menu">
                  <li class ="dropdown-header"
>Men</li>
                  <li role="separator" class
="divider"></li>
                  <li> <a href
"MenShirts.aspx">Shirts </a></li>
                  <li> <a href
"MensPants.aspx">Pants </a></li>
                  <li> <a href
"MenShoes.aspx">Shoes </a></li>
```

E-SHOPPING(MYRA SHOPPING)

```

                                <li> <a href
"MensJackets.aspx">Jackets </a></li>
                                <li> <a href "MensHats.aspx">Hats
</a></li>
                                <li> <a href
"MensWatches.aspx">Watches </a></li>
                                <li role="separator" class
="divider"></li>

                                </ul>

                                </li>
                                <li ><a href ="Singup1.aspx">SignUp</a>
</li>
                                <li ><a href ="Signin.aspx">SignIn</a>
</li>

                                </ul>

                                </div>
                                <!--Middle C0ntents start---->
                                <hr />
                                <div class ="container center">
                                    <div class ="row">
                                        <div class ="col-lg-4">
                                            
                                            <h2>Jackets</h2>
                                            <p>
                                                Freaturing-Mens Solid Designer Faux Leather
Jacket
                                            </p>
                                            <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
                                            <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
                                            </div>

                                            <div class ="col-lg-4">
                                                
                                                <h2>Jackets</h2>

```


E-SHOPPING(MYRA SHOPPING)

```
<p>
    Freaturing-Mens Regular Fit Casual Jacket
</p>
<p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
    <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
    </div>

    <div class ="col-lg-4">
        
        <h2>Jackets</h2>
        <p>
            Freaturing-Mens Denim Jacket
        </p>
        <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
        <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
        </div>

        <li role="separator" class ="divider"></li>
    </div>
</div>

</div>
```

<!--Middle COnents start End---->

<!--Footer COnents start End---->

```
<hr />
<footer class="footer-pos">
<div class ="container ">
    <p class ="pull-right"><a href ="#">Back To Top</a></p>
    <p>&copy;Myra shopping.in &middot; <a href
="Default.aspx">Home</a>&middot;<a href ="About
```

E-SHOPPING(MYRA SHOPPING)

```
Us.aspx">About</a>&middot;<a href ="Contact Us.aspx">Contact Us<a  
/></p>>
```

```
</div>
```

```
</footer>
```

```
<!--Footer COntents start End---->
```


```
</form>
```

```
</body>
```

```
</html>
```

E-SHOPPING(MYRA SHOPPING)

- **MensHats.aspx:**



```
<%@ Page Language="C#" AutoEventWireup="true"
CodeFile="MensHats.aspx.cs" Inherits="MensHats" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Mens Hats</title>
<meta charset="utf-8"/>
    <meta name="viewport" content="width=device-width, initial-
scale=1" />
    <meta http-equiv="X-UA-Compatible" content="IE-edge" />
    <link href="css/Custom.css" rel="stylesheet" type="text/css" />

    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.mi
n.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"
></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.
js"></script>

</head>
```

E-SHOPPING(MYRA SHOPPING)

```
<body>
  <form id="form1" runat="server">
    <div>
      <div class ="navbar navbar-default navbar-fixed-top" role
="navigation">
        <div class ="container">
          <div class ="navbae-header">
            <button type="button" class ="navbar-toggle"
data-toggle ="collapse" data-target =".navbar-collapse">
              <span class ="sr-only">Toggle
Navigation</span>
              <span class ="icon-bar"></span>
              <span class ="icon-bar"></span>
              <span class ="icon-bar"></span>
            </button>
            <a class ="navbar-brand" href
="Default.aspx"><span> </span> Myra Shopping </a>
          </div>
          <div class ="navbar-collapse collapse">
            <ul class ="nav navbar-nav navbar-right">
              <li ><a href ="Default.aspx">Home</a></li>
              <li ><a href ="About Us.aspx">About
Us</a></li>
              <li ><a href ="#">Contact US</a> </li>
              <li class ="dropdown">
                <a href ="#" class ="dropdown-toggle"
data-toggle="dropdown">Products<b class ="caret"></b></a>
                <ul class ="dropdown-menu">
                  <li class ="dropdown-header">
                    <li role="separator" class
="divider"></li>
                    <li> <a href
"MenShirts.aspx">Shirts </a></li>
                    <li> <a href
"MensPants.aspx">Pants </a></li>
                    <li> <a href
"MenShoes.aspx">Shoes </a></li>
                    <li> <a href
"MensJackets.aspx">Jackets </a></li>
```

E-SHOPPING(MYRA SHOPPING)

```

                                <li> <a href "MensHats.aspx">Hats
</a></li>
                                <li> <a href
"MensWatches.aspx">Watches </a></li>

                                <li role="separator" class
="divider"></li>

                                </ul>

                                </li>
                                <li ><a href ="Singup1.aspx">SignUp</a>
</li>
                                <li ><a href ="Signin.aspx">SignIn</a>
</li>

                                </ul>

                                </div>
                                <!--Middle COnents start---->
<hr />
<div class ="container center">
    <div class ="row">
        <div class ="col-lg-4">
            
            <h2>Hats</h2>
            <p>
                Freaturing-Mens Summer Sun Protection Fedora
                Trilby Hats For Beach
            </p>
            <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
            <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
            </div>

            <div class ="col-lg-4">
                
                <h2>Hats</h2>
                <p>
                    Freaturing-Mens 100% cotton Foldable Bucket Hat
                </p>

```

E-SHOPPING(MYRA SHOPPING)

```

        <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
        <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
        </div>

        <div class ="col-lg-4">
        
        <h2>Hats</h2>
        <p>
        Freaturing-Mens Leather Hat With Jute Design
        </p>
        <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
        <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
        </div>

        <li role="separator" class ="divider"></li>
    </div>
</div>

</div>

```

<!--Middle COnents start End---->

<!--Footer COnents start End---->

```

    <hr />
    <footer class="footer-pos">
    <div class ="container ">
        <p class ="pull-right"><a href ="#">Back To Top</a></p>
        <p>&copy;Myra shopping.in &middot; <a href
="Default.aspx">Home</a>&middot;<a href ="About
Us.aspx">About</a>&middot;<a href ="Contact Us.aspx">Contact Us<a
/></p>>

```

E-SHOPPING(MYRA SHOPPING)

```
</div>
```

```
</footer>
```

```
<!--Footer COntents start End-->
```

```
</form>
```


```
</body>
```

```
</html>
```

```
>
```

E-SHOPPING(MYRA SHOPPING)

- **MensWatches.aspx:**



```
<%@ Page Language="C#" AutoEventWireup="true"
CodeFile="MensWatches.aspx.cs" Inherits="MensWatches" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Mens Watches</title>
<meta charset="utf-8"/>
    <meta name="viewport" content="width=device-width, initial-
scale=1" />
    <meta http-equiv="X-UA-Compatible" content="IE-edge" />
    <link href="css/Custom.css" rel="stylesheet" type="text/css" />

    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.mi
n.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"
></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.
js"></script>

</head>
```


E-SHOPPING(MYRA SHOPPING)

```
<body>
    <form id="form1" runat="server">
    <div>
        <div class ="navbar navbar-default navbar-fixed-top" role
="navigation">
            <div class ="container">
                <div class ="navbae-header">
                    <button type="button" class ="navbar-toggle"
data-toggle ="collapse" data-target ="#.navbar-collapse">
                        <span class ="sr-only">Toggle
Navigation</span>

                        <span class ="icon-bar"></span>
                        <span class ="icon-bar"></span>
                        <span class ="icon-bar"></span>

                    </button>
                    <a class ="navbar-brand" href
="Default.aspx"><span> </span> Myra Shopping </a>

                </div>
                <div class ="navbar-collapse collapse">
                    <ul class ="nav navbar-nav navbar-right">
                        <li ><a href ="Default.aspx">Home</a></li>
                        <li ><a href ="About Us.aspx">About
Us</a></li>

                        <li ><a href ="#">Contact US</a> </li>

                        <li class ="dropdown">
                            <a href ="#" class ="dropdown-toggle"
data-toggle="dropdown">Products<b class ="caret"></b></a>
                            <ul class ="dropdown-menu">
                                <li class ="dropdown-header">
>Men</li>

                                <li role="separator" class
="divider"></li>

                                <li> <a href
="MenShirts.aspx">Shirts </a></li>
                                <li> <a href
="MensPants.aspx">Pants </a></li>
                                <li> <a href
="MenShoes.aspx">Shoes </a></li>
                                <li> <a href
="MensJackets.aspx">Jackets </a></li>

```

E-SHOPPING(MYRA SHOPPING)

```

                                <li> <a href "MensHats.aspx">Hats
</a></li>
                                <li> <a href
"MensWatches.aspx">Watches </a></li>

                                <li role="separator" class
="divider"></li>

                                </ul>

                                </li>
                                <li ><a href ="Singup1.aspx">SignUp</a>
</li>
                                <li ><a href ="Signin.aspx">SignIn</a>
</li>
                                </ul>

                                </div>
                                <!--Middle C0ntents start---->
<hr />
<div class ="container center">
    <div class ="row">
        <div class ="col-lg-4">
            
            <h2>Watches</h2>
            <p>
                Freaturing-Mens Linear Designer Blue Belt Watch
            </p>
            <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
                <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
            </div>

            <div class ="col-lg-4">
                
                <h2>Watches</h2>
                <p>
                    Freaturing-Mens Classic Brown Belt Watch
                </p>
                <p><h2 style="color:MidnightBlue; font-
style:italic;"></p>
                    <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>

```

E-SHOPPING(MYRA SHOPPING)

```
        </div>

        <div class ="col-lg-4">
            
            <h2>Watches</h2>
            <p>
                Freaturing-White Dials Mens Watch
            <p>
            <h2 style="color:MidnightBlue; font-
style:italic;"></p>
            <p> <a class ="btn btn-default "href
="Singup1.aspx" role="button">Buy Now &raquo;</a></p>
            </div>

            <li role="separator" class ="divider"></li>
        </div>
    </div>
```

```
</div>
```

```
<!--Middle COntents start End---->

<!--Footer COntents start End---->
    <hr />
    <footer class="footer-pos">
        <div class ="container ">
            <p class ="pull-right"><a href ="#">Back To Top</a></p>
            <p>&copy;Myra shopping.in &middot; <a href
="Default.aspx">Home</a>&middot;<a href ="About
Us.aspx">About</a>&middot;<a href ="Contact Us.aspx">Contact Us<a
/></p>>

        </div>
```

E-SHOPPING(MYRA SHOPPING)

```
        </footer>

        <!--Footer COntents start End---->
    </form>
</body>
</html>
>
```

E-SHOPPING(MYRA SHOPPING)

• Payment.aspx:

The screenshot shows the 'Myra Shopping' website interface. The browser address bar indicates the URL is localhost:60767/MyEshoppingWebsite/UserHome.aspx. The website header includes navigation links: Home, About us, Contact US, Products, and a Sign Out button. A message states 'Login Success, Welcome onaswaa'. Below this, a green link 'Proceed To Buy' is visible, followed by a 'NEXT' button. The 'CUSTOMERS REVIEWS' section displays a 4.3 star rating based on 8 reviews, with a bar chart showing the distribution: 5 Stars (37.5%), 4 Stars (50%), 3 Stars (12.5%), 2 Stars (0%), and 1 Star (0%). A footer contains the text '©Myra shopping In · Home·About·Contact Us' and a 'Back To Top' link.

Myra Shopping

Home About us Contact US Products Sign Out

Login Success, Welcome onaswaa

[Proceed To Buy](#)

NEXT

CUSTOMERS REVIEWS

Customer Reviews

4.3
8 reviews
80% of customers recommend this product

5 Stars	37.5 %
4 Stars	50 %
3 Stars	12.5 %
2 Stars	0 %
1 Star	0 %

©Myra shopping In · Home·About·Contact Us

[Back To Top](#)

The screenshot shows the 'Myra Shopping' website interface for the payment page. The browser address bar indicates the URL is localhost:60767/MyEshoppingWebsite/payment.aspx. The website header includes navigation links: Home, About Us, Contact US, Products, Sign Up, and Sign In. The payment form contains the following fields: UserID (Onaswaa Joshi), FULL NAME (Onaswaa Joshi), CREDIT CARD NUMBER (1234567890123456), EXPIRATION DATE (21224), CVV (456), ADDRESS (Jai ganesh garden Kalyan vrest), CITY (Kalyan), STATE (Maharashtra), COUNTRY (India), and MOBILE NUMBER (+910545424587). A green 'PLACE ORDER' button is located at the bottom of the form.

Myra Shopping

Home About Us Contact US Products Sign Up Sign In

User ID: Onaswaa Joshi

FULL NAME: Onaswaa Joshi

CREDIT CARD NUMBER: 1234567890123456

EXPIRATION DATE: 21224

CVV: 456

ADDRESS: Jai ganesh garden Kalyan vrest

CITY: Kalyan

STATE: Maharashtra

COUNTRY: India

MOBILE NUMBER: +910545424587

[PLACE ORDER](#)

E-SHOPPING(MYRA SHOPPING)

```
<%@ Page Language="C#" AutoEventWireup="true"
CodeFile="payment.aspx.cs" Inherits="payment" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Payment</title>
<meta charset="utf-8"/>
    <meta name="viewport" content="width=device-width, initial-
scale=1" />
    <meta http-equiv="X-UA-Compatible" content="IE-edge" />
    <link href="css/Custom.css" rel="stylesheet" type="text/css" />

    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.mi
n.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"
></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.
js"></script>

</head>
<body>
    <form id="form1" runat="server">
    <div>

        <div class ="navbar navbar-default navbar-fixed-top" role
="navigation">
            <div class ="container">
                <div class ="navbae-header">
                    <button type="button" class ="navbar-toggle"
data-toggle ="collapse" data-target =".navbar-collapse">
                        <span class ="sr-only">Toggle
Navigation</span>

                        <span class ="icon-bar"></span>
                        <span class ="icon-bar"></span>
                        <span class ="icon-bar"></span>

                    </button>
                    <a class ="navbar-brand" href
="Default.aspx"><span> </span> Myra Shopping </a>
```

E-SHOPPING(MYRA SHOPPING)

```
</div>
<div class ="navbar-collapse collapse">
  <ul class ="nav navbar-nav navbar-right">
    <li ><a href ="Default.aspx">Home</a></li>
    <li ><a href ="About Us.aspx">About
Us</a></li>
    <li ><a href ="Contact Us.aspx">Contact
US</a> </li>

    <li class ="dropdown">
      <a href ="#" class ="dropdown-toggle"
data-toggle="dropdown">Products<b class ="caret"></b></a>
      <ul class ="dropdown-menu">
        <li class ="dropdown-header"
>Men</li>
        <li role="separator" class
="divider"></li>
        <li> <a href "#">Shirts </a></li>
        <li> <a href "#">Pants </a></li>
        <li> <a href "#">Shoes </a></li>
        <li> <a href "#">Jackets
</a></li>
        <li> <a href "#">Hats </a></li>
        <li> <a href "#">Watches
</a></li>
        <li role="separator" class
="divider"></li>

      </ul>
    </li>
    <li ><a href ="Singup1.aspx">SignUp</a>
</li>
    <li ><a href ="Signin.aspx">SignIn</a>
</li>

  </ul>
</div>
```

E-SHOPPING(MYRA SHOPPING)

[illegible]

E-SHOPPING(MYRA SHOPPING)

```
<asp:TextBox ID="txtCreditCardNumber" runat="server"
Width="219px"></asp:TextBox>
</p>
<p>
    <asp:Label ID="Label4" runat="server" Font-Italic="True" Font-
Names="Calibri"
        Font-Size="Large" ForeColor="Black" Text="EXPIRATION
DATE"></asp:Label>
    <asp:TextBox ID="txtExpirationDate" runat="server"
Width="219px"></asp:TextBox>
</p>
<p>
    <asp:Label ID="Label5" runat="server" Font-Italic="True" Font-
Names="Calibri"
        Font-Size="Large" ForeColor="Black"
Text="CVV"></asp:Label>
    <asp:TextBox ID="txtCVV" runat="server"
Width="218px"></asp:TextBox>
</p>
<p>
    <asp:Label ID="Label6" runat="server" Font-Italic="True" Font-
Names="Calibri"
        Font-Size="Large" ForeColor="Black"
Text="ADDRESS"></asp:Label>
    <asp:TextBox ID="txtAddress" runat="server"
TextMode="MultiLine" Width="221px"></asp:TextBox>
</p>
```

E-SHOPPING(MYRA SHOPPING)

[illegible]

E-SHOPPING(MYRA SHOPPING)

[illegible]

```
<!--Footer COnents start End-->
<hr />
<footer>
<div class ="container ">
    <p class ="pull-right"><a href ="#">Back To Top</a></p>
    <p>&copy;Myra shopping.in &middot; <a href
="Default.aspx">Home</a>&middot;<a href ="About
Us.aspx">About</a>&middot;<a href ="Contact Us.aspx">Contact Us<a
/></p>
```

```
</div>

</footer>
```


```

<!--Footer COnTents start End-->
</body>
</html>

```

E-SHOPPING(MYRA SHOPPING)

- **OrderPlaced.aspx:**



```
<%@ Page Language="C#" AutoEventWireup="true"
CodeFile="OrderPlaced.aspx.cs" Inherits="OrderPlaced" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Order Confirmation</title>
    <meta charset="utf-8"/>
    <meta name="viewport" content="width=device-width, initial-
scale=1" />
    <meta http-equiv="X-UA-Compatible" content="IE-edge" />
    <link href="css/Custom.css" rel="stylesheet" type="text/css" />

    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.mi
n.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"
></script>
```

E-SHOPPING(MYRA SHOPPING)

```
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.
js"></script>

</head>
<body>
    <form id="form1" runat="server">
    <div>

        <div class ="navbar navbar-default navbar-fixed-top" role
="navigation">
            <div class ="container">
                <div class ="navbae-header">
                    <button type="button" class ="navbar-toggle"
data-toggle ="collapse" data-target =".navbar-collapse">
                        <span class ="sr-only">Toggle
Navigation</span>

                        <span class ="icon-bar"></span>
                        <span class ="icon-bar"></span>
                        <span class ="icon-bar"></span>

                    </button>
                    <a class ="navbar-brand" href
="Default.aspx"><span> </span> Myra Shopping </a>

                </div>
                <div class ="navbar-collapse collapse">
                    <ul class ="nav navbar-nav navbar-right">
                        <li ><a href ="Default.aspx">Home</a></li>
                        <li ><a href ="About Us.aspx">About
Us</a></li>

                        <li ><a href ="Contact Us.aspx">Contact
US</a> </li>

                        <li class ="dropdown">
                            <a href ="#" class ="dropdown-toggle"
data-toggle="dropdown">Products<b class ="caret"></b></a>
                            <ul class ="dropdown-menu">
                                <li class ="dropdown-header"

                                <li role="separator" class

                                <li> <a href ="#">Shirts </a></li>
                                <li> <a href ="#">Pants </a></li>
                                <li> <a href ="#">Shoes </a></li>
```

E-SHOPPING(MYRA SHOPPING)

```
</a></li>
</a></li>

= "divider"></li>

</ul>

</li>
<li><a href = "Singup1.aspx">SignUp</a>
<li><a href = "Signin.aspx">SignIn</a>

</ul>

</div>

</div>
</div>

</div>
<!--Footer COnents start End---->
<hr />
<footer class="footer-pos">
<div class = "container ">
<p class = "pull-right"><a href = "#">Back To Top</a></p>
<p>&copy;Myra shopping.in &middot; <a href
= "Default.aspx">Home</a>&middot;<a href = "About
Us.aspx">About</a>&middot;<a href = "Contact Us.aspx">Contact Us</p>

</div>

</footer>
```

E-SHOPPING(MYRA SHOPPING)

```
<a />
```

```
<!--Footer Contents start End-->
```

```
</a>
<br />
<a />
<asp:Label ID="Label1" runat="server" Font-Bold="True" Font-
Italic="False"
    Font-Names="Bradley Hand ITC" Font-Size="X-Large" Font-
Underline="True"
    ForeColor="Black" Text="Order Placed
Successfully"></asp:Label>
</a>
<br />
<a />
<asp:Label ID="Label2" runat="server" Font-Bold="True"
    Font-Names="Bradley Hand ITC" Font-Size="X-Large" Font-
Underline="True"
    ForeColor="#0066FF" Text="THANK YOU ! KEPP
SHOPPING"></asp:Label>
```

```
</form>
```

```
</html>
```

E-SHOPPING(MYRA SHOPPING)

- **Web.config:**

```
<?xml version="1.0"?>

<!--
  For more information on how to configure your ASP.NET application,
  please visit
  http://go.microsoft.com/fwlink/?LinkId=169433
-->

<configuration>
  <connectionStrings>
    <add name="MyraShoppingDB2" connectionString="Data
Source=DESKTOP-47M7DP8\SQLEXPRESS;Initial
Catalog=MyraShoppingDB;Integrated Security=True"
providerName="system.Data.SqlClient"/>

  </connectionStrings>

  <system.web>
    <compilation debug="false" targetFramework="4.0" />

  </system.web>
  <appSettings>
    <add key="ValidationSettings:UnobtrusiValidationMode"
value="None"/>
  </appSettings>
</configuration>
```


SYSTEM IMPEMETATION

The Following Steps Were Carried Out In Implementation Phase.

- Conduct Training : The Training Was Conducted For The Employees Of The Company To Make Them Familiar With The System.
- Bug Fixing And Documentation: Any Errors That Occurred Were Solved And Documented.
- Install The System: The System Was Then Installed.

SYSTEM MAINTENCE

The Maintenance Of Software Is The Time Period In Which The Software Is Software Product Performes Useful Work. Maintatenance Activites Involve Making Enhancement Activites To The, Adapting Product To New Environment And Correcting Problems. Software Enhancement May Involve Providing New Functional Capabilities, Improving User Display And Modes Of Interaction.

Adaptation Of Software To A New Environment May Involve Moving The Software To A Different Machine. Problems Correction Involves Modification And Revalidation Of Software To Correct Errors. The Four Types Of Maintenance Activites Are Described Below:

- Corrective Maintance
- Preventive Maintenance
- Perfective Maintaenance
- Adaptive Maintenance

Corrective Maintenance:-

Corrective Maintenance Can Be Defined As The Maintenance Which Is Required When An Item Has Failed Or Worn Out, To Bring It Back To Working Order.

Adaptive Maintenance:-

Adaptive Maintenance Is An Activity That Modifies Software To Properly Interface With The Changing Environment.

E-SHOPPING(MYRA SHOPPING)

Perfective Maintenance:-

Perfective Maintenance Is Performed To Satisfy User Request Such As New Capabilites, Modification To Existing Function And General Enhancements.

Preventive Maintenance:-

Preventive Maintanenance Occurs When Software Is Changed To Improved Future Maintainability Or To Provide A Better Basic For Future Enhancements.

PROJECT TESTING

Software Testing Strategies

Testing is a set of activities that can be planned in advanced and conducted systematically. A strategy for software testing must accommodation low-level tests that are necessary to verify that a small source code segment has been correctly implemented as well as high-level tests that validate major system functions against customer requirements

There are three types of testing strategies

1. Unit test
2. Integration test
3. Performance test

Unit Testing:

Unit testing focuses verification efforts on the smallest unit of software design module. The unit test is always white box oriented. The tests that occur as part of

E-SHOPPING(MYRA SHOPPING)

unit testing are testing the module interface, examining the local data structures, testing the boundary conditions, execution all the independent paths and testing error-handling paths.

Integration Testing:

Integration testing is a systematic technique or construction the program structure while at the same time conducting tests to uncover errors associated with interfacing. Scope of testing summarizes the specific functional, performance, and internal design characteristics that are to be tested. It employs top-down testing and bottom-up testing methods for this case.

Performance Testing:

Timing for both read and update transactions should be gathered to determine whether system functions are being performed in an acceptable timeframe.

CONCLUSION

The “**E-SHOPPING(MYRA SHOPPING)**” has been successfully completed. The goal of the system is achieved and problems are solved. The package is developed in a manner that it is user friendly and required help is provided at different levels.

The project can be easily used in the process of decision making. Different types of reports can be generated which help the management to take correct decision and reduce the time delay which automatically increases the company's work standards as well as the economical state of the company.

This system never decreases the manpower but helps the development of available manpower and optimizes the manpower by which company's standards and capabilities can be scaled to higher dimensions.

BIBLIOGRAPHY

The following books were referred during the analysis and execution phase of the project

- **SQL (2008) FOR PROFESSIONALS**
- **Microsoft Visual Studios 2010**

Websites:

- **www.google.com**
- **www.youtube.com**
- **www.w3schools.com**