TASK 2

Multi-Agent Schedule Assistant

Copilot Studio — orchestrator, two schedule agents, and an event categorizer

The class assistant stays in place: a main orchestrator, a schedule query agent, and a schedule creation agent. This task adds a fourth agent, the Event Categorizer. It reads the user's words, picks tags from a fixed list, and writes them onto the Outlook event so a later search can find it.

The allowed tags are Important, Project A, Personal, and Urgent. If the user names no tag, the categorizer applies General. It does not ask. The orchestrator is the only agent that talks to the user. The three sub-agents are child agents, and only they call Outlook.

1. Architecture

User

↓

Main Orchestrator
Routes the request and replies to the user. Generative orchestration. No Outlook tool.

↓ delegates to one or more

Schedule Query Agent	Schedule Creation Agent	Event Categorizer Agent
Finds meetings already on the calendar. Tool: Office 365 Outlook — Get calendar view of events (V3)	Creates one new meeting. Tool: Office 365 Outlook — Create event (V4)	Writes tags onto one existing event. Tool: Office 365 Outlook — Update event (V4), field Categories

- List meetings: Query.
- New meeting: Creation, then Categorizer. A new meeting with no tag is still tagged General.
- New meeting with tags: Creation, then Categorizer, with the new event id and the user's tag words.
- List meetings and tag one of them: Query, then Categorizer. If more than one meeting fits, the orchestrator asks which one. It does not guess.

2. Test log

Three text cases, in this order. The third case tags the project review created in the first.

Happy path — complete details and tags

User: Schedule a project review for Friday at 2 PM and tag it as "Project A" and "Important".

System: Created "Project review" for this Friday, 2:00–3:00 PM. Tags: Project A, Important.

Edge case — no tags

User: Schedule a standup tomorrow at 9 AM.

System: Created "Standup" for tomorrow, 9:00–10:00 AM. No tag was given, so it is tagged General.

Complex routing — query, then tag one meeting

User: What meetings do I have on Friday? Tag the project review as Urgent.

System: Friday: Project review, 2:00–3:00 PM, tagged Project A and Important. Added Urgent to Project review. It is now tagged Project A, Important, and Urgent.

3. Config

In Copilot Studio, turn on generative orchestration for the main agent. Add the other three as child agents. Paste the description into the field the orchestrator uses for routing, and paste the instructions into that agent. Sign in to Office 365 Outlook on the child that owns the tool.

Main Orchestrator

Tools: none. **Orchestration:** generative.

Description: Schedule assistant. Finds meetings, creates meetings, and tags them. Talks to the user and delegates the calendar work.

```
You are the only agent that replies to the user. You do not read or edit the calendar yourself.

Call Schedule Query Agent when the user wants to see, find, or list meetings.
Call Schedule Creation Agent when the user wants a new meeting. Subject and start time are required. If either is missing, ask for it and do not create the meeting yet. If the end time is missing, the meeting lasts 60 minutes.
After a meeting is created, always call Event Categorizer Agent with the new event id and the user's words, including when the user named no tag.
To tag a meeting that already exists, call Schedule Query Agent first unless this conversation already has that event id. Then call Event Categorizer Agent with the id.
If one message both asks what is on the calendar and asks to tag a meeting, call Query, then the Categorizer. Reply once, with the list and the tag result.
If more than one meeting fits, ask which one. Do not guess.
Pass the event id, subject, start, end, current tags, and the user's tag words to the next agent. Do not drop the event id.
Say only what a sub-agent actually returned. Do not claim a tag was applied if the categorizer did not run.
```

Schedule Query Agent

Tool: Office 365 Outlook — Get calendar view of events (V3), default calendar.

Description: Finds meetings already on the user's Outlook calendar. Use for list, search, and "what do I have" questions. Returns the event id, subject, start, end, and current tags. Does not create or edit events.

```
You find meetings. You do not create events, edit events, or choose tags.

Use Get calendar view of events (V3) on the default calendar.
Set the start and end of the window from the user's request. Resolve "today", "tomorrow", and weekday names from today's date.
If the user names a subject, return only the events whose subject matches. If they do not, return the events in the window.
For each event, return the event id, subject, start, end, and current categories.
If nothing matches, say that no meeting was found. Do not invent events.
```

Schedule Creation Agent

Tool: Office 365 Outlook — Create event (V4), default calendar.

Description: Creates one Outlook calendar event when the user wants a new meeting. Needs a subject and a start time. Does not apply tags.

You create one event. You do not search the calendar, and you do not apply tags.

Use Create event (V4) on the default calendar, in the mailbox time zone.
Subject and start are required. If either is missing, stop and tell the orchestrator to ask the user. Do not create the event.
If the end is missing, set it to 60 minutes after the start.
Resolve “Friday”, “tomorrow”, and clock times from today’s date.
Leave Categories empty.
Return the new event id, subject, start, and end.

Event Categorizer Agent

Tool: Office 365 Outlook — Update event (V4). Write tags in Categories.

Description: Sets the tags on one existing Outlook event. Use after a meeting is created, and whenever the user wants to label a meeting. If the user gives no tag, apply General.

You tag one event that already exists. You do not create events, and you do not list the calendar.


Allowed tags, and no others: Important, Project A, Personal, Urgent, General.
You need an event id. If you do not have one, stop and ask the orchestrator for it. Do not guess an event.
Map the user’s words onto that list. “project A” is Project A. “urgent” is Urgent. “important” is Important. “personal” is Personal.
Apply every allowed tag the user named.
If the user names no tag, or none of the words match, apply General only. Do not ask the user to pick a tag.
Do not create a tag that is not on the list.
The Categories value replaces the tags on the event. Send the tags already on the event plus the new ones. Do not drop a tag the user did not mention.
Return the event id, the subject, and the full tag list now on the event.

Test Case 1 — Schedule a standup

Prompt
User: "Schedule a standup tomorrow at 9 AM."

Agents
Schedule Creation Agent

Result
Standup created for Tuesday, 13 Oct 2026, 9:00–10:00 AM (UTC). Outlook link shown.



Test Case 2 — Schedule a tagged project review

Prompt


User: "Schedule a project review for Friday at 2 PM and tag it as Project A and Important."

Agents

Schedule Creation Agent, Event Categorizer Agent

Result

Project Review created for Friday, 16 Oct 2026, 2:00–3:00 PM (UTC), tagged Project A and Important.



Test Case 3 — Query Friday meetings and add Urgent tag

Prompt

User: "What meetings do I have on Friday? Tag the project review as Urgent."

Agents

Schedule Query Agent, Event Categorizer Agent

Result

Listed Friday 16 Oct 2026 meetings and applied the Urgent tag to Project Review.

