

ONCRE

Product Requirements Document & Technical Specification

Version	1.0 — Initial Release
Platform	Oncre Web Platform
Market	Nigeria (Africa-first)
Status	APPROVED FOR ENGINEERING

0. Document Overview

0.1 Purpose

This PRD and Technical Specification is the single source of truth for the Oncre web platform. It defines product requirements, user flows, API contracts, data schemas, and acceptance criteria for use by engineering, QA, and design teams during build and launch.

0.2 Platform Vision

Oncre transitions B2B debt recovery in Africa from aggressive, manual processes into an automated, empathetic Digital Mediator — turning outstanding invoices into recoverable cash while preserving business relationships.

0.3 User Personas

Persona	Who They Are	Primary Goal
SME Merchant	Nigerian SME owner with outstanding B2B invoices owed by buyers or distributors	Recover unpaid debts without damaging business relationships
Financial Institution (FI)	Banks, MFBs, and lenders with significant Non-Performing Loan (NPL) portfolios	Reduce NPL ratios using Oncre's structured recovery engine at scale

0.4 Modules in Scope

- **Module 1 — Landing Page:** Central router and persona-split CTA hub
- **Module 2 — Merchant Portal:** Self-serve SME command center with paywall, data ingestion, and 21-day recovery tracking

MODULE 1 — The Landing Page

1.1 Feature Overview & Goal

The Landing Page is the public-facing entry point for the OnCRE platform. Its singular function is to immediately identify which of the two distinct personas a visitor belongs to SME Merchant or Financial Institution and route them to the correct conversion path with zero friction.

Business Value: CTA 1 drives self-serve volume (Merchant Portal signups). CTA 2 drives high-value enterprise pipeline (FI leads captured for the sales team). A generic landing page that fails to split these journeys cleanly will lose both audiences.

CTA 1 — For Merchants	CTA 2 — For Financial Institutions
Routes directly to Merchant Portal signup (self-serve, immediately accessible)	Opens inline lead-gen form: Contact Enterprise Sales (no portal access granted)

1.2 Core Use Cases

- Merchant visits landing page and clicks 'Get Started' — routed to self-serve signup
- FI representative clicks 'Contact Enterprise Sales' — inline form opens without page navigation
- FI lead submits form — data captured in DB and CRM, notification sent to sales team
- Visitor on mobile — both CTAs visible and tappable on 375px viewport
- Returning merchant clicks 'Log In' — routed to Merchant Portal login
- FI lead submits incomplete or invalid fields — inline validation blocks submission

1.3 Step-by-Step User Flow

Flow A — SME Merchant

1. User lands on getoncre.com (campaign URLs with UTM parameters supported)
2. Hero section renders: headline, one-line value prop, and two clearly differentiated CTAs
3. User clicks CTA 1: 'Start Recovering — It's Free to Join'
4. Browser navigates to /signup — flow continues in Module 2

Flow B — Financial Institution

5. User lands on getoncre.com and identifies CTA 2: 'Contact Enterprise Sales'
6. User clicks CTA 2 — inline modal or drawer opens; no page navigation occurs
7. Enterprise Lead Form renders with five fields (see Section 1.4)
8. User completes fields — real-time validation fires on blur for each field
9. User clicks 'Submit' — loading state activates on button

10. On success (HTTP 201): form replaced by confirmation message: 'Thank you. Our team will contact you within 1 business day.'
11. Lead record written to database; CRM webhook fired; sales team notification dispatched simultaneously
12. Confirmation email sent to the submitted work email address

1.4 Technical & API Requirements

1.4.1 Frontend

- Framework: Next.js 14 (App Router) with TypeScript
- Styling: Tailwind CSS — mobile-first responsive breakpoints (sm / md / lg / xl)
- CTA 1: standard <a> tag linking to /signup — no JavaScript dependency
- CTA 2: React modal/drawer; form state via React Hook Form + Zod validation schema
- UTM parameters captured from URL into sessionStorage on page load for attribution
- Hero section must achieve LCP < 2.5s on simulated 4G mobile (Lighthouse)

1.4.2 FI Lead Form Field Specification

Field	Type	Validation	Required
Full Name	Text	Min 2 chars, max 100 chars	Yes
Institution Name	Text	Min 2 chars, max 150 chars	Yes
NPL Volume (N)	Dropdown	Values: <N50M / N50M-N500M / N500M+ / Prefer not to say	Yes
Work Email	Email	RFC 5322 pattern; reject free domains (gmail, yahoo, hotmail)	Yes
Phone Number	Tel	Nigerian format: +234XXXXXXXXXX or 0XXXXXXXXXX (11 digits)	Yes

1.4.3 Backend — Lead Ingestion API

>> **POST /api/leads/fi**

Request body fields stored in the fi_leads table:

Field	DB Type	Notes
full_name	VARCHAR(100)	Sanitise: strip HTML, trim whitespace
institution_name	VARCHAR(150)	Sanitise: strip HTML, trim whitespace
npl_volume_bracket	ENUM	UNDER_50M 50M_500M ABOVE_500M UNDISCLOSED
work_email	VARCHAR(254)	Lowercase before storage; domain blacklist checked server-side
phone_number	VARCHAR(20)	Normalised to E.164 (+234XXXXXXXXXX) before storage
utm_source / utm_medium / utm_campaign	VARCHAR(100)	Captured from sessionStorage; nullable

status	ENUM	Default: NEW. Values: NEW CONTACTED QUALIFIED LOST
id	UUID	Auto-generated primary key (uuid_generate_v4())
created_at	TIMESTAMPTZ	Auto-generated — UTC

1.4.4 Third-Party Integrations

- CRM Webhook: POST full lead JSON to configured CRM webhook URL (e.g. HubSpot, Pipedrive) on successful DB write. Retry up to 3 times with exponential backoff. Log final failure to error monitor.
- Email — Lead Confirmation: Transactional email via SendGrid to the submitted work_email within 60 seconds of submission.
- Email — Internal Sales Alert: Summary email to sales@oncre.co with full lead details and CRM link.
- Slack Webhook (optional): POST lead summary card to #sales-leads channel on successful submission.
- Rate Limiting: 5 submissions per IP per 15 minutes. Return HTTP 429 on breach.
- reCAPTCHA v3: Score ≥ 0.5 required. If score < 0.5 , accept silently but flag bot_suspected = true in DB.

1.5 Acceptance Criteria (BDD Format)

AC-LND-001: CTA 1 Routes Merchant to Signup

GIVEN	A visitor is on the Oncre landing page
WHEN	The visitor clicks the 'Start Recovering' CTA 1 button
THEN	The browser navigates to /signup within 200ms with no intermediate loading screen.

AC-LND-002: CTA 2 Opens FI Lead Form

GIVEN	A visitor is on the Oncre landing page
WHEN	The visitor clicks 'Contact Enterprise Sales' CTA 2
THEN	An inline modal or drawer opens containing the 5-field FI lead form. No page navigation occurs. The URL does not change.

AC-LND-003: Required Field Validation

GIVEN	The FI lead form is open and all fields are empty
WHEN	The visitor clicks the Submit button
THEN	The form does NOT submit. Inline error messages appear beneath each empty required field. The Submit button is not disabled — it remains active to allow retry.

AC-LND-004: Free Email Domain Rejected

GIVEN	The FI lead form is open
WHEN	The visitor enters 'john@gmail.com' in the Work Email field and blurs the field
THEN	An inline error renders: 'Please use your institutional email address.' The form cannot be submitted with this value.

AC-LND-005: Successful FI Form Submission

GIVEN	The FI lead form is open with all fields validly populated
WHEN	The visitor clicks Submit and the backend returns HTTP 201
THEN	The form fields are replaced by: 'Thank you. Our team will contact you within 1 business day.' A lead record is created in the database. The CRM webhook fires. A confirmation email is dispatched to the submitted work email within 60 seconds.

AC-LND-006: Backend Failure Graceful Handling

GIVEN	The FI lead form is submitted with valid data
WHEN	The backend returns HTTP 500 or times out after 10 seconds
THEN	An error banner displays: 'Something went wrong. Please try again or email us at enterprise@oncre.co.' The Submit button re-enables. No duplicate lead record is created.

AC-LND-007: Rate Limit Enforcement

GIVEN	An IP address has submitted the FI form 5 times within 15 minutes
WHEN	The same IP submits a 6th form
THEN	The API returns HTTP 429. The frontend displays: 'Too many submissions. Please try again later.' The 6th submission is not stored.

AC-LND-008: Mobile Responsiveness

GIVEN	A user opens the landing page on a 375px viewport width device
WHEN	The page fully loads
THEN	Both CTA buttons are fully visible and tappable without horizontal scrolling. No content overflows the viewport. The FI form renders in a scrollable full-height drawer.

MODULE 2 — The Merchant Portal

2.1 Feature Overview & Goal

The Merchant Portal is the self-serve command center for Nigerian SME merchants. It transforms the traditionally manual, relationship-damaging process of debt collection into a structured, technology-mediated 21-day recovery engine. Access requires account registration and payment of the N5,000 activation fee.

Business Value: The N5,000 paywall covers initial operating costs and acts as a quality filter — ensuring only merchants with genuine outstanding debt enter the system. The Kanban board gives merchants real-time visibility into recovery progress, reducing inbound support queries and building platform trust.

The portal comprises four sequential sub-features:

- **Sub-feature A: Business Registration (account creation and KYB)**
- **Sub-feature B: N5,000 Paywall (Paystack / Flutterwave payment activation)**
- **Sub-feature C: Data Ingestion Engine (CSV bulk upload and manual entry)**
- **Sub-feature D: 21-Day Recovery Kanban Board (real-time case tracking dashboard)**

2.2 Core Use Cases

- New merchant registers, pays activation fee, uploads debtor list, and monitors recovery in a single session
- Merchant uploads CSV of up to 500 debtors — system validates, maps columns, and creates individual Case IDs
- Merchant manually logs a single debtor via form entry for ad-hoc additions post-onboarding
- Merchant views Kanban board and sees which cases are in which recovery phase on any given day
- Merchant clicks a Kanban card to view the full case timeline and communications history
- Payment fails at activation — merchant retries without losing registration data
- Merchant uploads a CSV with missing required columns — system rejects with a clear field-level error

2.3 Step-by-Step User Flow

Sub-flow A — Business Registration

13. User arrives at /signup from Landing Page CTA 1. Step 1 of 4 progress indicator visible.
14. Registration form fields: Full Name, Business Name, Business Type (dropdown: Retail / Wholesale / Distribution / Services / Other), Business Email, Phone Number, Password, Confirm Password.

15. Password policy enforced client-side: min 8 characters, 1 uppercase, 1 number, 1 special character.
16. User clicks 'Continue' — client-side Zod validation fires. On pass: POST /api/auth/register called.
17. Account created with status: PENDING_PAYMENT. OTP dispatched simultaneously to phone (SMS) and email.
18. User enters 6-digit OTP on verification screen. Resend available after 60-second cooldown. Max 3 attempts before logout.
19. On valid OTP: status updated to VERIFIED_PENDING_PAYMENT. User advances to Sub-flow B.

Sub-flow B — N5,000 Paywall Activation

20. Activation screen renders: feature unlock list and N5,000 fee clearly displayed.
21. User clicks 'Pay N5,000 to Activate'. Frontend initialises Paystack/Flutterwave popup with: email, amount 500000 kobo, currency NGN, metadata {merchant_id, plan: ACTIVATION}.
22. User completes payment in Paystack/Flutterwave UI.
23. Payment gateway fires webhook to POST /api/webhooks/payment.
24. Webhook verifies HMAC-SHA512 signature. On valid charge.success event: merchant status updated to ACTIVE, payment record created, activation timestamp logged.
25. User browser redirected to /onboarding/upload with success toast. Confirmation email dispatched.

Sub-flow C — Data Ingestion Engine

26. User lands on /onboarding/upload — Step 3 of 4 visible. Two tabs: 'Upload CSV' (default) and 'Add Manually'.
27. CSV Upload Path:
 1. User downloads the Oncre CSV template (8 required columns)
 2. User uploads completed CSV via drag-and-drop or file picker (max 5MB, 500 rows)
 3. System validates: (1) header-row column presence, (2) row-level format checks
 4. Validation results shown: success count, error count, downloadable error report for failed rows
 5. User clicks 'Confirm Import' — valid rows committed as Case records with unique ONC-XXXXXX IDs
28. Manual Entry Path:
 1. User clicks 'Add Manually' tab — single-debtor form with the same 8 fields renders
 2. User completes and submits — record validated, Case ID generated, success toast shown
 3. User may add additional debtors or navigate to the Kanban Dashboard

Sub-flow D — 21-Day Recovery Kanban Board

29. User arrives at /dashboard — the primary post-login home screen.
30. KPI summary row at top: Total Cases | Total Debt Value (N) | Cases Resolved | Recovery Rate (%)
31. Kanban board renders with four swimlane columns:
 1. Phase 1 — Automated Outreach (Days 1-7): Cases receiving SMS reminders
 2. Phase 2 — Escalated Engagement (Days 8-14): Cases receiving Vezeti calls

3. Phase 3 — Final Notice (Days 15-21): Cases at escalation stage
4. Resolved / Monitoring: Paid cases and monitoring-track cases
32. Each card displays: Debtor Name, Amount Owed (N), Days in Current Phase, Last Activity badge.
33. Merchant clicks a card — slide-over panel opens with full timeline, all communications, and payment status.
34. Filters: by Phase, Amount Range, Days Overdue. Export button generates CSV of current board state.

2.4 Technical & API Requirements

2.4.1 Authentication & Session Management

- JWT access token (15-minute TTL) + Refresh Token (7-day TTL, HTTP-only cookie)
- OTP: 6-digit code, valid 10 minutes, max 3 attempts before lockout, resend after 60 seconds
- All `/api/merchant/*` routes require Authorization: Bearer <token> header
- Session invalidated on: password change, manual logout, account suspension

2.4.2 Registration & OTP APIs

>> POST `/api/auth/register`

- Accepts: `full_name`, `business_name`, `business_type`, `email`, `phone`, `password`
- Password hashed with bcrypt (cost factor 12) before storage
- Returns HTTP 201 with `merchant_id`; HTTP 409 if email already registered
- Triggers: OTP dispatch via Termii or Africa's Talking (SMS) and SendGrid (email)

>> POST `/api/auth/verify-otp`

- Accepts: `merchant_id`, `otp_code`
- Returns HTTP 200 on success — status updated to `VERIFIED_PENDING_PAYMENT`
- Returns HTTP 400 with error codes `OTP_INVALID` or `OTP_EXPIRED`

2.4.3 Paywall APIs

>> POST `/api/payments/initiate`

- Creates payment intent record in DB with status: `PENDING`
- Returns Paystack/Flutterwave initialisation payload (`authorization_url` or `payment_link`)
- Amount: 500000 kobo (N5,000)

>> POST `/api/webhooks/payment`

- Validate signature: compute HMAC-SHA512 of raw request body using Paystack secret key. Reject on mismatch (HTTP 400).
- On `charge.success`: update payment record to `COMPLETED`, merchant status to `ACTIVE`
- Idempotency: check reference against existing records — skip if already `COMPLETED` (return HTTP 200 to prevent retry loops)
- Log every webhook event regardless of outcome

2.4.4 CSV Template — Column Specification

#	Column Header	Required	Validation Rule	Example Value
1	debtor_full_name	Yes	Non-empty, max 150 chars	Aminu Musa Traders
2	debtor_phone	Yes	0XXXXXXXXXX or +234XXXXXXXXXX	08031234567
3	debtor_email	No	Valid email format or blank	aminu@example.com
4	business_name	No	Max 150 chars or blank	AMT Wholesale Ltd
5	amount_owed_ngn	Yes	Positive integer; no commas or N symbol	250000
6	invoice_reference	No	Max 100 chars; unique per merchant if provided	INV-2024-0091
7	debt_date	Yes	ISO 8601 format: YYYY-MM-DD	2024-09-15
8	notes	No	Max 500 chars	3 months overdue, disputed Oct

2.4.5 Data Ingestion APIs

>> POST /api/cases/bulk-upload

- Accepts: multipart/form-data with file field (CSV, max 5MB, max 500 rows)
- Parse with PapaParse or csv-parse in memory; validate each row independently
- Returns HTTP 202 with job_id. Frontend polls or receives SSE event with results: {total, valid, invalid, cases_created, error_report_url}

>> POST /api/cases/manual

- Accepts: single debtor object matching CSV schema
- Returns HTTP 201 with newly created case object including case_id; HTTP 400 with field-level errors on validation failure

2.4.6 Case & Kanban APIs

>> GET /api/cases

- Returns paginated case list for authenticated merchant
- Query params: phase, status, page, limit, sort_by, order

>> GET /api/cases/:caseId

- Returns full case detail: timeline events, communications log, payment history, notes

>> GET /api/merchant/dashboard-summary

- Returns aggregated KPIs: total_cases, total_debt_value, cases_resolved, recovery_rate, cases_by_phase
- Server-side cache with 5-minute TTL; stale-while-revalidate on frontend

2.4.7 Core Database Schema

Table	Key Columns (selected)	Notes
merchants	id, full_name, business_name, business_type, email, phone, password_hash, status, activated_at	Status ENUM: PENDING_PAYMENT VERIFIED_PENDING_PAYMENT ACTIVE SUSPENDED
fi_leads	id, full_name, institution_name, npl_volume_bracket, work_email, phone_number, utm_source, status	Status ENUM: NEW CONTACTED QUALIFIED LOST
payments	id, merchant_id, reference, gateway, amount_kobo, currency, status, gateway_response, completed_at	Status ENUM: PENDING COMPLETED FAILED REFUNDED
cases	id, case_id (ONC-XXXXXX), merchant_id, debtor_full_name, debtor_phone, amount_owed_ngn, current_phase, current_day, status, activated_at, resolved_at	Status ENUM: ACTIVE RESOLVED WITHDRAWN LEGAL MONITORING
case_events	id, case_id, event_type, event_day, description, created_at	event_type: SMS_SENT CALL_MADE PAYMENT_RECEIVED PHASE_CHANGE NOTE_ADDED

2.5 Acceptance Criteria (BDD Format)

AC-REG-001: Duplicate Email Rejected at Registration

GIVEN	A merchant with email 'test@business.com' already exists in the database
WHEN	A new user attempts to register with the same email
THEN	The API returns HTTP 409. The frontend displays: 'An account with this email already exists. Log in instead.' No new merchant record is created.

AC-REG-002: OTP Expiry Blocks Verification

GIVEN	A merchant has registered and received an OTP
WHEN	The merchant enters the correct OTP after 11 minutes have elapsed
THEN	The API returns HTTP 400 with error code OTP_EXPIRED. The UI prompts the user to request a new OTP. Account status remains PENDING_PAYMENT.

AC-PAY-001: Successful Paywall Activation

GIVEN	A merchant with status VERIFIED_PENDING_PAYMENT has initiated payment
WHEN	Paystack fires a charge.success webhook to POST /api/webhooks/payment with a valid signature and matching reference
THEN	Merchant status updated to ACTIVE. Payment record created with status COMPLETED. Merchant redirected to /onboarding/upload. Confirmation email dispatched within 60 seconds.

AC-PAY-002: Duplicate Webhook Ignored

GIVEN	A charge.success webhook for reference REF-001 has already been processed and the merchant is ACTIVE
WHEN	Paystack fires an identical webhook with reference REF-001 again
THEN	The API returns HTTP 200. No duplicate payment record is created. Merchant status is unchanged. No duplicate email is sent.

AC-PAY-003: Invalid Webhook Signature Rejected

GIVEN	A POST request is made to /api/webhooks/payment
WHEN	The x-paystack-signature header does not match the computed HMAC-SHA512 of the request body
THEN	The API returns HTTP 400 and discards the request. The event is logged to the error monitor with IP address and timestamp.

AC-CSV-001: Valid CSV Accepted and Cases Created

GIVEN	An ACTIVE merchant uploads a CSV with 50 rows, all containing valid data in the correct 8-column format
WHEN	The merchant clicks 'Confirm Import'
THEN	All 50 rows are committed as Case records. Each assigned a unique ONC-XXXXXX Case ID. Success message: '50 cases created successfully.' Cases appear in the Kanban board within 30 seconds.

AC-CSV-002: Missing Required Column Blocks Import

GIVEN	An ACTIVE merchant uploads a CSV missing the 'amount_owed_ngn' column
WHEN	The file is processed by the validation engine
THEN	The import is rejected before any rows are committed. Error displayed: 'Missing required column: amount_owed_ngn. Please use the Oncre CSV template.' A template download link is shown. Zero cases are created.

AC-CSV-003: Partial Row Errors — Valid Rows Importable

GIVEN	An ACTIVE merchant uploads a CSV with 100 rows, 8 of which contain invalid phone numbers
WHEN	The validation engine processes the file
THEN	The UI shows: '92 rows valid, 8 rows have errors.' A downloadable error report lists the 8 rows with the specific column and error message. The merchant can import the 92 valid rows. The 8 invalid rows are not committed.

AC-CSV-004: File Size Limit Enforced Client-Side

GIVEN	An ACTIVE merchant attempts to upload a CSV file that is 6MB in size
WHEN	The file is selected in the file picker
THEN	The upload is rejected client-side before any network request is made. Message displayed: 'File size exceeds the 5MB limit. Please split your file and upload in batches.' No API call is made.

AC-KAN-001: Kanban Board Renders Cases by Phase

GIVEN	A merchant with ACTIVE status has 15 open cases distributed across recovery phases
WHEN	The merchant navigates to /dashboard
THEN	The Kanban board renders with cases correctly distributed across Phase 1, Phase 2, and Phase 3 columns based on current_day. KPI row shows accurate totals. Page load-to-interactive under 3 seconds on a 4G connection.

AC-KAN-002: Unauthenticated Access Redirected

GIVEN	A user is not authenticated (no valid JWT)
WHEN	The user attempts to navigate directly to /dashboard
THEN	The user is redirected to /login. A toast displays: 'Please log in to access your dashboard.' No case data is exposed.

AC-KAN-003: Unpaid Merchant Cannot Access Portal Features

GIVEN	A merchant has completed registration and OTP verification but has NOT paid the N5,000 fee (status: VERIFIED_PENDING_PAYMENT)
WHEN	The merchant attempts to access /dashboard or /onboarding/upload
THEN	The merchant is redirected to the activation payment screen. Message: 'Activate your account to start recovering.' No case data or upload functionality is accessible.

APPENDIX — Non-Functional Requirements

A.1 Performance Targets

Area	Target
Landing Page LCP	< 2.5 seconds on simulated 4G mobile (Lighthouse)
API P95 response time	< 500ms under normal load
CSV processing (500 rows)	< 10 seconds validation and ingestion
Dashboard Kanban render	< 3 seconds for up to 200 active cases
Webhook processing	< 2 seconds from receipt to DB write

A.2 Security Requirements

- All routes served over HTTPS. HTTP redirected to HTTPS.
- OWASP Top 10 compliance required before production launch
- Webhook endpoints validate cryptographic signatures before processing any event
- NDPA 2023 compliance: all Nigerian debtor personal data processed under Legitimate Interests or Contractual Necessity
- Password policy: min 8 chars, 1 uppercase, 1 number, 1 special character. Bcrypt cost factor ≥ 12 .
- Auth endpoints rate-limited: 10 requests per minute per IP

A.3 Availability & Infrastructure

- Target uptime: 99.5% monthly SLA (excluding planned maintenance windows)
- Database: PostgreSQL with daily automated backups, 7-day retention
- Error monitoring: Sentry or equivalent configured for all backend services before launch
- Merchants must accept the Oncre Data Processing Agreement (DPA) before uploading any debtor records
- Debtor data retained maximum 2 years post-case closure, then auto-purged

A.4 QA Sign-Off Checklist

Test Area	AC References	Owner	Status
Landing Page CTA Routing	AC-LND-001, 002	Frontend QA	[] Pass
FI Form Validation	AC-LND-003, 004	Frontend QA	[] Pass
FI Form Submission & CRM	AC-LND-005, 006	Full-stack QA	[] Pass
Rate Limiting & reCAPTCHA	AC-LND-007	Backend QA	[] Pass

Mobile Responsiveness	AC-LND-008	Frontend QA	[] Pass
Duplicate Email Handling	AC-REG-001	Backend QA	[] Pass
OTP Flow & Expiry	AC-REG-002	Backend QA	[] Pass
Paywall — Successful Payment	AC-PAY-001	Full-stack QA	[] Pass
Webhook Idempotency	AC-PAY-002	Backend QA	[] Pass
Webhook Signature Validation	AC-PAY-003	Backend QA	[] Pass
CSV Valid Upload	AC-CSV-001	Full-stack QA	[] Pass
CSV Column Validation	AC-CSV-002, 003	Full-stack QA	[] Pass
CSV File Size Limit	AC-CSV-004	Frontend QA	[] Pass
Kanban Board Rendering	AC-KAN-001	Frontend QA	[] Pass
Auth Guard — Unauthenticated	AC-KAN-002	Backend QA	[] Pass
Auth Guard — Unpaid Merchant	AC-KAN-003	Full-stack QA	[] Pass

— END OF DOCUMENT —