UUM 500E: Homework #0

Due on Monday, Oct 8, 2018

Asst. Assoc. Prof. Dr.

Ertugrul Baris Ondes* **- 110110110**

*ondes@itu.edu.tr

Contents

1 Examples

$$f(x) = \underbrace{(x+2)^3}_{\text{text 1}} + \Big(\overbrace{(c - \underbrace{2d}_{\text{text 3}})}^{\text{text 2}} + \overbrace{(\underbrace{3e}_{\text{text 4}} - 4f)}^{\text{text 4}}\Big) + \overbrace{(x-3)}^{\text{text 5}}$$

$$\begin{vmatrix} \lambda - 1 & 0 & 0 \\ 0 & \lambda - 2 & 0 \\ 0 & 0 & \lambda - 3 \end{vmatrix} = (\lambda - 1)(\lambda - 2)(\lambda - 3) = 0$$

$$\Big\| \sum_{i=1}^{n} a_i(e_i - v_i) \Big\|^2 = \Big\langle \sum_{i=1}^{n} a_i(e_i - v_i), \sum_{j=1}^{n} a_j(e_j - v_j) \Big\rangle$$

$$\begin{aligned} c_{11} &= a_{11}b_{11} + \cdots + a_{1n}b_{n1} \\ c_{22} &= a_{21}b_{12} + \cdots + a_{2n}b_{n2} \\ &\vdots \\ c_{nn} &= a_{n1}b_{1n} + \cdots + a_{nn}b_{nn} \end{aligned} \tag{1}$$

$$e_3 = \Big|\Big|x^2 - x + \frac{1}{6}\Big|\Big| = \sqrt{\int_0^1 \Big(x^2 - x + \frac{1}{6}\Big) dx} = \sqrt{\frac{1}{180}} = \frac{1}{6\sqrt{5}}$$

$$\lim_{x \to \infty} p(x) = \lim_{x \to -\infty} p(x) = \infty$$

$$f(x,y) = \begin{cases} \frac{x^4 - y^4}{(x^2+y^2)^2} & (x,y) \neq 0 \\ b & (x,y) = 0 \end{cases}$$

Limit is given as:

$$\lim_{(x,y)\to(0,0)} \frac{x^4 - y^4}{(x^2+y^2)^2}$$

$$D_F(x,y,z) = \begin{bmatrix} \frac{\partial f}{\partial x} & \frac{\partial f}{\partial y} & \frac{\partial f}{\partial z} \\ \frac{\partial g}{\partial x} & \frac{\partial g}{\partial y} & \frac{\partial g}{\partial z} \\ \frac{\partial (f+g)}{\partial x} & \frac{\partial (f+g)}{\partial y} & \frac{\partial (f+g)}{\partial z} \end{bmatrix}$$

$$
\begin{aligned}
f(x_1, x_2) &= x_1 e^{-x_2} + x_2 + 1, x_0 \\
f_{x_1}(x_1, x_2) &= e^{-x_2}, \\
f_{x_2}(x_1, x_2) &= -x_1 e^{-x_2} + 1 \\
f_{x_1 x_1}(x_1, x_2) &= 0 \\
f_{x_1 x_2}(x_1, x_2) &= -e^{-x_2} \\
f_{x_2 x_2}(x_1, x_2) &= x_1 e^{-x_2}
\end{aligned}
$$

$$
\begin{bmatrix}
1 & 0 & \dots & 0 & 0 \\
-a & 1 & \ddots & \ddots & 0 \\
0 & -a & 1 & \ddots & 0 \\
\vdots & \vdots & \ddots & \ddots & \vdots \\
0 & 0 & 0 & -a & 1
\end{bmatrix}
\begin{bmatrix} y_1 \\ y_2 \\ \vdots \\ y_n \end{bmatrix}
= b
\begin{bmatrix} u_1 \\ u_2 \\ \vdots \\ u_n \end{bmatrix}
+
\begin{bmatrix} v_1 \\ v_2 \\ \vdots \\ v_n \end{bmatrix}
$$

$$
\left.\frac{\partial^2 T}{\partial x^2}\right|_{m,n} = \frac{\partial T/\partial x|_{m+1/2,n} - \partial T/\partial x|_{m-1/2,n}}{\Delta x}
$$



(a) 42 x 42 grid solution of the problem



(b) Filled constant temperature lines of the 42 x 42 grid

Figure 1: 42 x 42 grid plots



Figure 2: Simulink block that has the environment model



Figure 3: Pole-Zero map of the closed-loop transfer function for different z values

Table 1: Permutation results

Permutation	Value	Number of the elements that are greater & on the left
1	2	0
	3	0
	4	0
	1	3
2	3	0
	4	0
	1	2
	2	2
3	5	0
	1	1
	4	1
	2	2
	3	2

2 Sudo Part

3 Sudo Part

4 Sudo Part

5 References

A MATLAB Codes

A.1 Initialization Code

Listing 1: Plot Code

```
% Graphics for Results Created 08.10.2018, ITU FAA, Istanbul, Turkey by;
% XX        ---> x@mail.com
% XX        ---> x@mail.com
% XX        ---> x@mail.com
% via use making use of the book xx
% For more question about models contact us
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%-------------------------------------------------------------------------------%
figure(1)
title('Velocity,AoA,Beta');
subplot(3,1,1);
plot(Time,States(:,1));
title('Velocity');
xlabel('Time [sec]')
ylabel('Velocity [m/sec]');
grid on
hold on
subplot(3,1,2);
plot(Time,States(:,2)*180/pi);
title('Angle of Attack');
xlabel('Time [sec]')
ylabel('AoA [deg]');
grid on
hold on
subplot(3,1,3);
plot(Time,States(:,3)*180/pi);
title('Beta');
xlabel('Time [sec]')
ylabel('Sideslip Angle [deg]');
grid on
%-------------------------------------------------------------------------------%
figure(2)
title('Roll,Pitch,Yaw');
subplot(3,1,1);
plot(Time,States(:,4)*180/pi);
title('Roll');
```

```
xlabel('Time [sec]')
ylabel('Phi [deg]');
grid on
hold on
subplot(3,1,2);
plot(Time,States(:,5)*180/pi);
title('Pitch');
xlabel('Time [sec]')
ylabel('Theta [deg]');
grid on
hold on
subplot(3,1,3);
plot(Time,States(:,6)*180/pi);
title('Yaw');
xlabel('Time [sec]')
ylabel('Psi [deg]');
grid on
hold on
%-------------------------------------------------------------------------%
figure(3)
title('P,Q,R');
subplot(3,1,1);
plot(Time,States(:,7)*180/pi);
title('Roll Rate');
xlabel('Time [sec]')
ylabel('P [deg]');
grid on
hold on
subplot(3,1,2);
plot(Time,States(:,8)*180/pi);
title('Pitch Rate');
xlabel('Time [sec]')
ylabel('Q [deg]');
grid on
hold on
subplot(3,1,3);
plot(Time,States(:,9)*180/pi);
title('Yaw Rate');
xlabel('Time [sec]')
ylabel('R [deg]');
grid on
hold on
%-------------------------------------------------------------------------%
```

```
figure(4)
title('Position');
plot3(States(:,10),States(:,11),(States(:,12)*(-1)));
xlabel('North [m]');
ylabel('East [m]');
zlabel('Altitude [m]');
grid on
hold on
%-------------------------------------------------------------------------%
figure(5)
ss = size(States,1);
trajectory3(States(:,10),States(:,11),(States(:,12)*(-1)),...
            States(:,5),States(:,4),States(:,6),0.005,3000,'mig');
%-------------------------------------------------------------------------%
```