


VPNs in 2024

Ondřej Šika

ondrej@sika.io
@Ondrejsika

LinuxDays 2024,
Praha, 12.10. 2024

@ondrejsika ondrej@sika.io sika.io /in/ondrejsika



Ondřej Šika

I'm a DevOps engineer and consultant from Prague.

I help companies to set up or improve DevOps to deliver easier, faster and more reliable software products.

I have also popular DevOps training and DevOps company SikaLabs.



My DevOps Training


I have popular training sessions where I share my knowledge in a way that allows you to do everything yourself, without unnecessary mistakes and dead ends.

- Docker
- Kubernetes
- ArgoCD
- Prometheus

Kubernetes



Terraform




Docker



Prometheus



Rancher



ArgoCD



Do you need a VPN? 🤔



You don't!

@ondrejsika ondrey@sika.io sika.io /in/ondrejsika





CLOUDFLARE®


@ondrejsika ondrey@sika.io sika.io /in/ondrejsika




Cloudflare Access

- Secure VPN alternative
- Identity based Cloudflare Proxy
- Zero trust model
- Identity based authentication
 - OIDC (Okta, Keycloak)
 - Google, Microsoft
 - Email







A screenshot of a web browser window showing the Cloudflare Access sign-in page. The URL in the address bar is `sikalabs.cloudflareaccess.com`. The page features the Cloudflare Access logo at the top. Below it, the text "sikalabs.cloudflareaccess.com" and "signpost.sikalabs.com" are displayed. A "Sign in with:" section contains three options: "Google Workspace · sikalabs.com", "OIDC · SikaLabs SSO", and "Google Workspace · sika.io". At the bottom, there is a "Get a login code emailed to you" section with an "Email" input field containing "example@email.com" and a blue "Send me a code" button.

sikalabs.cloudflareaccess.com
signpost.sikalabs.com

Sign in with:

 Google Workspace · sikalabs.com

 OIDC · SikaLabs SSO


 Google Workspace · sika.io

Get a login code emailed to you

Email

example@email.com

Send me a code



Personal < > ⓘ signpost.sikalabs.com ⌂ ⌃ ⌄

SikaLabs Singpost

Main

- Gitlab (gitlab.sikalabs.com)
- Pipedrive (sika.pipedrive.com)
- Stand up (Google Meet)
- Maildev (maildev.sl.zone)
- copy-email (copy-email.oxs.cz)

ClickUp

- General

Signposts

- CRA

Kubernetes

- ArgoCD (argocd-panda.sl.zone)
- ArgoCD (argocd-joh.sl.zone)
- ArgoCD (argocd-eli.sl.zone)
- ArgoCD (argocd-debora.sl.zone)

Monitoring

- Grafana (grafana.sl.zone)

Logs

- Kibana (kibana-joh.sl.zone)

Harbors

Uptime

- status.sikalabs.io (admin)
- status.sikalabs.io (status)
- /status/ondrejsika-freelance
- /status/ondrejsika-clients
- /status/petrsika
- /status/all

Providers & Clouds


- Google Admin (ondrejsika.com)
- Google Admin (sika.io / sikalabs.com)
- HomeMCloud (OpenStack)

DEMO TIME




**But I don't have
public or static IP ...**





Cloudflare Tunnel



DEMO TIME



Open Source alternatives?

@ondrejsika ondrey@sika.io sika.io /in/ondrejsika



- HashiCorp Boundary
- oidc2-proxy



What if we really need a VPN?





WIREGUARD

@ondrejsika ondrey@sika.io sika.io /in/ondrejsika



What is WireGuard?

- Great alternative to OpenVPN & IPSec
- Modern, Simple & Robust
- Cross Platform
- Roaming support
- Open Source GPLv3



Manage WireGuard Tunnels


- adbros
- mstpl-mgmt
- phy
- phy-lubos
- vpn-os.sl.zone
- vpn.sl.zone**

Interface: vpn.sl.zone
Status: Active
Public key: p2RNWcZf0pmw0cOsgysuPvshQnMJldNqvIvyB3KPuGg=
Addresses: 10.54.11.101/24
Listen port: 54906
Deactivate

Peer: xFIQxqQsJ+faEaJkH4zt8WKcXA9Z1ivVWvovPJUPiVs=
Preshared key: enabled
Endpoint: 194.213.36.18:51820
Allowed IPs: 10.54.11.0/24, 10.54.81.0/24
Persistent keepalive: every 25 seconds
Data sent: 444 B

On-Demand: Off


+ - ⊞ | **Edit**



DEMO TIME




But WireGuard is not so user friendly... 😞





tailscale

What is Tailscale

- Modern managed VPN solution
- WireGuard based
- Identity based authentication
- 6 USD / user / mo (3 free users, 100 devices)
- Serverless VPN (managed relay servers)
- ACL
- API & Terraform
- Open Source Clients, Open Communication
- Great Docs & Blog





login.tailscale.com

 tailscale

Log in to connect a device to
your tailnet.

ondrejsika@ondrejsika.com

Sign in

OR

 Sign in with Google


 Sign in with Microsoft

 Sign in with GitHub

 Sign in with Apple

 Sign in with a passkey

Alternatively, use a [QR code](#).



Log In...

Please log in.

Settings >

About Tailscale

Quit

⌘ Q

login.tailscale.com

 tailscale ondrejsika@ondrejsika.com



Login successful

Your device sika-mac is logged in to the [ondrejsika.com](#) tailnet.

If this is not what you meant to do, you can remove [the device](#) from your tailnet. If you need help, [contact support](#).

You will be redirected to your console shortly.
Or, you can [visit the console](#) immediately.

Tailscale

Ondrej Sika ondrejsika@ondrejsika.com

This Device: sika-mac (100.77.234.50)

Network Devices

Exit Nodes

Settings

About Tailscale


Quit

ssh root@example.sikademo.com

```
Selecting previously unselected package tailscale.  
(Reading database ... 28508 files and directories currently installed.)  
Preparing to unpack .../tailscale_1.50.1_amd64.deb ...  
Unpacking tailscale (1.50.1) ...  
Selecting previously unselected package tailscale-archive-keyring.  
Preparing to unpack .../tailscale-archive-keyring_1.35.181_all.deb ...  
Unpacking tailscale-archive-keyring (1.35.181) ...  
Setting up tailscale-archive-keyring (1.35.181) ...  
Setting up tailscale (1.50.1) ...  
Created symlink /etc/systemd/system/multi-user.target.wants/tailscaled.service → /lib/systemd/system/tailscaled.service.  
+ [ false = true ]  
+ set +x  
Installation complete! Log in to start using Tailscale by running:  
  
tailscale up  
root@example:~# tailscale up
```

To authenticate, visit:

<https://login.tailscale.com/a/d68dba6430a3>



tailscale

ondrejsika@ondrejsika.com


Connect device

You are about to connect the device **example** to the
[ondrejsika.com](#) tailnet.

[Connect](#)

▼ Device details

Public key	nodekey:0f7430a5e84fa9c9be50cdb257...
Hostname	example
Operating system	linux (6.1.0-9-amd64)
Tailscale version	1.50.1-tf45c02bfc-g36a20760a



ondrejsika@ondrejsika.com



Login successful

Your device example is logged in to the ondrejsika.com tailnet.

If this is not what you meant to do, you can remove [the device](#) from your tailnet. If you need help, [contact support](#).

You will be redirected to your console shortly.

Or, you can [visit the console](#) immediately.


DEMO TIME



Open Source Tailscale?

@ondrejsika ondrey@sika.io sika.io /in/ondrejsika






headscale



What is Headscale

- Open Source management server for Tailscale
- Same features like Tailscale (except for relays)
- No UI (but there are third party UI projects)
- Use official Tailscale clients



```
tailscale up --login-server https://vpn.sl.zone
```



DEMO TIME



Thanks for your attention

@ondrejsika ondrey@sika.io sika.io /in/ondrejsika



Questions?

@ondrejsika ondrey@sika.io sika.io /in/ondrejsika



Email

ondrej@sika.io

Twitter

@ondrejsika

LinkedIn

/in/ondrejsika

Slides

sika.link/slides



github.com/ondrejsika/linuxdays24-vpn

@ondrejsika ondrey@sika.io sika.io /in/ondrejsika

