Contents

Likely to Use
Adrafinil
-Aniracetam
-Choline
Modafinil
-Piracetam
Rhodiola Rosea
-Sulbutiamine
-Theanine
ALCAR

Nootropic List
5-HTP
Adrafinil
ALCAR
Aniracetam
Ashwagandha
Bacopa
Caffeine
Centrophenoxine
Choline
-Alpha GPC
-Choline Bitartrate
-Choline Chloride
-Choline Citrate
-CPD-choline
-Lecithin
-Phosphatidyl Choline (PC)

Creatine
DHEA
DMAE
Fish Oil
GABA
Galantamine
Ginseng
Ginkgo Biloba
Green Tea
Hydergine
Huperzine
Iodine
Lions Mane
Melatonin

Modafinil
Oxiracetam
Phenibut
Picamilon
Piracetam
Piperine
Pramiracetam
Pterostilbene
Pyritinol
Rhodiola Rosea
St. John's Wort
Sulbutiamine
Theanine
Tyrosine
Uridine
Vinpocetine
Vitamin B6

Amino Acids
L-Arginine
L-Aspartic acid
L-Carnatine
L-Cysteine
L-Glutamine
L-Glutathione
L-Glycine
L-Lysine
L-Methionine
L-Ornithine
DL-Phenylalanine (DLPA)
L-Phenylalanine
L-Taurine
L-Tryptophan
L-Tyrosine

Need to Research
selegeline
MAOB
potentiating with L-Phenylalanine
Deprenyl
vitamin B
MAOI diet
racetam
Addrena
Profiderall
Forskolin
Huperzine
Choline Citrate
CPD-choline
Phenibut
uridine
tryptophan

dexedrine

Pregnenolone - adrenal support
Dihydromyricetin - gaba antagonist)
Kava

Nootropics

---5-HTP---

+taken as an antidepressant, sleep aid, and appetite depressant
+reduces anxiety, treats insomnia and depression
+50 – 100mg three times a day

---Adrafinil---

+mild stimulant
+works on the central nervous system
+used to stay awake and alert for long periods of time
+metabolized into Modafinil after being consumed

---ALCAR---

+Acetyl-L-Carnitine
+amino acid-like compound related to Choline found in high levels in brain cells.
+Biochemical Effects
    -Increases Acetylation of Coenzyme A (a precursor to Acetylcholine) [Memory Enhancer]
    -Enhances transport of fatty acids into the mitochondria [Increased Cellular Energy Levels]
500-3000mg daily

---Aniracetam---

+improve your attentiveness, motivation, and your memory and anti-anxiety
+used occasionally to treat alcoholism, stroke symptoms, vasospastic disorders, and ischemia.
+much more potent than piracetam
+Because Aniracetam is fat-soluble, best results will be achieved if it is taken with food
+important to stay hydrated
+no long term health risks
+not addictive and no withdrawal symptoms exist
+hard to overdose on Aniracetam, however its effectiveness starts to wane when doses become too high
+When taking Aniracetam in combination with other racetams or nootropics with similar mechanisms of action, it should be taken at a lower dose than usual
+Biochemical Effects
    -Similar to Piracetam, but due to its fat solubility its effects last longer and is far more potent.
    -Helps increase communication between your left and right sides of the brain, resulting in improved creatively, perception, and more.
    -Has an more potent AMPA receptor enhancing effect than Piracetam, resulting in better focus and concentration.
    -Been reported to be best ‘cetam for anti-anxiety effects
+Works within an hour to a few days.

+starting dose of between 500-700 mg taken two or three times per day recomended
+750-1500 mg Daily with meals
+1000 – 2000 mg twice a day

---Ashwagandha---

+reducing stress and anxiety, protecting brain cells, and improving memory and cognitive functions, neuroprotectant
+Increases levels of acetylcholine
+200 mg – 1500 mg per day

---Bacopa---

+lowers anxiety, improves memory, helps focus
+100 mg – 300 mg once or twice per day

---Caffeine---

+improves mood and focus, clears mind, reduces fatigue
+up to 400 mg per day

---Centrophenoxine---

+treatment of the symptoms of senile dementia and Alzheimer's disease
+heightened intelligence, mood, and alterness
+250 mg, once or twice a day

---Choline---

+acts as the fuel for piracetam because one's choline levels are depleted at a faster rate when taking piracetam
+positive effect on those suffering from alcoholism as a stand-alone nootropic
+nutrient grouped with B-complex vitamins
+brightens mood and enhances memory
+ is able to pass through the blood-brain barrier, where the brain utilizes the choline to make acetylcholine (a neurotransmitter that plays an important role in memory). Thus, choline enhances memory by increasing the amount of acetylcholine available for memory and thought processes.
+should not be used by people who are manic depressive because it can deepen the depressive phase
+All forms of choline should be taken with one gram per day of vitamin B-5 so that the choline can be converted into acetylcholine
+500mg of choline once per day depending on diet can increase

+3g per day divided into 3 doses

-Alpha GPC-

+also known as choline alfoscerate, is an unique NeuroActive form of choline that rapidly penetrates the blood brain barrier
+naturally found in small amounts in milk and soybeans.
Biochemical Effects
-A precursor for the neurotransmitter AcetylCholine [Supports Memory]
-A precursor for PhosphatidylCholine [Supports Brain Structure]
+Works within a few days.
+300-2000 mg daily.

-Choline Bitartrate-

+can sometimes cause a fishy odor or diarrhea

-Choline Chloride-

+can sometimes cause a fishy odor or diarrhea

-Lecithin-

+ cheap choline source
+Look at the label before you buy and make sure the product contains more than 30% phosphatidyl choline
+make sure it does not taste bitter (this indicates rancidity).
+.5-8 grams daily

-Phosphatidyl Choline (PC)-

+ active ingredient of lecithin
+ a source of structural material for every cell in the human body, particularly those of the brain and nerves
+ aids in the metabolism of fats, regulates blood cholesterol, and nourishes the fat-like sheathes of nerve fibers

---Creatine---

+help supply cells with energy
+very beneficial effect on one's memory and IQ
+increases working memory, fluid intelligence, and muscle gain
+750 mg, two or three times a day

---DHEA---

+ steroid hormone produced in the adrenal gland
+most commonly found steroid in humans
+help build muscle, boost energy levels, improve the immune system, and improve libido

+has significant anti-obesity, anti-tumor, anti-aging, and anti-cancer effects.
+DHEA levels naturally drop as people age
+may extend your
+may be an important player in cognitive enhancement.
+involved in protecting brain neurons from senility-associated degenerative conditions like Alzheimer's disease
+50 mg to 2000 mg per day
+5 – 25 mg per day

---DMAE---

+organic compound related to choline that is produced naturally by the body
+DMAE to cross the blood-brain barrier more easily, making its effects stronger
+increases alertness and focus, improves mood and quality of REM sleep
+100 mg – 300 mg, once or twice a day

---Fish Oil---

+contains the omega-3 fatty acids eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA).
+protects brain, improves heart health, reduces cancer risks

---GABA---

+improves mood, raises HGH levels, fights anxiety
+500 mg – 1000 mg daily

---Galantamine---

+helps induce lucid dreams, improves focus and memory
+4 mg – 12 mg, once or twice a day

---Ginseng---

+improves mood, memory, and cognitive performance
+200 mg – 600 mg of extract

---Ginkgo Biloba---

+sharpens memory, concentration, and attention-span

+Flavonoids exert positive effects on the nervous system by protecting neurons against stress-induced injury by suppressing neuroinflamation and improving cognitive function. Flavonoids are also known to protect the heart muscle, blood vessels, and retinas from damage. The other component with known medical benefits is Terpenoids. Terpenoids improve blood flow by dilating blood vessels and by decreasing the stickiness of platelets allowing them move more freely.
+~240 mg daily
+Dont take with Vinpocetine
+side effects are rare, they may include vomiting, diarrhea, nauseam headaches, dizziness, heart palpitations, and restlessness. These side effects occur more often in patients with blood circulation disorders and those taking certain anticoagulants such as ibuprofen, warfarin, or aspirin

---Green Tea---

+antioxidant, neuroprotectant, reduces cancer and heart disease risks
+1 – 3 cups per day

---Hydergine---

+(Ergoloid Mesylates)
+improves mental function, prevents damage to brain cells
+may even be able to reverse existing damage to brain cells
+acts in several ways to enhance mental capabilities and slow down or reverse the aging processes in the brain
+Increases in blood supply to the brain.
+Increases the amount of oxygen delivered to the brain.
+Enhances metabolism in brain cells.
+Protects the brain from damage during periods of decreased and/or insufficient oxygen supply.
+Slows the deposit of age pigment (lipofuscin) in the brain.
+Prevents free radical damage to brain cells.
+Increases intelligence, memory, learning and recall.
+Normalizes systolic blood pressure.
+lowers abnormal high cholesterol levels in some cases.
+Reduces symptoms of tiredness, dizziness, and tinnitus (ringing in the ears).
+may enhance memory and learning is by mimicking the effect of a substance called nerve growth factor (NGF).
    -NGF stimulates protein synthesis that results in the growth of dendrites in brain cells.
        -Dendrites facilitate communication throughout the central nervous system and are necessary for memory and learning
        -New learning requires new dendritic growth.
+ If too large a dose is used when first taking Hydergine. it may cause slight nausea, gastric disturbance, or headache
+ does not produce any serious side effects, it is non-toxic even at very large doses, contraindicated only for individuals who have chronic or acute psychosis.
+Hydergine is available in the United States and you can buy it if you have a doctor's prescription
+ may take several weeks before you notice the effects of hydergine.

+ US recommended dosage is 3 mg per day
+ Europe recommended dosage is 9 mg per day, taken in three divided doses
+Most of the research has been done at levels of 9 to 12 mg per day. It

---Iodine---

+iodine deficiency include mental retardation, depression, fatigue, and weight gain
+positive effect on IQ
+90 mcg – 150 mcg per day

---Lions Mane---

+keep the brain in good health and help ward off the effects of aging by increasing your nerve growth factor
-The nerve growth factor is a protein that is essential for the growth, maintenance, and survival of nerve cells
+no side effects
+safe to start at 500mg taken once per day

---Melatonin---

+bodily hormone that is naturally secreted by the pineal gland
+regulates sleep and wake cycles
+helps treat insomnia, benefits memory
+1mg or less

---Modafinil---

+treatment of narcolepsy, shift work disorder, and excessive daytime sleepiness
+acts as a mild stimulant and improves one's ability to focus and concentrate
+more potent version of Adrafinil
+Unlike it's cousin Adrafinil, Modafinil is a controlled substance in the United States
+reduces need for sleep, improves mood and concentration
+100 mg – 200 mg, once per day when needed

---Oxiracetam---

+effects are comparable to those of Piracetam and Aniracetam
+ fastest acting racetam.
+water-soluble
+improves many aspects of cognitive performance

+Biochemical Effects

-Similar to Piracetam, but much stronger than Aniracetam and far faster acting. The preferred premium Nootropic for the elite smart drug user.

-Supports multiple aspects of Cognition

-Boosts Brain ATP levels (Mental Energy)

-Increase Choline Acetylcholinetranferase the neuro-enzyme that creates Acetylcholine (in the cerebral cortex, hippocampus and striatum) {Memory Support}

+Works within an hour to a few days.

+800-1600 mg Daily

+800 mg, 1-3 times a day

---Phenibut---

+addictive

---Picamilon---

+prodrug of GABA

+improves mood and memory, treats headaches

+50mg – 100mg, one to three times a day

---Piracetam---

+related to amino acid Pyroglutamic Acid

+helps reverse the effects of aging by reducing lipofuscin levels

-Lipofuscin is considered a “wear-and-tear” pigment found in nerve cells, the liver, kidney, heart, muscles, and adrenals

+Piracetam improves the function of the neurotransmitter acetylcholine

-acetylcholine implicated in the memory formation process

+effect on NMDA glumate receptors

-Glutamates involved in the learning and memory processes

+increases activity in the corpus callosum resulting in increased communication between the two brain hemispheres

+increases oxygen flow to the brain

+water-soluble

+derivative of the neurotransmitter GABA

+Biochemical Effects

-Enhances Brain Metabolism (By increasing Glucose Utilization, Blood & Oxygen Flow){Boosts mental energy & cerebral circulation}

-Increases Cerebral Phospholipids & Cellular Membrane Fluidity (By interacting with the polar head moieties of the phospholipid bilayer) {Supports healthy neuron communication & structure}.

-Supports Cognitive Receptors (By amplifying the density of the Muscarinic Cholinergic {Frontal Cortex, Striatum, & Hippocampus}, NMDA (N-Methyl-D-Aspartate) {Hippocampus}, & AMPA Cerebral

Cortex Receptors {Strengthens neurotransmitter receptors involved in memory and neuroprotection}

-Stimulates the Corpus Callosum, area of the brain that controls communication between the left and right hemispheres {Involved in speech and creative thinking}.

-Stimulates the Locus Coeruleus, (specialized neurons) {Involved in information processing, attention, cortical/behavioral arousal, learning and memory}

-Inhibits Platelet Aggregation (By increasing Red-White blood cells & Platelet deformability, inhibiting thromboxane A2 synthetase or antagonism of thromboxane A2, reducing von Willebrand's factor & fibrinogen levels) {Supports Healthy Blood Flow}.

-Decreases EEG complexity (Increases cooperatively of brain functional processing) {Positively effects Neuro-Electrical Functioning}.

+Has a significant antioxidant effect.
+Works within an hour to a few days.
+800 – 1600 mg, two or three times a day
+2-6 grams daily

---Piperine---

+neuroprotectant, enhances memory and nutrient absorption
+10 mg – 20 mg per day

---Pramiracetam---

+most potent piracetam derivative and is over 15 times stronger than piracetam.
+improves multiple aspects of cognition
+fat-soluble
+100-300mg daily
+75 – 1000 mg per day

---Pterostilbene---

+reduction of cognitive decline due to aging, lowering cholesterol levels, and reducing cancer risks.
+50mg – 125 mg, twice daily

---Pyritinol---

+water soluble counterpart to vitamin B6
+treat cognitive and learning disorders
+enhances reaction time, memory, decision making ability
+100 mg, one to three times daily

---Rhodiola Rosea---

+brightens mood, improves focus, reduces effects of stress and fatigue
+Prevents the breakdown of serotonin and dopamine
+side effects associated with Rhodiola include restlessness, irritability, and trouble sleeping
+If you experience restlessness or irritability you should lower your dosage
+100 mg – 200 mg, once or twice a day
+If not getting desired effects acceptable to increase dosage as high as 200mg, taken three times per day.

---St. John's Wort---

+treats depression, prevents dementia, antioxidant
+600 mg or less, three times a day

---Sulbutiamine---

+described as being like Hydergine only better
+derivative of vitamin B1, but is fat soluble and crosses the blood-brain barrier far more easily
+causes upregulation of the reticular activating system in the brain, which is the center of arousal and motivation
+provides mental energy and stamina, improves mood
+If you are planning on studying for a long period of time taking some Sulbutiamine as well will improve your mental stamina and prevent early burnout.
+not meant to be taken daily
+much safer alternative to traditional stimulants, though its effects are more subtle
+fat soluble
+Effective for treatment of psychogenic erectile dysfunction
+Effective for the treatment of asthenia. Asthenia is a condition of chronic fatigue that is cerebral in nature
+crosses the blood-brain barrier much more easily than vitamin B1(thiamine). Once it crosses into the brain, it is metabolized to produce thiamine. Thiamine is then used by the brain to produce the neurotransmitters Acetylcholine (ACh) and GABA
+facilitates wakefulness, improves long-term memory, speeds up reaction time, decreases anxiety, and increases overall resistance to stress.
+no known adverse side effects besides headaches
+ To combat fatigue take two 200mg tablets per day, always with breakfast or an AM meal, for a period of 20 days.
+Do not exceed three tablets at any time
+200 mg – 600 mg per day

---Theanine---

+neruoprotectant, reduces effects of stress, improves memory
+lack of side effects

+amino acid found in trace amounts in green tea.
+ converts in the brain into GABA, the neurochemical involved in inhibiting over active mental activities, such as stress, anxiety, worrying, and nervousness.
+Unlike herbs theanine protects & enhances Cognition, without causing sleepy or drowsiness.
+Biochemical Effects

-Instant relaxation due to its potent effects on raising GABA
-Unlike the supplement GABA it passes through the blood brain barrier readily and has superior GABA raising effects.
-Has been studied compared to Paxil.

+In Japan it is used in soft drinks much like caffeine is added in the US, but to relax rather than stimulate the mind.
+Works within a few hours.
+200-1000mg daily.
+200 mg – 300 mg as needed

---Tyrosine---

+amino acid that used by cells to synthesize proteins
+improves many aspects of cognitive performance, reduces effects of stress
+500 mg – 1500 mg per day

---Uridine---

+precursor to RNA
+improvement of memory and fluid intelligence it also lowers the effects of aging on the brain and can be an antidepressant

---Vinpocetine---

+Cavinton
+neuroprotectant, increases blood flow to brain, improves memory
+improves blood-flow to the brain
+dont take with Ginkgo
+derivative of vincamine (a phytonootropic from periwinkle)
+While less potent as a mental stimulant than vincamine, Vinpocetine is the preferred nootropic for Enhancing blood flow to the Brain, Eyes, and Ears. Its effects on Cerebral Blood Flow far exceeds all other nootropics.
+used for the treatment of cerebral circulatory disorders such as memory problems, aphasia, apraxia, motor disorders, dizziness, and headache
+Biochemical Effects

-Enhances Brain Metabolism (By increasing Glucose Utilization, Blood & Oxygen Flow) (Boosts mental energy & cerebral circulation)
-Stimulates the Locus Coeruleus, (specialized neurons) (Involved in information processing, attention, cortical/behavioral arousal, learning and memory)

-Inhibits Platelet Aggregation (Reduces abnormal blood clots).
-Has a significant antioxidant effect.

+Adverse effects are rare, but include hypotension and tachycardia. It has no drug interactions, no toxicity, and is generally very safe.
+ One or two 5 mg. tablets per day.
+20-40 mg daily with meals.
+2 mg – 5 mg per day

---Vitamin B6---

+water soluble
+better sleep quality, improved attentiveness

Amino Acids

---L-Arginine---

+used to increase sperm counts (semen contains up to 80% of arginine)
+aids immune response and healing of wounds
+helps stored fat metabolism
+helps to tone muscle tissue
+used for weight-loss in combination with L-ornithine
+one amino acid required for production of growth hormone

---L-Aspartic acid---

+ammonia neutralizer
+a study showed improved stamina and endurance in atheletes

---L-Carnatine---

+newly discovered amino acid
+aids stored fat -> energy conversion
+helps: hypoglycemia, reduces angina attacks, diabetes, liver disease, kidney disease
+deficiency causes heart tissue damage

---L-Cysteine---

+cystine is its stable form
+antioxidant
+contains sulfur
+protects cellular membranes from "free radical damage"
+prevents alcohol and cigarette smoke damage to the brain
+stimulant to immune system
+believed to be good for antiaging
+effective against copper toxicity (eg. Wilson's disease)
+protects against X-ray and nuclear radiation
+warning: may affect insulin effectiveness

---L-Glutamine---

+converted to glutamic acid, the brain's emergency source of energy when glucose is in short supply.
+precursor to the neurotransmitter GABA
+neutralizes excess ammonia (which can inhibit proper brain function)
+improves intelligence
+helps to control alcoholism

+helps to speed ulcer healing
+alleviates fatigue, depression, impotence, schizophrenia, senility

---L-Glutathione---

+tripeptide amino acid made of cysteine, glutamic acid and glycine
+"triple threat" antiaging
+antioxidant
+anti-tumor agent
+respiratory accelerator in the brain
+used in the treatment of: allergies, cataracts, diabetes, hypoglycemia, arthritis
+prevents some side effects of chemotherapy and X-ray radiation
+protects against some harmful side-effects of cigarrette smoke and alcohol

---L-Glycine---

+treatment for poor pituitary functioning
+supplies creatine which is essential for muscle function (effective against muscular dystrophy)
+treatment for hypoglycemia
+stimulates glucagon which metabolizes glycogen into glucose antacid
+treatment for low blood pH
+treatment for leucine imbalance-causing body odor and halitosis

---L-Lysine---

+needed for growth and enzyme, hormone, antibody production
+aids concentration
+treatment for some sterility problems
+treatment and prevention for herpes infections
+aids fatty acid -> energy conversion

---L-Methionine---

+antioxidant
+contains sulfur
+prevents damage of brain cells from toxic heavy metals important in producing neurotransmitters and energy
+lowers blood level of histamine (this may help some types of schizophrenia)
+combined with choline and folic acid, can prevent some types of tumor
+deficiencies: hair loss, atherosclerosis, cholestorol deposits, edema, poor urine processing

---L-Ornithine---

+similar to arginine
+growth hormone (which acts as a fat metabolizer) is stimulated to be released by ornithine and arginine.
+can be used as a slimming technique (while you sleep -GH is released by the pituitary gland then)

---DL-Phenylalanine (DLPA)---

+combination of synthetic (D) and natural (L) phenylalanine produces endorphins and stimulates their use thus, effective painkiller, often better than the opiate derivatives such as morphine.
+nonaddictive, nontoxic
+reverse-tolerance effect (pain relief gets better)
+strong anti-depressant effect
+can be combined with other pain-killers with few bad interactions

---L-Phenylalanine---

+converted into tyrosine which is a precursor to noradrenaline (NE) and dopamine
+like all amino acids best taken on empty stomach since it competes with proteins to cross the blood brain barrier.
+requires vitamins C and B-6 for the conversion to NE.
+phenylalanine also stimulates the release of cholecystokinin, which is the body's own appetite-suppressant, can increase sexual interest
+improves memory and mental alertness
+antidepressant
+do not use L-phenylalanine or L-tyrosine if you areusing MAO inhibitors for depression (it can cause amajor elevation in blood pressure).
+ 500 - 1000mg along with 1g C, 30-50mg B-6

---L-Taurine---

+nonessential amino acid
+aids efficient conduction of electrical impulses along nerve pathways
+anticonvulsant (esp in combo with glutamic, aspartic acids)

---L-Tryptophan---

+precursor to the neurotransmitter serotonin along with B6, niacin, and magnesium
+(actually immediate precursor to 5-hydroxytryptophan (5HTP) which is the precursor to serotonin (5HT))
+prolongs slow-wave sleep
+reduces pain sensitivity

+no effect or increases REMS
+has some hypnotic effects
+useful for some types of endogenous depression
+(has been found as useful as imipramine and amitriptyline)
+aids in reducing anxiety and tension
+an appetite supressant
+dosages have been studied up to 15g
+Major Food Sources:
-Cottage cheese, milk, meat, fish, turkey, bananas, dried dates, peanuts, all protein-rich foods.

---L-Tyrosine---

+precursor to norepinephrine and dopamine
+non-essential amino acid (since PA is converted into it first)
+has been studied as an effective aid to cocaine withdrawal

improve fluid intelligence/working memory by improving synaptic plasticity include
Piracetam
Aniracetam
Oxyracetam
Huperzia Serrata
Theanine
Bacopa
Ashwagandha
DMAE
Centrophenoxine

Ashwagandha – Increases levels of acetylcholine
Huperzia Serrata – Increases levels of acetylcholine
Galantamine – Increases levels of acetylcholine
DMAE – Increases levels of acetylcholine
Centrophenoxine – Increase levels of acetylcholine
Tyrosine – Increases levels of norepinephrine
Pyritinol – Increases levels of norepinephrine
Iodine – Increases levels of norepinephrine

http://www.drugs-forum.com/forum/showwiki.php?title=List_of_Nootropics
http://www.whatarenootropics.com/