



WEB-BASED INTERFACE DESIGN (CSF3133)

Lab Report

Lecture: Assoc. Prof. Ts. Dr. Wan Nural Jawahir Wan Yussof

Lab Demonstrator: Madam Wan Fatin Fatimah Yahya


Program: Program of Computer Science (Software Engineering)

Name: Wan Aimi Firdaus Bin Wan Azarie

Matric Number: S72577

Exercise

HTML



CSS

RUN AND DEBUG

Run and Debug

To customize Run and Debug, [open a folder](#) and create a launch.json file.

BREAKPOINTS

Caught Exceptions

To customize Run and Debug, [open a folder](#) and create a launch.json file.

BREAKPOINTS

Run and Debug

To customize Run and Debug, [open a folder](#) and create a launch.json file.

BREAKPOINTS

Run and Debug

To customize Run and Debug, [open a folder](#) and create a launch.json file.

ExerciseLM6_s72577.html

JS ExerciseLM6_s72577.js

ExerciseLM6_s72577CSS.css

C:\Users> User > Desktop > CSF3133 WEB DESIGN > LabModule6design > # ExerciseLM6_s72577CSS.css > footer

```
1  /* General Styles */
2  body {
3      font-family: 'Roboto', sans-serif;
4      line-height: 1.8;
5      margin: 0;
6      padding: 0;
7      background: linear-gradient(135deg, #6dd5ed, #2193b0);
8      color: #333;
9      display: flex;
10     flex-direction: column;
11     min-height: 100vh;
12 }
13
14 header {
15     background: #e225a3;
16     color: #fff;
17     padding: 20px;
18     text-align: center;
19     box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
20 }
21
22 header h1 {
23     font-size: 2rem;
24     margin: 0;
25 }
26
27 header p {
28     font-size: 1rem;
29     margin: 5px 0 0;
30 }
31
32 main {
33     padding: 20px;
34     flex: 1;
35     display: flex;
36     justify-content: center;
37     align-items: center;
38     flex-direction: column;
39 }
40
41 footer {
42     background: #e225a3;
43     color: #fff;
44     text-align: center;
45     padding: 10px 0;
46     position: fixed;
47     bottom: 0;
48     width: 100%;
49     font-size: 0.9rem;
50 }
51
52 /* Quiz Section Styles */
53 #quiz-section {
54     background: #fff;
55     border-radius: 12px;
56     padding: 30px;
57     margin: 20px auto;
58     max-width: 600px;
59     box-shadow: 0 8px 16px rgba(0, 0, 0, 0.2);
60     text-align: center;
61     animation: fadeIn 0.8s ease-in-out;
62 }
63
64 @keyframes fadeIn {
65     from {
66         opacity: 0;
67         transform: translateY(10px);
68     }
69     to {
70         opacity: 1;
71         transform: translateY(0);
72     }
73 }
74
75 #timer {
76     font-size: 1.5rem;
77     margin-bottom: 20px;
78     text-align: center;
79     color: #e74c3c;
80 }
81
```

PROBLEMS


OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

Filter (e.g. text, lexclude, _escape)



JAVASCRIPT

Run and Debug

To customize Run and Debug, [open a folder](#) and create a launch.json file.

JavaScript Debug Terminal

You can use the JavaScript Debug Terminal to debug Node.js processes run on the command line.

Debug URL

BREAKPOINTS

Run and Debug

To customize Run and Debug, [open a folder](#) and create a launch.json file.

JavaScript Debug Terminal

You can use the JavaScript Debug Terminal to debug Node.js processes run on the command line.

Debug URL

BREAKPOINTS

Caught Exceptions

Run and Debug

To customize Run and Debug, [open a folder](#) and create a launch.json file.

JavaScript Debug Terminal

You can use the JavaScript Debug Terminal to debug Node.js processes run on the command line.

Debug URL

ExerciseLM6_s72577.html

JS ExerciseLM6_s72577JS.js

ExerciseLM6_s72577CSS.css

C:\Users> User > Desktop > CSF3133 WEB DESIGN > LabModule6design > JS ExerciseLM6_s72577JS.js > ...

```
1 const questions = [
2   {
3     question: "What is the capital of Germany?",
4     options: ["Kelantan", "Madrid", "Berlin", "Kuala Nerus"],
5     correct: 2 // Third option is correct
6   },
7   {
8     question: "What is 56 * 3 ?",
9     options: ["245", "178", "168", "344"],
10    correct: 2 // Third option is correct
11  },
12  {
13    question: "Who sings the song Sangkar Derita?",
14    options: ["Mazlan", "Haqiem Rusli", "Wan Aimi", "Madam Wan"],
15    correct: 1 // Second option is correct
16  }
17 ];
18
19
20 let currentQuestionIndex = 0;
21 let score = 0;
22 let timer;
23 let timeLeft = 30;
24
25 // DOM Elements
26 const questionElement = document.getElementById("question");
27 const optionsContainer = document.getElementById("options");
28 const feedbackElement = document.getElementById("feedback");
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

Filter (e.g. text, lexclude, !escape)

C:\Users> User > Desktop > CSF3133 WEB DESIGN > LabModule6design > JS ExerciseLM6_s72577JS.js > ...

```
29 const timerElement = document.getElementById("time");
30 const scoreElement = document.getElementById("score");
31 const submitButton = document.getElementById("submit-answer");
32
33 // Shuffle Questions
34 function shuffleQuestions() {
35   questions.sort(() => Math.random() - 0.5);
36 }
37
38 // Start Timer
39 function startTimer() {
40   timeLeft = 30;
41   timerElement.textContent = timeLeft;
42   timer = setInterval(() => {
43     timeLeft--;
44     timerElement.textContent = timeLeft;
45     if (timeLeft <= 0) {
46       clearInterval(timer);
47       showFeedback(false);
48       nextQuestion();
49     }
50   }, 1000);
51 }
52
53 // Display Question
54 function displayQuestion() {
55   const currentQuestion = questions[currentQuestionIndex];
56   questionElement.textContent = currentQuestion.question;
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

Filter (e.g. text, lexclude, !escape)

C:\Users> User > Desktop > CSF3133 WEB DESIGN > LabModule6design > JS ExerciseLM6_s72577JS.js > ...

```
54 function displayQuestion() {
55   optionsContainer.innerHTML = "";
56   currentQuestion.options.forEach((option, index) => {
57     const button = document.createElement("button");
58     button.textContent = option;
59     button.classList.add("option-button");
60     button.onclick = () => selectAnswer(index);
61     optionsContainer.appendChild(button);
62   });
63 }
64
65 // Select Answer
66 function selectAnswer(selectedIndex) {
67   clearInterval(timer);
68   const isCorrect = selectedIndex === questions[currentQuestionIndex].correct;
69   showFeedback(isCorrect);
70   if (isCorrect) {
71     score++;
72     scoreElement.textContent = `Score: ${score}`;
73   }
74   nextQuestion();
75 }
76
77 // Show Feedback
78 function showFeedback(isCorrect) {
79   feedbackElement.textContent = isCorrect ? "Correct!" : "Incorrect!";
80   feedbackElement.style.color = isCorrect ? "green" : "red";
81   setTimeout(() => (feedbackElement.textContent = ""), 2000);
82 }
83
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

Filter (e.g. text, lexclude, !escape)



To customize Run and Debug, [open a folder](#) and create a launch.json file.



JavaScript Debug Terminal



You can use the JavaScript Debug Terminal to debug Node.js processes run on the command line.

Debug URL



▼ BREAKPOINTS

☐ Caught Exceptions

Debug URL

```
84 }
85
86 // Next Question
87 function nextQuestion() {
88     currentQuestionIndex++;
89     if (currentQuestionIndex < questions.length) {
90         displayQuestion();
91         startTimer();
92     } else {
93         endQuiz();
94     }
95 }
96
97 // Start Quiz
98 function startQuiz() {
99     shuffleQuestions();
100     currentQuestionIndex = 0;
101     score = 0;
102     scoreElement.textContent = "Score: 0";
103     displayQuestion();
104     startTimer();
105 }
106
107 // End Quiz
108 function endQuiz() {
109     clearInterval(timer);
110
111     questionElement.textContent = "Quiz Completed!";
112     optionsContainer.innerHTML = "";
113     feedbackElement.textContent = "Your final score is: " + score;
114     feedbackElement.style.color = "blue";
115     submitButton.style.display = "none";
116 }
117
118 // Event Listener
119 submitButton.addEventListener("click", nextQuestion);
120
121 // Initialize Quiz
122 startQuiz();
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

Filter (e.g. text, exclude, vescape)

```
106
107 // End Quiz
108 function endQuiz() {
109     clearInterval(timer);
110     questionElement.textContent = "Quiz Completed!";
111     optionsContainer.innerHTML = "";
112     feedbackElement.textContent = "Your final score is: " + score;
113     feedbackElement.style.color = "blue";
114     submitButton.style.display = "none";
115 }
116
117 // Event Listener
118 submitButton.addEventListener("click", nextQuestion);
119
120 // Initialize Quiz
121 startQuiz();
122
```

OUTPUT

