Name: Oneeka Kundu Roll.No.:129 ExamRoll:11600223145 Date:29/1/26

**Assignment No.: 7**

**Problem Statement**: Hosting a website on EC2

**Solution:**

**Step1:** search for '**EC2**' then click on it.




**Step2:** Click on '**Launch instance**'.






**Step 3:** .Fill up the required details-> ‘Name’ and under ‘Application and OS Images’ select ‘ubuntu’.




**Step 4:** In ‘Key pair (login)’, click on ‘Create new key pair’, give ‘key pair name’ and create it. Under ‘Network Settings’ tick on all checkboxes. Then Launch instance.









**Instance is created successfully!!!**

**Step5:** Click on 'Instances', the Instance will be seen running , click on the newly created instance.




**Step6:** Copy the Public IPv4 address and open the bitvise application on the computer.



**Step 7:** Pasted the copied IPv4address to the Host field, Enter Ubuntu in the Username field and select the Initial method to publickey and click on Client key manager.




**Step 8:** Click on import and select the downloaded key from the desktop. Client will be selected **Global1,**click on the **Login** button. It will be logged in with the instance, click on the new terminal console button from the side panel.






**Step 9:** Update the system using the command sudo apt-get update && sudo apt-get upgrade.

```
ubuntu@ip-172-31-41-149:~$ sudo apt-get update && sudo apt-get upgrade
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
```

Step 10: Install nginx into the linux system using the command sudo apt-get install nginx.

```
ubuntu@ip-172-31-41-149:~$ sudo apt-get install nginx
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
```

**Step 11:** Navigate to the var/www/folder and give html full permission using chmod.
**Command: sudo chmod 777 var/www/html/** `ubuntu@ip-172-31-41-149:/$ sudo chmod 777 var/www/html/`

**Step 12:** In the bitwise click on New SFTP window, on the window, on the left side go to the directly where the static website is present and on the right window go to the directly /var/www/html then drag and drop the three files from the Local files to the Remote Files.




**Step 13:** We can access the website from an tab via the **IPv4 address** copied earlier.




# Hello, World!

This is my first paragraph.

previous page next page

**Step 14:** We return to the Instance page, now we select the Instance and click on Instance state and from the dropdown list select **Stop instance**. In the popup, click on the **Stop button**.Then instances Successfully initiated Stopping. We again select the same Instance and click on Instance state from the drop down we select **Terminate (delete) instance** option. Then The Instance will be successfully terminated.


Instances (1/1) Info
Connect
Instance state
Actions
Launch instances
Stop instance
Start instance
Reboot instance
Hibernate instance
Terminate (delete) instance
ok_ec2
i-01c134568511c7330
Running
t3.micro
i-01c134568511c7330 (ok_ec2)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary
Instance ID
i-01c134568511c7330
Public IPv4 address
3.110.102.214 | open address
Private IPv4 addresses
172.31.41.149
IPv6 address
Instance state
Running
Public DNS
ec2-3-110-102-214.ap-south-1.compute.amazonaws.com | open address


Stop instance
Stopping your instance allows you to reduce costs, modify settings, and troubleshoot problems.
Instance ID
Stop protection
Result
i-01c134568511c7330 (ok_ec2)
Disabled
Can stop
Associated resources
You will continue to incur charges for these resources while the instance is stopped
You will be billed for associated resources
After you stop the instance, you are no longer charged usage or data transfer fees for it. However, you will still be billed for associated Elastic IP addresses and EBS volumes.
Skip OS shutdown
This option skips the graceful OS shutdown process. Use only when your instance must be stopped immediately, such as during an emergency or failover.
Skip OS shutdown
Cancel
Stop


Successfully initiated stopping of i-01c134568511c7330
Instances (1/1) Info
Connect
Instance state
Actions
Launch instances
Force stop instance
Start instance
Reboot instance
Hibernate instance
Terminate (delete) instance
ok_ec2
i-01c134568511c7330
Stopping
t3.micro
i-01c134568511c7330 (ok_ec2)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary
Instance ID
i-01c134568511c7330
Public IPv4 address
3.110.102.214 | open address
Private IPv4 addresses
172.31.41.149
IPv6 address
Instance state
Stopping
Public DNS
ec2-3-110-102-214.ap-south-1.compute.amazonaws.com


Successfully initiated stopping of i-01c134568511c7330
Terminate (delete) instance
On an EBS-backed instance, the default action is for the root EBS volume to be deleted when the instance is terminated. Storage on any local drives will be lost.
Are you sure you want to terminate these instances?
Instance ID
Termination protection
i-01c134568511c7330 (ok_ec2)
Disabled
To confirm that you want to delete the instances, choose the terminate button below. Instances with termination protection enabled will not be terminated. Terminating the instance cannot be undone.
Skip OS shutdown
This option skips the graceful OS shutdown process. Use only when your instance must be stopped immediately, such as during an emergency or failover.
Skip OS shutdown
Cancel
Terminate (delete)