Name: Oneeka Kundu Roll.No.:129 ExamRoll:11600223145 Date:5/2/26

Assignment No.: 8

Problem Statement: Deploy a project from a local machine to GitHub and vice versa.

Solution:

Step1: Create a new Public Github Repository. Click on '**Create a new repository**' to proceed. Then give Repository name(**aws-repo**).



Step 2: Go to **Settings -> Developer settings**.





Step 3: Now click on **Personal access tokens** dropdown and then click on **Tokens(classic)**.



Step 4: Now click on **Generate new tokens** and then **Generate new token(classic)**.



Step 5: Set **Note, Expiration Date** for as long as possible and select all **scopes**. Then **Generate token**.





Step 6: After generating token click on copy option for **copying path** and save it in **text document**.



Step 7: Go to the folder containing your **project files**. Right Click and select '**Open Git Bash Here**' from the pop up menu.



Step8 : Run the following **commands**



```
MINGW64:/c/Users/ONEEKA/Desktop/AWS lab
ONEEKA@ONEEKA MINGW64 ~/Desktop/AWS lab (main)
$ git init
Reinitialized existing Git repository in C:/Users/ONEEKA/Desktop/AWS lab/.git/

ONEEKA@ONEEKA MINGW64 ~/Desktop/AWS lab (main)
$ git config --global user.name "Oneeka"

ONEEKA@ONEEKA MINGW64 ~/Desktop/AWS lab (main)
$ git config --global user.name.email "oneekakundu@gmail.com"

ONEEKA@ONEEKA MINGW64 ~/Desktop/AWS lab (main)
$ git add .

ONEEKA@ONEEKA MINGW64 ~/Desktop/AWS lab (main)
$ git commit -m "1st commit"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

ONEEKA@ONEEKA MINGW64 ~/Desktop/AWS lab (main)
$ git remote add origin https://github.com/oneekakundu/Aws-repo.git
error: remote origin already exists.

ONEEKA@ONEEKA MINGW64 ~/Desktop/AWS lab (main)
$ git branch -M main

ONEEKA@ONEEKA MINGW64 ~/Desktop/AWS lab (main)
$ git push -u origin main
branch 'main' set up to track 'origin/main'.
Everything up-to-date
```



Step 9: After last command a **new connect to GitHub window** opened. Go to token portion and paste there the **copied path during token generation** and pasted in text document. Click on sign in.



Step 10: Open the repository and see all files have been **successfully added**. Now click on code and copy the **clone HTTPs**.