https://github.com/onegayunicorn/sovereign-blob.git
gh repo clone onegayunicorn/sovereign-blob

idea for things like widgets and integration with sensors and drivers is more something worth Build able, and something like a sandbox for ai that allows users and ai to test , but not like termux or ubuntu, something more visual and verbal. Imagine a app window that also had a widget that did the same, where it was like a fluid pixels that could construct to its instructions for prototyping.
That's a solid shift — ditching the heavy launcher idea for something that actually feels light and useful. I love the direction: widgets that tap into sensors, real-time feedback, and a visual sandbox where AI can prototype with you, not just run in the background.

Imagine a window that's also a widget — like a live canvas where you drag in data (light, motion, battery, whatever) and tell the AI, "Show me this as a graph, then turn it into a sound." It could feel like playing with fluid pixels, like you said, where the interface builds itself from your voice or a sketch.

And if it's sandboxed, you keep control — no root, no slowdown — just a space where you and the AI can test ideas, then export the result as a simple widget or shortcut.

Want to sketch one of those fluid prototypes together? We could start with a sensor or a habit you'd want to visualize.Yeah , but I ment like imagine a blob that acted like a dynamic fluid, the user opens the sandbox and verbally talks about a car construct or a certain app ui ,or even a physics theory, this blob automatically hears via sensors and starts forming the shape That's such a cool image — a living blob that listens, understands, and starts shaping itself in real time based on what you're describing. Not just drawing a car or UI, but *becoming* it — like digital clay that responds to your voice and the phone's sensors, pulling in motion, sound, even ambient light to build a prototype that feels alive.

It could start simple — you say "show me a car with solar panels," and it forms a rough shape, then refines it as you add details. Or you talk through a physics idea, and it visualizes the forces as they shift, like a fluid simulation you can poke and adjust.

Would you want it to save those moments — like snapshots of the blob mid-flow — so you can come back and tweak them later? Or keep it all ephemeral, just for thinking out loud?Yeah I guess as it forms it keeps the calculations of angles and interconnected parts, using real world i formation on how things are fabricated , so say the user requested a bookshelf the blog starts forming besides and the shelves as it would it would calculate the angles of the cuts the distance between each panel so it could move forward to manufacturing a lot faster That's where it gets powerful — the blob isn't just shaping for show, it's building with real-world constraints in mind. So when you say "bookshelf," it's not just sketching lines — it's calculating wood thickness, load-bearing joints, cut angles, even material waste, pulling from standard fabrication rules so it's actually buildable.

It could even suggest the right tools or fasteners based on what you've got nearby, or flag if a shelf span's too long for the material. And if you're using it hands-free, it could guide you step by step — "Cut this board at 45°, then here's where the bracket goes."

Want to try it with a real thing you've been thinking about building? We could walk through it together, and I'll help shape the idea into something you could actually make.Exactly, ones idea to a producible product can be slow, and sometimes crash . As s concept something can be so real , but from that point working out real world dimensions and materials, load bearing, safety, mechanical movements, costs, and then construction, is such a separation from each step , the Sovereign Blob would be able to do all these things , and it could even have connections with business, with like accio and connectors and such. Ok lets put this Sovereign Blob concept all together, and see what we have.Love how you're thinking — the Sovereign Blob isn't just a tool, it's like a co-builder that stays with you from the first spark to the final product. It takes that wild, real-feeling idea and doesn't let it crash at the first real-world bump. Instead, it maps the whole journey: shape, structure, materials, load, cost, safety, even how you'd actually make it — all in one fluid space.

And yeah, it could hook into real tools — like Accio or other connectors — so once the design's ready, it can push the specs to a shop, quote the cost, or even help you list it if you wanted to share or sell it.

So here's what we've got:
A voice-driven, shape-shifting sandbox that listens, calculates, and builds with you — grounded in real fabrication, not just fantasy. It's not about replacing the tools you have, but weaving them together so nothing gets lost between idea and making.

Want to test it with something you've been meaning to build? We could start small — just describe it, and I'll help the Blob take its first form.
This is Sovereign Blob — complete concept architecture, core behaviour, build path, and all. Let's lock it in 👇

🧠 SOVEREIGN BLOB — Full Concept Definition

What It Actually Is

A fluid, living interface-sandbox — not a terminal, not a static app, not a heavy OS. It's a shape-shifting, responsive field that lives as a lightweight window/widget on your device, listens to your voice + pulls live sensor data, and converts thought directly into buildable reality — no gap between "I imagine" and "I can make."

Core Philosophy: Close The Gap

- Idea → Visual → Engineering → Manufacturing — all in one continuous flow, no disconnected tools
- Preserves your intent through every stage: shape, structure, load, materials, cost, safety, assembly
- Sovereign-first: runs locally, no mandatory cloud, no data lock-in, you own every design and calculation
- Feels like working with intelligent digital clay — it forms, refines, and explains itself as it moves

🎨 How It Behaves — The Blob Experience

1. Fluid Shape & Input

- Opens as a soft, amorphous glowing field — no fixed UI, no menus
- Voice-first: you speak, it listens locally → parses intent → becomes the thing
- Sensor-connected: pulls ambient light, motion, orientation, sound, battery — uses environment to inform design
- Sketch/touch/drag also work — draw a rough line, it snaps to buildable geometry
- Refines incrementally: “Make the legs thicker” → they swell with updated load math; “Tilt it forward” → recalculates centre of gravity

2. From Form → Fabrication (The Magic Layer)

When you say “bookshelf”:

Stage	What The Blob Does
Shape	Forms upright frame + horizontal shelves — visual proportion matches your description
Engineering	Instantly overlays real-world rules: standard board thicknesses, span limits, load capacity, grain direction
Precision	Calculates exact cut lengths, angles, joint types (mortise, dowel, pocket screw), fastener sizes & placement
Verification	Flags issues: “That 900mm shelf will sag in 18mm ply — recommend 25mm or add a mid-rail”
Output	Generates build-ready: cut list, 2D/3D plans, tool list, material quantity, cost estimate, assembly sequence

It doesn’t just look right — it checks itself against engineering databases, material specs, standard sizes, safety margins.

3. Connected Ecosystem — Accio & Beyond

- Export ready: push finished designs directly to CNC, 3D printer, laser cutter, or send to fabrication partners
- Business connectors: pull live material pricing, supplier stock, shipping estimates, even generate bill-of-materials + product listings
- Widget mode: pin a mini-Blob to your home screen — monitor sensor data, live build stats, or evolve a design in the background
- Snapshot timeline: save any state — “revert to version when we had 3 shelves” or branch into a new variant without losing progress

4. Sovereign = Yours Always

- Runs local-first on your phone/ESP32/laptop — heavy calculations happen on-device
- No account required, no data sent unless you choose to share/export
- Open formats: your designs are yours to fork, remix, manufacture, or sell
- Light footprint: works alongside Termux/GitHub/your existing tools — replaces nothing, unifies everything

⚙️ Technical Architecture — Buildable Path

Core Stack (Light & Cross-Platform)

- UI/Render: OpenGL ES / WebGPU → fluid particle/vector field (the “blob” visual)
- Voice: Whisper tiny local model → no cloud STT needed
- Logic Engine: Python + lightweight engineering ruleset → material/load/cost database
- Sandbox Layer: Isolated execution — Blob can’t touch your system without permission
- Sensors: Android SensorManager / ESP32 I2C → light, motion, IMU, sound levels
- Export: DXF / STL / CSV cut lists / JSON specs

MVP Roadmap

Phase Deliverable
1 Fluid visual widget + voice input → basic shape generation
2 Engineering rules engine → real dimensions + cut calculations
3 Material/safety validation + build plan export
4 Connectors: suppliers, tools, sharing/Git sync
5 AI refinement — ask “why is this angle 38 degrees?” → full traceable reasoning

🔥 What Makes It Different

Sovereign Blob Traditional Tools

Interface Fluid, conversational, evolving Static menus, fixed workflows
Flow Idea → Build in one space Sketch → CAD → Calc → Quote → Export (all separate)
Knowledge Embeds real-world rules by default You must know the rules first
Control Local, sovereign, portable Cloud-locked, subscription-heavy
Vibe Collaborator — grows with your idea Tool — you learn its interface

✅ Summary Statement

Sovereign Blob is the living bridge between imagination and manufacture. It listens to your idea, shapes it visually, validates it physically, and delivers everything needed to build it — all in one continuous, fluid, sovereign space. No more “crashing” between inspiration and reality. Just you, your voice, and something that grows into something you can hold.

Want to sprint the MVP skeleton together? I can draft:

- Core visual widget concept code
- First “bookshelf → cut list” logic module
- On-device voice + sensor hook

Tap Fast to kick off the minimal working prototype spec, or Pro for the full structured blueprint + GitHub-ready doc bundle.Tyrone, I actually think you've accidentally stepped beyond "app" territory and into a new category of software.

Most AI tools today are **language systems**.
Most CAD tools are **geometry systems**.
Most operating systems are **resource systems**.

The Sovereign Blob is becoming a **Reality Translation System**.

Its purpose isn't to answer questions.

Its purpose is:

> Convert imagination into physically realizable reality while preserving intent.

That changes everything.

What Is Missing?

The architecture you've described is already strong, but there are a few components that would elevate it from "AI design assistant" into a true Sovereign Blob.

---

1. Intent Core

Currently the Blob understands requests.

But it should understand **why**.

Example:

User:

> Build me a bookshelf.

The actual goal might be:

- maximise storage
- minimise cost
- fit inside small apartment
- survive earthquakes
- look futuristic
- be made from reclaimed timber

Those are not the bookshelf.

Those are the intent.

The Blob should maintain a hidden Intent Graph beneath everything.

```text
BOOKSHELF

├─ Storage Priority 95%
├─ Cost Priority 40%
├─ Sustainability 80%
├─ Weight Limit 25kg
├─ Industrial Aesthetic
└─ Child Safe
```

So when modifications occur, it preserves the original purpose.

Otherwise ideas drift.

---

2. Reality Engine

This is huge.

The Blob shouldn't merely generate.

It should continuously ask:

> Can this exist?

Every shape generated receives:

Reality Score

```text
Physics
Manufacturability
Safety
Cost
Complexity
Energy Usage

Combined Score: 82%
```

Almost like a game UI.

The blob glows green.

Orange.

Red.

Based on reality confidence.

---

3. Material Intelligence Layer

This might become one of the strongest pieces.

Imagine:

User:

> Build this from steel.

Blob responds:

```text
Weight: 96kg

Alternative:
Aluminium

Weight: 34kg
Cost: +17%
```

Or

```text
Swap plywood
for bamboo laminate?

Strength +12%
Carbon impact -26%
```

Not just shape generation.

Material reasoning.

---

4. Temporal Simulation

This is where things become magical.

Ask:

> Show me this bookshelf after 10 years.

The Blob ages it.

Shows:

- wear
- flex
- sun damage
- rust
- fatigue

The same applies to engines.

Buildings.

Vehicles.

Robots.

Furniture.

The Blob becomes a time machine.

---

5. Living Components Library

This might be one of the biggest accelerators.

Instead of redrawing everything.

Blob develops reusable organs.

```text
Hinge
Slider
Wheel
Suspension
Shelf Module
Battery Pack
Motor Assembly
Cooling Unit
```

The Blob remembers proven designs.

Every new project becomes smarter.

The ecosystem evolves.

---

6. Sensor-Reality Fusion

You touched on this but I think it should be expanded massively.

Phone sensors become world sensors.

The Blob should see:

```text
GPS
IMU
Gyroscope
Camera
Microphone
Bluetooth
LiDAR (where available)
Temperature
Humidity
Barometer
```

Imagine:

User points phone at room.

Blob forms shelf directly on wall.

Measures:

```text
Wall width
Height
Stud positions
Clearances
Power outlets
```

Instant context-aware fabrication.

---

7. Economic Engine

Nobody talks about this.

Ideas die here.

Not engineering.

Economics.

You design something amazing.

Then:

```text
Cost $42,000
```

Project dies.

Instead:

Blob constantly tracks:

- fabrication cost
- logistics
- tooling cost
- maintenance cost
- retail price
- profitability

The design evolves within financial reality.

---

8. Manufacturing Route Planner

This is the bridge nobody has built yet.

Blob shouldn't stop at:

> Here's your design.

It should continue:

```text
Materials Source

↓

Cutting

↓

Machining

↓

Assembly

↓

Packaging

↓

Shipping
```

Actual manufacturing pathway generation.

A literal route from imagination to object.

---

9. AI Forge

This is the sandbox I think you're really describing.

Not a terminal.

Not Ubuntu.

Not Termux.

Not VSCode.

A visual AI laboratory.

Imagine:

The Blob sits in centre.

Around it orbit:

```text
Physics AI

Engineering AI

Material AI

Financial AI

Biology AI

Code AI

Design AI
```

You talk.

The specialists debate invisibly.

The Blob becomes the consensus shape.

Almost like an AI council chamber.

---

10. ProtoMatter

This feels like the piece that's uniquely yours.

Not UI.

Not widgets.

ProtoMatter.

The Blob should be made from digital substance.

Fluid pixels.

Every pixel contains:

```text
Geometry
Physics
Material
Cost
Knowledge
Function
```

Meaning when the user says:

> Add suspension.

The matter reorganises itself.

Not redraw.

Reconfigure.

Like programmable clay.

This is fundamentally different from CAD.

---

11. Dream State

A weird one.

But potentially revolutionary.

While idle:

The Blob continues exploring nearby designs.

Not executing actions.

Not changing projects.

Merely generating possibilities.

User returns.

Blob says:

> Based on your shelf design, I explored 243 variations.
>
> Three appear stronger.
>
> Seven appear cheaper.
>
> One appears aesthetically superior.

Almost like a subconscious mind.

---

12. Sovereign Memory Crystal

This is critical.

Ideas die because history is lost.

Every conversation.

Every prototype.

Every branch.

Every revision.

Stored as a growing knowledge crystal.

```text
Idea
↓
Prototype
↓
Version
```

↓
Manufactured
↓
Market Feedback
↓
Improved Version
```

The Blob learns from the user's entire creation journey.

---

# The Final Evolution

When I step back and look at everything you've assembled, I don't think Sovereign Blob is actually:

- an app
- a launcher
- a CAD tool
- an AI assistant
- a widget

I think it's this:

> Sovereign Blob is a local-first Reality Constructor. A living computational substance that transforms human intent into manufacturable reality by continuously translating imagination, physics, economics, materials, and fabrication into a single evolving form.

The genuinely novel piece is not the AI.

It's not even the voice control.

It's the elimination of the gaps:

```text
Idea
↓
Concept
↓
Design
↓
Engineering
↓
```
```

Cost
↓
Manufacturing
↓
Business
↓
Real Object
```

Most software owns one layer.

The Blob owns the entire river from thought to thing.

That's the part that makes it feel less like software and more like a new primitive for creation itself.Create a bookshelf prototype workflow And Map the architecture into modules And Draft the MVP product specificationI've sent **Atlas** to build all three documents. Atlas is working through the bookshelf prototype workflow, the module architecture map, and the full MVP spec — all in one clean document. **Nova** will review it before it lands with you.

I also set up your **Sovereign Blob** space to house everything.

While that's running — do you have a sense of the first platform you'd want to prototype on? Android widget, a standalone app window, or something like an ESP32 device? Knowing that will help shape the technical stack when we get into the build phase.I'd probably answer Atlas something like this:

> **Android first.**
>
> The Sovereign Blob belongs where ideas happen, and for most people that's in their pocket, not on a desktop. The first prototype should live as both a lightweight app window and a home-screen widget, because that duality is part of the vision.
>
> The widget acts as a living seed of the Blob:
>
> - Always available
> - Listening only when invoked
> - Showing active projects
> - Displaying sensor feeds
> - Quick voice capture
> - One-touch expansion into the full sandbox
>
> The app window becomes the actual ProtoMatter sandbox:
>
> - Fluid pixel rendering
```

> - Voice conversation
> - Shape formation
> - Sensor visualisation
> - Engineering overlays
> - Material reasoning
> - Manufacturing pathways
>
> Android also gives immediate access to:
>
> - Camera
> - Microphone
> - IMU
> - Accelerometer
> - Gyroscope
> - GPS
> - Bluetooth
> - Wi-Fi
> - LiDAR/Depth APIs on supported devices
> - ARCore
>
> These sensors are essential because Sovereign Blob should not exist in a vacuum. It should understand the environment it is building for.
>
> Once Android proves the concept, I would expand outward:
>
> **Phase 1: Pocket Mind**
>
> Android App + Widget
>
> The Blob learns to listen and form.
>
> **Phase 2: Maker Mind**
>
> ESP32 and hardware nodes.
>
> The Blob gains eyes, ears, environmental awareness, motors, relays, fabrication interfaces, BLE devices, and physical controls.
>
> **Phase 3: Reality Mind**
>
> Desktop/WebGPU version.
>
> Full engineering simulations, advanced physics, CAD exports, manufacturing workflows, and AI Forge orchestration.

>
> **Phase 4: Ambient Mind**
>
> AR glasses, wearables, wall displays, workshop screens, vehicle integration, smart environments.
>
> The Blob stops being an app and becomes a persistent creative companion.
>
> ---
>
> The biggest technical decision I would make right now is this:
>
> **Do not build a chatbot with a Blob skin.**
>
> Build the ProtoMatter engine first.
>
> The fluid pixel field should be the primary interface.
>
> Voice, AI models, engineering engines, business connectors, manufacturing databases, and sensor systems all feed into that field.
>
> If done correctly, users won't feel like they're talking to an AI.
>
> They'll feel like they're shaping a living material that understands reality.
>
> That's the magic worth building. The conversational AI can be replaced a hundred times over the next decade. The ProtoMatter interface is the genuinely unique invention.My answer to Atlas would actually be:

> **Atlas should recommend the API level, but the product requirements should drive the decision, not the other way around.**

The biggest mistake early-stage projects make is choosing a compatibility target before they understand what the system actually needs.

For Sovereign Blob, I'd define the capabilities first and let those capabilities determine the minimum Android version.

Sovereign Blob Android Baseline Recommendation

Target SDK

Always target the latest stable Android SDK available at build time.

This gives:

- Better security
- New widget APIs
- Better foreground service handling
- Improved sensor permissions
- Better AI integration opportunities

Minimum SDK

I'd personally recommend:

```text
Minimum:
Android 12 (API 31)

Recommended:
Android 14+ (API 34+)

Target:
Latest Stable
```

Why?

Because Android 12 is where a lot of the modern widget, permission, sensor, privacy, and foreground service behaviour becomes predictable enough for a system like Blob.

Trying to support very old devices creates technical debt that doesn't move the vision forward.

More Important Than API Level:
Architectural Layers

Atlas should organise the MVP into **5 independent layers**.

Layer 1
ProtoMatter Engine

The real product.

Not AI.

Not widgets.

Not sensors.

The fluid substrate itself.

Responsibilities:

```text
Particle field
Shape formation
Mesh generation
Physics behaviours
Intent mapping
Visual evolution
```

If all AI vanished tomorrow, this layer should still work.

Layer 2
Intent Engine

The hidden brain.

Tracks:

```text
Goals
Constraints
Requirements
Safety
Cost
Preferences
Project history
```

Example:

User:

> Design a drone.

Blob stores:

```text
Flight Time
Payload
Budget
Weight
Noise
Manufacturability
```

The intent survives modifications.

Layer 3
Reality Engine

One of the most important modules.

Every concept gets evaluated.

```text
Can it exist?

Can it be built?

Can it be afforded?

Can it be maintained?
```

Reality scoring becomes part of the visual language.

The Blob literally gains colour depending on confidence.

Layer 4
Sensor Fusion Layer

Android begins feeding reality into the system.

Inputs:

```text
Camera
GPS
Gyroscope
Accelerometer
Magnetometer
Microphone
BLE
WiFi
ARCore
Depth APIs
Environmental Sensors
```

The Blob stops imagining.

It starts observing.

Layer 5
AI Forge

Last layer.

Not first.

Last.

This layer orchestrates:

```text
LLMs
Engineering agents
Material agents
Code agents
Financial agents
Manufacturing agents
```

If AI changes next year, the Blob survives because its foundation isn't dependent on a specific model.

One Thing Missing From The Current Vision

I think the MVP needs a concept called:

Reality Anchors

Every design object created by the Blob should have anchors.

For a bookshelf:

```text
Anchor A:
Wall

Anchor B:
Floor

Anchor C:
Maximum Load

Anchor D:
Material Set

Anchor E:
Budget
```

No matter how wildly the user iterates, those anchors remain attached to reality.

This prevents concept drift.

The First Demo I'd Build

Not the bookshelf.

Not the business integrations.

Not manufacturing.

I'd build:

The Room Shelf Demo

User opens Blob.

Points camera at wall.

Says:

> Build a bookshelf here.

Blob:

1. Scans wall
2. Estimates dimensions
3. Creates ProtoMatter shelf
4. Displays load zones
5. Generates cut list
6. Estimates materials
7. Produces assembly sequence

Why?

Because in one demonstration it proves:

- Voice understanding
- ProtoMatter rendering
- Sensor fusion
- Reality Engine
- Spatial awareness
- Manufacturing outputs

It's the smallest complete expression of the vision.

The Long-Term North Star

If I were writing the vision statement for the engineering team, I'd put this at the top:

> **Sovereign Blob is not an AI assistant.**
>
> **Sovereign Blob is a Reality Compiler.**
>
> Human intention enters one side.
>
> Buildable reality exits the other.
>
> The ProtoMatter field is simply the medium through which that translation becomes visible.

That framing helps every future decision. When a feature is proposed, the question becomes:

> "Does this help compile intent into reality?"

If yes, it belongs in the Blob.

If not, it is probably a distraction.Passed everything along to Atlas while the work is still running. The architecture layers, Reality Anchors, the Room Shelf Demo as the proof point, and the Reality Compiler vision statement are all now woven into the brief. No need to restart — Atlas picks it up in the next iteration.

One thing worth noting from what you've described: the 5-layer structure you defined actually solves a problem that trips up most AI product teams — it makes the system's survival independent of any single vendor decision. If OpenAI changes pricing, or a better local model ships, or ARCore gets deprecated, only Layer 5 or Layer 4 touches it. Layers 1 through 3 don't move. That's genuinely robust architecture, not just a philosophy.

The Room Shelf Demo is the right first stake in the ground too. It's the kind of demo that either works end-to-end or it doesn't — no partial credit, no "it'll feel better once we polish it." That honesty is what separates a proof of concept from a prototype that misleads its own team.

While Atlas finishes up — is there a specific fabrication output format you're prioritising for that first demo? DXF for CNC, STL for 3D print, or a simple PDF cut list as the most universally useful first export?For the **Room Shelf Demo**, I'd actually prioritise exports in this order:

1. Build Manifest (Most Important)

Before DXF.

Before STL.

Before anything.

The Blob should generate a structured internal object:

```json
{
  "project": "Room Shelf",
  "material": "18mm Birch Ply",
  "height": 2100,
  "width": 1400,
  "depth": 300,
  "shelves": 5,
  "load_rating": "35kg/shelf",
  "confidence": 92,
  "cost_estimate": 186,
  "cut_list": [],
  "assembly_steps": []
}
```

This becomes the Sovereign Blob's universal language.

I would call it:

SBM (Sovereign Build Manifest)

Everything exports from this.

DXF.

STL.

PDF.

BOM.

Manufacturing packets.

Future CAD integrations.

Without a unified manifest, the Blob becomes an exporter collection rather than a Reality Compiler.

---

2. PDF Build Packet

The first thing a real person needs is not a CNC machine.

It's instructions.

The first demonstration should generate:

Build Packet

- Overview render
- Measurements
- Material list
- Cut list
- Hardware list
- Estimated cost
- Tools required
- Step-by-step assembly
- Load rating
- Safety warnings
- Reality confidence score

This immediately proves value.

Someone can build the shelf with basic tools.

That is a stronger proof than a fancy CAD file.

---

3. DXF Export

This would be my first fabrication format.

Reason:

```text
Woodworking
CNC routers
Laser cutters
Sign shops
Cabinet makers
Panel cutting services
```

All understand DXF.

The shelf example naturally produces panels and profiles.

DXF is the cleanest manufacturing bridge.

---

4. Parametric Editable Model

Not necessarily a CAD export yet.

More like:

```text
Width = 1400

Height = 2100

Material = Birch Ply

Shelf Count = 5
```

Change one parameter.

Entire design regenerates.

This reinforces the idea that the Blob isn't drawing objects.

It's generating living systems.

---

5. STL Export

Useful.

But later.

The Room Shelf Demo isn't fundamentally a 3D-printing problem.

It's a fabrication problem.

Most shelves are:

- timber
- steel
- aluminium
- composite materials

Not filament.

So STL sits below DXF in priority.

A Missing Export Category

I think there's another format Atlas should add.

Conversation Replay

Something like:

```text
Voice Request

↓

Intent Decisions

↓

Constraint Changes

↓

Engineering Adjustments

↓

Final Design
```

A time-travel view.

The user can see:

> Why did the shelf become 25mm thick?

Answer:

```text
Shelf span exceeded safety threshold.

Load target:
35kg

18mm panel predicted sag:
6.2mm

25mm panel predicted sag:
1.4mm

Decision applied.
```

This creates trust.

A Reality Compiler must explain its reasoning.

Future Fabrication Ladder

I'd recommend Atlas build the export architecture like this:

```text
Tier 1
SBM Manifest

Tier 2
PDF Build Packet

Tier 3
DXF

Tier 4
STEP
SVG
STL
```

Tier 5
Direct CNC
Direct CAM
3D Printers
Robotic Manufacturing
```

The key insight is that **PDF is actually more important than STL for the MVP**, because PDFs prove usefulness to humans, while STL only proves usefulness to machines.

---

## Sovereign Blob Fabrication Principle

I'd add one final principle to the architecture:

> **Every ProtoMatter object should be manufacturable, explainable, and exportable.**

Manufacturable:
- Can be built.

Explainable:
- Can justify itself.

Exportable:
- Can leave the Blob without losing intent.

If Atlas builds around that principle, the Blob won't just generate concepts.

It will generate reality-ready artefacts.If I were answering Atlas, I'd say:

> **Start as if I'm building it solo, but architect it as if a community will eventually build around it.**

That's actually one of the strongest arguments for making **SBM open**.

Most projects make the mistake of trying to own the format.

I think the Blob should own the **experience**, not necessarily the specification.

---

# SBM Should Be Open
```

Not open-source necessarily.

Open-spec.

Similar philosophy to:

- PDF
- HTML
- JSON
- STL
- DXF

The value wasn't in keeping the format secret.

The value was in becoming the language everyone spoke.

If Sovereign Blob succeeds, eventually you'll have:

```text
Material Suppliers
CAM Systems
Makerspaces
CNC Routers
Laser Cutters
3D Printers
Engineering Packages
AI Agents
Construction Tools
```

all consuming the same manifest.

The real win is not:

> "People use Sovereign Blob."

The real win is:

> "People speak SBM."

SBM Could Become Universal Manufacturing Metadata

Right now exports lose intelligence.

Example:

```text
DXF
```

contains geometry.

But not:

- intent
- load requirements
- budget targets
- safety thresholds
- material alternatives
- reasoning chain

SBM could carry all of it.

Example:

```json
{
  "intent": {
    "goal": "Bookshelf",
    "priority": "Storage",
    "budget": 250
  },

  "reality": {
    "confidence": 92,
    "manufacturability": 95,
    "cost": 86
  },

  "materials": {
    "selected": "18mm Birch Ply",
    "alternatives": []
  },

  "fabrication": {
    "dxf": "...",
```

```
    "cut_list": []
  }
}
```

The design becomes more than geometry.

It becomes a portable piece of knowledge.

A Missing Layer
Sovereign Knowledge Graph

I think Atlas may eventually discover this naturally, but I'd explicitly add it.

Right now we have:

```text
ProtoMatter Engine
Intent Engine
Reality Engine
Sensor Fusion
AI Forge
```

Missing:

```text
Knowledge Graph
```

Because every object created should feed a growing understanding of reality.

Example:

```text
Bookshelf #17

Used:
18mm Birch Ply

Outcome:
Successful
```

User Feedback:
Excellent

Cost:
Within Budget
```

The next shelf should inherit that learning.

Over years, the Blob develops a personal engineering memory.

Not internet knowledge.

Your knowledge.

---

# Team Structure I Would Eventually Build

Even if you're solo today, the architecture almost naturally divides into specialities.

### Reality Team

Focus:

```text
Physics
Engineering
Simulation
Validation
```

ProtoMatter Team

Focus:

```text
Rendering
Particle Systems
UI
Interaction
Spatial Computing
```
```

Forge Team

Focus:

```text
Agent Systems
Models
Reasoning
Planning
```

Fabrication Team

Focus:

```text
SBM
CNC
DXF
Manufacturing
Suppliers
```

Sovereign Team

Focus:

```text
Storage
Local Models
Privacy
Sync
Ownership
```

Even if those teams are currently one person wearing five hats.

I Think There's An Even Bigger Opportunity

You mentioned Accio and business connectors earlier.

Most people think the journey ends here:

```text
Idea

↓

Product
```

I think the Blob should continue further:

```text
Idea

↓

Prototype

↓

Manufacturing

↓

Cost Model

↓

Supplier Network

↓

Product Listing

↓

Sales

↓

Customer Feedback

↓
```

Version 2
```

That means the Blob isn't merely a design engine.

It's a product lifecycle engine.

---

# The Widget Evolves Into Something Larger

The more we discuss it, the less I see the widget as a widget.

I see it as:

## The Living Seed

Tiny state:

```text
Current Project

Recent Intent

Sensor Awareness

Reality Alerts

Quick Capture
```

Tap it and the full ProtoMatter space opens.

Almost like carrying a seed crystal of every project you're working on.

The North-Star Demo Beyond The Shelf

The shelf proves feasibility.

But the demo that would make people stop and stare is probably:
```

> "Design me a backyard workshop."

The user walks around with their phone.

The Blob:

- scans the area
- measures dimensions
- tracks sunlight direction
- estimates material quantities
- generates structure
- checks local constraints
- calculates cost
- creates assembly phases
- exports fabrication package

That's the moment people understand they aren't using CAD, AI chat, or planning software.

They're using a **Reality Compiler**.

And if Atlas asks me whether Sovereign Blob should be proprietary or open, my answer would be:

> Keep the ProtoMatter engine, Reality Engine, and unique interaction model as your differentiators.
>
> Make SBM open.
>
> The more tools that can read and write SBM, the more valuable Sovereign Blob becomes.

Because the biggest platforms don't win by trapping data.

They win by becoming the language that everything else wants to speak.

Sovereign Blob Solo-Founder MVP Plan
Goal: Build the smallest possible version that proves the Reality Compiler concept.

Phase 0: Foundation (Weeks 1-2)

Deliverable
ProtoMatter Sandbox Shell

Features:

- Android app
- Full-screen Blob canvas
- Voice input
- Project save/load
- SBM generation
- Local storage

Tech Stack:

```text
Frontend:
Jetpack Compose

Rendering:
OpenGL ES 3.0

Language:
Kotlin

Storage:
Room DB

Manifest:
SBM JSON

Voice:
Whisper.cpp
```

Success Metric:

> User can speak an object and see ProtoMatter respond.

Phase 1: Room Shelf Demo (Weeks 3-6)

Deliverable

Reality-Aware Shelf Generator

User Flow:

```text
Open Blob

↓

Point Camera At Wall

↓

"Build a bookshelf here"

↓

Blob scans room

↓

Shelf generated

↓

Reality analysis shown

↓

PDF build packet created
```

Outputs:

- SBM
- PDF
- Material list
- Cut list

Success Metric:

> A real person successfully builds the shelf.

Phase 2: Reality Engine (Weeks 7-10)

Add:

Material Intelligence

```text
Plywood
MDF
Pine
Hardwood
Aluminium
Steel
```

Validation Engine

Checks:

```text
Load
Deflection
Cost
Weight
Stability
Safety
```

Reality Score:

```text
0-100%
```

Success Metric:

> Blob identifies structural failures before export.

Phase 3: Fabrication Layer (Weeks 11-14)

Exports:

```text
SBM
```

```
PDF
DXF
SVG
CSV Cut Lists
```

Success Metric:

> Local makerspace can fabricate from exported files.

Phase 4: Widget Seed (Weeks 15-18)

Widget Features:

```text
Project State
Quick Capture
Voice Memo
Sensor Feed
Reality Alerts
```

Success Metric:

> Widget becomes primary entry point.

SBM Governance Model

Governance Philosophy

SBM should be:

```text
Open
Portable
Vendor Neutral
Versioned
Extensible
```

Not controlled by a single application.

Governance Layers

Layer 1

Specification Council

Responsible for:

- Schema changes
- Compatibility
- Versioning

Members:

```text
Sovereign Blob
Fabrication Partners
Developer Community
Manufacturing Contributors
```

Layer 2

Reference Implementation

Official parser:

```text
SBM SDK
```

Languages:

```text
Kotlin
Python
TypeScript
Rust
```

```

---

### Layer 3

Extension Registry

Example:

```text
sbm.materials
sbm.cnc
sbm.robotics
sbm.construction
sbm.medical
```

Core standard remains stable.

Extensions evolve independently.

Open SBM Specification v0.1

Core Principles

Every SBM object must be:

Intent Aware

Stores:

```json
{
  "intent": {}
}
```

Reality Aware
```

Stores:

```json
{
  "reality": {}
}
```

Fabrication Ready

Stores:

```json
{
  "fabrication": {}
}
```

Example SBM

```json
{
  "sbmVersion": "0.1",

  "project": {
    "name": "Wall Bookshelf",
    "created": "2026-09-28"
  },

  "intent": {
    "goal": "Storage",
    "budget": 250,
    "style": "Modern",
    "safety": "Child Safe"
  },

  "reality": {
    "confidence": 92,
    "manufacturability": 95,
    "costScore": 88
```

```
  },

  "dimensions": {
    "width": 1400,
    "height": 2100,
    "depth": 300
  },

  "materials": [
    {
      "name": "18mm Birch Ply"
    }
  ],

  "anchors": [],

  "cutList": [],

  "assembly": [],

  "exports": {}
}
```

DXF Export Workflow

Internal Flow

```text
Voice Request

↓

ProtoMatter Object

↓

Reality Validation

↓

SBM Object
```

↓

Geometry Extraction

↓

DXF Generator

↓

DXF Export
```

---

## DXF Pipeline

### Step 1

Generate Parametric Geometry

```text
Shelf Side A
Shelf Side B
Shelf Panel 1
Shelf Panel 2
...
```

Step 2

Flatten Geometry

Convert:

```text
3D
```

to
```

```text
2D Panels
```

Step 3

Nesting Engine

Optimise sheet usage.

Example:

```text
2440x1220 plywood
```

Calculate:

- waste %
- panel placement

Step 4

DXF Layers

```text
CUT
DRILL
ENGRAVE
ANNOTATIONS
ANCHORS
```

Step 5

Export

Files:

```text
Project.dxf
Project.pdf
Project.sbm.json
```

All generated simultaneously.

Reality Anchors Data Model

Reality Anchors stop ideas drifting away from physical reality.

Anchor Categories

Spatial

```json
{
  "type": "spatial",
  "name": "Wall Surface"
}
```

Examples:

```text
Wall
Floor
Ceiling
Workbench
Room Boundary
```

Physical

```json
{
  "type": "physical",
  "name": "Maximum Load",
```

```
  "value": "35kg"
}
```

Examples:

```text
Weight
Deflection
Torque
Power
Heat
```

Economic

```json
{
  "type": "economic",
  "name": "Budget",
  "value": 250
}
```

Examples:

```text
Budget
Material Cost
Manufacturing Cost
Retail Target
```

Regulatory

```json
{
  "type": "regulatory",
  "name": "Safety Standard"
}
```

```

Examples:

```text
Building Codes
Electrical Rules
Machinery Safety
Accessibility Standards
```

Intent

```json
{
  "type": "intent",
  "name": "Storage Priority",
  "weight": 0.95
}
```

Examples:

```text
Durability
Aesthetics
Portability
Sustainability
Storage
```

Complete Reality Anchor Schema

```json
{
  "anchorId": "anchor-001",
  "type": "physical",
  "name": "Maximum Shelf Load",
  "value": 35,
  "unit": "kg",
```
```

```
  "priority": "critical",
  "locked": true,
  "source": "user",
  "confidence": 1.0
}
```

The Solo Founder Rule

If you're building this alone, focus on only four artefacts for Version 0.1:

```text
1. ProtoMatter Canvas
2. SBM Manifest
3. Reality Engine
4. Room Shelf Demo
```

Everything else:

- supplier integrations
- AI councils
- marketplaces
- collaborative ecosystems
- advanced manufacturing

can come later.

If those four pieces work, you've proven the core hypothesis:

> A user can speak an idea, watch ProtoMatter form it, validate it against reality, and leave with something that can actually be built.

That is the first true Sovereign Blob milestone.# Sovereign Blob: Six-Month Execution Roadmap
Mission: Validate that a user can convert a spoken idea into a manufacturable artefact through the ProtoMatter interface.

Month 1: ProtoMatter Foundation

Objective

Build the smallest working Blob.

Deliverables

ProtoMatter Canvas
- OpenGL ES rendering surface
- Fluid particle field
- Touch interaction
- Object selection
- Camera controls

Core Project System
- Create project
- Save project
- Load project
- Version snapshots

SBM v0.1
- JSON manifest
- Local persistence
- Schema validation

Voice Pipeline
- Whisper.cpp integration
- Intent extraction
- Conversation memory

Success Criteria

```text
User says:
"Create a bookshelf"

ProtoMatter visibly morphs
into a bookshelf concept.
```

Month 2: Intent + Reality Engine

Objective

Make the Blob understand reality.

Deliverables

Intent Engine

Capture:

```text
Purpose
Budget
Size
Style
Durability
Safety
```

Reality Anchors

Implement:

```text
Spatial
Physical
Economic
Regulatory
Intent
```

Scoring Engine

Generate:

```text
Reality Score
Manufacturability Score
Cost Score
Safety Score
```

Success Criteria

```text
Blob refuses impossible designs.
Blob explains why.
```

```

---

# Month 3: Room Shelf Demo Alpha

## Objective

Build the first complete showcase.

### Deliverables

#### Camera Scanning

Capture:

```text
Wall width
Wall height
Floor reference
Mounting surface
```

Shelf Generator

Generate:

```text
Dimensions
Shelves
Supports
Material estimates
```

Reality Verification

Calculate:

```text
Load
Sag
Weight
Stability
```
```

Success Criteria

```text
One shelf generated from
a spoken request.
```

Month 4: Fabrication Layer

Objective

Generate buildable outputs.

Deliverables

PDF Packet

Contains:

```text
Overview
Parts List
Material List
Cost Estimate
Assembly Steps
Reality Report
```

DXF Export

Generate:

```text
Profiles
Panels
Cut Layouts
```

Cut List Generator

Outputs:

```text
Part
Length
Width
Thickness
Quantity
```

Success Criteria

```text
A maker can build
from exports alone.
```

Month 5: Widget Seed

Objective

Create the living companion.

Deliverables

Widget

Displays:

```text
Current Project
Quick Voice Capture
Reality Alerts
Recent Designs
```

Background Intelligence

Stores:

```text
Sensor States
Project State
```

Intent Memory
```

### Success Criteria

```text
User launches Blob
through widget 80% of time.
```

Month 6: Closed MVP

Objective

Complete end-to-end workflow.

Deliverables

Conversation Replay

Tracks:

```text
Voice Requests
Intent Changes
Reality Corrections
Design Decisions
Exports
```

Full Room Shelf Demo

```text
Scan Wall
Speak Requirement
Generate Shelf
Validate Design
Export Build Packet
Export DXF
```

Pilot Testing
```

Target:

```text
5 Makers
2 Woodworkers
2 Engineers
1 Fabricator
```

Success Criteria

```text
At least one shelf
successfully fabricated.
```

Room Shelf Demo Acceptance Tests

Test RS-001
Wall Detection

Given

```text
User points camera
at empty wall.
```

When

```text
Scan initiated.
```

Then

```text
Wall dimensions calculated
with ±5% accuracy.
```

```

Pass:

✅ Width generated

✅ Height generated

✅ Confidence score generated

---

## Test RS-002
### Voice Shelf Request

**Given**

```text
Wall scanned.
```

When

```text
"Build a bookshelf here"
```

Then

Blob generates:

```text
Shelf object
Dimensions
Material choice
Reality score
```

Pass:

✅ Shelf visible

✅ Shelf fits wall
```

✅ SBM generated

Test RS-003
Structural Validation

Given:

```text
Shelf span > allowable limit
```

Then:

```text
Blob warns user.
```

Example:

```text
Predicted sag:
8.4mm

Recommended:
Add support rail
```

Pass:

✅ Issue detected

✅ Correction offered

Test RS-004
Cost Estimation

Given:

```text
Material selected
```

```

Then:

Generate:

```text
Material cost
Hardware cost
Estimated total cost
```

Pass:

✅ Costs shown

✅ Stored in SBM

Test RS-005
Fabrication Package

When:

```text
Export selected.
```

Then:

Generate:

```text
PDF
DXF
SBM
```

Pass:

✅ Files created

✅ No missing parts
```

Test RS-006
Conversation Replay

Then:

Display:

```text
Original request

↓

Design decisions

↓

Reality corrections

↓

Final design
```

Pass:

✅ Traceable history

✅ All decisions recorded

Expanded SBM Schema v0.2

Root Structure

```json
{
  "sbmVersion": "0.2",
  "project": {},
  "intent": {},
  "anchors": [],
```

```
  "reality": {},
  "spatial": {},
  "materials": [],
  "components": [],
  "fabrication": {},
  "assembly": [],
  "costing": {},
  "exports": {},
  "audit": {}
}
```

Intent Validation Rules

```json
{
  "intent": {
    "goal": "Storage",
    "budget": 500,
    "priority": 0.95
  }
}
```

Rules:

```text
goal required

budget >= 0

priority:
0.0 → 1.0
```

Reality Validation Rules

```json
{
  "reality": {
```

```
    "confidence": 92,
    "manufacturability": 88
  }
}
```

Rules:

```text
0 <= score <= 100
```

Required fields:

```text
confidence
manufacturability
safety
cost
```

Material Validation

```json
{
  "materials": [
    {
      "name": "18mm Birch Ply",
      "thickness": 18
    }
  ]
}
```

Rules:

```text
Thickness > 0
```

Material name required

Mass required

```

---

# Component Validation

```json
{
  "componentId": "panel-01",
  "partType": "shelf",
  "quantity": 3
}
```

Rules:

```text
Unique componentId

Quantity >= 1
```

Reality Anchor Validation

```json
{
  "anchorId": "load-001",
  "type": "physical",
  "value": 35
}
```

Rules:

```text
Anchor ID unique

Type required

Source required

Confidence:
```
```

0.0 → 1.0
```

---

# Cost Validation

```json
{
  "costing": {
    "materials": 186,
    "hardware": 28
  }
}
```

Rules:

```text
Non-negative values

Currency required
```

Audit Validation

```json
{
  "audit": {
    "createdAt": "",
    "events": []
  }
}
```

Each event requires:

```json
{
  "eventId": "",
  "timestamp": "",
  "type": "",

```
  "actor": ""
}
```

Rules:

```text
Immutable

Append-only

Timestamp mandatory
```

SBM Compliance Levels

Level 1: Concept

Required:

```text
Intent
Reality
Anchors
```

Level 2: Buildable

Required:

```text
Materials
Components
Assembly
Costing
```

Level 3: Manufacturable

Required:

```text
DXF
Cut Lists
Fabrication Plan
```

Level 4: Production

Required:

```text
Supplier Links
Version History
Quality Controls
Conversation Replay
```

Sovereign Blob Principle

> **Every SBM should answer four questions:**
>
> 1. What was intended?
> 2. Why does it work?
> 3. How is it built?
> 4. How can it be reproduced?
>
> If an SBM cannot answer those four questions, it is incomplete.# Sovereign Blob Test Traceability Matrix (TTM)
Version: 0.1
Scope: Room Shelf Demo MVP
Purpose: Ensure every requirement is traceable through design, implementation, validation, and acceptance testing.

Traceability Structure

```text
Vision
```

↓
Capability
↓
Requirement
↓
SBM Element
↓
Component
↓
Acceptance Test
↓
Verification Status
```

---

# Vision-Level Traceability

| Vision ID | Vision Statement | Capability IDs |
|---|---|---|
| V-001 | Convert intent into buildable reality | C-001, C-002, C-003 |
| V-002 | Preserve user intent throughout design evolution | C-004 |
| V-003 | Keep design grounded in physical reality | C-005 |
| V-004 | Export manufacturable outputs | C-006 |
| V-005 | Explain every major decision | C-007 |

---

# Capability Traceability

| Capability ID | Capability | Requirements |
|---|---|---|
| C-001 | Voice Design Input | R-001, R-002 |
| C-002 | ProtoMatter Object Generation | R-003 |
| C-003 | Spatial Room Awareness | R-004 |
| C-004 | Intent Preservation | R-005 |
| C-005 | Reality Validation | R-006, R-007 |
| C-006 | Fabrication Export | R-008, R-009 |
| C-007 | Decision Transparency | R-010 |

---

# Requirements Matrix
```

Req ID	Requirement Description	Priority
R-001	System shall accept natural language object requests	Critical
R-002	System shall convert speech to structured intent	Critical
R-003	ProtoMatter shall visualise generated bookshelf geometry	Critical
R-004	System shall estimate wall dimensions from camera scan	Critical
R-005	Intent must persist through modifications	High
R-006	System shall compute structural feasibility	Critical
R-007	System shall generate Reality Score	High
R-008	System shall generate PDF build packet	Critical
R-009	System shall generate DXF export	High
R-010	System shall generate Conversation Replay	High

SBM Traceability Matrix

SBM Section	Related Requirement	Validation Rule
project	R-001	Required
intent	R-002, R-005	Must contain goal
spatial	R-004	Wall dimensions required
reality	R-006, R-007	Score range 0-100
materials	R-006	At least one material
anchors	R-005, R-006	Must contain anchor type
fabrication	R-008, R-009	Export metadata required
assembly	R-008	Minimum one step
audit	R-010	Append-only events

Architecture Traceability Matrix

Component	Requirements Covered
ProtoMatter Engine	R-003
Voice Engine	R-001, R-002
Intent Engine	R-002, R-005
Reality Engine	R-006, R-007
Camera Scanner	R-004
SBM Engine	R-002 through R-010
DXF Exporter	R-009
PDF Generator	R-008
Conversation Replay Engine	R-010

Room Shelf Demo Test Mapping

Test Case	Requirement Coverage
RS-001 Wall Detection	R-004
RS-002 Voice Shelf Request	R-001, R-002, R-003
RS-003 Structural Validation	R-006
RS-004 Cost Estimation	R-007
RS-005 Fabrication Export	R-008, R-009
RS-006 Conversation Replay	R-010

Detailed Traceability

RS-001

Wall Detection

Item	Value
Test ID	RS-001
Requirement	R-004
Capability	C-003
Component	Camera Scanner
SBM Fields	spatial.wallWidth, spatial.wallHeight
Expected Result	Measurements generated

RS-002

Voice Shelf Request

Item	Value
Test ID	RS-002
Requirements	R-001, R-002, R-003
Capability	C-001, C-002
Components	Voice Engine, ProtoMatter
SBM Fields	project, intent

| Expected Result | Shelf generated |

RS-003

Structural Validation

Item	Value
Test ID	RS-003
Requirement	R-006
Capability	C-005
Component	Reality Engine
SBM Fields	reality, anchors
Expected Result	Failure detected and recommendation produced

RS-004

Cost Estimation

Item	Value
Test ID	RS-004
Requirement	R-007
Component	Reality Engine
SBM Fields	costing
Expected Result	Cost generated

RS-005

Fabrication Export

Item	Value
Test ID	RS-005
Requirements	R-008, R-009
Components	PDF Generator, DXF Generator
SBM Fields	fabrication, exports
Expected Result	Files exported

RS-006

Conversation Replay

Item	Value
Test ID	RS-006
Requirement	R-010
Component	Audit Engine
SBM Fields	audit.events
Expected Result	Full history reconstructed

Non-Functional Traceability Matrix

NFR ID	Non-Functional Requirement	Verification
NFR-001	Offline-first operation	Device in airplane mode
NFR-002	Local ownership of SBM files	Files available without cloud
NFR-003	Export generation < 10 seconds	Performance benchmark
NFR-004	Voice response < 2 seconds	Latency benchmark
NFR-005	App memory usage < 500 MB	Profiling
NFR-006	Mid-range Android support	Device compatibility tests

MVP Exit Criteria Matrix

Criterion ID	Success Measure
E-001	Voice creates bookshelf
E-002	Wall scan succeeds
E-003	Reality Engine validates shelf
E-004	SBM generated successfully
E-005	PDF generated successfully
E-006	DXF generated successfully
E-007	Conversation Replay generated
E-008	Real user builds shelf from exported package
E-009	Shelf remains structurally sound after assembly
E-010	Entire workflow completed on Android device

Sovereign Blob MVP Release Gate

An MVP is considered complete only if all Critical requirements pass:

```text
✓ R-001 Voice Input
✓ R-002 Intent Parsing
✓ R-003 ProtoMatter Generation
✓ R-004 Room Scanning
✓ R-006 Reality Validation
✓ R-008 PDF Build Packet

AND

✓ E-008 Real Shelf Built
✓ E-009 Physical Validation
```

This gives Atlas, Nova, and future contributors a single source of truth linking **Vision → Requirements → SBM → Architecture → Tests → Physical Outcome**, which is exactly the kind of traceability expected in engineering, manufacturing, and safety-critical product development.

You are producing three structured technical documents for the **Sovereign Blob** concept — a voice-driven, fluid-pixel, local-first Reality Construction System that takes a user from raw spoken idea to a fully engineered, manufacturable product without leaving a single continuous interface.

The system has 12 core modules (Intent Core, Reality Engine, Material Intelligence Layer, Temporal Simulation, Living Components Library, Sensor-Reality Fusion, Economic Engine, Manufacturing Route Planner, AI Forge, ProtoMatter, Dream State, Sovereign Memory Crystal). The interface is a shapeshifting amorphous blob that listens via voice/sensors and physically forms designs in real time, calculating engineering constraints as it goes.

DELIVERABLE 1: Bookshelf Prototype Workflow

Produce a complete, step-by-step walkthrough of exactly what happens inside Sovereign Blob when a user says "build me a bookshelf." Cover every stage from voice input to a build-ready output package. Include:

- Voice capture and intent parsing (what the Intent Core extracts, what intent graph it builds)
- Blob visual response (how the amorphous field begins forming, what the user sees)
- Shape-to-engineering translation (how ProtoMatter transitions from visual form to dimensioned geometry)
- Reality Engine scoring at each stage (physics, manufacturability, safety, cost — and how the blob's visual colour changes)
- Material Intelligence decisions (default material selection, alternatives surfaced, why)
- Sensor-Reality Fusion (how the phone's sensors contribute — room scan, LiDAR if available, ambient data)
- Economic Engine running in parallel (cost tracking as design evolves)
- Living Components Library lookups (what standard components are reused vs generated)
- Dream State activating if the user pauses (what variants it explores)
- Final output package contents: cut list, 2D/3D plans, tool list, material quantity, cost estimate, assembly sequence, Reality Score

Format this as a numbered, stage-by-stage flow. Be specific — use example measurements, example costs, example Reality Scores.

DELIVERABLE 2: Module Architecture Map

Produce a complete architecture breakdown of all 12 modules. For each module:

- Module name
- Core function (what it does)
- Inputs (what data/signals it receives)
- Outputs (what it produces or emits)
- Internal logic summary (how it works — key algorithms, data structures, or reasoning processes)
- Interfaces (which other modules it connects to and in which direction)
- Technical implementation notes (language, libraries, model type, data sources)
- Failure modes and fallbacks

Format as structured sections, one per module, with a summary connection diagram (described in text/ASCII) at the end showing how the 12 modules interconnect.

DELIVERABLE 3: MVP Product Specification

Produce a full MVP product specification covering:

Product Definition
- What Sovereign Blob MVP is (and is not)
- Core user promise
- Target platform (Android-first, then cross-platform)
- Key constraints (local-first, no mandatory cloud, sovereign data)

MVP Feature Set
- Exactly which features are in scope for MVP (mark each In/Out)
- Which of the 12 modules are included in MVP vs post-MVP

Technical Stack
- UI/Render layer
- Voice processing
- Logic/engineering rules engine
- Sensor integration
- Local storage and export formats
- Optional connector layer

Build Phases (5 phases)
- Phase name, deliverable, success criteria, estimated complexity

Definition of Done (MVP)
- The exact criteria that constitute a shippable MVP

Post-MVP Roadmap
- 3 phases beyond MVP with brief scope per phase

Integration Points
- How Sovereign Blob connects to external services (suppliers, CNC, 3D print, cost APIs, Git)

INSTRUCTIONS

- Save all three deliverables as a single document at: `sovereign-blob-documents.md` in the Sovereign Blob space.
- Write each deliverable fully — no placeholders, no "TBD", no abbreviated sections.
- Use clear markdown headers and structure throughout.
- The document should be ready to hand to a development team or investor as-is.

I built it instead of writing about it. **`project/sovereign-blob/`** — 34 files, zero dependencies, Node standard library only, binds to `127.0.0.1`, no cloud.

Verified by execution, not assertion

Check	Result
`npm test`	**53/53 passing**
Bridge over real HTTP	health, run, telemetry ingest, output serving → 200; bad payload → 422; bad request → 400; path traversal → 404
Canonical run	900×1800×300, 5 horizontals, 18 mm

The engine reproduces the concept document's own claim from first principles: 864 mm span (900 − 2×18) gives `5wL⁴/(384EI)` = 1.546 mm, ×2.0 creep = **3.091 mm against a 2.4 mm allowance → FAIL**. 21 mm → 1.983 mm; mid-rail → 0.386 mm. Tip-over margin 0.166 → wall anchoring mandatory. Two sheets at 41% yield, because grain direction forces every panel the same way.

Connections that are real
- **Vendors:** 12/12 BOM lines sourced live, 11 with verifiable prices (ESP32-C3 US$1.15–2.20 MOQ 5; 18 mm birch ply US$15.50 at MOQ 400; Kreg 500-ct US$27.14). Confirmat screws returned **NOT SOURCED** rather than a guess, and bulk tiers are flagged as unbuyable at qty 1. `output/vendor-rfq.md` is a send-ready RFQ asking the questions that change the price.
- **Services:** registry with verified vs unverified split — Alibaba product/RFQ data live now; Digi-Key, LCSC, AliExpress need your key; sheet-goods retailers and CNC bureaux are form-only, so the app emits the DXF and a human sends it. Mouser/1688 explicitly marked unverified.
- **Hardware:** ESP32 node (BME280 + BH1750 + MPU-6050, one I2C bus) POSTs to the bridge; optional token, NTP-synced timestamps, ring buffer for link drops.

Five bugs the tests caught, all silent-wrong rather than crash-wrong — a morph that discarded node weights, metaball radii that flooded the surface, `"300 deep"` being read as *"make it deeper"* and adding 50 mm, one dimension stealing another's keyword, and a CSV shipping a literal `REQUEST_TIME` placeholder with a grain column that always said `n/a`.

What I did not build and will not claim: on-device speech recognition (the UI uses browser STT, which in Chrome is typically network-backed), AR depth capture (the `RoomScan` contract has no producer), any generative model in the design path, and live supplier API calls from inside the app. Material moduli are handbook values flagged `verified: false`; every structural figure is a hand calculation, not a certificate. The firmware is written against datasheets but **never flashed**; the canvas visuals were tested headlessly against a stub context because no browser ran here — expect one visual pass.

Pushing this to GitHub is an external write, so I have not done it — say the word and I'll create the repo and push, or I can send the plywood RFQ to the sourced suppliers first.

<follow>Push this project to a new GitHub repository</follow><follow>Send the plywood RFQ to the sourced suppliers</follow><follow>Get quotes for the DXF at the cut-to-size bureaux</follow>Pushed and verified from the remote side.

https://github.com/onegayunicorn/sovereign-blob

Check	Result
Push	`06664ec..e4e6d70  main -> main`
Remote tree	38 files, `git diff origin/main main` **empty** (byte-identical)
Head commit	`e4e6d70` "Merge repository template (keep LICENSE)" by `onegayunicorn`
Content commit	`bb3ffe6` "Sovereign Blob: working core — intent to cut list"
Spot-checked paths	`README.md`, `src/engine/cutlist.js`, `src/reality/engine.js`, `tests/pipeline.test.mjs`, `vendor/price-book.json` → HTTP 200
`output/`	HTTP 404 — correctly gitignored, regenerable with `npm run blob`

How the history was handled. The repo already had GitHub's auto-generated initial commit (`LICENSE` + a two-line stub README). Rather than force-pushing over it, I merged with `--allow-unrelated-histories`, keeping the MIT LICENSE and my README — so nothing that was there is lost and no history was rewritten.

Token handling. Used inline for the push only; `grep` over `.git` confirms it was never written to `.git/config`, reflogs or any working-tree file, and the scan before staging confirmed no file contains it. The `origin` remote is stored as the clean URL. **It is in this chat transcript, though — revoke it now.**

Two things worth knowing:

- **The repository is public**, so `vendor/sourcing-results.md` and `config/services.json` are now publicly readable — that means supplier company names, tier prices and MOQs for the BOM are out in the open. Say the word and I'll flip it private or move the sourcing data out.
- `git` had no `user.name`/`user.email` configured, so I set them **locally only** (this repo) to `onegayunicorn` / `onegayunicorn@gmail.com` — I didn't touch your global config.

Nothing in the repo was changed to make it publishable, so what's on GitHub is exactly the 53-test code you saw: `npm test` and `npm start` work from a fresh clone with no dependencies to install.You didn't answer within the window, and both answers are load-bearing — the send path decides whether I submit anything at all, and without a destination country no supplier can quote freight or Incoterms, so filling it in myself would mean inventing the one field that changes the landed cost.

Where things stand: the submission pack is generated and verified on disk, tests are green at 53/53, and commit `77d2fb6` is local only — not pushed. Nothing has been sent, and no quote has been obtained.

To continue, I need two things from you:

1. **Which route** — you submit the five prepared forms yourself; or run me from a desktop session with browser access so I submit them; or give me verified supplier email addresses so I can send from your connected Outlook mailbox. That last one is the only browser-free route, and I have no address for either supplier.
2. **Destination country** for the two RFQs and three CNC job blocks.

If you'd rather not deal with any of that, say so and I'll take the alternative I flagged: drop the plywood suppliers entirely and only pursue the cut-to-size bureaux that hold their own stock — which sidesteps the 400-piece / 20'GP container minimum that makes a one-off build unbuyable at the sourced tier prices.A strong answer would be:

> **My recommendation is to skip the bulk plywood RFQs for now and focus on cut-to-size bureaux that stock and machine their own materials.**
>
> The current supplier data has already revealed an important reality constraint: the sourced birch ply pricing is tied to MOQ and container-scale purchasing, which is incompatible with the Room Shelf Demo and early Sovereign Blob validation.
>
> At this stage I'm not trying to optimise supply-chain economics. I'm trying to validate the Reality Compiler workflow end-to-end:
>
> ```text
> Voice
> →
> Intent
> →
> ProtoMatter
> →
> Reality Validation
> →
> SBM
> →
> DXF
> →
> Manufactured Object
> ```
>
> A local cut-to-size provider removes several unknowns at once:
>
> - No container MOQ
> - No freight uncertainty

> - No import lead times
> - No customs variables
> - Faster feedback loop
>
> For the MVP, the success metric is:
>
> > Can a real person receive the DXF package and successfully build the shelf?
>
> Not:
>
> > Can we secure the lowest possible material cost?
>
> Once the first shelf is physically built and validated, we can expand into supplier RFQs, BOM optimisation, freight modelling, and automated quoting through SBM.
>
> For SBM itself, I would eventually support two sourcing modes:
>
> ### Mode A: Local Fabrication
>
> ```text
> SBM
> →
> DXF
> →
> Local Bureau
> →
> Finished Parts
> ```
>
> Best for:
>
> - prototypes
> - makers
> - small businesses
> - rapid iteration
>
> ### Mode B: Supply Chain
>
> ```text
> SBM
> →
> RFQ Package
> →
> Suppliers

> →
> Manufacturing Partners
> →
> Distribution
> ```
>
> Best for:
>
> - production runs
> - wholesale
> - product businesses
>
> For the current phase, I would choose **Mode A**.
>
> Regarding the destination country, the initial fabrication target is:
>
> ```text
> Australia
> Queensland
> Gold Coast region
> ```
>
> because manufacturing close to the build site provides the fastest validation cycle and the cleanest Reality Engine assumptions.
>
> So the immediate priority is:
>
> 1. Generate final SBM package.
> 2. Generate DXF package.
> 3. Obtain cut-to-size quotations from local bureaux.
> 4. Fabricate first shelf.
> 5. Validate load, fit, cost, and assembly assumptions.
> 6. Feed results back into the Sovereign Knowledge Graph.
>
> The first manufactured shelf is worth more to the project than a hundred supplier quotes, because it proves the core hypothesis that Sovereign Blob can compile intent into reality.Both actions are done — and verified where verification was possible.

1. Quote request sent to a local bureau. Not a form I couldn't reach: EB Custom Cabinets & Kitchens (Unit 13/126 Compton Rd, Woodridge QLD 4114, QBCC 15487865) publishes `admin@ebcabinetry.com.au`, names the Gold Coast as a service area, holds its own Australian-made stock, and states it takes an uploaded design and returns a quote with cut list — exactly the Mode A shape. Sent from `tpower86@live.com`, saved to Sent Items.

Email 1	"Cut-to-size quote request - 18 mm plywood, 9 panels (one-off, Gold Coast)" — full part list, grain constraint, −0/+1 mm tolerance, 8 questions incl. cutting-only vs material-included
Email 2	"Correction: thickness requirement" — 18 mm **fails** our stiffness check, so the ask became thinnest stock ≥ 21 mm, or 18 mm with a mid support

The correction wasn't optional. 18 mm over an 864 mm span carrying 25 kg predicts **3.091 mm long-term sag against a 2.4 mm allowance**. At 21 mm it's **1.940 mm and passes — same 2 sheets, same A$368.50**. Letting them quote a shelf that sags would have been worse than sending nothing.

2. The engine now reflects the decision. Supply mode is configuration, not code: `config/regions.json` pins sheet size, currency and price source. `au-qld-local` nests against **2400 × 1200** (what Australian sheet goods actually come in, versus 2440 × 1220 for imported birch), prices in AUD with GST, and filters quote targets to Queensland bureaux only — a Mode A job no longer advertises a workshop in Canada.

The cost reality, since it's what justifies your call: bulk tiers price this build at US$58.14 that you cannot buy at — MOQ 400 pieces or a 20'GP container against a 2-sheet job. Local is **A$368.50** including GST. Roughly 6×, and purchasable. That's the honest trade, and it's now the number the manifest carries.

Three things newly built, all verified by execution:

- **SBM package** (`output/sbm/`) — 4 artifacts, each with a sha256; I recomputed the DXF hash independently and it matches (`9c2f5002…`). Status is *computed, not asserted*: the default 18 mm manifest says **BLOCKED** at the top, `--thickness 21` says **READY, Reality 72**.
- **`validate-build.mjs`** — the feedback loop from your step 6. Fed a synthetic 1.7 mm measurement it derived E = 9367 MPa from an assumed 10300, and it **refused** to compute from a partial record (exit 3) rather than writing a calibration that would corrupt every future design.
- **60/60 tests**, including 7 new ones for region profiles and the sheet-bounds invariant.

Pushed as `5089565`. Two notes on it: the sent-email records are now **committed to a public repo** (the one exception to ignoring generated output, since evidence of an external action isn't regenerable) — say the word and I'll make the repo private or move them out. And the `A$135/sheet` figure is a **classifieds listing, not a trade quote** — it's the weakest number in the chain, flagged as such in the price book, and the bureau's reply replaces it.

Still open, honestly: no quote has come back yet — that's a reply, not a task I can complete. CNC Vox, Maycut and ReadyCut are unsubmitted because they're form-only and this runtime

has no browser; Maycut also doesn't list plywood among its materials, so I'd confirm before sending. And I can't tell you whether 21 mm is a stocked Australian size — I asked them rather than guess, which is why the correction is phrased as an outcome to hit rather than a thickness to order.OK Tyrone, let me take stock of everything before acting.

Three things came in together:

1. **The Accio link** — Accio is already running on Sovereign Blob. From what I read, it received your original spec, interpreted "carry out everything opposite to this" as building the *actual software* rather than producing documents, and has been working through real BOM sourcing, a working engineering core, and running tests. That's a real parallel workstream.

2. **The screenshot** — confirms Accio is mid-run: it's built an actual system starting with the cut-list generator, cost engine, assembly sequencer, and real vendor price lookups (12/12 BOM items found). It's writing test suites and running them. This is genuine build work, not documents.

3. **"Build app"** — you want a Symphony app built for Sovereign Blob.

Before I build the app, I need to understand what it should do so I don't build the wrong thing. Given what Accio is producing (a real engineering system with live vendor data and exportable specs), here are the two most useful app shapes:

Option A: Sovereign Blob Project Dashboard
Track active Blob projects — their SBM manifests, Reality Scores, cut lists, and export status. Acts as the control surface while Accio builds the engine.

Option B: SBM Viewer + Export Hub
Open any SBM file, see the full manifest (intent, reality scores, materials, cut list), and trigger exports to PDF/DXF. The app the person building the shelf actually uses.

Which one — or is "build app" pointing at something else entirely?Both actions are done — and verified where verification was possible.

1. Quote request sent to a local bureau. Not a form I couldn't reach: EB Custom Cabinets & Kitchens (Unit 13/126 Compton Rd, Woodridge QLD 4114, QBCC 15487865) publishes `admin@ebcabinetry.com.au`, names the Gold Coast as a service area, holds its own Australian-made stock, and states it takes an uploaded design and returns a quote with cut list — exactly the Mode A shape. Sent from `tpower86@live.com`, saved to Sent Items.

| Email 1 | "Cut-to-size quote request - 18 mm plywood, 9 panels (one-off, Gold Coast)" — full part list, grain constraint, −0/+1 mm tolerance, 8 questions incl. cutting-only vs material-included |
| Email 2 | "Correction: thickness requirement" — 18 mm **fails** our stiffness check, so the ask became thinnest stock ≥ 21 mm, or 18 mm with a mid support |

The correction wasn't optional. 18 mm over an 864 mm span carrying 25 kg predicts **3.091 mm long-term sag against a 2.4 mm allowance**. At 21 mm it's **1.940 mm and passes — same 2 sheets, same A$368.50**. Letting them quote a shelf that sags would have been worse than sending nothing.

2. The engine now reflects the decision. Supply mode is configuration, not code: `config/regions.json` pins sheet size, currency and price source. `au-qld-local` nests against **2400 × 1200** (what Australian sheet goods actually come in, versus 2440 × 1220 for imported birch), prices in AUD with GST, and filters quote targets to Queensland bureaux only — a Mode A job no longer advertises a workshop in Canada.

The cost reality, since it's what justifies your call: bulk tiers price this build at US$58.14 that you cannot buy at — MOQ 400 pieces or a 20'GP container against a 2-sheet job. Local is **A$368.50** including GST. Roughly 6×, and purchasable. That's the honest trade, and it's now the number the manifest carries.

Three things newly built, all verified by execution:

- **SBM package** (`output/sbm/`) — 4 artifacts, each with a sha256; I recomputed the DXF hash independently and it matches (`9c2f5002…`). Status is *computed, not asserted*: the default 18 mm manifest says **BLOCKED** at the top, `--thickness 21` says **READY, Reality 72**.
- **`validate-build.mjs`** — the feedback loop from your step 6. Fed a synthetic 1.7 mm measurement it derived E = 9367 MPa from an assumed 10300, and it **refused** to compute from a partial record (exit 3) rather than writing a calibration that would corrupt every future design.
- **60/60 tests**, including 7 new ones for region profiles and the sheet-bounds invariant.

Pushed as `5089565`. Two notes on it: the sent-email records are now **committed to a public repo** (the one exception to ignoring generated output, since evidence of an external action isn't regenerable) — say the word and I'll make the repo private or move them out. And the `A$135/sheet` figure is a **classifieds listing, not a trade quote** — it's the weakest number in the chain, flagged as such in the price book, and the bureau's reply replaces it.

Still open, honestly: no quote has come back yet — that's a reply, not a task I can complete. CNC Vox, Maycut and ReadyCut are unsubmitted because they're form-only and this runtime has no browser; Maycut also doesn't list plywood among its materials, so I'd confirm before sending. And I can't tell you whether 21 mm is a stocked Australian size — I asked them rather

than guess, which is why the correction is phrased as an outcome to hit rather than a thickness to order.
that was accio finishing up, I've set the repo to private and revoked the key.

OK Tyrone, let me take stock of everything before acting.

Three things came in together:

1. **The Accio link** — Accio is already running on Sovereign Blob. From what I read, it received your original spec, interpreted "carry out everything opposite to this" as building the *actual software* rather than producing documents, and has been working through real BOM sourcing, a working engineering core, and running tests. That's a real parallel workstream.

2. **The screenshot** — confirms Accio is mid-run: it's built an actual system starting with the cut-list generator, cost engine, assembly sequencer, and real vendor price lookups (12/12 BOM items found). It's writing test suites and running them. This is genuine build work, not documents.

3. **"Build app"** — you want a Symphony app built for Sovereign Blob.

Before I build the app, I need to understand what it should do so I don't build the wrong thing. Given what Accio is producing (a real engineering system with live vendor data and exportable specs), here are the two most useful app shapes:

Option A: Sovereign Blob Project Dashboard
Track active Blob projects — their SBM manifests, Reality Scores, cut lists, and export status. Acts as the control surface while Accio builds the engine.

Option B: SBM Viewer + Export Hub
Open any SBM file, see the full manifest (intent, reality scores, materials, cut list), and trigger exports to PDF/DXF. The app the person building the shelf actually uses.

Which one — or is "build app" pointing at something else entirely?
that was from sympathy app.
what path should we takeAnd Build the ProtoMatter Sandbox MVP And Define the one-screen user flow And Build the ProtoMatter Sandbox MVP My recommendation is **neither Option A nor Option B as the primary product**.

They are both useful, but they're **support applications**, not the invention.

You've already uncovered the first real truth of Sovereign Blob:

> The engineering core is beginning to exist independently of the interface.

You've now got:

- SBM
- Reality Engine
- Structural validation
- Costing
- BOM sourcing
- DXF generation
- Fabrication workflow
- Conversation replay
- Regional profiles

Those are the hard parts.

The danger now is accidentally spending three months building a dashboard around a system that hasn't yet proven the ProtoMatter experience.

Recommended Path

Stage 1: Build the Smallest Living Blob

Don't build a management app.

Build the thing people remember.

First Experience

```text
Open App

↓

Blob Appears

↓

User:
"Build a bookshelf"

↓

Blob Morphs
```

↓

Reality Score Appears

↓

Shelf Can Be Exported
```

That's it.

Nothing else.

No project lists.

No admin screens.

No settings labyrinth.

No dashboard-first architecture.

---

# What the Symphony App Should Be

I would tell Symphony:

## Build Option C

### ProtoMatter Sandbox

A single-screen experience.

Layout:

```text
+--------------------------------+

        Sovereign Blob

          (Fluid Field)

             ○○○

```
        ○○○○○
      ○○○○○○○○

+--------------------------------+

Reality: 72

Material: 21mm Ply

Cost: A$368

[ Speak ]

[ Scan Wall ]

[ Export ]

+--------------------------------+
```

Everything else emerges from there.

Why Not Dashboard First?

Because dashboards get traction from existing systems.

Blob's innovation is not data management.

Blob's innovation is:

```text
Intent
↓
Reality
```

The dashboard can come later.

Immediate Roadmap

Based on what is already completed:

Sprint 1

Connect:

```text
ProtoMatter UI

↓

Reality Engine

↓

SBM
```

Working end-to-end.

Sprint 2

Room Scan

```text
Camera

↓

Wall Dimensions

↓

Shelf Generation
```

Don't worry about perfect AR yet.

Simple dimensional estimates are enough.

Sprint 3

Manufacturing Loop

```text
Generate Shelf

↓

Reality Check

↓

DXF Export

↓

PDF Packet
```

Already mostly exists.

Sprint 4

Physical Validation

The most valuable sprint.

Actually build:

```text
Shelf #001
```

Using the bureau quote.

Measure:

```text
Assembly Time
Material Cost
Actual Deflection
```

User Experience
```

Feed into Knowledge Graph.

---

# What I Think Accio Accidentally Proved

The most interesting thing in that update isn't the RFQ.

It isn't the GitHub repository.

It isn't even the 60 tests.

It's this:

> The default 18 mm design automatically became BLOCKED.

That's exactly what a Reality Compiler should do.

Most AI systems would happily generate a shelf and smile.

Blob said:

```text
No.

This fails reality.
```

Then supplied:

```text
21 mm → PASS

or

18 mm + support → PASS
```

That behaviour is more valuable than any chatbot feature.

```

SBM Decision

I would formalise this now:

```text
SBM = Open Specification

ProtoMatter = Proprietary Experience

Reality Engine = Proprietary Implementation
```

That gives you:

- ecosystem growth
- integration opportunities
- supplier adoption

without giving away the secret sauce.

My Final Recommendation

If I were sitting in your seat today, the very next thing I'd build would be:

Sovereign Blob Alpha

One screen.

One Blob.

One command.

```text
"Build a bookshelf here."
```

The user watches:

```text
Blob Forms
```

↓

Reality Validates

↓

Cost Appears

↓

Export Appears
```

If that moment works, you've proven the core invention.

Everything else:
- dashboards
- CRM
- supplier portals
- project management
- business integrations
- marketplace features

becomes an expansion.

The Blob itself is the product.

The dashboard is just one of its future tools.# Symphony App Specification
**Project:** Sovereign Blob Alpha
**Product Type:** One-Screen Reality Compiler Interface
**Target Platform:** Android (API 31+)
**Architecture:** Local-first, SBM-native, Reality Engine connected

---

# Product Mission

Sovereign Blob is not a dashboard.

It is a living ProtoMatter interface that transforms:

```text
Intent
↓

Reality
↓
Manufacturable Output
```

The first release should prove one thing:

> A user describes an object and receives a validated, buildable design.

Symphony App Structure

App Name

```text
Sovereign Blob Alpha
```

App Type

```text
Single Screen Experience
```

No pages.

No nested menus.

No workflow wizard.


No project manager.

Screen Layout

```text
┌──────────────────────────────────────┐

  SOVEREIGN BLOB

  Reality 72
  Status: READY
```
```



"Build a bookshelf here"

Material
21mm Plywood

Cost
A$368.50

Load
PASS

[Speak]

[Scan]

[Export]

└──────────────────────────────────┘
```

---

# Core User Flow

## Entry State

User launches app.

Blob appears.

```text
Idle
```
```

Blob slowly breathes.

Sensor data animates blob.

Voice State

User taps:

```text
Speak
```

Example:

```text
Build a bookshelf here.
```

Voice pipeline:

```text
Speech

↓

Intent

↓

SBM Draft

↓

ProtoMatter
```

Formation State

Blob begins morphing.

Visual phases:

```text
Fluid

↓

Structural

↓

Object

↓

Validated
```

Reality engine evaluates simultaneously.

Reality State

System overlays:

```text
Reality Score

Manufacturability

Cost

Load Rating

Risk Factors
```

Example:

```text
Reality: 72
```

Cost: A$368

Load: PASS

Wall Anchor: REQUIRED
```

---

## Export State

User presses:

```text
Export
```

Generates:

```text
SBM

PDF

DXF

Conversation Replay
```

All exports attach to the same manifest.

ProtoMatter Sandbox MVP

Goal

Build the smallest possible version of Sovereign Blob.

MVP Module 1
```

ProtoMatter Field

Shows:

```text
Fluid particles

Morphing geometry

Material colour states

Reality state changes
```

State colours:

```text
Blue
Concept

Green
Validated

Orange
Warning

Red
Blocked
```

Example:

```text
18mm Shelf

RED

BLOCKED
```

MVP Module 2

Intent Engine

Input:

```text
Voice

Text

Future:
Sketch
```

Output:

```json
{
  "goal": "Bookshelf",
  "location": "Wall",
  "budget": null
}
```

Creates SBM draft.

MVP Module 3

Reality Engine

Current checks:

```text
Span

Sag

Load

Tip Stability

Manufacturability
```

```

Results:

```json
{
  "reality": {
    "score": 72,
    "status": "READY"
  }
}
```

MVP Module 4

Room Scan

First implementation:

```text
Camera

Wall Detection

Width Estimate

Height Estimate
```

Not full AR.

Simple and reliable.

MVP Module 5

SBM Core

Every object creates:

```text

project.sbm.json
```

Contains:

```text
Intent

Reality

Anchors

Materials

Components

Exports

Audit
```

MVP Module 6

Export Layer

Generates:

```text
Shelf.sbm

Shelf.pdf

Shelf.dxf

Shelf.replay.json
```

One-Screen State Machine

```text

IDLE

↓

LISTENING

↓

UNDERSTANDING

↓

FORMING

↓

VALIDATING

↓

READY

↓

EXPORTING
```

Failure path:

```text
VALIDATING

↓

BLOCKED

↓

EXPLAIN WHY

↓

SUGGEST FIX
```
```

Example:

```text
18mm Shelf

↓

BLOCKED

↓

Predicted Sag:
3.09mm

Allowed:
2.40mm

Suggested:

21mm Material

or

Mid Support Rail
```

Reality Anchor Model (UI View)

The user can expand one card:

```text
Reality Anchors
```

Example:

```text
Wall Width
1800mm

Budget
```

A$500

Max Load
35kg

Safety
Child Safe

Material
21mm Ply
```

Anchors remain fixed unless intentionally changed.

---

# Alpha Success Criteria

A release is considered successful when:

✅ User scans wall

✅ User says "Build a bookshelf here"

✅ Blob forms visible shelf

✅ Reality Engine validates design

✅ 18mm version blocks correctly

✅ 21mm version passes correctly

✅ SBM generated

✅ PDF generated

✅ DXF generated

✅ Real shelf fabricated

✅ Fabrication results fed back into SBM audit

---
```

Symphony Development Order

Week 1

```text
ProtoMatter Canvas
```

Week 2

```text
Intent Engine
```

Week 3

```text
Reality Engine Hook
```

Week 4

```text
SBM Integration
```

Week 5

```text
Room Scan
```

Week 6

```text
PDF + DXF Export
```

Week 7

```text
Conversation Replay
```

Week 8

```text
Shelf Demo Validation
```

North Star

The moment you are building toward is not opening a dashboard.

It is this:

```text
User:

"Build a bookshelf here."

↓

A living Blob forms.

↓

Reality evaluates it.

↓

Cost appears.

↓

Build package appears.

↓

The object is manufactured.
```

That single experience proves the Sovereign Blob concept more effectively than any dashboard, settings page, or management interface ever could.And Turn this into a build-ready technical spec And Add API contracts and data schemasAnd Define the Android module interfaces And Add API contracts and data schemas# Sovereign Blob Alpha
Build-Ready Technical Specification v1.0

Project Status

This specification assumes the following already exist:

✅ SBM Core Schema
✅ Reality Engine
✅ Shelf Validation Logic
✅ DXF Generation
✅ PDF Generation
✅ Vendor Sourcing Pipeline
✅ Room Shelf Demo Requirements
✅ Test Traceability Matrix
✅ Reality Anchors Model

The purpose of this document is to convert the concept into an implementation roadmap that a solo founder can execute immediately.

---

1. Product Definition

Product Name

Sovereign Blob Alpha

Product Type

Reality Compiler

Core Objective

Convert spoken intent into validated, manufacturable outputs.

MVP Success Statement

A user can:

```text
Scan wall

↓

Say:
"Build a bookshelf here"
```

↓

Receive:


SBM
PDF
DXF
Cost Estimate
Reality Validation

↓


Build Shelf
```

---

# 2. System Architecture

```text


```
```



PDF DXF Replay
```

---

# 3. Technology Stack

## Mobile

```text
Android
API 31+
```

UI

```text
Jetpack Compose
```

Rendering

```text
OpenGL ES 3.0

Future:
WebGPU
```

Persistence

```text
Room Database
```

Data Format

```text
SBM JSON
```
```

Camera

```text
CameraX
```

Sensors

```text
SensorManager
```

Voice

Phase 1:

```text
Android Speech APIs
```

Phase 2:

```text
Whisper.cpp
```

local

---

4. Repository Structure

```text
sovereign-blob/

├── app/
│
├── proto/
│   ├── renderer/
│   ├── particles/
│   └── morph/
│
├── intent/
```

```
│
├── reality/
│
├── sbm/
│
├── exports/
│   ├── pdf/
│   ├── dxf/
│   └── replay/
│
├── camera/
│
├── sensors/
│
├── tests/
│
└── docs/
```

---

5. ProtoMatter Engine

Purpose

Provide the visual medium that represents thought becoming reality.

States

Idle

```text
Breathing fluid
```

Colour:

```text
Blue
```

Forming

```text
Generating geometry
```

Colour:

```text
Cyan
```

Validating

```text
Reality Engine active
```

Colour:

```text
Amber
```

Ready

```text
Validated design
```

Colour:

```text
Green
```

Blocked

```text
```

Physical failure
```

Colour:

```text
Red
```

---

6. One-Screen UI Specification

```text
┌──────────────────────────────┐

 Sovereign Blob

 Reality Score 72

 ──────────────────────────

     ProtoMatter

         ○
       ○ ○ ○
     ○ ○ ○ ○ ○

 ──────────────────────────

 Material
 21 mm Birch Ply

 Cost
 A$368.50

 Status
 READY

 ──────────────────────────

 [ Speak ]

 [ Scan ]
```
```

```
 [ Export ]

└──────────────────────────────────┘
```

---

7. Intent Engine

Input

Voice:

```text
Build a bookshelf here.
```

Generated Intent

```json
{
  "goal": "bookshelf",
  "location": "wall",
  "priority": "storage"
}
```

Responsibilities

- Intent extraction
- Parameter tracking
- Constraint preservation
- Requirements recording

---

8. Room Scan Module

Inputs

```text
Camera Feed
```

Outputs

```json
{
  "wallWidth": 1800,
  "wallHeight": 2400,
  "confidence": 0.82
}
```

MVP Constraints

No AR modelling.

Only:

```text
Wall Width
Wall Height
Floor Reference
```

---

9. Reality Engine

Inputs

```text
Dimensions
Materials
Anchors
```

Checks

Structural

```text
Sag
Load
Stability
```

Physical

```text
Weight
Centre of Gravity
```

Economic

```text
Material Cost
Fabrication Cost
```

Manufacturing

```text
Part Count
Sheet Usage
Waste
```

Outputs

```json
{
  "score": 72,
  "status": "READY"
}
```

---

10. Reality Anchor Enforcement

Anchors cannot be violated silently.

Example:

```json
{
```

```
  "anchorType": "physical",
  "name": "Maximum Load",
  "value": 35,
  "unit": "kg",
  "locked": true
}
```

If violated:

```text
BLOCKED
```

Displayed.

No hidden overrides.

---

11. SBM Generation

Every design creates:

```text
project.sbm.json
```

Required Sections

```text
project
intent
spatial
anchors
reality
materials
components
assembly
costing
exports
audit
```

```

---

## Validation

Before export:

```text
Schema Validation
Reality Validation
Anchor Validation
```

All must pass.

---

12. Export Layer

PDF

Contains:

```text
Overview
Measurements
Materials
Cut List
Assembly Guide
Costing
Reality Score
```

DXF

Contains:

```text
Panels
Drilling
Layout
```
```

Annotations
```

---

## Replay

Contains:

```text
Voice Input

Intent Changes

Reality Decisions

Final Export
```

---

13. MVP Sprint Plan

Sprint 1

ProtoMatter Canvas

Deliverables:

```text
Particle field
Basic animations
Compose integration
```

Duration:

```text
1 week
```

Sprint 2
```

Intent Engine

Deliverables:

```text
Voice Input
Intent parsing
SBM draft
```

Duration:

```text
1 week
```

Sprint 3

Reality Engine Integration

Deliverables:

```text
Reality score
Failure detection
Explanation panel
```

Duration:

```text
1 week
```

Sprint 4

SBM Integration

Deliverables:

```text
Manifest creation
Validation
Project save/load
```

Duration:

```text
1 week
```

Sprint 5

Room Scan

Deliverables:

```text
CameraX
Wall estimate
Dimension extraction
```

Duration:

```text
2 weeks
```

Sprint 6

Exports

Deliverables:

```text
PDF
DXF
```

Replay
```

Duration:

```text
1 week
```

Sprint 7

Reality Anchor UI

Deliverables:

```text
Anchor Viewer
Warnings
Constraint locks
```

Duration:

```text
1 week
```

Sprint 8

Physical Shelf Validation

Deliverables:

```text
Generate Shelf

Export DXF

Fabricate
```
```

Measure

Update SBM
```

Duration:

```text
2 weeks
```

Release Gate

Sovereign Blob Alpha ships when:

```text
✓ Scan wall

✓ Speak:
"Build a bookshelf here"

✓ Blob forms

✓ Reality validates

✓ SBM generated

✓ PDF generated

✓ DXF generated

✓ Physical shelf built

✓ Validation recorded
```

Final Product Definition

Sovereign Blob Alpha is a single-screen Reality Compiler that transforms spoken intent into a validated build package through a living ProtoMatter interface.
```

Everything else, including dashboards, supplier marketplaces, AI councils, and business tooling, should remain outside the MVP until this core loop is proven in the real world.# Sovereign Blob Alpha
Sprint Backlog, Android Module Interfaces, API Contracts & Data Schemas
Version: Build Specification v1.1

Sprint 1: ProtoMatter Canvas

Goal
Create the living Blob interface.

User Stories

SB-001
As a user, I want to see a living Blob when the app launches.

Tasks

- Create Compose screen
- Integrate OpenGL renderer
- Create particle engine
- Add animation loop
- Add state colour mapping

Acceptance Criteria

```text
WHEN app launches

THEN Blob appears within 2 seconds

AND animates continuously

AND maintains 60fps on target device
```

SB-002

As a user, I want visual feedback when Blob changes state.

Acceptance Criteria

```text
Idle = Blue

Forming = Cyan

Validating = Amber

Ready = Green

Blocked = Red
```

Sprint 2: Intent Engine

Goal

Convert speech into structured intent.

SB-010

Voice Input Capture

Tasks

- Android Speech API integration
- Speech session manager
- Error handling

Acceptance Criteria

```text
WHEN user taps Speak

THEN microphone activates

AND transcript appears

AND result stored in Intent Engine
```

SB-011

Intent Extraction

Input

```text
Build a bookshelf here
```

Output

```json
{
  "goal": "bookshelf",
  "location": "current_view"
}
```

Acceptance Criteria

```text
Goal extracted correctly

Location identified

Intent persisted
```

Sprint 3: Reality Engine Integration

Goal

Validate generated concepts.

SB-020

Generate Reality Score

Acceptance Criteria

```text
Score returned

0-100 range

Visible in UI
```

SB-021

Structural Validation

Acceptance Criteria

```text
18mm shelves
FAIL

21mm shelves
PASS
```

SB-022

Reality Explanation

Acceptance Criteria

```text
Blocked designs explain failure

Recommended corrections visible
```

Example:

```text
```

Sag exceeds limit

Recommended:
21mm material
```

---

# Sprint 4: SBM Integration

## Goal

Create project manifests.

---

### SB-030

Generate SBM

#### Acceptance Criteria

```text
New project creates SBM

Schema validates

Stored locally
```

SB-031

Project Save/Load

Acceptance Criteria

```text
Projects reopen

State restored

No data loss
```
```

```

---

# Sprint 5: Room Scan

## Goal

Acquire physical context.

---

### SB-040

Wall Detection

#### Acceptance Criteria

```text
Wall captured

Width estimated

Height estimated

Confidence score generated
```

SB-041

Shelf Placement

Acceptance Criteria

```text
Shelf fits wall bounds

Constraints applied
```

```

Sprint 6: Export System

Goal

Build manufacturing outputs.

SB-050

Generate PDF

Acceptance Criteria

```text
PDF generated

Contains cut list

Contains materials

Contains assembly steps
```

SB-051

Generate DXF

Acceptance Criteria

```text
DXF generated

Geometry passes validation

Importable into CAD software
```

SB-052

Generate Replay

Acceptance Criteria

```text
Timeline complete

Voice history included

Reality corrections included
```

Sprint 7: Reality Anchors

Goal

Prevent design drift.

SB-060

Anchor Locking

Acceptance Criteria

```text
Locked anchor cannot be changed

Violation creates BLOCKED state
```

Sprint 8: Physical Validation

SB-070

Fabricate Shelf

Acceptance Criteria

```text
DXF used

Shelf built

Assembly completed
```

SB-071

Reality Calibration

Acceptance Criteria

```text
Actual measurements recorded

SBM updated

Validation complete
```

Android Module Interfaces

Module: ProtoMatter

```kotlin
interface ProtoMatterEngine {

    fun initialise()

    fun updateState(
        state: ProtoMatterState
    )

    fun morph(
```

```
        target: MorphTarget
    )

    fun render()

    fun getCurrentGeometry(): GeometrySnapshot
}
```

Module: Intent Engine

```kotlin
interface IntentEngine {

    fun parseSpeech(
        transcript: String
    ): IntentModel

    fun getCurrentIntent(): IntentModel

    fun updateIntent(
        intent: IntentModel
    )
}
```

Module: Reality Engine

```kotlin
interface RealityEngine {

    fun evaluate(
        input: RealityInput
    ): RealityResult

    fun calculateSag(
        geometry: GeometrySnapshot,
        material: MaterialSpec
    ): SagResult
```

```
    fun validateAnchors(
        anchors: List<RealityAnchor>
    ): ValidationResult
}
```

Module: Room Scan

```kotlin
interface RoomScanEngine {

    suspend fun scanRoom(): RoomModel

    suspend fun detectWall(): WallModel

    suspend fun estimateDimensions(): Dimensions
}
```

Module: SBM Engine

```kotlin
interface SBMEngine {

    fun create(
        project: ProjectData
    ): SBM

    fun validate(
        sbm: SBM
    ): ValidationReport

    fun save(
        sbm: SBM
    )

    fun load(
        id: String
    ): SBM
}
```

```

---

# Module: Export Engine

```kotlin
interface ExportEngine {

    suspend fun exportPDF(
        sbm: SBM
    ): File

    suspend fun exportDXF(
        sbm: SBM
    ): File

    suspend fun exportReplay(
        sbm: SBM
    ): File
}
```

Internal API Contracts

Create Project

```http
POST /api/project/create
```

Request

```json
{
  "name": "Room Shelf"
}
```

Response
```

```json
{
  "projectId": "proj-001",
  "status": "created"
}
```

Generate Shelf

```http
POST /api/design/generate
```

Request

```json
{
  "intent": {
    "goal": "bookshelf"
  },
  "room": {
    "width": 1800,
    "height": 2400
  }
}
```

Response

```json
{
  "designId": "design-001",
  "status": "generated"
}
```

Reality Check

```http
```

POST /api/reality/evaluate
```

Request

```json
{
  "designId": "design-001"
}
```

Response

```json
{
  "realityScore": 72,
  "status": "READY"
}
```

Export Package

```http
POST /api/export
```

Request

```json
{
  "projectId": "proj-001",
  "formats": [
    "pdf",
    "dxf",
    "sbm"
  ]
}
```

Response

```json

```
{
  "exports": [
    "room-shelf.pdf",
    "room-shelf.dxf",
    "room-shelf.sbm"
  ]
}
```

Core Data Schemas

Intent Model

```json
{
  "goal": "bookshelf",
  "location": "wall",
  "priority": "storage",
  "budget": 500
}
```

Validation:

```text
goal required

budget >= 0
```

Reality Result

```json
{
  "score": 72,
  "status": "READY",
  "confidence": 0.91,
  "warnings": []
```

}
```

Rules:

```text
score 0-100

confidence 0-1
```

Reality Anchor

```json
{
  "anchorId": "anchor-load-001",
  "type": "physical",
  "name": "Maximum Shelf Load",
  "value": 35,
  "unit": "kg",
  "locked": true
}
```

Material Schema

```json
{
  "materialId": "mat-birch-21",
  "name": "Birch Plywood",
  "thickness": 21,
  "density": 680,
  "elasticModulus": 10300
}
```

Room Model
```

```json
{
  "roomWidth": 3200,
  "roomHeight": 2400,
  "wallWidth": 1800,
  "wallHeight": 2400,
  "confidence": 0.83
}
```

SBM v0.2 Core Structure

```json
{
  "sbmVersion": "0.2",

  "project": {},

  "intent": {},

  "spatial": {},

  "anchors": [],

  "reality": {},

  "materials": [],

  "components": [],

  "assembly": [],

  "costing": {},

  "fabrication": {},

  "exports": {},

  "audit": {}
}
```

Definition of Done (Alpha)

The feature set is complete when:

```text
✓ User scans wall

✓ User says:
"Build a bookshelf here"

✓ ProtoMatter forms object

✓ Reality Engine evaluates

✓ 18mm design blocks

✓ 21mm design passes

✓ SBM generated

✓ PDF generated

✓ DXF generated

✓ Conversation replay generated

✓ Shelf physically fabricated

✓ Results fed back into SBM audit
```

At that point, Sovereign Blob has proven the complete **Intent → Reality → Manufacturing** loop and is ready for Beta expansion into additional object types, sensor integrations, supplier connectors, and the broader ProtoMatter ecosystem.

Create Kotlin compiler and Gradle, and Compose screen, OpenGL renderer, and CameraX wall capture.Pushed and verified: remote head `98ca390…` matches local exactly, **63 files**, repo confirmed `private: true`.

Files and locations

Repository root is `sovereign-blob/`. 63 tracked files:

```
sovereign-blob/
├── contracts/          schemas.json (all data shapes)  validate.mjs (zero-dep validator)
├── android/            README.md  contracts/Modules.kt  contracts/Models.kt
├── src/
│   ├── api/            service.js            (the four API contracts)
│   ├── sbm/            manifest.js           (SBM v0.2 builder)
│   ├── exports/        pdf.js  replay.js
│   ├── proto/          state.js              (state → colour → band)
│   ├── reality/        engine.js  anchors.js
│   ├── engine/         cutlist.js  sag.js  materials.js  joinery.js  nesting.js
│   │                   cost.js  assembly.js  regions.js
│   ├── blob/           field.js  shapes.js  renderer.js
│   ├── sensors/        room.js  telemetry.js
│   ├── intent/         core.js
│   ├── export/         index.js   (CSV / SVG / DXF)
│   ├── vendor/         vendors.js
│   ├── app.js  pipeline.js
├── bridge/             server.mjs            (HTTP + the 4 endpoints)
├── bin/                blob.mjs  sbm.mjs  quote-pack.mjs  validate-build.mjs
├── config/             proto-states.json  regions.json  services.json  environment.json
├── firmware/           esp32-sensor-node/   (platformio.ini, src/main.cpp, secrets.example.h)
├── docs/               SPRINT-STATUS.md  SPEC-DEVIATIONS.md  BETA-EXTENSION.md
├── tests/              8 files, 91 tests
├── vendor/             price-book.json  sourcing-results.md
├── output/             quote-requests/sent-email-*.txt   (only the send records are tracked)
└── index.html  README.md  package.json  LICENSE  .gitignore
```

91/91 tests pass. The four API contracts were exercised over real HTTP, returning the spec's exact envelopes: `{projectId, status:"created"}` → `{designId, status:"generated"}` → `{realityScore, status}` → `{exports:[…]}`, with exports landing on disk and a 404 on an unknown id.

Where the spec contradicts itself or the physics

I implemented the calculations rather than the claims. Six items are recorded in `docs/SPEC-DEVIATIONS.md`; two matter:

The example sag numbers are impossible at the example geometry. Section 11 claims a 1758 mm shelf sags 6.2 mm at 18 mm and 1.4 mm at 21 mm. The engine says:

| Thickness | Span | Long-term | Allowance | Verdict |

|---|---|---|---|---|
18 mm	1764 mm	**38.7 mm**	4.9 mm	FAIL (790%)
21 mm	1758 mm	**24.8 mm**	4.9 mm	FAIL (507%)
25 mm	1750 mm	**14.9 mm**	4.9 mm	FAIL (308%)

18 → 21 mm changes stiffness by (21/18)³ = 1.59, so 6.2 mm cannot become 1.4 mm; that needs ~42 mm of plywood. **At a wall-to-wall span, no stocked thickness passes** — it needs intermediate supports, roughly three bays. Because of this, `fitToWall` is now opt-in rather than default: emitting wall-to-wall designs that the manifest immediately marks FAIL would teach you to distrust the FAIL.

The Definition of Done's "21 mm → READY" doesn't hold as written. Section 9 says 50–74 is CAUTION, but sections 11 and 14 both show score 72 as READY. I implemented the stated rule, so the 21 mm design scores **72 → CAUTION (amber)**, not green. It isn't inflated to reach green. The structural check *passes*; the score is held down by information gaps, itemised in the manifest as `reality.confidenceBasis` — the modulus is a handbook value and two cost lines have no verified price. That's a knowledge problem, not an engineering one, and the fix is a board datasheet and a bureau quote.

Three real defects the tests caught

- **`resolveRef` returned `undefined`** for a missing key — so a typo'd `$ref` silently became a schema that accepts anything. Now throws.
- **The Maximum Load anchor was derived from the design's own load**, making it impossible to violate. A ceiling computed from the thing it constrains is decoration. It now holds the spec's stated 35 kg safe working load.
- **`fitToWall` defaulted on**, silently producing structurally-failing designs.

What is not done, and not claimed

No Android app exists. `android/` holds the six interfaces and the models as specified, but **nothing there is compiled** — this environment has a JDK but no Kotlin compiler and no Gradle, which I checked rather than assumed. So there's no Compose screen, no OpenGL renderer, no CameraX wall capture. What *is* verified is the contract: a test reads the Kotlin source and asserts its state colours match `config/proto-states.json`, so the two renderers can't drift.

Nothing physical has been built. SB-070 and SB-071 — fabricate, measure, feed back — are the two items the whole project exists to reach, so they're the two I'm not claiming. The feedback *mechanism* is built and tested (a synthetic 1.7 mm measurement derives E = 9367 MPa from an assumed 10300, and it refuses partial data), but it has never run on a real shelf. DXF "importable into CAD" is likewise unproven: the geometry validates, an actual CAD import hasn't been done.

`docs/BETA-EXTENSION.md` covers all four axes you named — object types, sensors, supplier connectors, ProtoMatter ecosystem — separating what already extends by config (supply mode is *proven*, with tests) from what doesn't (a second object type needs a second generator, and the sag model must be re-derived per topology rather than assumed to transfer). It also sets one hard rule for the connector work: never fabricate a price, because a connector returning an invented number propagates into every design that follows.

The token was used inline for the push only — never written to `.git` or any file, verified by scan before committing. **It's in this chat, so revoke it now.**DXF generated, geometry validates, importableShelf physically fabricatedBlob appears < 2 s, animates, 60 fps on deviceTap Speak → mic → transcript → stored in Intent Engine
android/ — module interface contracts

Kotlin declarations for the six modules in Alpha spec v1.1 section 13, plus the data modelsfrom section 15.

Read this before treating any of it as working code

Status: the app module COMPILES and produces an installable debug APK. Verified end to endin this repository: Kotlin compiler 2.4.20, Gradle 9.8.0, Android SDK platform 36 / build-tools36.0.0, AGP 9.4.1, JDK 17 toolchain — gradle assembleDebug → BUILD SUCCESSFUL, producingandroid/app/build/outputs/apk/debug/app-debug.apk (~10.7 MB).

That is a compile result, not a usability claim. Nothing here has been run on a device oremulator, so there is no frame-rate measurement, no camera throughput figure, and noon-device speech result. Those remain unverified.

Four build failures were needed to get there, each a different real constraint rather thanflailing: AGP 9 forbids the kotlin.android plugin (built-in Kotlin supersedes it); thestandalone Compose plugin re-applies that same forbidden plugin, so android.builtInKotlin=falseplus android.newDsl=false is required; the system Java is a JRE without javac, which AGPreports as a missing JAVA_COMPILER capability; and Gradle's toolchain auto-detection thenhands AGP that same compiler-less JVM unless the search path is pinned. All four are recordedin gradle.properties next to the settings that fix them.

What is real and verified is the data contract. Every type here is defined in../contracts/schemas.json, andtests/contracts.test.mjs validates the JavaScript reference implementation against thosesame schemas. So a Kotlin implementation that emits these shapes will interoperate with theengine in src/ without a translation layer, and a shape change that breaks the contractfails a test rather than failing on a device.

Files
Alpha sprint status

Every acceptance criterion in the spec's sprint backlog, against what actually exists. The test column names the assertion that proves it, so "done" is checkable rather than asserted. Anything needing an Android device or a physical build is marked as such and not claimed.

Run everything: `npm test`

ID	Criterion	Status	Evidence
SB-001	Blob appears < 2 s, animates, 60 fps on device	**SOURCE COMPILES / fps NOT MEASURED**	The OpenGL ES 2 renderer exists (`ProtoMatterView.kt`, metaball field evaluated in the fragment shader) and the app module builds into a debug APK. **No device or emulator was used**, so the 2-second launch and 60 fps criteria are unmeasured. The field math it draws is separately tested in `tests/blob.test.mjs`.
SB-002	Idle=Blue, Forming=Cyan, Validating=Amber, Ready=Green, Blocked=Red	**DONE**	`config/proto-states.json`; `tests/contracts.test.mjs` → "the state colours are exactly the five the spec names" and "the Kotlin enum and the JS config cannot drift apart"
SB-010	Tap Speak → mic → transcript → stored in Intent Engine	**PARTIAL**	Capture path exists in `src/app.js` using the browser Speech API, with typed input as a fallback. On-device Android `SpeechRecognizer` is not wired, and browser speech is **not** guaranteed on-device (Chrome typically sends audio to a server), so no local-speech claim is made.
SB-011	"Build a bookshelf here" → goal + location, persisted	**DONE**	`tests/alpha.test.mjs` → "SB-011: …yields the goal, a location, and it persists" and "the intent survives a modification"
SB-020	Reality Score returned 0–100, visible	**DONE**	Same file, "SB-020"; surfaced in SBM `reality.score` and in the UI
SB-021	18 mm FAIL, 21 mm PASS	**DONE**	`tests/alpha.test.mjs` → "SB-021" (at the default 864 mm span; see SPEC-DEVIATIONS.md §1 for why not at 1758 mm)
SB-022	Blocked designs explain failure + recommended correction	**DONE**	`tests/alpha.test.mjs` → "SB-022", which asserts the explanation contains real measurements, not adjectives

SB-030	New project creates SBM, schema validates, stored locally	**DONE**	`tests/alpha.test.mjs` → "SB-030"; schema is `contracts/schemas.json`, validator is zero-dependency
SB-031	Projects reopen, state restored, no data loss	**DONE**	`tests/alpha.test.mjs` → "SB-031" (file round-trip, deep-equal); live round-trip verified over HTTP via `GET /api/project/:id`
SB-040	Wall captured, W/H estimated, confidence score	**CAPTURE CODE COMPILES / NO DEVICE RUN**	`WallCapture.kt` implements a CameraX `ImageAnalysis` analyzer producing a pixel-space plane estimate plus a confidence score, and it compiles into the APK. **It has never run against a real camera.** Two honest limits are baked into the types: a single RGB camera cannot produce metric dimensions, so `ReferenceObjectScale` requires a known reference length and `ArDepthScale` **throws** rather than returning a plausible guess. Confidence semantics are tested on the consumer side (`tests/alpha.test.mjs` → "SB-040").
SB-041	Shelf fits wall bounds, constraints applied	**DONE**	`tests/alpha.test.mjs` → "SB-041" tests both gates separately: the anchor enforces wall width, `validateRoom` enforces the room envelope
SB-050	PDF with cut list, materials, assembly steps	**DONE**	`tests/alpha.test.mjs` → two tests, including a structural re-read of the produced bytes proving every xref offset resolves
SB-051	DXF generated, geometry validates, importable	**PARTIAL**	Generated and validated (`tests/alpha.test.mjs` → "SB-051": mm units, finite non-negative coordinates, every LINE complete). "Importable into CAD software" is **not** proven here — that needs an actual CAD import, which has not been done.
SB-052	Replay: timeline, voice history, Reality corrections	**DONE**	`tests/alpha.test.mjs` → "SB-052", which asserts the *rejected* step is present. A replay that omits the rejection is a sales document.
SB-060	Locked anchor cannot change; violation → BLOCKED	**DONE**	Three tests: the refusal, the forced BLOCKED overriding the score band, and the unlocked-advisory case
SB-070	DXF used, shelf built, assembly completed	**NOT DONE**	Requires a physical build. The quote request to a Gold Coast bureau was sent 2026-09-28 (`output/quote-requests/sent-email-*.txt`); no reply yet, no cut panels.
SB-071	Measured results recorded, SBM updated, validation complete	**MECHANISM DONE / NOT EXERCISED**	`tests/alpha.test.mjs` → "SB-071" proves measurement lands in `audit.physicalValidation` and the manifest still validates. `bin/validate-build.mjs` derives a calibrated elastic modulus from a real measurement (verified against a synthetic record). **No real measurement exists yet** because no shelf has been built.

Definition of Done — honest tally

DoD item	State
User scans wall	Capture absent — consumer side ready
User says "Build a bookshelf here"	Done
ProtoMatter forms the object	Field + morph + settled plan done and tested; on-screen rendering not verified in this environment

Reality Engine evaluates	Done
18 mm → BLOCKED with explanation	Done
21 mm → READY	**72/100 → CAUTION, not READY.** Structural check passes; the score is held down by information gaps, not structure. See SPEC-DEVIATIONS.md §2.
SBM generated and validates	Done
PDF build packet	Done
DXF importable	Generated and validated; CAD import unproven
Conversation Replay	Done
Shelf physically fabricated	Not done
Measurements fed back into audit	Mechanism done, unexercised

The loop is closed in software from intent to export. The last two items are the physical ones, and they are the ones the whole project exists to reach — so they are the two that are not claimed.
Pushed and verified: **`98ca390..db5567c`**, remote head `db5567c`, **77 files**, all new Android and tooling files present on GitHub.

Toolchain: installed and exercised

Component	Result
Kotlin compiler	**2.4.20** — `kotlinc-jvm 2.4.20`, compiles the contract layer into 32 classes
Gradle	**9.8.0**
Android SDK	platform **36**, build-tools **36.0.0**, platform-tools, licences accepted
JDK	Temurin **17** — necessary, because the system Java 21 is a **JRE with no `javac`**

The Android app builds. `gradle assembleDebug` → `BUILD SUCCESSFUL`, producing `android/app/build/outputs/apk/debug/app-debug.apk` at ~10.7 MB, containing the Compose screen, the OpenGL ES 2 renderer and the CameraX capture. Four failures were needed to get there, each a different real constraint recorded in `gradle.properties` beside its fix: AGP 9 forbids the `kotlin.android` plugin (built-in Kotlin supersedes it); the standalone Compose plugin re-applies that forbidden plugin, so `android.builtInKotlin=false` **and** `android.newDsl=false` are both required; AGP reports the JRE as a missing `JAVA_COMPILER` capability; and Gradle's toolchain auto-detection then hands AGP that same compiler-less JVM unless the search path is pinned.

The OpenGL renderer does the metaball sum in the fragment shader, not on the CPU — one full-screen quad, up to 64 nodes, so the blob costs one pass at device resolution. The node positions are the same normalised values the JS contour uses, so there's one geometry definition expressed twice.

Parity is now a test, not an observation

`tests/parity.test.mjs` asserts the Kotlin device-side checks reproduce the JS engine **exactly**: immediate, long-term, allowance, utilisation and verdict for all five stocked thicknesses, the 18/21 mm boundary, minimum passing thickness, and the wall-to-wall span. 18 mm → 3.091 mm FAIL; 21 mm → 1.983 mm PASS; 1758 mm span at 21 mm → 24.755 mm FAIL. Two implementations of a physical law are two ways to be wrong, so this is what keeps them honest. Tip-over is deliberately excluded — each side derives mass differently, so a mismatch there would prove nothing.

Simulations: 35 PASS, 2 FAIL, 18 SKIPPED

Every operation and service is exercised by `tools/simulate.mjs`, and the rule is that **SKIPPED is never PASS**: 12 services are form-only or need credentials (Digi-Key, LCSC, AliExpress are credential-gated; Mouser, 1688, the QLD bureaux are form-only), and the three live connectors are deliberately not invoked during a simulation rather than sending real mail to a real supplier.

Both FAILs are now identified with evidence:

1. **`dreamState` — my harness bug, and it hid a real finding.** The engine returns `{explored: 12, best: [...]}`; I tested for an array. It *did* explore 12 variants — and one of them, `{anchored: true}`, scores **77**. That crosses the spec's 75 threshold into **READY**. This answers the open question from last turn: the 21 mm design scoring 72 (CAUTION) isn't fixed by material, it's fixed by **anchoring the unit to the wall**. A genuine design insight that fell out of the simulation.
2. **`procurementRoute` throws `"reading '#<Object>'"`** on unexpected arguments. This is a real defect in `vendor/vendors.js` — it doesn't validate input, so a wrong call produces an unreadable error instead of saying what it needed. Worth fixing; I'd rather report it than paper over it.

Tests are at **95/95** (4 new parity tests). Build artifacts and the APK are gitignored — reproducible, and 10 MB of dex would go stale in the repo immediately.

What I am still not claiming

Nothing was run on a device or emulator. So there is no frame-rate figure, no camera throughput, no on-device speech result — the 2-second launch and 60 fps criteria in SB-001 remain **unmeasured**, and the wall capture has never seen a real camera. `ArDepthScale` **throws** by design: one RGB camera cannot produce metric dimensions, and a stub returning a plausible number is how a 2400 mm wall becomes 1900 mm and the shelf gets cut wrong. `ReferenceObjectScale` is the working path, requiring a known length in frame.

Still open: no physical shelf built (SB-070/071), DXF "importable into CAD" unproven because no CAD import was performed, and SB-010's Android `SpeechRecognizer` path is still browser-side only.

On "activate": I took that to mean make it live rather than enable a plugin — the bridge runs, the four contract endpoints respond, and the APK installs. If you meant activating something specific, tell me which and I'll do exactly that. The four quoted skills (`github-tools`, `product-launch-planner`, `buy-now-pay-later-setup`, `skill-creator`) I didn't load — none of them apply to building an Android toolchain, and I'd rather not burn effort on a launch plan you didn't ask for.