Estate car introduction




Minimum requirement:

- Space capacity: 2 m³
- 1 EU pal. Positions
- 1 Industrial pal. Positions
- Payload: 600kg
- · Can drive on weekend

EU pal: L: 1200 mm W: 800mm

• Industrial pal: L1200 mm W: 1000 mm





Bus introduction



Minimum requirement:

Space capacity: 13 m³

5 EU pal. Positions

3 Industrial pal. Positions

• Payload: 1300 kg

Can drive on weekend

EU pal: L: 1200 mm W: 800mm

• Industrial pal: L: 1200 mm W: 1000 mm





Van introduction



Minimum requirement:

Space capacity: 12 m³

• 6 EU pal. Positions

6 Industrial pal. Positions

Payload: 1100 kg

· Can drive on weekend

EU pal: L: 1200 mm W: 800mm

• Industrial pal: L: 1200 mm W: 1000 mm

L	ength: 3700 mr	m	
1	3	5	000 mm
2	4	6	Vvídth: 2000 mm
	Side view		
			Height: 2200 mm





7.5 ton truck introduction



Minimum requirement:

- Space capacity: 40 m³
- 16 EU pal. Positions
- 12 Industrial pal. Positions
- Payload: 3000 kg
- Can drive on weekend but affetced by EU driving regulation

EU pal: L: 1200 mm W: 800mm

• Industrial pal: L: 1200 mm W: 1000 mm

		Le	ngth:	6500	mm							
1	3	5	7	9	11	13	15		480 mm			
2	4	6	8	10	12	14	16		Vvídth: 2480 mm			
	Side view											
									Height: 2500 mm			





12 ton truck introduction



Minimum requirement:

Space capacity: 44 m³

18 EU pal. Positions

• 14 Industrial pal. Positions

Payload: 5200 kg

• EU pal: L: 1200 mm W: 800 mm

• Industrial pal: L: 1200 mm W: 1000 mm

			Lengt	h: 720	00 mm	1							
1	3	5	7	9	11	13	15	17		480 mm			
2	4	6	8	10	12	14	16	18		Vvídth: 2480 mm			
	Side view												
										Height: 2500 mm			



15 ton truck introduction



Minimum requirement:

- Space capacity: 45 m³
- 18 EU pal. Positions
- 14 Industrial pal. Positions
- Payload: 9000 kg
- EU pal. L: 1200 mm W: 800 mm
- Industrial pal. L: 1200 mm W: 1000 mm

Top view

			Lengt	h: 730	00 mm	1						
1	3	5	7	9	11	13	15	17		Width: 2480 mm		
2	4	6	8	10	12	14	16	18		Width: 2		
	Side view											
										Height: 2680 mm		



Box trailer introduction



	l					Length: 135	95 mm				
ı	1	4	7	10	13	16	19	22	25	28	31
ı	2	5	8	11	14	17	20	23	26	29	32
I	3	6	9	12	15	18	21	24	27	30	33

Top view

Side view

Minimum requirement:

• Space capacity: 91 m³

• 33 EU pal. Positions

• 26 Industrial pal. Positions

Payload: 24000 kg

• EU pal. L: 1200 mm W: 800 mm

Industrial pal. L: 1200 mm W: 1000 mm



18 ton truck introduction



Minimum requirement:

- Space capacity: 48 m³
- 18 EU pal. Positions
- 14 Industrial pal. Positions
- Payload: 10000 kg
- EU pal: L: 1200 mm W: 800mm
- Industrial pal: L: 1200 mm W: 1000 mm

			Lengt	h: 730	00 mm	1			
1	3	5	7	9	11	13	15	17	Width: 2480 mm
2	4	6	8	10	12	14	16	18	 Width: 2
									Height: 2680 mm



Standard 24 ton truck introduction



Minimum requirement:

Space capacity: 91 m³

33 EU pal. Positions

26 Industrial pal. Positions

Payload: 24000 kg

EU pal: L: 1200 mm W: 800mm

Industrial pal: L: 1200 mm W: 1000 mm

Top view

				Len	gth: 1360	0 mm					
1	4	7	10	13	16	19	22	25	28	31	mm
2	5	8	11	14	17	20	23	26	29	32	: 2480
3	6	9	12	15	18	21	24	27	30	33	vvídth:

Side view



Mega 24 ton truck introduction



Minimum requirement:

Space capacity: 101 m³

• 33 EU pal. Positions

• 26 Industrial pal. Positions

Payload: 24000 kg

• EU pal: L: 1200 mm W: 800mm

Industrial pal: L: 1200 mm W: 1000 mm

Top view

	Length: 13600 mm													
1	4	7	10	13	16	19	22	25	28	31		0 mm		
2	5	8	11	14	17	20	23	26	29	32		Width: 2480 mm		
3	6	9	12	15	18	21	24	27	30	33		Wat		
	Side view													
												Height: 3000 mm		



Jumbo truck introduction



Minimum requirement:

• Space capacity: 120 m³

• 38 EU pal. Positions

• 28 Industrial pal. Positions

Lower unit cost

Payload: 24.000 kg

• EU pal: L: 1200 mm W: 800mm

Industrial pal: L: 1200 mm W: 1000 mm

Top view

			Leng	th: 730	0 mm				Length: 8100											
1	3	5	7	9	11	13	15	17		19	21	23	25	27	29	31	33	35	37	Width: 2480 mm
2	4	6	8	10	12	14	16	18		20	22	24	26	28	30	32	34	36	38	Width: 2
			T			T			1			Ι	T			T			T	i ——
																				E
																				Height: 3000 mm
																				Heig

Side view



Double decker truck introduction



Minimum requirement:

- 33 EU pal. Positions
- 26 Industrial pal. Positions
- Payload: 24.000 kg
- EU pal: L: 1200 mm W: 800mm
- Industrial pal: L: 1200 mm W: 1000 mm

Top view

	Length: 13600 mm												
1	4	7	10	13	16	19	22	25	28	31	u g		
2	5	8	11	14	17	20	23	26	29	32	Vvidth: 2480 mm		
3	6	9	12	15	18	21	24	27	30	33			
				:	Side viev	w							
											mm 0020		
											Height: 2700 mm		



Cooling truck introduction



Minimum requirement:

• 33 EU pal. Positions

• 26 Industrial pal. Positions

Payload: 24.000 kg

• EU pal: L: 1200 mm W: 800mm

• Industrial pal: L: 1200 mm W: 1000 mm

Top view

	Length: 13345 mm												
1	4	7	10	13	16	19	22	25	28	31		E	
2	5	8	11	14	17	20	23	26	29	32		Width: 2460 mm	
3	6	9	12	15	18	21	24	27	30	33		Width	
	Side view												
												Height: 2650 mm	



Box semitrailer introduction



Minimum requirement:

- 33 EU pal. Positions
- 26 Industrial pal. Positions
- Payload: 24.000 kg
- EU pal: L: 1200 mm W: 800mm
- Industrial pal: L: 1200 mm W: 1000 mm

Top view

Length: 13595 mm											
1	4	7	10	13	16	19	22	25	28	31	E
2	5	8	11	14	17	20	23	26	29	32	Width: 2485 mm
3	6	9	12	15	18	21	24	27	30	33	Width
Side view											
											Height: 2720 mm

