

CONFORMITY REPORTS - WASTE COLLECTION AND DISPOSAL

Audit of: Waste	Auditor: Elizabeth	Audit Criteria:	Auditees:			
Collection and	Fitzgerald	ISO/TS				
Disposal		22002-1:2009				
·		Clause 7.1				
Audit Evidence:						
Interview with Food Safety Team Leader Mr. Roje Williams and review of Waste						
Collection & Disposal Procedure WCD-PR-001 Ver. 0 (September 21, 2020) was						
conducted						
Evaluation:						
The input step of Waste Identification for the Waste Disposal Process was audited.						
Interviews conducted and review of documents conducted confirms that this process						
step is in conformity with the requirements of ISO/TS 22002-1:2009 Clause: 7.1						
Effectiveness:						

CONFORMITY REPORTS – WASTE COLLECTION AND DISPOSAL

Audit of: Waste	Auditor: Elizabeth	Audit Criteria:	Auditees:
Collection and	Fitzgerald	ISO/TS	
Disposal		22002-1:2009	
		Clause 7.2 a-e	

Audit Evidence:

Interview was conducted with the Food Safety Team Leader Mr. Roje Williams and site walk through conducted. Waste container were observed to be made from hard plastic and were located in Designated area. Bins are colour coded to identify the type of waste which should be collected. The coding is as follows: Blue- Plastic Yellow – paper Brown – Garden

Evaluation:

The input step of Waste Containers for the Waste Disposal Process was audited. Interviews conducted and review of documents conducted confirms that this process step is in conformity with the requirements of ISO/TS 22002-1:2009 Clause: 7.2 a-e

Effectiveness:

CONFORMITY REPORTS – WASTE COLLECTION AND DISPOSAL

Audit of: Waste	Auditor: Elizabeth	Audit Criteria:	Auditees:
Collection and	Fitzgerald	ISO/TS22002-1:2009	
Disposal		Clause 7.3	
Audit Evidence:			
		during oito walk throu	

No accumulation seen on production area during site walk through conducted. Interview with Food Safety Team Leader Mr. Roje Williams confirmed that garbage is removed, before each break or as container is filled

Evaluation:

The activity step of Waste Removal for the Waste Disposal Process was audited. Interviews conducted and site walk through conducted confirms that this process step is in conformity with the requirements of ISO/TS 22002-1:2009 Clause: 7.3

Effectiveness:

3/3