

## CONFORMITY REPORTS – GMP

Audit of: GMP	Auditor: Elizabeth	Audit Criteria:	Auditees: Roje		
	Fitzgerald	ISO/TS	Williams		
		22002-1:2009			
		Clause 13.2			
Audit Evidence:					
Hand wash stations	Hand wash stations are placed in every work area and closely located to				
workstations. They were appropriately labeled. This was verified during site walk					
through. Restrooms located in general area and outside of production area					
Evaluation:					
The input step of Employee Facilities for the GMP Process was audited. Interviews					
conducted and site walk through conducted confirms that this process step is in					
conformity with the requirements of ISO/TS 22002-1:2009 Clause:13.2					
Effectiveness:					

### CONFORMITY REPORTS – GMP

Audit of: GMP	Auditor: Elizabeth	Audit Criteria:	Auditees: Roje
	Fitzgerald	ISO/TS	Williams
		22002-1:2009	
		Clause 13.4	
Audit Evidonos		-	

#### Audit Evidence:

Production workers all wear lab coat which are issued by the company. Shirts do not have pockets to prevent holding of items. General area with closet seen where workers pass through to get to production. Verified on site walk through

#### Evaluation:

The input step of Work Wear and Protective Clothing for the GMP Process was audited. Interviews conducted and site walk through conducted confirms that this process step is in conformity with the requirements of ISO/TS 22002-1:2009 Clause 13.4

ΕĦ	יםו	ctr	$\Delta$	n	20	c.
-11	C	υu	٧C	116	ဘေ	Э.

# **CONFORMITY REPORTS – GMP**

Audit of: GMP Auditor: Elizabeth	Audit Criteria:	Auditees: Roje
----------------------------------	-----------------	----------------

2/3

	Fitzgerald	ISO/TS 22002-1:2009 Clause 13.4	Williams	
Audit Evidence:		•		
Interview with Food Safety Team Leader Mr. Roje Williams and site walk through were conducted. Clothes issued are Laundered daily after use in laundry room. Shirts and pants are also issued to employees. Laundry records seen				
Evaluation:				
The input step of Work Wear and Protective Clothing for the GMP Process was audited. Interviews conducted and site walk through conducted confirms that this process step is in conformity with the requirements of ISO/TS 22002-1:2009 Clause:13.4				
Effectiveness:				

3/3