ONENET · USER GUIDE

Provider Console User Guide

Daily work for OneNet staff: set up a new hosted client in minutes, connect any type of domain, manage licences, kiosks, the mobile app, backups and releases.

1 · Create
One form → a running installation

2 · Connect
Domains, kiosks, mobile app

3 · Manage
Licence, edition, switches

4 · Look after
Health, backups, releases

Product
OneNet Provider Console

Server
Ubuntu 24.04 · aaPanel

Issued
07 November 2026

Contents

1. Signing in
2. The dashboard
3. Creating a new client
4. The client page
5. Domains — every type
6. Licence, edition and switches
7. Kiosks and the mobile app
8. Releases
9. Backups
10. Jobs, activity and the handover sheet
11. Quick reference


Signing in

Open the console address (for example `https://admin.binishaqsoft.com`) and sign in with your email and password. Every account needs an authenticator app (Google Authenticator, Microsoft Authenticator or similar):

1. **First sign-in:** the console shows a QR code. Scan it with the authenticator app and type the 6-digit code.
2. **Every sign-in after that:** email, password, then the current 6-digit code.
3. After 5 wrong passwords the account is locked for 15 minutes. A session lasts 12 hours; **Sign out** is at the bottom of the menu.

ROLE	CAN DO
Owner	Everything, including provider users, the template database and archiving clients
Operator	Create clients, domains, licences, kiosk codes, backups, releases
Viewer	Look at everything, change nothing

The dashboard




Dashboard: totals, items that need attention and every client with its health, licence, kiosks and last backup.

The tiles count active clients, installations that do not answer, active employees across all clients and open alerts. **Needs attention** lists what to do now, for example a job waiting for you, an expiring licence, a certificate or domain registration about to expire, a client that is down, or a missing nightly backup. Click a client row (or **Open**) to go to its page. **Check health now** refreshes every client immediately; it also runs automatically every 10 minutes.

Creating a new client


Menu → **New client**. One form is enough; the console does the rest.



New client: company, address name, first administrator, edition and licence.

FIELD	WHAT TO ENTER
Company name	The client's name as it appears in the app and on payslips.
Address name	Filled in from the name; becomes `https://<name>.binishaqsoft.com`. Lowercase letters, digits and dashes. It cannot be changed later, so keep it short (e.g. `binishaq`).
First administrator	Name and email of the client's main user. A temporary password is created and shown once.
Edition	**Full compliance** (FBR, EOBI, social security, PF, gratuity, bank payroll, approvals) or **Lite** (small shops, cash payroll, no FBR data).
Licence	Plan name, end date (empty = no end) and the active staff limit (empty = unlimited).
Data import	Tick when the client will move data from CyberAP themselves (see the Client Data Migration Guide).
Release	The application version to run; normally the newest.

Press **Create client**. The job page opens and shows each step live:



The setup job. Green = done; the hand = something to do in aaPanel; red = failed (press Retry).

STEP	WHAT HAPPENS
Create the database	A copy of the template database (all tables, default roles, FBR tax slabs) with its own PostgreSQL login. Takes seconds.
Client folder and settings	The client's folder with its settings file, encryption keys, document and backup folders.
Bring the database up to the release	Any database changes newer than the template.
Company, administrator, edition and licence	The company record, the first administrator and the chosen settings.
aaPanel Node project and domain mapping	Creates the site in aaPanel. If the aaPanel API is not connected, the step shows exactly what to click and type.
HTTPS	Deploys the wildcard certificate to the new site.
Check that the installation answers	Calls the new installation and confirms it is live.


When a step shows a hand (waiting for you)

Do what the box says in aaPanel (each value has a Copy button), then press **Mark done**. If it needs a moment (for example DNS), press **Retry** later. You can leave the page; the job waits.

The temporary administrator password

When the job finishes, press **Show password**, give it to the client by phone or in person (not in the same email as the address), then press **I have handed it over: delete it**. The client must change it at first sign-in.

The client page



Client overview: open job, health, staff, attendance today, database size, addresses and technical details.


The header shows status, licence, the platform address, edition, release and port, with **Handover sheet** and **Restart**. The tabs are explained below. Every action you take here is recorded in the activity log.

Domains — every type

Every client always has its platform address `<name>.binishaqsoft.com`. It works from the first minute (wildcard DNS and certificate) and can never be removed, because **kiosks and the mobile app always use it**. If a client's own DNS breaks, attendance still works. A client's own domain is extra, for people opening the system in a browser.

TYPE	EXAMPLE	WHAT THE CLIENT DOES	ADVICE
Their subdomain	`hr.company.com`	One CNAME record → `<name>.binishaqsoft.com`	**Recommended.** Set once; a server move needs nothing from the client; their website and email are untouched.
Root domain	`company.com`	An A record → the server IP (or ALIAS/flattened CNAME where the DNS provider supports it), plus `www`	Only if nothing else is on the domain: it replaces their website. A server move needs the client to update the record.

Dedicated domain, nameservers to us	`companyhr.com`	Changes the domain's nameservers to ours, once	Best for a domain bought just for HR: we manage every record; the client cannot break it.
Platform only	`name.binishaqsoft.com`	Nothing	Default for small and Lite clients.




Domains tab: add a domain; the console detects its type and shows the records to create.

1. Domains tab → type the domain → choose, for a root domain, whether the client adds an A record or points the nameservers to us → **Add domain**. The console works out the type by itself and warns when a root domain would replace a website.
2. Click the document icon next to the domain: a printable **DNS instruction sheet** for the client's IT opens (Print → Save as PDF). Send it to them.
3. The connection job waits at "DNS points at this server". After the client has added the record, press **Retry** (DNS can take minutes to a few hours).
4. The console then maps the domain in aaPanel, issues a Let's Encrypt certificate, allows the address in the application (no restart) and checks HTTPS. Manual steps work as in client setup.
5. Status **active** = live. The star makes a domain the **primary** address (used in emails and on the handover sheet). The bin removes it.

Every night the console re-checks each domain: DNS still pointing here, certificate valid for at least 15 more days, and registration not expiring within 30 days. Problems appear on the dashboard.


Licence, edition and switches



Licence & edition: plan, end date, staff limit, grace, automatic suspension, edition features.

- **Valid until / grace days:** users see a warning from 14 days before the end date. After the end date the grace period runs; when it ends the installation is suspended automatically (untick "Suspend automatically" to suspend only by hand).
- **Active staff limit:** the client cannot make more employees active than the limit; they get a clear message.
- **Suspend now / Resume:** takes effect within 15 seconds. Suspended: nobody can sign in and the message you entered is shown. **Kiosks keep recording attendance**, so no punches are lost.
- **Edition:** Full or Lite, and each feature can be switched individually.
- **Client data import:** lets the client's IT import their CyberAP data themselves. Switch it off after go-live.
- Press **Save changes**; the client sees changes within 15 seconds.

Kiosks and the mobile app



Kiosk setup codes and the mobile app connection code.

Kiosk setup codes


1. Enter a label (e.g. "Main gate"), how many kiosks may use the code and how many hours it is valid → **Create setup code**.
2. The code and its QR are shown **once**: copy or print them.
3. On the kiosk PC: Settings → Server registration → **Setup code** → paste it (the kiosk shows the client name and server first) → Register.
4. Used, expired and revoked codes are listed; an unused code can be revoked.

No account password is typed at the branch. The code carries the platform address (and the client's domain as a fallback); the kiosk switches automatically if one address stops answering.

Mobile app connection code

Employees install the HR app and, on its first screen, scan or type the company connection code (or the company address). The code holds only addresses; employees still sign in with their own account. Print it for the client's notice board.


Releases



Releases: the version this client runs, and switching to another.

Choose a release → **Switch release**. The job takes a safety backup, switches, runs the database changes, restarts the client and checks it answers. Try a new release on one client first; if something is wrong, switch back the same way.

Backups



Backups: history and files. Back up now runs one immediately.

Each client is backed up every night (encrypted with the client's own key). **Back up now** runs one at once, for example before a big change. Restoring is an Admin task (see the Admin Guide).

Jobs, activity and the handover sheet

- **Jobs:** every setup, domain connection and release switch with its steps; open one to continue or retry it.
- **Activity:** who did what for this client (all clients: menu → Activity log).
- **Handover sheet:** a printable welcome page for the client: addresses, first steps, licence. It contains no password.

Quick reference

I WANT TO…	WHERE
Set up a new client	New client → fill in → Create client → finish manual steps → hand over the password
Give a client their own domain	Client → Domains → Add domain → send the DNS sheet → Retry after DNS is added
Register a kiosk	Client → Kiosks & app → Create setup code → paste it on the kiosk
Connect phones	Client → Kiosks & app → print the mobile connection code

Renew a licence	Client → Licence & edition → new end date → Save
Stop access (unpaid)	Client → Licence & edition → Suspend now
Let the client import CyberAP data	Client → Licence & edition → Client data import → Save
Upgrade a client	Client → Releases → choose → Switch release
Back up before a change	Client → Backups → Back up now
See what happened	Activity log (all) or client → Activity