



2016 Global Azure BOOTCAMP



Today





- WiFi: Events
- Agenda

9:00 - 9:30 **Networking**

9:30 - 10:30 Lap around Azure - Esteban Garcia

10:30 - 11:30 Azure IAAS: Intro to VMs and Virtual Networks - Santosh Hari

11:30 - 1:00 Hands-on labs & lunch

1:00 - 2:00 **Redis - Brian Hall**

2:00 - 3:00 ARM Templates and Automated Deployments - Esteban Garcia

3:00 - 4:30 Happy hour



Lab

- Lab Key: FEI-GMV-DWS
- http://gabracinglab.azurewebsites.net/
- https://www.youtube.com/watch?v=UI4Tabi7z80



ARM – Azure Resource Manager

Esteban Garcia



About Us

- Application Lifecycle Management
- All about Azure
- Software Development & Consulting
- Headquartered in Orlando, FL







Esteban Garcia

Chief Technologist at Nebbia Technology

ALM MVP, ALM Ranger, Azure Insider

Pluralsight Author

Friends of Redgate




















ARM

Work with Azure Resources

- DeployUpdateDelete





Benefits

- Deploy & Manage resources as a group
- Repeatedly deploy
- Declarative templates
- Define dependencies



Authoring Templates

```
{
    "$schema": "http://schema.management.azure.com/schemas/2015-01-01/deploymentTemplate.json#",
    "contentVersion": "",
    "parameters": { },
    "variables": { },
    "resources": [ ],
    "outputs": { }
}
```



Parameters

• Values that are provided when deployment is executed to customize resource deployment.

```
"parameters": {
    "siteName": {
        "type": "string",
        "minLength": 2,
        "maxLength": 60
    },
    "siteLocation": {
        "type": "string",
        "minLength": 2
    }
}
```



Variables

Values that are used as JSON fragments in the template to simplify template language expressions.

```
"variables": {
 "environmentSettings": {
   "test": {
    "instancesSize": "Small",
    "instancesCount": 1
   "prod": {
    "instancesSize": "Large",
    "instancesCount": 4
 "currentEnvironmentSettings": "[variables('environmentSettings')[parameters('environmentName')]]",
 "instancesSize": "[variables('currentEnvironmentSettings').instancesSize]",
 "instancesCount": "[variables('currentEnvironmentSettings').instancesCount]"
```



Resources

Resource types that are deployed or updated in a resource group.

```
"resources": [
  "apiVersion": "2015-08-01",
  "name": "[parameters('hostingPlanName')]",
  "type": "Microsoft.Web/serverfarms",
  "location": "[resourceGroup().location]",
  "tags": {
   "displayName": "HostingPlan"
  "sku": {
   "name": "[parameters('skuName')]",
   "capacity": "[parameters('skuCapacity')]"
  "properties": {
   "name": "[parameters('hostingPlanName')]",
   "numberOfWorkers": 1
```



Outputs

Values that are returned after deployment.

```
"outputs": {
    "siteUri" : {
        "type" : "string",
        "value": "[concat('http://',reference(resourceId('Microsoft.Web/sites',
parameters('siteName'))).hostNames[0])]"
    }
}
```



Functions

- Numeric (add, copyindex, div, int, length, mod, mul, sub)
- String (base64, concat, padLeft, replace, split, string, substring, toLower, toUpper)
- Array (concat, length, split)
- Deployment (deployment, parameters, variables)
- Resource (listkeys, list*, providers, reference, resourceGroup, resourceId, subscription)



Demo

Visual Studio



Azure Quickstart Templates

- Community-contributed templates
- Deploy, learn, fork, contribute

https://azure.microsoft.com/en-us/documentation/templates/

https://github.com/Azure/azure-quickstart-templates



Demo Deploy



Demo

VSTS





Esteban Garcia esteban@nebbiatech.com