

Incident Report — QR Code Phishing: Scan to Compromise

SOC Analysis & Triage · Easy Operation

1. Header / Metadata

Operation ID	OPS-2026-0413-07
Operation name	QR Code Phishing: Scan to Compromise
Started (UTC)	2026-04-13 08:42:14
Closed (UTC)	2026-04-13 09:14:22
Analyst	Ndumiso Mbanjwa
Cohort	May26 Cybersecurity
Difficulty	Easy
Severity	High
Final verdict	True Positive
Status	Closed – Escalated for session/token revocation and removal of the malicious forwarding rule

2. Executive Summary

On 2026-04-13, around 47 employees received an email titled “Action Required: MFA Enrollment” that claimed to come from the IT security team. Instead of a link, it contained a QR code. This is called “quishing” (QR-code phishing). It works well for attackers for two reasons: email filters mostly check text and links, so a web address hidden inside a picture slips through, and people scan QR codes with their personal phones, which sit outside the company's web filtering and endpoint protection. The email really came from mail.m365-mfa-enroll[.]com, an attacker-registered domain only 16 days old, while pretending to be from corp-notifications.com; the email authentication checks (SPF, DKIM, DMARC) all failed, but a relaxed DMARC setting let it be delivered anyway.

Employee Sarah Jenkins scanned the code. It first sent her phone to a redirect server at 176.111.219[.]85, which immediately forwarded her to a fake Microsoft 365 sign-in page hosted on 185.234.72[.]19. That page was an “adversary-in-the-middle” proxy (fingerprinted as an Evilginx2 variant): it passed her login to the real Microsoft service in real time, so she genuinely approved her MFA prompt, and it kept the session cookie Microsoft issued. About nine minutes later the attacker reused that session from a different server, 185.234.72[.]40 in Frankfurt, read 47 of her emails in 30 seconds through Microsoft Graph, created a hidden rule forwarding all her incoming mail to an

outside ProtonMail address, and downloaded two sensitive SharePoint files — an infrastructure diagram and a VPN configuration guide. This is a confirmed True Positive: I resolved all 6 of the platform's scored tasks, and every conclusion is backed by the email gateway, IDS and Azure AD logs in this report. The correct first containment step — revoking her sessions and tokens and removing the forwarding rule — was selected and confirmed by the platform.

3. Operation Details

Triggering detection	Email gateway and Azure AD alerts: a phishing campaign using QR codes, with at least one account (sarah.jenkins) already compromised.
Source	m365-mfa-enroll[.]com (sending infrastructure, 162.19.196.13); 176.111.219[.]85 (redirect server); 185.234.72[.]19 (AiTM credential server); 185.234.72[.]40 (post-compromise access)
Destination	~47 employee mailboxes; sarah.jenkins@corp.local Microsoft 365 account, mailbox and SharePoint (/sites/Engineering)
User / Host affected	sarah.jenkins (account compromised; workstation corp-wks-7720 shows no malware); other recipients including david.admin and mark.support targeted
Artefact	Email "Action Required: MFA Enrollment – Scan QR Code" with inline QR image; stolen session cookie; inbox rule "Forward All" to sjenkins-backup@protonmail[.]com; downloaded Infrastructure-Diagram-2026.pdf and VPN-Config-Guide.docx
Direction	Inbound: phishing email and the attacker's cloud sign-ins. Outbound: the victim's phone reaching the redirect and proxy servers; mail and files leaving via Graph and the forwarding rule
Tool surfaces used	Security log platform (SIEM) — email gateway, Office 365, IDS, EDR, Windows security/Sysmon and Azure AD sign-in log sources

4. Investigation & Triage

Task	Objective	What I checked	Finding	Decision & reasoning	Fig. ref
Task 1 – QR code phishing	Understand the campaign and scope	The case briefing	~47 employees received the fake MFA-enrollment QR email; at least 3	The attack happened mostly on a phone and in the cloud, so the	Fig. 1

Task	Objective	What I checked	Finding	Decision & reasoning	Fig. ref
	before searching logs		scanned it; sarah.jenkins (corp-wks-7720) is confirmed compromised, with suspicious sign-in and Graph activity	evidence will be in email, IDS and Azure AD logs rather than on the laptop	
Task 2 – The redirect server	Find the first server the QR code pointed to	The email gateway's QR decoding and the IDS logs	08:42:16 the gateway decoded the QR URL as https://176.111.219.85/r?token=...&ref=mfa-enrollment (reputation unknown). 08:52:10 the IDS saw Sarah's phone (on guest Wi-Fi) get a 302 redirect from 176.111.219.85 to online.amphenol-fci.com	The first hop is 176.111.219[.]85. Redirect servers let attackers swap the final page without re-sending the lure, so both hops must be blocked	Fig. 2, 3
Task 3 – The credential harvesting server	Find where Sarah's login was submitted	IDS alerts and Azure AD sign-in logs, 08:58–09:15	08:58:22 page fingerprint matches an Evilginx2-style AiTM kit on 185.234.72.19; 09:01:44 POST of username, password and MFA token to 185.234.72.19; 09:01:47 sign-in succeeded from that IP with MFA satisfied; 09:02:05 session persisted via stolen session cookie	185.234.72[.]19 took the credentials. Because MFA was genuinely completed through the proxy, any later sign-in with this session must be treated as the attacker, not Sarah	Fig. 4

Task	Objective	What I checked	Finding	Decision & reasoning	Fig. ref
Task 4 – Infrastructure mapping	Identify the server the stolen session was used from	Azure AD and Windows security logs after the theft, entry by entry	09:10:33 sign-in from 185.234.72.40 (Frankfurt) – impossible travel from Amsterdam in 9 minutes; 09:11:05 47 emails read in 30 seconds; 09:12:15 inbox rule “Forward All” to sjenkins-backup@protonmail.com; 09:14:22 two SharePoint files downloaded. Her 09:13:40 console logon on corp-wks-7720 is genuine	The attacker used a separate server, 185.234.72.[.]40, for post-compromise access. Blocking only the phishing servers would have missed the one actually reading the mailbox	Fig. 5, 6
Task 5 – The phishing domain	Find the domain behind the email and QR infrastructure	Email headers, reverse DNS and threat-intel correlation	Received from mail.m365-mfa-enroll.com (162.19.196.13), Envelope-From bounce-4a82f@m365-mfa-enroll.com, Header-From spoofed; domain registered 2026-03-28 on OVH; X-Mailer “QRPhish-Builder v2.1”; 3 threat feeds flag the domain; 3 more copies found in quarantine	The display sender is attacker-chosen; the envelope, HELO and reverse DNS records are not. The real sending domain is m365-mfa-enroll.com	Fig. 7
Task 6 – Containment	Choose the first action that	The platform's confirmed kill	The session cookie stays valid regardless of her	I chose to revoke Sarah's sessions/tokens and	Fig. 8, 9

Task	Objective	What I checked	Finding	Decision & reasoning	Fig. ref
	removes the attacker's access	chain and recap evidence	password, and the forwarding rule persists across credential changes; no malware on corp-wks-7720	remove the forwarding rule. A password reset alone would leave both the stolen session and the mail-forwarding rule working	

5. Threat Intelligence

Indicator (defanged)	Tool	Result / score	Date checked (UTC)	Notes
176.111.219[.]85	VirusTotal	1 out of 89 vendors flagged it (Fortinet: phishing); AS 396426, US	2026-09-15	Weak outside signal on its own, but our gateway and IDS logs directly show the QR code pointing here and this server redirecting Sarah to the fake login page.
185.234.72[.]19	VirusTotal	0 out of 89 vendors flagged it; 10+ detected files embed this IP; AS 213250 (ITP-Solutions), DE	2026-09-15	A clean vendor score is not proof of safety, and the “detected files” note is a warning sign. Our IDS and Azure AD logs show credentials posted to it and a successful sign-in from it.
185.234.72[.]40	VirusTotal	0 out of 89 vendors (unrated); 3 detected files embed this IP; same AS 213250, DE	2026-09-15	Same network block as the credential server. Our sign-in logs show the stolen session used from here for mailbox reading, the forwarding rule and SharePoint downloads.
m365-mfa-enroll[.]com	VirusTotal	No record — “Item not found”	2026-09-15	Never submitted to VirusTotal, not proof of safety. Our own logs

Indicator (defanged)	Tool	Result / score	Date checked (UTC)	Notes
				show three threat-intel feeds (PhishTank, URLhaus, OSINT) flag it, and the email headers prove it sent the campaign.

This is assessed with high confidence as an Evilginx-style adversary-in-the-middle quishing campaign against Microsoft 365. VirusTotal gives little outside confirmation: only the redirect server has a single vendor detection, the two 185.234.72.x servers score 0 of 89 (although VirusTotal links malicious files to both), and the sending domain has never been submitted. That is expected for fresh, purpose-built infrastructure — the sending domain was only 16 days old — and it is exactly why this report relies on first-party evidence. A clean or missing VirusTotal result is treated as inconclusive, not as proof of safety. Every finding here rests on the organisation's own email gateway, IDS and Azure AD logs, and the in-platform threat-intel match on m365-mfa-enroll[.]com from three separate feeds.

6. Timeline (UTC)

Time (UTC)	Event
2026-04-13 08:42:14	Phishing email arrives from mail.m365-mfa-enroll[.]com (162.19.196.13), spoofing it-security@corp-notifications.com; built with “QRPhish-Builder v2.1”
2026-04-13 08:42:15–08:42:17	Email delivered to sarah.jenkins; gateway decodes the QR URL to 176.111.219[.]85; SPF/DMARC fail but policy=none lets it through
2026-04-13 08:44:02–08:47:55	Same lure delivered to david.admin and mark.support (part of ~47 recipients)
2026-04-13 08:52:10	High — Sarah scans the code on her phone; 176.111.219[.]85 redirects her to online.amphen0l-fci.com
2026-04-13 08:58:20–08:58:22	Her phone loads a fake Microsoft 365 page on 185.234.72[.]19 matching an Evilginx2 kit
2026-04-13 09:01:44	High — username, password and MFA token submitted to 185.234.72[.]19
2026-04-13 09:01:47–09:02:05	Sign-in succeeds from 185.234.72[.]19 (Amsterdam); session persisted via the stolen cookie
2026-04-13 09:10:33	High — stolen session used from 185.234.72[.]40 (Frankfurt), impossible travel
2026-04-13 09:11:05	47 emails read through Microsoft Graph in 30 seconds

Time (UTC)	Event
2026-04-13 09:12:15	High — inbox rule “Forward All” created, sending all mail to sjenkins-backup@protonmail[.]com
2026-04-13 09:14:22	High — Infrastructure-Diagram-2026.pdf and VPN-Config-Guide.docx downloaded from SharePoint (4.2 MB)
2026-04-13 09:22:00–09:25:15	Threat-intel match on m365-mfa-enroll[.]com; retroactive scan finds 3 more lure copies in quarantine

7. Indicators of Compromise

Type	Indicator (defanged)	Context
IPv4	176.111.219[.]85	Redirect server encoded in the QR code (first hop) — platform Confirmed finding
IPv4	185.234.72[.]19	AiTM credential-harvesting server (Evilginx2-style) — platform Confirmed finding
IPv4	185.234.72[.]40	Separate post-compromise server used to operate the stolen session — platform Confirmed finding
Domain	m365-mfa-enroll[.]com	Phishing email and QR-generation infrastructure (sending host 162.19.196.13) — platform Confirmed finding
Email address	sjenkins-backup@protonmail[.]com	External destination of the malicious “Forward All” inbox rule (confirmed persistence artefact)

STIX 2.1 Bundle

```
{
  "type": "bundle",
  "id": "bundle--36eba9f6-fe40-5beb-a17d-ac8d01673f6c",
  "objects": [
    {
      "type": "identity",
      "spec_version": "2.1",
      "id": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
      "created": "2026-04-13T08:42:14.000Z",
      "modified": "2026-09-15T21:00:00.000Z",
      "name": "Ndumiso Mbanjwa (May26 Cybersecurity)",
      "description": "SOC analyst incident report \u2014 May26 Cybersecurity cohort, SOC Simulator operation QR Code Phishing: Scan to Compromise.",
      "identity_class": "individual",
      "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
      ]
    }
  ],
}
```

```

{
  "type": "malware",
  "spec_version": "2.1",
  "id": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
  "created": "2026-04-13T08:42:14.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "name": "Evilginx2-style AiTM phishing kit (QR delivery)",
  "description": "Quishing campaign built with 'QRPhish-Builder v2.1' from m365-
mfa-enroll.com; QR URL to redirector 176.111.219.85 then AiTM proxy on 185.234.72.19 that
relayed Microsoft 365 sign-in and captured the session cookie; session replayed from
185.234.72.40.",
  "malware_types": [
    "credential-harvester"
  ],
  "is_family": false,
  "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
  ]
},
{
  "type": "attack-pattern",
  "spec_version": "2.1",
  "id": "attack-pattern--65a96309-7ab8-5155-9c5f-653bbf15c570",
  "created": "2026-04-13T08:42:14.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "name": "Acquire Infrastructure: Domains",
  "description": "m365-mfa-enroll.com registered 2026-03-28, 16 days before the
campaign.",
  "external_references": [
    {
      "source_name": "mitre-attack",
      "url": "https://attack.mitre.org/techniques/T1583/001/",
      "external_id": "T1583.001"
    }
  ],
  "kill_chain_phases": [
    {
      "kill_chain_name": "mitre-attack",
      "phase_name": "resource-development"
    }
  ],
  "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
  ]
},
{
  "type": "attack-pattern",
  "spec_version": "2.1",
  "id": "attack-pattern--049a4b51-0a65-52e9-91da-4a0e0c70d8d2",
  "created": "2026-04-13T08:42:14.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "name": "Phishing: Spearphishing Link",
  "description": "Malicious URL delivered encoded inside an inline QR code
image.",
  "external_references": [
    {
      "source_name": "mitre-attack",

```

```

        "url": "https://attack.mitre.org/techniques/T1566/002/",
        "external_id": "T1566.002"
    },
    ],
    "kill_chain_phases": [
        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "initial-access"
        }
    ],
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--ccc20b0b-fbf2-5c7f-887e-dc3313616963",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Email Spoofing",
    "description": "Header-From spoofed as it-security@corp-notifications.com;
SPF/DMARC failed.",
    "external_references": [
        {
            "source_name": "mitre-attack",
            "url": "https://attack.mitre.org/techniques/T1672/",
            "external_id": "T1672"
        }
    ],
    "kill_chain_phases": [
        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "defense-evasion"
        }
    ],
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--e56bb611-3939-53b8-90c2-0de31126a3d8",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Adversary-in-the-Middle",
    "description": "Evilginx2-style proxy on 185.234.72.19 relayed the Microsoft
365 sign-in.",
    "external_references": [
        {
            "source_name": "mitre-attack",
            "url": "https://attack.mitre.org/techniques/T1557/",
            "external_id": "T1557"
        }
    ],
    "kill_chain_phases": [

```

```

        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "credential-access"
        }
    ],
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--529dfe37-de9d-53be-9a22-bd405daf5f6c",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Steal Web Session Cookie",
    "description": "Session persisted via stolen session cookie.",
    "external_references": [
        {
            "source_name": "mitre-attack",
            "url": "https://attack.mitre.org/techniques/T1539/",
            "external_id": "T1539"
        }
    ],
    "kill_chain_phases": [
        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "credential-access"
        }
    ],
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--8f94269a-5386-59b0-8a9a-e168a7780760",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Use Alternate Authentication Material: Web Session Cookie",
    "description": "Stolen session replayed from 185.234.72.40.",
    "external_references": [
        {
            "source_name": "mitre-attack",
            "url": "https://attack.mitre.org/techniques/T1550/004/",
            "external_id": "T1550.004"
        }
    ],
    "kill_chain_phases": [
        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "defense-evasion"
        },
        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "lateral-movement"
        }
    ]
}

```

```

    }
  ],
  "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
  ]
},
{
  "type": "attack-pattern",
  "spec_version": "2.1",
  "id": "attack-pattern--d82fd6cd-6274-550c-81c1-d1fc4575bc3b",
  "created": "2026-04-13T08:42:14.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "name": "Email Collection: Remote Email Collection",
  "description": "47 emails read via Microsoft Graph in 30 seconds.",
  "external_references": [
    {
      "source_name": "mitre-attack",
      "url": "https://attack.mitre.org/techniques/T1114/002/",
      "external_id": "T1114.002"
    }
  ],
  "kill_chain_phases": [
    {
      "kill_chain_name": "mitre-attack",
      "phase_name": "collection"
    }
  ],
  "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
  ]
},
{
  "type": "attack-pattern",
  "spec_version": "2.1",
  "id": "attack-pattern--6a1a6de7-0f33-572e-803b-bae9dfc83119",
  "created": "2026-04-13T08:42:14.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "name": "Email Collection: Email Forwarding Rule",
  "description": "Inbox rule 'Forward All' to sjenkins-backup@protonmail.com.",
  "external_references": [
    {
      "source_name": "mitre-attack",
      "url": "https://attack.mitre.org/techniques/T1114/003/",
      "external_id": "T1114.003"
    }
  ],
  "kill_chain_phases": [
    {
      "kill_chain_name": "mitre-attack",
      "phase_name": "collection"
    }
  ],
  "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
  ]
},

```

```

{
  "type": "attack-pattern",
  "spec_version": "2.1",
  "id": "attack-pattern--f7ed433a-b504-51a5-8a46-be81b30ad98d",
  "created": "2026-04-13T08:42:14.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "name": "Data from Information Repositories: Sharepoint",
  "description": "Infrastructure-Diagram-2026.pdf and VPN-Config-Guide.docx
downloaded.",
  "external_references": [
    {
      "source_name": "mitre-attack",
      "url": "https://attack.mitre.org/techniques/T1213/002/",
      "external_id": "T1213.002"
    }
  ],
  "kill_chain_phases": [
    {
      "kill_chain_name": "mitre-attack",
      "phase_name": "collection"
    }
  ],
  "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
  ]
},
{
  "type": "indicator",
  "spec_version": "2.1",
  "id": "indicator--cdc6a661-ddaf-5f11-a14c-285792eefa87",
  "created": "2026-04-13T08:42:14.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "name": "QR redirect server",
  "description": "First hop encoded in the QR code; 302 redirect at 2026-04-
13T08:52:10Z. VirusTotal 1/89 (2026-09-15).",
  "indicator_types": [
    "malicious-activity"
  ],
  "pattern": "[ipv4-addr:value = '176.111.219.85']",
  "pattern_type": "stix",
  "valid_from": "2026-04-13T08:42:14.000Z",
  "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
  ]
},
{
  "type": "relationship",
  "spec_version": "2.1",
  "id": "relationship--e3f0b5f7-8f3f-5332-99e0-4de3aeedd600",
  "created": "2026-04-13T08:42:14.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "relationship_type": "indicates",
  "source_ref": "indicator--cdc6a661-ddaf-5f11-a14c-285792eefa87",
  "target_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
  "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
  ]
}

```

```

    ]
  },
  {
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--3dbcd970-d6d8-55f8-9cfd-81a6b29b77b6",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "AiTM credential server",
    "description": "Credential POST at 2026-04-13T09:01:44Z; sign-in from this IP
at 09:01:47Z. VirusTotal 0/89 (2026-09-15).",
    "indicator_types": [
      "malicious-activity"
    ],
    "pattern": "[ipv4-addr:value = '185.234.72.19']",
    "pattern_type": "stix",
    "valid_from": "2026-04-13T08:42:14.000Z",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
  },
  {
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--469f28eb-538f-533a-b2f6-e26b7c2e6fb7",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "indicates",
    "source_ref": "indicator--3dbcd970-d6d8-55f8-9cfd-81a6b29b77b6",
    "target_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
  },
  {
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--alf52cfd-9d4b-5c12-9573-f6469556cec0",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Post-compromise access server",
    "description": "Graph API mailbox enumeration, inbox rule creation and
SharePoint downloads 2026-04-13T09:10:33Z-09:14:22Z. VirusTotal 0/89 (2026-09-15).",
    "indicator_types": [
      "malicious-activity"
    ],
    "pattern": "[ipv4-addr:value = '185.234.72.40']",
    "pattern_type": "stix",
    "valid_from": "2026-04-13T08:42:14.000Z",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
  },
  {
    "type": "relationship",
    "spec_version": "2.1",

```

```

    "id": "relationship--cf19c759-e942-5e8c-8825-d4fdcf136b27",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "indicates",
    "source_ref": "indicator--alf52cfd-9d4b-5c12-9573-f6469556cec0",
    "target_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
},
{
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--6102eb44-c766-54ac-8e0a-09be4ce54caa",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Phishing sending domain",
    "description": "HELLO/envelope domain of the QR phishing email; registered
2026-03-28; flagged by PhishTank, URLhaus and OSINT feeds.",
    "indicator_types": [
        "malicious-activity"
    ],
    "pattern": "[domain-name:value = 'm365-mfa-enroll.com']",
    "pattern_type": "stix",
    "valid_from": "2026-04-13T08:42:14.000Z",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--a7cfc55e-9b75-5a47-b560-2596b3620c67",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "indicates",
    "source_ref": "indicator--6102eb44-c766-54ac-8e0a-09be4ce54caa",
    "target_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
},
{
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--a3364888-48ac-586c-b974-4837c17caff2",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Malicious forwarding destination",
    "description": "Target of inbox rule 'Forward All' created at 2026-04-
13T09:12:15Z.",
    "indicator_types": [
        "malicious-activity"
    ],
    "pattern": "[email-addr:value = 'sjenkins-backup@protonmail.com']",
    "pattern_type": "stix",

```

```

    "valid_from": "2026-04-13T08:42:14.000Z",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
  },
  {
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--88ce4982-27b0-542f-84a4-72d542e54ca3",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "indicates",
    "source_ref": "indicator--a3364888-48ac-586c-b974-4837c17caff2",
    "target_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
  },
  {
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--ff362b96-9f1f-5e81-be82-7fa068aaadd0",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
    "target_ref": "attack-pattern--65a96309-7ab8-5155-9c5f-653bbf15c570",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
  },
  {
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--43387726-3b2f-5626-b565-51a8d4dde452",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
    "target_ref": "attack-pattern--049a4b51-0a65-52e9-91da-4a0e0c70d8d2",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
  },
  {
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--829502d7-3c40-567e-8c93-9994459d87a2",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
    "target_ref": "attack-pattern--ccc20b0b-fbf2-5c7f-887e-dc3313616963",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [

```

```

        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--a6ea284f-de4d-5602-9ddd-d031bab096e0",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
    "target_ref": "attack-pattern--e56bb611-3939-53b8-90c2-0de31126a3d8",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--a9d9ab48-70d0-50b4-8e7e-4f5b8c1b6379",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
    "target_ref": "attack-pattern--529dfe37-de9d-53be-9a22-bd405daf5f6c",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--fe9eac89-b117-5b66-b9fb-fd2eeb9429f2",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
    "target_ref": "attack-pattern--8f94269a-5386-59b0-8a9a-e168a7780760",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--e948148a-480f-5342-9294-7c54e3cae8a7",
    "created": "2026-04-13T08:42:14.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
    "target_ref": "attack-pattern--d82fd6cd-6274-550c-81c1-d1fc4575bc3b",
    "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
},

```

```

{
  "type": "relationship",
  "spec_version": "2.1",
  "id": "relationship--639ccb91-9f03-573d-a39f-e75648ba09c9",
  "created": "2026-04-13T08:42:14.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "relationship_type": "uses",
  "source_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
  "target_ref": "attack-pattern--6a1a6de7-0f33-572e-803b-bae9dfc83119",
  "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
  ]
},
{
  "type": "relationship",
  "spec_version": "2.1",
  "id": "relationship--df78cd8f-d118-5230-bc07-6a8115f6a58b",
  "created": "2026-04-13T08:42:14.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "relationship_type": "uses",
  "source_ref": "malware--f7b064f8-83d9-56de-ba93-a5e2e223c541",
  "target_ref": "attack-pattern--f7ed433a-b504-51a5-8a46-be81b30ad98d",
  "created_by_ref": "identity--e286c28d-23c1-58a6-aca5-3dac927816d9",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
  ]
}
]
}

```

8. MITRE ATT&CK Mapping

Tactic	Technique	ID
Resource Development	Acquire Infrastructure: Domains	T1583.001
Initial Access	Phishing: Spearphishing Link	T1566.002
Defense Evasion	Email Spoofing	T1672
Credential Access	Adversary-in-the-Middle	T1557
Credential Access	Steal Web Session Cookie	T1539
Defense Evasion / Lateral Movement	Use Alternate Authentication Material: Web Session Cookie	T1550.004
Collection	Email Collection: Remote Email Collection	T1114.002
Collection	Email Collection: Email Forwarding Rule	T1114.003
Collection	Data from Information Repositories: Sharepoint	T1213.002

This walkthrough-style operation does not display an ATT&CK panel. Each technique above is mapped only from behaviour the platform confirmed — its Confirmed findings, the recap evidence and its “confirmed kill chain” summary.

9. Impact & Containment

Impact: the attacker took over Sarah Jenkins's Microsoft 365 account despite MFA, read 47 of her emails, set up a rule that silently copies all her future incoming mail to an outside address, and stole two sensitive engineering documents — an infrastructure diagram and a VPN configuration guide — that could help plan further attacks on the network. The campaign reached around 47 employees and at least 3 scanned the code, so more accounts may be at risk. No malware was found on her workstation. Containment steps, in priority order:

1. Revoke all of sarah.jenkins's active sessions and refresh tokens and delete the “Forward All” inbox rule immediately — both keep working even if only her password is changed.
2. Reset her password and re-register her MFA methods, then review the mailbox audit log for any other rules, delegates or app consents the attacker added.
3. Block 176.111.219[.]85, 185.234.72[.]19, 185.234.72[.]40, m365-mfa-enroll[.]com (and online.amphen0l-fci.com) and purge every copy of the lure from all mailboxes.
4. Identify the other employees who scanned the QR code and check their sign-in logs for the same attacker IP addresses.
5. Treat the VPN configuration guide and infrastructure diagram as exposed: review VPN access, rotate any credentials or shared secrets they mention, and increase monitoring of VPN logins.

10. Conclusion & Recommendations

Final verdict: True Positive. A QR code in a spoofed IT email moved the attack onto a personal phone, where an adversary-in-the-middle page stole a fully authenticated Microsoft 365 session. The attacker then used separate infrastructure to read mail, plant a forwarding rule and take sensitive files. The chain is fully evidenced across email, IDS and identity logs. The key lessons are that MFA push approvals can be relayed, that attackers deliberately split the servers that phish from the servers that use the stolen access, and that a relaxed DMARC policy let a failed-authentication email reach inboxes.

Recommendations:

1. Move the DMARC policy from “none” to “quarantine” or “reject” so emails that fail SPF/DKIM alignment are no longer delivered.
2. Enable QR-code scanning in the email gateway and treat messages whose only content is a QR image as high risk.
3. Adopt phishing-resistant MFA (passkeys/FIDO2) and Conditional Access requiring compliant devices, which blocks sessions replayed from attacker servers.
4. Alert on and restrict inbox rules that forward mail to external domains, and on bulk Graph API mail reads shortly after a risky sign-in.
5. Train staff that IT will never ask them to scan a QR code to enrol in MFA, and to report such emails.

11. Evidence / Screenshots

Figure	Caption	Referenced in
Figure 1	The operation header showing the completed 100% badge, 6/6 tasks, the scenario's title, difficulty (Easy), SIEM tool surface and points, plus the Task 1 briefing	Section 3, Task 1
Figure 2	The email gateway log: the MFA-enrollment email delivered to sarah.jenkins at 08:42:15 and, at 08:42:16, the QR code decoded to https://176.111.219.85/r?token=...&ref=mfa-enrollment	Task 2
Figure 3	The IDS alert at 08:52:10: 176.111.219.85:443 returned a 302 redirect to online.amphenol-fci.com for Sarah's phone on the guest Wi-Fi (High)	Task 2
Figure 4	IDS and Azure AD logs: at 09:01:44 credentials and MFA token posted to 185.234.72.19 (AiTM proxy relaying to login.microsoftonline.com), and at 09:01:47 a successful sign-in from 185.234.72.19 in Amsterdam	Task 3
Figure 5	Post-compromise activity: at 09:10:33 a sign-in from 185.234.72.40 in Frankfurt flagged as impossible travel, and at 09:11:05 47 emails read in 30 seconds via Graph API	Task 4
Figure 6	At 09:12:15 an inbox rule 'Forward All' created from 185.234.72.40, auto-forwarding all mail to sjenkins-backup@protonmail.com, followed by Sarah's genuine console logon at 09:13:40	Task 4, Section 7
Figure 7	Email header analysis: received from mail.m365-mfa-enroll.com (162.19.196.13) with envelope-from bounce-4a82f@m365-mfa-enroll.com and a spoofed Header-From; reverse DNS on OVH, domain registered 2026-03-28	Task 5
Figure 8	The Task 6 incident recap: SharePoint downloads of Infrastructure-Diagram-2026.pdf and VPN-Config-Guide.docx (4.2 MB), and EDR showing no executable content on corp-wks-7720	Task 6, Section 9

Figure	Caption	Referenced in
Figure 9	The Task 6 containment decision and the confirmed answer: revoke sarah.jenkins's active sessions/tokens and remove the malicious inbox forwarding rule	Task 6, Section 9
Figure 10	VirusTotal results for 176.111.219.85: 1 of 89 vendors flags it (Fortinet: phishing)	Section 5
Figure 11	VirusTotal results for 185.234.72.19: 0 of 89 vendors, but 10+ detected files embed this IP (AS 213250, DE)	Section 5
Figure 12	VirusTotal results for 185.234.72.40: 0 of 89 vendors (unrated), 3 detected files embed this IP (AS 213250, DE)	Section 5
Figure 13	VirusTotal lookup for m365-mfa-enroll.com: "Item not found" (never submitted)	Section 5

Figure 1. The operation header showing the completed 100% badge, 6/6 tasks, the scenario's title, difficulty (Easy), SIEM tool surface and points, plus the Task 1 briefing.




Figure 2. The email gateway log: the MFA-enrollment email delivered to sarah.jenkins at 08:42:15 and, at 08:42:16, the QR code decoded to https://176.111.219.85/r?token=...&ref=mfa-enrollment.






Figure 3. The IDS alert at 08:52:10: 176.111.219.85:443 returned a 302 redirect to online.amphen0l-fci.com for Sarah's phone on the guest Wi-Fi (High).



The screenshot shows the SOC Simulator interface with the SIEM Log Viewer open. The search bar contains the query "level:critical AND source:WinEventLog...". The table displays three log entries. The first entry, at 08:52:10, is a High severity alert from 'sec-ids' (ids-sensor-01) describing a 302 redirect to online.amphen0l-fci.com from Sarah's phone. The second entry, at 08:52:11, is an Info severity log from 'sec-ids' (ids-sensor-01) about a DNS query. The third entry, at 08:55:30, is an Info severity log from 'email-gateway' (email-gw-01) about an inbound email.

Timestamp [UTC]	Severity	Source	Host	EventID	Description
2026-04-13 08:52:10	High	sec-ids ids-sensor-01	ids-sensor-01	—	176.111.219.85:443 returned 302 redirect to online.amphen0l-fci.com. Source: sarah.jenkins's phone on the corporate guest Wi-Fi (guest traffic traverses the perimeter IDS). TLS SNI mismatch with IP-only URL.
2026-04-13 08:52:11	Info	sec-ids ids-sensor-01	ids-sensor-01	—	DNS query logged: online.amphen0l-fci.com queried from an external source (mobile device, not on corporate DNS).
2026-04-13 08:55:30	Info	email-gateway email-gw-01	email-gw-01	—	Inbound email delivered: From="newsletter@vendor-updates.net" To="sarah.jenkins@corp.local" Subject="Weekly Security Digest" Attachments=1 (PDF). SPF=pass, DKIM=pass, DMARC=pass.

Figure 4. IDS and Azure AD logs: at 09:01:44 credentials and MFA token posted to 185.234.72.19 (AiTM proxy relaying to login.microsoftonline.com), and at 09:01:47 a successful sign-in from 185.234.72.19 in Amsterdam.



The screenshot shows the SOC Simulator interface with the SIEM Log Viewer open. The search bar contains the query "level:critical AND source:WinEventLog...". The table displays two log entries. The first entry, at 09:01:44, is a High severity alert from 'sec-ids' (ids-sensor-01) describing a credential submission to 185.234.72.19 (online.amphen0l-fci.com) via an AiTM proxy. The second entry, at 09:01:47, is an Info severity log from 'cloud-azure-signin' (azure-ad-portal) describing a successful sign-in for sarah.jenkins@corp.local from IP 185.234.72.19 in Amsterdam.

Timestamp [UTC]	Severity	Source	Host	EventID	Description
2026-04-13 09:01:44	High	sec-ids ids-sensor-01	ids-sensor-01	—	Credential submission detected: POST /api/auth/login to 185.234.72.19 (online.amphen0l-fci.com). Form fields: username=sarah.jenkins@corp.local, password=[REDACTED], mfa_token=[REDACTED]. AiTM proxy relaying to login.microsoftonline.com.
2026-04-13 09:01:47	Info	cloud-azure-signin azure-ad-portal	azure-ad-portal	—	Sign-in succeeded: sarah.jenkins@corp.local. MFA satisfied (push notification approved). IP=185.234.72.19. Location: Amsterdam, NL. Client=Browser (Chrome/Mobile). Risk=none (first assessment).


Figure 5. Post-compromise activity: at 09:10:33 a sign-in from 185.234.72.40 in Frankfurt flagged as impossible travel, and at 09:11:05 47 emails read in 30 seconds via Graph API.

Timestamp [UTC]	Severity	Source	Host	EventID	Description
2026-04-13 09:10:33	High	cloud-azure-signin azure-ad-p... 8 fields	azure-ad-portal	—	Sign-in succeeded: sarah.jenkins@corp.local. IP=185.234.72.40. Location: Frankfurt, DE. Client=Browser. Application=Microsoft Graph API. Risk=medium (atypical travel: Amsterdam to Frankfurt in 9 minutes, impossible travel).
2026-04-13 09:11:05	Medium	cloud-azure-signin azure-ad-p... 8 fields	azure-ad-portal	—	Graph API access: sarah.jenkins@corp.local from 185.234.72.40. Scope=Mail.Read, Mail.ReadWrite, Files.Read.All. 47 emails read in 30 seconds (automated enumeration pattern).
2026-04-13 09:12:15	Medium	cloud-azure-signin	azure-ad-portal	—	Graph API access: sarah.jenkins@corp.local from 185.234.72.40. Inbox rule created: 'Forward All' - auto-forward all incoming mail to external address sjenkins-backup@protonmail.com.

Figure 6. At 09:12:15 an inbox rule 'Forward All' created from 185.234.72.40, auto-forwarding all mail to sjenkins-backup@protonmail.com, followed by Sarah's genuine console logon at 09:13:40.

Timestamp [UTC]	Severity	Source	Host	EventID	Description
2026-04-13 09:12:15	Medium	cloud-azure-signin azure-ad-p... 5 fields	azure-ad-portal	—	Graph API access: sarah.jenkins@corp.local from 185.234.72.40. Inbox rule created: 'Forward All' - auto-forward all incoming mail to external address sjenkins-backup@protonmail.com.
2026-04-13 09:13:40	Info	windows-security corp-wks-7... 1 fields	corp-wks-7720	—	Event 4624: Logon success. User=CORP\sarah.jenkins. Logon Type=2 (Interactive). Source IP=127.0.0.1. Workstation=corp-wks-7720. Normal interactive logon - sarah.jenkins working locally at the console of her own workstation.


Figure 7. Email header analysis: received from mail.m365-mfa-enroll.com (162.19.196.13) with envelope-from bounce-4a82f@m365-mfa-enroll.com and a spoofed Header-From; reverse DNS on OVH, domain registered 2026-03-28.



The screenshot shows the SOC Simulator SIEM Log Viewer interface. The search bar contains the query "level:critical AND source:WinEventLog...". The table displays three log entries related to email header analysis.

Timestamp [UTC]	Severity	Source	Host	EventID	Description
2026-04-13 08:42:14	Medium	email-gateway	email-gw-01	---	Email header analysis: Received: from mail.m365-mfa-enroll.com (162.19.196.13) by email-gw-01. HELO=mail.m365-mfa-enroll.com. Envelope-From=bounce-4a82f@m365-mfa-enroll.com. Header-From=it-security@corp-notifications.com (spoofed).
2026-04-13 08:42:14	Info	email-gateway	email-gw-01	---	Reverse DNS lookup: 162.19.196.13 -> mail.m365-mfa-enroll.com. PTR record confirmed. Hosting provider: OVH SAS (FR). Domain registered 2026-03-28 (16 days ago).
2026-04-13 08:42:15	Medium	email-gateway	email-gw-01	---	X-Mailer header: QRPhish-BUILDER v2.1. X-Campaign-ID: camp-2026-04-mfa. Custom headers indicate automated phishing.

Figure 8. The Task 6 incident recap: SharePoint downloads of Infrastructure-Diagram-2026.pdf and VPN-Config-Guide.docx (4.2 MB), and EDR showing no executable content on corp-wks-7720.



The screenshot shows the SOC Simulator SIEM Log Viewer interface. The search bar contains the query "level:critical AND source:WinEventLog...". The table displays two log entries related to the Task 6 incident.

Timestamp [UTC]	Severity	Source	Host	EventID	Description
2026-04-13 09:14:22	High	cloud-azure-signin	azure-ad-portal	---	Graph API access: sarah.jenkins@corp.local. SharePoint file download: /sites/Engineering/Shared Documents/Infrastructure-Diagram-2026.pdf, /sites/Engineering/Shared Documents/VPN-Config-Guide.docx. 2 files (4.2 MB total).
2026-04-13 09:05:30	Info	sec-edr	corp-wks-7720	---	EDR telemetry: corp-wks-7720 (sarah.jenkins). Process=outlook.exe accessed email message with embedded QR code image (image/png, 2.4 KB). No executable content detected in image.

Figure 9. The Task 6 containment decision and the confirmed answer: revoke sarah.jenkins's active sessions/tokens and remove the malicious inbox forwarding rule.




Figure 10. VirusTotal results for 176.111.219.85: 1 of 89 vendors flags it (Fortinet: phishing).




Figure 11. VirusTotal results for 185.234.72.19: 0 of 89 vendors, but 10+ detected files embed this IP (AS 213250, DE).




Figure 12. VirusTotal results for 185.234.72.40: 0 of 89 vendors (unrated), 3 detected files embed this IP (AS 213250, DE).




Figure 13. VirusTotal lookup for m365-mfa-enroll.com: “Item not found” (never submitted).

