

Incident Report — Finance Mailbox Takeover at MegaCorp Logistics

SOC Analysis & Triage • Intermediate Operation

1. Header / Metadata

Operation ID	OPS-2025-0420-08
Operation name	Finance Mailbox Takeover at MegaCorp Logistics (Evilginx AiTM: Session Cookie Hijack)
Started (UTC)	2025-04-20 08:59:57
Closed (UTC)	2025-04-21 14:02:44
Analyst	Ndumiso Mbanjwa
Cohort	May26 Cybersecurity
Difficulty	Intermediate
Severity	Critical
Final verdict	True Positive
Status	Closed – Account disabled; escalated for session revocation, forwarding-rule removal and service-principal review

2. Executive Summary

A finance analyst at MegaCorp Logistics, Amanda Garcia, reported that colleagues were getting replies to emails she had never sent, and her account was disabled while the investigation ran. The logs show how it happened. On 2025-04-20 she received an email from `billing@ywnjb[.]com` titled “Invoice 44821 past due” with an attachment called `invoice.svg`. An SVG file looks like a harmless picture, but it can contain hidden script code — a trick known as “SVG smuggling” that lets a malicious web page slip past email filters looking for dangerous attachments. When she opened it on her workstation `corp-wks-082`, Microsoft Edge (`msedge.exe`) loaded it and was immediately redirected to `https://ywnjb[.]com/auth/login`, hosted on `207.35.10[.]251`.

That page was an adversary-in-the-middle (AiTM) proxy of the Evilginx type: it sat between Amanda and the real Microsoft sign-in, so her login genuinely worked, while the attacker copied the session. The endpoint detection tool raised a critical “Adversary-in-the-Middle” alert (T1557), and minutes later a second alert (T1539, Steal Web Session Cookie) when a headless browser tool, `phantomjs.exe` — launched by Edge and dropped in her Temp folder — wrote a file of stolen browser cookies. A headless browser is a browser with no window; attackers use it so automated activity looks like

normal web traffic. The stolen session was then replayed from Lagos (142.49.148.88) without any second-factor check, used from Bucharest (45.227.255.101) to read 312 mailbox items, and a hidden inbox rule was created that forwards her mail to an outside ProtonMail address and deletes the originals — which explains why she never saw the replies. This is a confirmed True Positive: I resolved all 8 of the platform's scored tasks, and every step is backed by the SIEM mail, proxy, sign-in and Sysmon logs and by the XDR process tree, file artefacts and detected-behaviour panel.

3. Operation Details

Triggering detection	User report of replies to emails she never sent, followed by the XDR critical detection “Adversary-in-the-Middle” (T1557) on corp-wks-082 and the mail-server detection “Email Forwarding Rule” (T1114.003).
Source	billing@ywnjb[.]com (phishing sender); ywnjb[.]com / 207.35.10[.]251 (AiTM proxy); 142.49.148[.]88 and 45.227.255[.]101 (session replay and mailbox access)
Destination	amanda.garcia@megacorp.com mailbox on srv-az-mail-01; workstation corp-wks-082 (10.0.1.118)
User / Host affected	amanda.garcia (CORP\amanda.garcia / amanda.garcia@megacorp.com) on corp-wks-082
Artefact	invoice.svg (SVG smuggling lure); phantomjs.exe and auth.js in the user's Temp folder; session_cookies.dat (stolen cookie store); inbox rule “Auto-Forward” to ap.invoices.archive@proton[.]me with DeleteMessage
Direction	Inbound: phishing email and the attacker's replayed sign-ins. Outbound: Edge and phantomjs.exe connecting to ywnjb[.]com (207.35.10[.]251); mail forwarded outside the tenant
Tool surfaces used	Security log platform (SIEM) and endpoint detection (XDR) — process tree, network flow, file artefacts and detected behaviours

4. Investigation & Triage

Task	Objective	What I checked	Finding	Decision & reasoning	Fig. ref
Task 1 – Scope the compromised endpoint	Find which workstation produced the	The SIEM logs around the headless automation binary	10:19:39 Sysmon Process Create: phantomjs.exe (PID 1002) from the user's Temp folder,	All the automation-binary events were recorded on corp-wks-082, so that is	Fig. 2

Task	Objective	What I checked	Finding	Decision & reasoning	Fig. ref
	endpoint evidence		parent msedge.exe (PID 1000); 10:19:45 DNS query for ywnjb.com by phantomjs.exe; 10:20:12 Defender flags the unsigned phantomjs.exe — all on host corp-wks-082	the endpoint in scope	
Task 2 – Trace the outbound connection	Identify the external site the browser reached after the file was opened	The XDR network flow for msedge.exe and the proxy log	Edge connected to 207.35.10.251:443 (ywnjb.com) twice, and the proxy recorded an HTTP 302 from the local invoice.svg file to https://ywnjb.com/auth/login	The destination is ywnjb[.]com — the same domain that sent the email, so the lure and the fake login page are one operation	Fig. 3, 6
Task 3 – Classify the first detection	Report the ATT&CK ID of the detection raised by that connection	The XDR Detected Behaviors panel	Critical, 10:16:05: “The browser session from corp-wks-082 to 207.35.10.251 carried request bodies with an unusually high U+FFA0 character ratio” — mapped to T1557	T1557 Adversary-in-the-Middle: the proxy relays the real sign-in, which is why MFA did not protect the account	Fig. 4
Task 4 – Classify the second detection	Report the ATT&CK ID of the follow-up detection on the same host	The Detected Behaviors panel and file artefacts	High, 10:18:45: a browser cookie store file was written to the Temp folder by phantomjs.exe (session_cookies.dat, flagged	T1539 Steal Web Session Cookie: the attacker took the logged-in session itself, so a password change alone would not remove access	Fig. 4, 5

Task	Objective	What I checked	Finding	Decision & reasoning	Fig. ref
			Suspicious) — mapped to T1539		
Task 5 – Name the adversary's objective	Identify the tactic both detections belong to	The tactic tags on the two detections	Both T1557 and T1539 are tagged credential-access	The attacker's goal at this stage was Credential Access — obtaining something that proves Amanda's identity	Fig. 5
Task 6 – Identify the delivered file	Find the file that arrived by email and started the chain	The email and Sysmon logs searched for “invoice”, and the XDR file artefacts	08:59:57 inbound email from billing@ywnjb.com , “Invoice 44821 past due”, attachment invoice.svg (12,450 bytes); 10:15:22 msedge.exe opened Downloads\invoice.svg; the file is flagged Suspicious in the artefacts list	invoice.svg is the delivered file. SVG images can carry script, which is how the file turned into a redirect to the phishing page	Fig. 6, 7
Task 7 – Identify the launching process	Find the parent that launched the headless automation binary	The XDR process tree for corp-wks-082	explorer.exe → msedge.exe (“--single-argument ... \Downloads\invoice.svg”, connection to 207.35.10.251:443) → phantomjs.exe (Suspicious)	msedge.exe is the immediate parent: the attack ran inside the browser session the SVG opened, not from a separate installer	Fig. 8
Task 8 – Classify the mail server detection	Find what was left behind on the mailbox for containment	The Detected Behaviors panel and mail-server logs	T1114.003 detection (2025-04-21 14:00): New-InboxRule “Auto-Forward” on amanda.garcia's mailbox, ForwardTo ap.invoices.archive@proton.me,	The platform names it “Email Forwarding Rule”. It keeps leaking mail even after the password is reset, so it must be removed as part of containment	Fig. 9, 10, 11

Task	Objective	What I checked	Finding	Decision & reasoning	Fig. ref
			DeleteMessage \$true; the stolen SessionId was also used from 142.49.148.88 and 45.227.255.101		

5. Threat Intelligence

Indicator (defanged)	Tool	Result / score	Date checked (UTC)	Notes
ywnjb[.]com	VirusTotal	0 out of 89 vendors flagged it; last analysed about 1 year ago	2026-09-15	A clean score is not proof of safety. Our own logs show this domain sending the lure and hosting the AiTM login page.
207.35.10[.]251	VirusTotal	0 out of 89 vendors (unrated); AS 577 (Bell Canada), CA	2026-09-15	Unflagged, but the XDR critical T1557 detection and network flow tie it directly to the proxied browser session.
142.49.148[.]88	VirusTotal	0 out of 89 vendors (unrated); CA	2026-09-15	Unflagged. The sign-in log shows it reusing Amanda's stolen SessionId with single-factor authentication (Lagos, NG in our logs).
45.227.255[.]101	VirusTotal	0 out of 89 vendors (unrated); AS 43350 (NForce Entertainment B.V.)	2026-09-15	Unflagged. Our logs show it reading 312 mailbox items over EWS with the stolen session, and later signing in as the svc_backup_az service principal.
2 file hashes (invoice.svg, phantomjs.exe)	VirusTotal	Neither file has ever been seen by	2026-09-15	This only means the exact files were never submitted — consistent

Indicator (defanged)	Tool	Result / score	Date checked (UTC)	Notes
		VirusTotal ("Item not found")		with files built for this campaign — not that they are harmless.

This is assessed with high confidence as an Evilginx-style adversary-in-the-middle session-hijack delivered through an SVG-smuggling invoice lure, ending in a persistent mailbox forwarding rule. None of the network indicators or file hashes is flagged on VirusTotal: every IP scores 0 of 89 and neither file hash has ever been submitted. That is consistent with private infrastructure and custom files built for a single campaign. A clean or missing VirusTotal result is treated as inconclusive, not as proof of safety — every finding in this report rests on the organisation's own SIEM and XDR evidence, including the platform's detected behaviours. Note that the XDR Network Flow panel shows the Edge connections at 12:16–12:34, two hours later than the matching process-tree and detection times (10:16–10:34); the destinations and order are identical, so this appears to be a display time-zone offset rather than separate activity. The Detected Behaviors panel also lists many unrelated, benign detections (for example scheduled integrity checks and backup jobs); only the ones tied to this intrusion are used in this report.

6. Timeline (UTC)

Time (UTC)	Event
2025-04-20 08:59:57	Email "Invoice 44821 past due" from billing@ywnjb[.]com delivered to amanda.garcia with attachment invoice.svg (12,450 bytes)
2025-04-20 09:05:00	High — XDR detection T1566.001: SVG attachment with an embedded script element delivered
2025-04-20 10:15:22–10:15:23	msedge.exe opens Downloads\invoice.svg; proxy logs a 302 redirect from the local file to https://ywnjb[.]com/auth/login
2025-04-20 10:16:05	Critical — T1557 Adversary-in-the-Middle: browser session to 207.35.10[.]251 with anomalous request bodies
2025-04-20 10:18:45–10:19:40	High — T1539: phantomjs.exe (launched by msedge.exe) writes a stolen browser cookie store to Temp
2025-04-20 10:19:45–10:20:12	phantomjs.exe queries ywnjb[.]com; Defender flags the unsigned phantomjs.exe
2025-04-20 10:21:30	High — T1550.004: sign-in from 142.49.148[.]88 (Lagos, NG) reusing SessionId 2f0a7c4e-... with single-factor authentication
2025-04-20 10:34:18	High — T1114.002: mailbox accessed over EWS from 45.227.255[.]101 (Bucharest, RO) with the same SessionId; 312 items read

Time (UTC)	Event
2025-04-21 14:00:01	Medium — T1114.003: inbox rule “Auto-Forward” created, forwarding to ap.invoices.archive@proton[.]me and deleting the originals
2025-04-21 14:02:44	MailItemsAccessed: 312 Inbox items read by a non-interactive session from 45.227.255[.]101

7. Indicators of Compromise

Type	Indicator (defanged)	Context
Domain	ywnjb[.]com	Phishing sender domain (billing@) and AiTM login page — platform Confirmed finding
IPv4	207.35.10[.]251	AiTM proxy behind ywnjb[.]com; target of the T1557 detection
IPv4	142.49.148[.]88	Replayed the stolen SessionId (single-factor sign-in, T1550.004)
IPv4	45.227.255[.]101	EWS mailbox access with the stolen session (312 items, T1114.002)
File name / SHA-256	invoice.svg - a3f1c9d24b87e650f3acd92e185f0e6da7b41c92e85f6b0d4c19a7e2358bd901	SVG-smuggling attachment — platform Confirmed finding
File name / SHA-256	phantomjs.exe - c79b9d1a2e64f80b3d5a917cf2348a6be01d24f97c83260a5d1b4ef8a92c7d35	Unsigned headless browser in user Temp, launched by msedge.exe
File name	session_cookies.dat	Stolen browser cookie store written by phantomjs.exe (T1539)
Email address	ap.invoices.archive@proton[.]me	External target of the “Auto-Forward” inbox rule (Email Forwarding Rule — platform Confirmed finding)
Session ID	2f0a7c4e-91b3-4d68-a2c5-8e7f013db942	Hijacked session seen from 207.35.10[.]251, 142.49.148[.]88 and 45.227.255[.]101

STIX 2.1 Bundle

```
{
  "type": "bundle",
  "id": "bundle--2b64109a-02d6-5548-ac74-c5db8e88de3d",
  "objects": [
```

```

{
  "type": "identity",
  "spec_version": "2.1",
  "id": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
  "created": "2025-04-20T08:59:57.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "name": "Ndumiso Mbanjwa (May26 Cybersecurity)",
  "description": "SOC analyst incident report \u2014 May26 Cybersecurity cohort,
SOC Simulator operation Finance Mailbox Takeover at MegaCorp Logistics.",
  "identity_class": "individual",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
  ]
},
{
  "type": "malware",
  "spec_version": "2.1",
  "id": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",
  "created": "2025-04-20T08:59:57.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "name": "Evilginx-style AiTM session-hijack kit (SVG smuggling delivery)",
  "description": "invoice.svg from billing@ywnjb.com redirected msedge.exe to
https://ywnjb.com/auth/login (207.35.10.251), an AiTM proxy; phantomjs.exe launched by
msedge.exe wrote session_cookies.dat; stolen SessionId replayed from 142.49.148.88 and
45.227.255.101; inbox rule Auto-Forward to ap.invoices.archive@proton.me.",
  "malware_types": [
    "credential-harvester"
  ],
  "is_family": false,
  "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
  ]
},
{
  "type": "tool",
  "spec_version": "2.1",
  "id": "tool--7ad18d15-38dd-55f9-82e8-201134e5df34",
  "created": "2025-04-20T08:59:57.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "name": "PhantomJS (headless browser)",
  "description": "Unsigned phantomjs.exe in
C:\\Users\\amanda.garcia\\AppData\\Local\\Temp used to automate the hijacked browser
session and export cookies.",
  "tool_types": [
    "information-gathering"
  ],
  "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
  "object_marking_refs": [
    "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
  ]
},
{
  "type": "attack-pattern",
  "spec_version": "2.1",
  "id": "attack-pattern--107d75f7-3350-5013-b1e9-f5a699595c84",
  "created": "2025-04-20T08:59:57.000Z",
  "modified": "2026-09-15T21:00:00.000Z",
  "name": "Phishing: Spearphishing Attachment",

```

```

        "description": "invoice.svg with an embedded script element delivered to
amanda.garcia (XDR detection).",
        "external_references": [
            {
                "source_name": "mitre-attack",
                "url": "https://attack.mitre.org/techniques/T1566/001/",
                "external_id": "T1566.001"
            }
        ],
        "kill_chain_phases": [
            {
                "kill_chain_name": "mitre-attack",
                "phase_name": "initial-access"
            }
        ],
        "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
        "object_marking_refs": [
            "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
        ]
    },
    {
        "type": "attack-pattern",
        "spec_version": "2.1",
        "id": "attack-pattern--4ea41de1-5a5a-5889-bc7d-f9854df02806",
        "created": "2025-04-20T08:59:57.000Z",
        "modified": "2026-09-15T21:00:00.000Z",
        "name": "Adversary-in-the-Middle",
        "description": "Browser session to 207.35.10.251 via ywnjb.com AiTM proxy
(Confirmed finding).",
        "external_references": [
            {
                "source_name": "mitre-attack",
                "url": "https://attack.mitre.org/techniques/T1557/",
                "external_id": "T1557"
            }
        ],
        "kill_chain_phases": [
            {
                "kill_chain_name": "mitre-attack",
                "phase_name": "credential-access"
            }
        ],
        "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
        "object_marking_refs": [
            "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
        ]
    },
    {
        "type": "attack-pattern",
        "spec_version": "2.1",
        "id": "attack-pattern--2ab5345c-4dc4-5ae1-aa3b-f7ce9fb9410e",
        "created": "2025-04-20T08:59:57.000Z",
        "modified": "2026-09-15T21:00:00.000Z",
        "name": "Steal Web Session Cookie",
        "description": "phantomjs.exe wrote a browser cookie store to Temp (Confirmed
finding).",
        "external_references": [
            {
                "source_name": "mitre-attack",

```

```

        "url": "https://attack.mitre.org/techniques/T1539/",
        "external_id": "T1539"
    },
    ],
    "kill_chain_phases": [
        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "credential-access"
        }
    ],
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--26578bef-3fc0-5203-800d-6380f791de22",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Use Alternate Authentication Material: Web Session Cookie",
    "description": "SessionId 2f0a7c4e-... used from 207.35.10.251 and
142.49.148.88 (XDR detection).",
    "external_references": [
        {
            "source_name": "mitre-attack",
            "url": "https://attack.mitre.org/techniques/T1550/004/",
            "external_id": "T1550.004"
        }
    ],
    "kill_chain_phases": [
        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "defense-evasion"
        }
    ],
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--be711171-6c1c-5132-a014-9e65d043236c",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Email Collection: Remote Email Collection",
    "description": "312 mailbox items read over EWS from 45.227.255.101 (XDR
detection).",
    "external_references": [
        {
            "source_name": "mitre-attack",
            "url": "https://attack.mitre.org/techniques/T1114/002/",
            "external_id": "T1114.002"
        }
    ],
    "kill_chain_phases": [

```

```

        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "collection"
        }
    ],
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "attack-pattern",
    "spec_version": "2.1",
    "id": "attack-pattern--3885f28c-fac2-58f1-adf2-b729928ee673",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Email Collection: Email Forwarding Rule",
    "description": "Auto-Forward rule to ap.invoices.archive@proton.me with
DeleteMessage (Confirmed finding).",
    "external_references": [
        {
            "source_name": "mitre-attack",
            "url": "https://attack.mitre.org/techniques/T1114/003/",
            "external_id": "T1114.003"
        }
    ],
    "kill_chain_phases": [
        {
            "kill_chain_name": "mitre-attack",
            "phase_name": "collection"
        }
    ],
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--117d4148-14ad-5784-b712-7d509fc12173",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Phishing / AiTM domain",
    "description": "Sender of invoice.svg lure and host of /auth/login AiTM page.
VirusTotal 0/89 (2026-09-15).",
    "indicator_types": [
        "malicious-activity"
    ],
    "pattern": "[domain-name:value = 'ywnjb.com']",
    "pattern_type": "stix",
    "valid_from": "2025-04-20T08:59:57.000Z",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "relationship",

```

```

    "spec_version": "2.1",
    "id": "relationship--72a31114-cd92-580c-859e-c8122e7d4433",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "indicates",
    "source_ref": "indicator--117d4148-14ad-5784-b712-7d509fc12173",
    "target_ref": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--bcd6bcbcd-0b00-59f1-a835-6382f8f596c3",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "AiTM proxy IP",
    "description": "T1557 detection at 2025-04-20T10:16:05Z. VirusTotal 0/89
(2026-09-15).",
    "indicator_types": [
        "malicious-activity"
    ],
    "pattern": "[ipv4-addr:value = '207.35.10.251']",
    "pattern_type": "stix",
    "valid_from": "2025-04-20T08:59:57.000Z",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--21a8c885-0888-5f76-ba7d-28a1a7fe175a",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "indicates",
    "source_ref": "indicator--bcd6bcbcd-0b00-59f1-a835-6382f8f596c3",
    "target_ref": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--566711cf-d037-5e8e-b4e9-911be327b79e",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Session replay IP",
    "description": "Sign-in with hijacked SessionId at 2025-04-20T10:21:30Z.",
    "indicator_types": [
        "malicious-activity"
    ],
    "pattern": "[ipv4-addr:value = '142.49.148.88']",
    "pattern_type": "stix",

```

```

    "valid_from": "2025-04-20T08:59:57.000Z",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--f070b580-6b12-59fa-8f59-56f77249ba65",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "indicates",
    "source_ref": "indicator--566711cf-d037-5e8e-b4e9-911be327b79e",
    "target_ref": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
},
{
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--91cdc320-3926-5e31-8d89-ae3826f4c434",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Mailbox access IP",
    "description": "EWS mailbox access at 2025-04-20T10:34:18Z; 312 items read.",
    "indicator_types": [
        "malicious-activity"
    ],
    "pattern": "[ipv4-addr:value = '45.227.255.101']",
    "pattern_type": "stix",
    "valid_from": "2025-04-20T08:59:57.000Z",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--0ba9b838-1477-5b44-a2bd-eeafb5fad723",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "indicates",
    "source_ref": "indicator--91cdc320-3926-5e31-8d89-ae3826f4c434",
    "target_ref": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
},
{
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--7f22e99a-354a-5e82-a9de-7a3ef382025a",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",

```

```

        "name": "SVG smuggling lure",
        "description": "invoice.svg (12,450 bytes). Not found on VirusTotal (2026-09-
15).",
        "indicator_types": [
            "malicious-activity"
        ],
        "pattern": "[file:hashes.'SHA-256' =
'a3f1c9d24b87e650f3acd92e185f0e6da7b41c92e85f6b0d4c19a7e2358bd901']",
        "pattern_type": "stix",
        "valid_from": "2025-04-20T08:59:57.000Z",
        "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
        "object_marking_refs": [
            "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
        ]
    },
    {
        "type": "relationship",
        "spec_version": "2.1",
        "id": "relationship--63273b39-2ee8-5f77-8a88-1548bef0af40",
        "created": "2025-04-20T08:59:57.000Z",
        "modified": "2026-09-15T21:00:00.000Z",
        "relationship_type": "indicates",
        "source_ref": "indicator--7f22e99a-354a-5e82-a9de-7a3ef382025a",
        "target_ref": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",
        "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
        "object_marking_refs": [
            "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
        ]
    },
    {
        "type": "indicator",
        "spec_version": "2.1",
        "id": "indicator--e8287351-21ac-5301-bf1c-b6c9e3bc196d",
        "created": "2025-04-20T08:59:57.000Z",
        "modified": "2026-09-15T21:00:00.000Z",
        "name": "Headless browser binary",
        "description": "phantomjs.exe in user Temp, parent msedge.exe. Not found on
VirusTotal (2026-09-15).",
        "indicator_types": [
            "malicious-activity"
        ],
        "pattern": "[file:hashes.'SHA-256' =
'c79b9d1a2e64f80b3d5a917cf2348a6be01d24f97c83260a5d1b4ef8a92c7d35']",
        "pattern_type": "stix",
        "valid_from": "2025-04-20T08:59:57.000Z",
        "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
        "object_marking_refs": [
            "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
        ]
    },
    {
        "type": "relationship",
        "spec_version": "2.1",
        "id": "relationship--e64cbb0b-c722-5586-aa66-174b7cc6b299",
        "created": "2025-04-20T08:59:57.000Z",
        "modified": "2026-09-15T21:00:00.000Z",
        "relationship_type": "indicates",
        "source_ref": "indicator--e8287351-21ac-5301-bf1c-b6c9e3bc196d",
        "target_ref": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",

```

```

    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
  },
  {
    "type": "indicator",
    "spec_version": "2.1",
    "id": "indicator--9714608f-3c98-54f4-a262-d7f22525b0aa",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "name": "Forwarding rule destination",
    "description": "Inbox rule Auto-Forward with DeleteMessage created 2025-04-21T14:00:01Z.",
    "indicator_types": [
      "malicious-activity"
    ],
    "pattern": "[email-addr:value = 'ap.invoices.archive@proton.me']",
    "pattern_type": "stix",
    "valid_from": "2025-04-20T08:59:57.000Z",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
  },
  {
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--c04f8d83-510a-50ae-bebd-a9763f9cf8f3",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "indicates",
    "source_ref": "indicator--9714608f-3c98-54f4-a262-d7f22525b0aa",
    "target_ref": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
  },
  {
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--df15f461-ebd1-58a3-94b1-7a74a5bd85f3",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",
    "target_ref": "attack-pattern--107d75f7-3350-5013-b1e9-f5a699595c84",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-ala8aa3c8487"
    ]
  },
  {
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--dd02ec36-5470-5792-87e8-952d28c08561",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",

```

```

    "relationship_type": "uses",
    "source_ref": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",
    "target_ref": "attack-pattern--4ea41de1-5a5a-5889-bc7d-f9854df02806",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--ff0f59f3-359d-5a61-b81f-1c58ec9bd289",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",
    "target_ref": "attack-pattern--2ab5345c-4dc4-5ae1-aa3b-f7ce9fb9410e",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--b5f336bf-c36f-5a6c-b185-109e2a664ed3",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",
    "target_ref": "attack-pattern--26578bef-3fc0-5203-800d-6380f791de22",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--820569bc-392c-5195-a145-4cbfa84d8e50",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",
    "target_ref": "attack-pattern--be711171-6c1c-5132-a014-9e65d043236c",
    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
        "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
},
{
    "type": "relationship",
    "spec_version": "2.1",
    "id": "relationship--2fcc0d6-0a5f-5584-9aff-595b7bedd97d",
    "created": "2025-04-20T08:59:57.000Z",
    "modified": "2026-09-15T21:00:00.000Z",
    "relationship_type": "uses",
    "source_ref": "malware--906a95cb-1557-56db-963c-439e2a28a6b2",
    "target_ref": "attack-pattern--3885f28c-fac2-58f1-adf2-b729928ee673",

```

```

    "created_by_ref": "identity--2ffc7075-95e0-5031-94dd-e486c0b8bb8d",
    "object_marking_refs": [
      "marking-definition--94868c89-83c2-464b-929b-a1a8aa3c8487"
    ]
  }
]
}

```

8. MITRE ATT&CK Mapping

Tactic	Technique	ID
Initial Access	Phishing: Spearphishing Attachment	T1566.001
Credential Access	Adversary-in-the-Middle	T1557
Credential Access	Steal Web Session Cookie	T1539
Defense Evasion	Use Alternate Authentication Material: Web Session Cookie	T1550.004
Collection	Email Collection: Remote Email Collection	T1114.002
Collection	Email Collection: Email Forwarding Rule	T1114.003

T1557, T1539, the Credential Access tactic and Email Forwarding Rule (T1114.003) are the platform's own Confirmed findings; T1566.001, T1550.004 and T1114.002 are shown in the platform's Detected Behaviors panel for this victim and host. Unrelated benign detections in that panel are deliberately excluded.

9. Impact & Containment

Impact: the attacker gained full use of Amanda Garcia's Microsoft 365 session without needing her password or MFA, read at least 312 mailbox items, and installed a hidden rule that forwards her incoming mail to an external ProtonMail address and deletes it from her inbox, allowing the attacker to intercept and answer finance conversations unseen — a common set-up for invoice or payment fraud. The logs also show the same attacker address, 45.227.255[.]101, later signing in as the svc_backup_az service principal using a client secret added by Amanda's account (Detected Behaviors T1098.001 and T1078.004). That was not one of the scored tasks, but it suggests a second, longer-lasting foothold and is included in containment. Containment steps, in priority order:

1. Keep amanda.garcia's account disabled, revoke all sessions and refresh tokens (including SessionId 2f0a7c4e-91b3-4d68-a2c5-8e7f013db942), then reset her password and re-register MFA.
2. Delete the "Auto-Forward" inbox rule, check for any other rules or forwarding settings, and review what was forwarded to ap.invoices.archive@proton[.]me.
3. Remove the client secret (keyId 4e7b1c20-9a3f-44d2-8e10-6f2b7c9d1a55) from the svc_backup_az service principal, rotate its credentials and review everything it accessed.
4. Isolate corp-wks-082 with XDR, remove phantomjs.exe, auth.js, session_cookies.dat and invoice.svg, and block ywnjb[.]com, 207.35.10[.]251, 142.49.148[.]88 and 45.227.255[.]101.

5. Warn finance colleagues and partners who received replies from Amanda's mailbox to verify any payment or bank-detail changes by phone.

10. Conclusion & Recommendations

Final verdict: True Positive. A booby-trapped SVG “invoice” led a finance analyst to an Evilginx-style fake sign-in page, the attacker stole her logged-in session, reused it from abroad without MFA, read her mailbox and left a hidden forwarding rule behind. Every stage is confirmed across the mail, proxy, sign-in and endpoint evidence. The most important lessons are that stolen sessions bypass MFA, and that containment is incomplete until the persistence left behind — the forwarding rule and the new service-principal secret — is also removed.

Recommendations:

1. Block or sandbox SVG and HTML attachments at the email gateway, since they can carry script and redirects.
2. Require phishing-resistant MFA and Conditional Access with token protection / compliant-device checks so hijacked sessions cannot be replayed from other locations.
3. Alert on new inbox rules that forward externally or delete messages, and disable automatic external forwarding tenant-wide.
4. Alert when an interactive user adds credentials to a service principal, and review service-principal sign-ins from unfamiliar IP addresses.
5. Monitor for unsigned binaries such as phantomjs.exe running from user Temp folders under a browser parent process.

11. Evidence / Screenshots

Figure	Caption	Referenced in
Figure 1	The operation header showing the completed 100% badge, the scenario's title, difficulty (Intermediate), SIEM/XDR tool surfaces and points, with the 8/8 task panel and XDR process tree for corp-wks-082	Section 3
Figure 2	The SIEM search for phantomjs with the Task 1 Confirmed finding corp-wks-082: Process Create of phantomjs.exe (parent msedge.exe), its DNS query for ywnjb.com, and the Defender alert for the unsigned binary — all on corp-wks-082	Task 1
Figure 3	The XDR network flow for msedge.exe with the Task 2 Confirmed finding ywnjb[.]com: connections to 207.35.10.251:443 (ywnjb.com), then 142.49.148.88 and 45.227.255.101	Task 2
Figure 4	The XDR Detected Behaviors panel with the Task 3 Confirmed finding T1557: T1566.001 SVG attachment (09:05), T1557 Adversary-in-the-Middle (Critical, 10:16:05) and T1539 Steal Web Session Cookie (10:18:45)	Tasks 3, 4
Figure 5	Detected Behaviors with the Task 5 Confirmed finding “credential access”: T1557 and T1539 both tagged credential-access, followed by T1550.004 session reuse from 207.35.10.251 and 142.49.148.88	Tasks 4, 5
Figure 6	The SIEM search for invoice with the Task 6 Confirmed finding invoice.svg: inbound email from billing@ywnjb.com with invoice.svg, msedge.exe opening it, the 302 redirect to https://ywnjb.com/auth/login, and the New-InboxRule “Auto-Forward”	Tasks 2, 6, 8
Figure 7	The XDR File System Artifacts: invoice.svg (Downloads and Edge cache), auth.js and phantomjs.exe in Temp, all flagged Suspicious	Task 6
Figure 8	The XDR process tree with the Task 7 Confirmed finding msedge.exe: msedge.exe opening invoice.svg and connecting to	Task 7

Figure	Caption	Referenced in
	207.35.10.251:443, with phantomjs.exe (Suspicious) as its child	
Figure 9	The Detected Behaviors entry for T1114.003 Email Forwarding Rule (2025-04-21 14:00) with the Task 8 Confirmed finding: an inbox rule with an external ForwardTo target and DeleteMessage set	Task 8
Figure 10	The SIEM search for 142.49.148.88: sign-ins for amanda.garcia from Lagos reusing SessionId 2f0a7c4e-... with single-factor authentication, and the Auto-Forward rule to ap.invoices.archive@proton.me	Task 8, Section 6
Figure 11	The SIEM search for 45.227.255.101: EWS mailbox access with the stolen SessionId, 312 items read, and later svc_backup_az service-principal sign-ins using a newly added secret	Section 9
Figure 12	The SIEM Detection Rules Triggered panel, including “Local file redirect to a recently registered domain” and “Inbox rule created with an external target”	Tasks 2, 8
Figure 13	VirusTotal results for ywnjb.com: 0 of 89 vendors flag it	Section 5
Figure 14	VirusTotal results for 207.35.10.251: 0 of 89 vendors (AS 577, Bell Canada)	Section 5
Figure 15	VirusTotal results for 142.49.148.88: 0 of 89 vendors	Section 5
Figure 16	VirusTotal results for 45.227.255.101: 0 of 89 vendors (AS 43350, NForce Entertainment B.V.)	Section 5

Figure 1. The operation header showing the completed 100% badge, the scenario's title, difficulty (Intermediate), SIEM/XDR tool surfaces and points, with the 8/8 task panel and XDR process tree for corp-wks-082.




Figure 2. The SIEM search for phantomjs with the Task 1 Confirmed finding corp-wks-082: Process Create of phantomjs.exe (parent msedge.exe), its DNS query for ywnjb.com, and the Defender alert for the unsigned binary — all on corp-wks-082.




Figure 3. The XDR network flow for msedge.exe with the Task 2 Confirmed finding ywnjb[.]com: connections to 207.35.10.251:443 (ywnjb.com), then 142.49.148.88 and 45.227.255.101.




Figure 4. The XDR Detected Behaviors panel with the Task 3 Confirmed finding T1557: T1566.001 SVG attachment (09:05), T1557 Adversary-in-the-Middle (Critical, 10:16:05) and T1539 Steal Web Session Cookie (10:18:45).




Figure 5. Detected Behaviors with the Task 5 Confirmed finding “credential access”: T1557 and T1539 both tagged credential-access, followed by T1550.004 session reuse from 207.35.10.251 and 142.49.148.88.

The screenshot shows the SOC Simulator interface. On the left, a sidebar lists tasks: 5. Name the Adversary's Objective, 6. Identify the Delivered File, 7. Identify the Launching Process, and 8. Classify the Mail Server Detection. The main panel displays confirmed findings for Task 5, including T1557 Adversary-in-the-Middle (critical), T1539 Steal Web Session Cookie (high), and T1550.004 Use Alternate Authentication Material: Web Session Cookie (high). Each finding includes a description and a link to view on MITRE ATT&CK.

Figure 6. The SIEM search for invoice with the Task 6 Confirmed finding invoice.svg: inbound email from billing@ywnjb.com with invoice.svg, msedge.exe opening it, the 302 redirect to https://ywnjb.com/auth/login, and the New-InboxRule “Auto-Forward”.

The screenshot shows the SOC Simulator interface with a SIEM search for 'invoice'. The main panel displays search results with columns for Timestamp [UTC], Host, and Description. The results show an inbound message from billing@ywnjb.com, a process create for msedge.exe, an HTTP 302 redirect to https://ywnjb.com/auth/login, and a new inbox rule 'Auto-Forward' created on mailbox amanda.garcia@megacorp.com.

Figure 7. The XDR File System Artifacts: invoice.svg (Downloads and Edge cache), auth.js and phantomjs.exe in Temp, all flagged Suspicious.




Figure 8. The XDR process tree with the Task 7 Confirmed finding msedge.exe: msedge.exe opening invoice.svg and connecting to 207.35.10.251:443, with phantomjs.exe (Suspicious) as its child.




Figure 9. The Detected Behaviors entry for T1114.003 Email Forwarding Rule (2025-04-21 14:00) with the Task 8 Confirmed finding: an inbox rule with an external ForwardTo target and DeleteMessage set.

The screenshot displays the SOC Simulator interface. On the left, a 'Tasks' sidebar lists eight tasks, with the eighth task, 'Classify the Mail Server Detection', highlighted. This task includes a description of a mail server detection and a 'Confirmed finding' section showing 'Email Forwarding Rule'. The main panel on the right lists three detected behaviors:

- T1114.003 Email Forwarding Rule** (collection): Medium severity, timestamp 2025-04-21 14:00:00. Description: 'An inbox rule was created on the amanda.garcia@megacorp.com mailbox with a ForwardTo target outside the tenant and DeleteMessage set.' Link: 'View on MITRE ATT&CK*'
- T1562.001 Impair Defenses: Disable or Modify Tools** (defense-evasion): High severity, timestamp 2025-04-21 15:44:00. Description: 'Real time protection was paused for 12 minutes by a local administrator during a software install.' Link: 'View on MITRE ATT&CK*'
- T1114.002 Email Collection: Remote Email Collection** (collection): Medium severity, timestamp 2025-04-22 02:15:00. Description: 'An eDiscovery export ran against three mailboxes under the scheduled legal hold job.' Link: 'View on MITRE ATT&CK*'

A 'Feedback' button is located at the bottom right of the main panel.

Figure 10. The SIEM search for 142.49.148.88: sign-ins for amanda.garcia from Lagos reusing SessionId 2f0a7c4e-... with single-factor authentication, and the Auto-Forward rule to ap.invoices.archive@proton.me.

The screenshot displays the SOC Simulator interface with a SIEM search for the IP address 142.49.148.88. The search results are shown in a table with columns for Timestamp [UTC], Host, and Description. The search criteria include '142.49.148.88' and 'Time range' set to 'all'. The results show four entries:

Timestamp [UTC]	Host	Description
2025-04-20 10:21:30	corp-wks-082	Sign-in succeeded for amanda.garcia@megacorp.com from 142.49.148.88 (Lagos, NG); SessionId 2f0a7c4e-91b3-4d68-a2c5-8e7f013db942; authenticationRequirement singleFactorAuthentication
2025-04-20 10:21:30	corp-wks-082	Sign-in succeeded for amanda.garcia@megacorp.com from 142.49.148.88 (Lagos, NG); SessionId 2f0a7c4e-91b3-4d68-a2c5-8e7f013db942; authenticationRequirement singleFactorAuthentication
2025-04-21 14:00:01	srv-a2-mail-01	New-InboxRule "Auto-Forward" created on mailbox amanda.garcia@megacorp.com: ForwardTo ap.invoices.archive@proton.me, DeleteMessage \$true
2025-04-25 11:24:57	srv-a2-mail-01	Outbound connection to 142.49.148.88:443

A 'Feedback' button is located at the bottom right of the main panel.

Figure 11. The SIEM search for 45.227.255.101: EWS mailbox access with the stolen SessionId, 312 items read, and later svc_backup_az service-principal sign-ins using a newly added secret.




Figure 12. The SIEM Detection Rules Triggered panel, including “Local file redirect to a recently registered domain” and “Inbox rule created with an external target”.




Figure 13. VirusTotal results for ywnjb.com: 0 of 89 vendors flag it.




Figure 14. VirusTotal results for 207.35.10.251: 0 of 89 vendors (AS 577, Bell Canada).




Figure 15. VirusTotal results for 142.49.148.88: 0 of 89 vendors.




Figure 16. VirusTotal results for 45.227.255.101: 0 of 89 vendors (AS 43350, NForce Entertainment B.V.).

