

XRMS Open Source CRM

Administrator Guide v 1.99

Last Saved: 4/10/2006 05:46:41 PM

Copyright Information

Copyright (c) 2005-2006 XRMS Development Team

Some Rights Reserved. Licensed under the GNU Free Documentation License.
<<http://www.gnu.org/copyleft/fdl.html>>

Trademarks

Microsoft, Internet Explorer, and Windows are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Other product or company names mentioned herein may be the trademarks of their respective owners.

Table of Contents

1Overview of Administrator Tasks.....	1
2System Administration.....	3
3Import/Export.....	4
3.1Import Companies and Contacts.....	4
3.2Export Companies and Contacts.....	6
3.3Export Companies/Contacts as LDAP/LDIF.....	6
3.4Export Companies with address and phone info.....	6
4Managing System Parameters.....	7
4.1ACL.....	7
4.1.1Manage Roles.....	8
4.1.2Manage Controlled Objects.....	10
4.1.3Manage Controlled Object Relationships.....	10
4.1.4Manage Groups.....	12
4.1.4.1Select Column Layouts.....	12
4.1.5Manage Users in a Group.....	13
4.1.6Manage Groups within a Group.....	14
4.1.7Manage Group Members.....	14
4.1.8Manage Permissions.....	15
4.1.9Manage Role Permissions.....	16
4.1.10Manage Role Permissions in Grid.....	18
4.1.11Manage Data Sources.....	19
4.1.12Test ACL Results.....	20
4.2Activity Templates.....	23
4.2.1Add an Activity Template.....	23
4.2.2View, Edit, and Delete Activity Templates.....	23
4.3Email Templates.....	25
4.3.1Manage Email Templates.....	25
4.3.1.1Add an Email Template.....	26
4.3.1.2Edit an Email Template.....	27
4.3.2Manage Email Template Types.....	27
4.3.2.1Add an Email Template Type.....	28

4.3.2.2Edit an Email Template Type.....	28
4.4Change Record Owner.....	28
4.5Country Localization Formats.....	29
To specify the Country Address Format.....	30
4.6System Preferences.....	31
4.6.1Activities Default Behavior.....	32
4.6.2Allow Unassigned Activities.....	32
4.6.3Audit Level.....	33
4.6.4Default GST Offset.....	33
4.6.5Display Item Technical Details.....	34
4.6.6LDAP Version.....	35
4.6.7Maximum RSS Feed Entries.....	35
4.6.8Reports - Show No Items Found.....	36
4.6.9Reports – Use Horizontal Rule.....	36
4.6.10RSS Feeds Enabled.....	37
4.6.11Sender Email Address.....	37
4.7Users.....	38
4.7.1Add a User.....	38
4.7.2Edit User Details.....	39
4.7.3Delete a User	40
5Types and Statuses.....	42
5.1Add a Default Value	43
5.1.1Defaults that Follow a Common Procedure to Add Values.....	43
5.1.1.1Opportunity Statuses.....	44
5.1.1.2Case Priorities.....	46
5.1.2Defaults that Do Not Follow a Common Procedure to Add Values.....	47
5.1.2.1Address Types.....	47
5.1.2.2Case Statuses.....	48
5.1.2.3Relationship Types.....	49
5.1.2.4Salutations.....	50
5.2Edit and Delete Default Values.....	50
5.2.1Opportunity Statuses.....	50
5.2.2Activity Types.....	52
5.2.3Categories.....	54

6Workflow.....	57
7Plugins.....	58
7.1Activating Plugins.....	58
7.2Plugins Included with X RMS CRM.....	59
7.3Developing Plugins.....	61
7.3.1Plugin Architecture.....	61
7.3.2Writing Plugins.....	61
7.3.2.1Including Other Files.....	62
7.3.2.2Hook Types.....	63
7.3.2.3List of Hooks.....	64
7.4Manage Info Types [[This link is not seen in the current version ?]].....	69
7.4.1Add an Info type.....	69
7.4.2Editing and Deleting Info Types.....	69
Appendix 1–List of Country Codes.....	71
Appendix 2–Default Import Formats.....	74
Index.....	75

List of Figures

Figure 1: Administration Screen.....	1
Figure 2: Import/Export Box.....	4
Figure 3: Import Screen.....	5
Figure 4: Manage Box.....	7
Figure 5: ACL Management Screen.....	7
Figure 6: Manage Roles Screen.....	8
Figure 7: Role - Add Name.....	9
Figure 8: Role - Edit Name.....	9
Figure 9: Manage Controlled Objects Screen.....	10
Figure 10: Manage Controlled Object Relationships Screen.....	11
Figure 11: Manage Groups Screen.....	12
Figure 12: Select Columns.....	12
Figure 13: Manage Group Users Screen.....	13
Figure 14: Manage Group Groups Screen.....	14
Figure 15: Manage Group Members Screen.....	15
Figure 16: Manage Permission Screen.....	16
Figure 17: Manage Role Permissions Screen.....	17
Figure 18: Manage Permissions for Role Screen 1.....	18
Figure 19: Manage Permissions for Role Screen 2.....	19
Figure 20: Manage Data Sources Screen.....	20
Figure 21: ACL Result Test Screen.....	21
Figure 22: Check Permission on an Object for a User - Enter ACL Parameters.....	21
Figure 23: Check Permission on an Object for a User - ACL Results.....	22
Figure 24: Get List of Objects for a User - ACL Parameters.....	22

Figure 25: Manage Activity Templates Screen.....	23
Figure 26: Activity Template Details Screen.....	24
Figure 27: Manage Templates Box.....	25
Figure 28: Manage Email Templates Screen.....	26
Figure 29: Manage Email Template - Add Screen.....	26
Figure 30: Manage Email Template Types Screen.....	27
Figure 31: Manage Email Template Types - Add Screen.....	28
Figure 32: Change Record Owner Screen.....	29
Figure 33: Country Localization Formats.....	29
Figure 34: System Preferences Screen.....	31
Figure 35: System Parameter - Activities Default Behavior.....	32
Figure 36: System Parameter - Allow Unassigned Activities.....	32
Figure 37: System Parameter: Audit Level.....	33
Figure 38: System Parameter - Default GST Offset.....	34
Figure 39: System Parameter - Display Item Technical Details.....	34
Figure 40: System Parameter - LDAP Version.....	35
Figure 41: System Parameter - Maximum RSS Feed Entries.....	35
Figure 42: System Parameter – Reports -- Show No Items Found.....	36
Figure 43: System Parameter - Reports -- Use Horizontal Rule.....	36
Figure 44: System Parameter - RSS Feeds Enabled.....	37
Figure 45: System Parameter - Sender Email Address.....	37
Figure 46: Manage Users Screen.....	38
Figure 47: Add New User Box.....	39
Figure 48: User Details Screen.....	40
Figure 49: Change Password Screen.....	40
Figure 50: Types and Statuses.....	42
Figure 51: Manage Opportunity Statuses.....	44
Figure 52: Link Opportunity Status to Workflow Activity Box.....	45

Figure 53: Manage Case Priorities Screen.....	46
Figure 54: Case Priorities Box.....	47
Figure 55: Manage Address Types.....	47
Figure 56: Address Types Box.....	48
Figure 57: Manage Case Statuses Screen.....	48
Figure 58: Manage Relationship Types Screen.....	49
Figure 59: Manage Salutations Screen.....	50
Figure 60: Opportunity Status Details Screen.....	51
Figure 61: Link Workflow Activity to Opportunity Status.....	51
Figure 62: Manage Activity Types Screen.....	52
Figure 63: Activity Type Details Screen.....	53
Figure 64: Edit Activity Participant Position Screen.....	53
Figure 65: Manage Categories Screen.....	54
Figure 66: Category Details Screen.....	55
Figure 67: Plugin Administration Screen.....	58
Figure 68: Manage Info Types.....	69
Figure 69: Info Type Details.....	70

1 Overview of Administrator Tasks

XRMS Administrators are responsible for five major activity areas that are performed from the Administrator screen. They are:

- ★ **System Administration:** Used to maintain the structure of the database and for cleaning up the database.
- ★ **Import/Export:** Used to import and export company data.
- ★ **Manage:** Used to maintain different aspects of XRMS using access control.
- ★ **Types and Statuses:** Maintains information seen in the drop-down lists.
- ★ **Plugins:** Used to add or delete XRMS plugins.

Click the **Administration** link on the top bar to see the Administration screen.




Figure 1: Administration Screen

The five main sets of tasks done by an Administrator are described in detail in the chapters that follow.

2 System Administration

The features that come under this section: Database Structure Update and Data Cleanup are applicable to users of SQL databases.

3 Import/Export

Importing and exporting company data is a crucial task for many XRMS users.

The different data types imported to and exported from XRMS are shown in Appendix 2–Default Import Formats.

3.1 Import Companies and Contacts

Only a single company record is stored in XRMS with the contacts of each company related to the company record.

Data imported contains the following information:

- ★ Acct. Owner
- ★ CRM Status
- ★ Company Source
- ★ Category
- ★ Industry
- ★ Account Status
- ★ Rating

To import company or contact information into the XRMS database, follow the steps below:

1. Click on the **Administration** link in the XRMS top bar to see the Administration screen (See Figure 1).
2. Go to the Import/Export Box.



Figure 2: Import/Export Box

3. Click the **Import Companies/Contacts** link to see the Import screen that contains the Import Companies dialog that displays fields to import company data.

The screenshot shows the 'Import' section of a software interface. At the top, there is a navigation bar with links: Home, Activities, Companies, Contacts, Campaigns, and Opportunities. Below this is the 'Import Companies' section. It contains several fields for configuring an import:

- File:** A text input field followed by a 'Browse...' button.
- Field Delimiter:** Four radio buttons labeled 'comma', 'tab', 'pipe', and 'semi-colon'. The 'comma' button is selected.
- File Format:** A drop-down menu currently showing 'act2000'.
- Account Owner:** A drop-down menu currently showing 'One, User'.
- CRM Status:** A drop-down menu currently showing 'Prospect'.
- Company Source:** A drop-down menu currently showing 'Consultant'.
- Category:** A drop-down menu currently showing 'General'.
- Industry:** A drop-down menu currently showing 'Healthcare'.
- Account Status:** A drop-down menu currently showing 'N/A'.
- Rating:** A drop-down menu currently showing 'N/A'.

At the bottom of the form is an 'Import' button.

Figure 3: Import Screen

4. Enter the fields in the Import Companies box as given in the table below:

File: Enter the path of the file that has to be imported, or click **Browse** to select the file.

Field Delimiter: Data is imported in a delimited form. The different delimiters are: comma, tab, pipe, or semi-colon. Select the radio button beside a delimiter to choose one.

File Format: Choose the file format from the drop-down list. File structures supported are: act2000, dunn-and-bradstreet, goldmine, salesforce, outlook, or the XRMS default format given in Appendix 2.

Account Owner: Employee assigned to establish a relationship with the company. Select the option from the drop-down list.

CRM Status: Status of the company with regard to its relationship with your company. For example: Lead, Prospect, Active, and so on. Select the option from the drop-down list.

Company Source: Means by which the company was identified. Select the option from the drop-down list.

Category: Choose the category of the company from the drop-down list.

Industry: Industry in which the company operates. Select the option from the drop-down list.

Account Status: Select the appropriate account status from the drop-down list.

Rating: Select the company rating from the drop-down list.

5. After you enter all the fields, click **Import**.

Imported data is displayed in the Preview Data screen where it is previewed and sent to the XRMS database.

NOTE:

- ★ When data is imported and there is no country assigned to the country field then the default value is USA. To change the country default, see Appendix 1–List of Country Codes.
- ★ The default value for gender is male.

3.2 Export Companies and Contacts

All XRMS data can be exported to a delimited file. This is exported in the default format – CSV. This applies to all the export features in the Import/Export box.

3.3 Export Companies/Contacts as LDAP/LDIF

This option will export an LDIF formatted file of XRMS data to be imported into a corporate LDAP Directory.

3.4 Export Companies with address and phone info

This option will export a comma separated list of company information with address and phone info.

4 Managing System Parameters

You can define access control details, create activity templates, change a record owner, maintain country localization formats, as well as define system parameters and create and maintain user details from the Manage box in the Administration screen.




Figure 4: Manage Box

4.1 ACL

The Access Control List (ACL) feature is used to restrict access to certain X RMS features to those users who are authorized to perform such tasks.

Navigate to the Administration>ACL link to see the ACL Management screen.




Figure 5: ACL Management Screen

The ACL Management screen has two distinct parts:

- ★ **ACL Administration:** The right sidebar displays the Access Control List Administration box. This list consists of various elements of XRMS that are defined and controlled by the administrator.
- ★ **Dashboard:** When you click an item in the Access Control List, the Dashboard displays the different screens.

The following section describes the different items in the Access Control List. The procedure to add and edit is common for all the items on the list. For this reason, the procedure is explained only for one item, Manage Roles.

4.1.1 Manage Roles

The default roles are:

- ★ **User:** Can perform business-related tasks but not administrative tasks.
- ★ **Administrator:** Has the authority to perform administrative tasks.

Click the **Manage Roles** link in the ACL Management Screen, Figure 5. You see the Manage Roles screen.

LINK	Role_id	Role_name
Edit	1	User
Edit	11	Regional Marketing Staff
Edit	2	Administrator
Edit	3	Client Services
Edit	4	Inside Sales
Edit	5	New Account Maintenance
Edit	6	Sales Assistant
Edit	7	Sales Management
Edit	8	Sales Reporting
Edit	9	Strategic Communications

[Add New](#)

Figure 6: Manage Roles Screen

Adding a Role

A significant Access Control List feature is the ability to add a new role.

To add a role:

- 1. Click **Add New** in the Search Results table of the Manage Roles screen, Figure 6. The Dashboard displays the Role box.

Role	
Role Name	<input type="text" value="Marketing Executive"/>
	<input type="button" value="Create"/>
	<input type="button" value="Return to List"/>

Figure 7: Role - Add Name

- 2. Enter a new role name in the text box beside Role Name.
- 3. Click **Create** to create a new role name. You then see the new Role Name displayed in a separate screen.

Click **Return to List** to return to the Search Results table.

Editing a Role

To edit a role, do the following:

- 1. Click the **Manage Roles** link in the ACL Management Screen, Figure 5 to see the Manage Roles screen (See Figure 6).
- 2. To sort the items in the Search Results table, click on the underlined column headings.
- 3. To select the role that you want to modify, click **Edit** on that row. You see the Role box.

Role	
Role Name	<input type="text" value="Marketing Executive"/>
	<input type="button" value="Update"/>
	<input type="button" value="Return to List"/>

Figure 8: Role - Edit Name

- 4. Change the existing Role Name and click **Update** to save the changes. You then see the new Role Name displayed on a separate screen.

Click **Return to List** to return to the Search Results table without creating a new role name.

4.1.2 Manage Controlled Objects

Navigate to the Administration>ACL link and click the **Manage Controlled Objects** link to reach the Manage Controlled Objects screen.

Logged in as: user1 • [Logout](#)

Manage Controlled Objects

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

ACL Administration

- [Manage Roles](#)
- [Manage Controlled Objects](#)
- [Manage Controlled Object Relationships](#)
- [Manage Groups](#)
- [Manage Group Users](#)
- [Manage Group Groups](#)
- [Manage Group Members](#)
- [Manage Permissions](#)
- [Manage Role Permissions](#)
- [Manage Role Permissions in Grid](#)
- [Manage Data Sources](#)
- [Test ACL Results](#)

Search Results

Page 1/2 | < << >> > |

LINK	Object Name	Source Table	Identifying Field	Data Source
Edit	Company	companies	company_id	CRMS
Edit	Team	broker_ids	id	CRMS
Edit	Email Template	email_templates	email_template_id	CRMS
Edit	Contact	contacts	contact_id	CRMS
Edit	Campaign	campaigns	campaign_id	CRMS
Edit	Case	cases	case_id	CRMS
Edit	Opportunity	opportunities	opportunity_id	CRMS
Edit	Activity	activities	activity_id	CRMS
Edit	File	files	file_id	CRMS
Edit	Division	company_division	division_id	CRMS

[Add New](#)

Figure 9: Manage Controlled Objects Screen

For details of the procedure to add or edit a controlled object, see 4.1.1 Manage Roles, which follows a similar procedure for a role.

The different fields involved in the procedure to add or edit are:

Object Name:	The name of the new object.
Source Table:	The table from which the object is taken.
Identifying Field:	The field name in the source table that refers to this object.
user_field:	Identifies the field in the table that contains the user id of the owner of this record. If the field is left blank, it defaults to the "user id".
Data Source:	Choose the source of the data from the drop-down list.

4.1.3 Manage Controlled Object Relationships

Controlled object relationships are used to manage the relationship between controlled objects. These relationships are important because they maintain the inheritance between different tables, and are the entities for which permissions are assigned in the Manage Role Permissions feature.

Navigate to the Administration>ACL link and click the **Manage Controlled Object Relationships** link to reach the Manage Controlled Object Relationships screen.

Logged in as: user1 • [Logout](#)

Manage Controlled Object Relationships

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

ACL Administration
[Manage Roles](#)
[Manage Controlled Objects](#)
[Manage Controlled Object Relationships](#)
[Manage Groups](#)
[Manage Group Users](#)
[Manage Group Groups](#)
[Manage Group Members](#)
[Manage Permissions](#)
[Manage Role Permissions](#)
[Manage Role Permissions in Grid](#)
[Manage Data Sources](#)
[Test ACL Results](#)

Search Results
Page 1/3 | < << >> >|

LINK	ID	Child Object	Parent Object
Edit	1	Company	
Edit	10	Activity	Campaign
Edit	11	Activity	Case
Edit	12	Activity	Division
Edit	13	Activity	Opportunity
Edit	14	Activity	Contact
Edit	15	File	Activity
Edit	16	File	Company
Edit	17	File	Case
Edit	18	File	Campaign

[Add New](#)

Figure 10: Manage Controlled Object Relationships Screen

For details of the procedure to add or edit a controlled object relationship, see 4.1.1 Manage Roles, which follows a similar procedure for a role.

The fields involved in the procedure to add or edit are:

Child Controlled Object: Is the child object in the relationship. This field must always be set.

Parent Controlled Object: Is the parent object in the relationship. If this field is left blank, the object is considered top level and not considered to be the child of any object.

on_what_child_field: Defines the field in the child table that contains the ID that identifies to which parent object record it belongs. Defaults to the identifying field name in the parent controlled object. A child field must be defined, if a cross table is defined.

on_what_parent_field: Defines the field in the cross table which has the ID of the parent object.

cross_table: The name of the table which relates two control objects. This is a separate table from the parent and child tables which contains a row for each link between the parent and child objects. Defaults to blank, and does not use cross table for the relationship.

singular: Defines whether or not the child table uses the "on_what_table" and "on_what_id" fields to link to a parent object. If set to 1, it uses on_what_table and on_what_id to determine the object relationship with the parent object. Defaults to 0 or blank.

4.1.4 Manage Groups

Navigate to the Administration>ACL link and click on the **Manage Groups** link. You see the Manage Groups screen.




Figure 11: Manage Groups Screen

For details of the procedure to add or edit a group, see 4.1.1 Manage Roles, which follows a similar procedure for a role.

The only field involved in the procedure to add or edit is:

Group Name: The name of the group.

4.1.4.1 Select Column Layouts

The Select Column Layouts feature is designed so that you can tailor onscreen search result displays according to your needs. Click **Select Column Layouts** in the Manage Groups screen (See Figure 11) to see the Select Columns box.




Figure 12: Select Columns

The Available Columns box shows the complete list of column titles to be displayed. The Displayed Columns box shows those columns you wish to have displayed.

1. To select the column you require, place the cursor bar over the column name and:

Click **one** to move items to the Displayed Columns text box, one at a time.

Click **move all** to move all the items to the Displayed Columns text box.

Click **one** to move items to the Available Columns text box, one at a time.

Click **move all** to move all the items to the Available Columns text box.

2. To specify the order in which the columns should be displayed, click **A** and **V** beside the Displayed Columns box. The column title at the top of the box will be leftmost in the display and others will follow in the order they are shown in this list.
3. You can now:
 - ★ Click **Update View** to see the new column order in the Manage Groups screen (See Figure 11).
 - ★ Click **Reset View** to return to the columns shown in the Available Columns box prior to any updates.
 - ★ Click **Cancel Changes** to discard the updates you made and return to the Manage Groups screen, Figure 11.

4.1.5 Manage Users in a Group

You can enter and edit the details of users in groups from the Manage Group Users screen.

Navigate to the Administration>ACL link and click on the **Manage Group Users** link to see the Manage Group Users screen.


Group Users Hide			
Action 	Group (G)	User (G)	Role (G)
Edit Delete	Users	One, User	Administrator
Edit Delete	Users	van Meerten, Aaron	Administrator
Edit Delete	Users	Peterson, Brian	Administrator
Edit Delete	Users	Carl, Peter	Administrator
Edit Delete	Users	User, Demo	User
Edit Delete	Users	Ito, Christopher	User
Select Column Layouts Add New			

Figure 13: Manage Group Users Screen

For details of the procedure to add or edit a group user, see 4.1.1 Manage Roles, which follows a similar procedure for a role.

The fields involved in the procedure to add or edit are:

Group: Choose the group from the drop-down list.

User: Choose the user from the drop-down list.

Role: Choose the role of the user from the drop-down list.

source: **What is this ????**

Click **Select Column Layouts** to change the onscreen display of fields. For details, see 4.1.4.1.

4.1.6 Manage Groups within a Group

Navigate to the Administration>ACL link and click on the **Manage Group Groups** link to see the Manage Group Groups screen.

Group Groups Hide		
Edit ▲	Group (G)	Child Group (G)
Edit Delete	Users	
Select Column Layouts		
Add New		

Figure 14: Manage Group Groups Screen

For details of the procedure to add or edit a group within a group, see 4.1.1 Manage Roles, which follows a similar procedure for a role.

The different fields involved in the procedure to add or edit are:

Group: Choose the group from the drop-down list.

Child Group: Choose the group from the drop-down list.

source: **What is this ????**

4.1.7 Manage Group Members

Navigate to the Administration>ACL link and click on the **Manage Group Members** link to see the Manage Group Members screen.

Logged in as: user1 • [Logout](#)

Manage Group Members

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

ACL Administration
[Manage Roles](#)
[Manage Controlled Objects](#)
[Manage Controlled Object Relationships](#)
[Manage Groups](#)
[Manage Group Users](#)
[Manage Group Groups](#)
[Manage Group Members](#)
[Manage Permissions](#)
[Manage Role Permissions](#)
[Manage Role Permissions in Grid](#)
[Manage Data Sources](#)
[Test ACL Results](#)

Group Members [Hide](#)

Page 1/1 (1 records found)

Action	Group (G)	Controlled Object (G)	Object ID	Criteria Table	Criteria Result Field
Edit	Users	Company	0		

[Select Column Layouts](#) [Add New](#)

Figure 15: Manage Group Members Screen

For details of the procedure to add or edit a group member, see 4.1.1 Manage Roles, which follows a similar procedure for a role.

The different fields involved in the procedure to add or edit are:

Group: Choose the group from the drop-down list.

Controlled Object: Choose the controlled object from the drop-down list.

Object ID: Database identifier of the controlled object to add to the group.

Click the **Hide** link if you do not wish to display these columns and associated fields.

Click **Select Column Layouts** to change the onscreen display of fields. For details, see 4.1.4.1.

4.1.8 Manage Permissions

To ensure the validity of data, different users are given different levels of permissions to manipulate X RMS data. Available permissions include: Create, Read, Update, and Delete.

Navigate to the Administration>ACL link and click the **Manage Permissions** link to reach the Manage Permission screen.

Logged in as: user1 • [Logout](#)

Manage Permission

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

ACL Administration
[Manage Roles](#)
[Manage Controlled Objects](#)
[Manage Controlled Object Relationships](#)
[Manage Groups](#)
[Manage Group Users](#)
[Manage Group Groups](#)
[Manage Group Members](#)
[Manage Permissions](#)
[Manage Role Permissions](#)
[Manage Role Permissions in Grid](#)
[Manage Data Sources](#)
[Test ACL Results](#)

Permissions [Hide](#)

Page 1/1 (5 records found)

Action	Name	Abbreviation
Edit	Create	C
Edit	Read	R
Edit	Update	U
Edit	Delete	D
Edit	Export	E

[Select Column Layouts](#) [Add New](#)

Figure 16: Manage Permission Screen

For details of the procedure to add or edit permissions, see 4.1.1 Manage Roles, which follows a similar procedure for a role.

The different fields involved in the procedure to add or edit are:

Permission Name: The name of the permission, for example, Delete.
Abbreviation: An abbreviation of the permission name.

Click the **Hide** link if you do not wish to display these columns and associated fields.

Click **Select Column Layouts** to change the onscreen display of fields. For details, see 4.1.4.1.

4.1.9 Manage Role Permissions

The Manage Role Permissions feature is used to manage the intersection between roles, permissions, and controlled object relationships. A role is assigned a particular permission on a controlled object relationship within a particular scope. The different scope types are:

- ★ User Scope: The role has permission on the child object only if the table has a User field and that field matches the user's User_ID.
- ★ Group: The role has this permission only for those child objects that fall into the group for which the user has this role (or any child groups of this group).
- ★ World: The role has this permission on all controlled objects that are the child in this relationship.

The entries in the Manage Role Permissions list also match those assigned or viewed with the Manage Role Permissions in Grid feature.

Role permissions can also be set to inherit or not, based on the Inheritance flag. If the Inheritance flag is set to Yes, all objects that have a child in this controlled object relationship (parents) inherit the permission. If inheritance is applied to each top-level object relationship, the role will have this permission on every object in the system. Inheritance defaults to "Yes".

Navigate to the Administration>ACL link and click the **Manage Role Permissions** link to reach the Manage Role Permissions screen.

Logged in as: user1 • [Logout](#)

Manage Role Permissions

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

ACL Administration
[Manage Roles](#)
[Manage Controlled Objects](#)
[Manage Controlled Object Relationships](#)
[Manage Groups](#)
[Manage Group Users](#)
[Manage Group Groups](#)
[Manage Group Members](#)
[Manage Permissions](#)
[Manage Role Permissions](#)
[Manage Role Permissions in Grid](#)
[Manage Data Sources](#)
[Test ACL Results](#)

Role Permissions [Hide](#)
 Page 1/120 (1199 records found) | < << 1 2 3 4 5 6 7 8 9 10 ... >> >1

Action	Role (G)	Child Object (G)	Parent Object	Permission (G)	Scope (G)
Edit	Administrator	Company		Create	World
Edit	User	Campaign		Update	World
Edit	Client Services	File	Contact	Create	Group
Edit	Strategic Communications	File	Case	Read	Group
Edit	Strategic Communications	File	Case	Update	Group
Edit	Strategic Communications	File	Campaign	Create	Group
Edit	Strategic Communications	File	Campaign	Read	Group
Edit	Strategic Communications	File	Campaign	Update	Group
Edit	Strategic Communications	File	Campaign	Delete	Group
Edit	Strategic Communications	File	Contact	Create	Group

[Select Column Layouts](#)
[Add New](#)

Figure 17: Manage Role Permissions Screen

For details of the procedure to add or edit permissions for a role, see 4.1.1 Manage Roles, which follows a similar procedure for a role.

The fields from which you can add or edit role permissions are:

Role: Choose the role from the drop-down list.

Controlled Object Relationship: Choose the required relationship from the drop-down list.

Scope: Can be User, Group, or World.

Permission: Choose the permission from the drop-down list.

Inheritable Flag: If you need the permission of on a 'parent' or higher level controlled object to *not* be inheritable, set this value to "No". In most cases, the default value of "Yes" will be appropriate.

Click **Select Column Layouts** to change the onscreen display of fields. For details, see 4.1.4.1.

4.1.10 Manage Role Permissions in Grid

The Manage Role Permissions in Grid feature can be used on any role that is defined in XRMS. Roles could be: Administrator, Client Support, Regional Marketing Staff, Strategic Communication, Sales Management, and so on.

To manage role permissions within a grid, follow the steps below:

1. Navigate to the Administration>ACL link and click the **Manage Role Permissions in Grid** link to reach the Manage Permissions for Role screen 1.

Manage Permissions for Role

Home • Activities • Companies • Contacts • Campaigns • Opportunities • Cases • Files • Reports • Administration • Preferences

ACL Administration

- Manage Roles
- Manage Controlled Objects
- Manage Controlled Object Relationships
- Manage Groups
- Manage Group Users
- Manage Group Groups
- Manage Group Members
- Manage Permissions
- Manage Role Permissions
- Manage Role Permissions in Grid
- Manage Data Sources
- Test ACL Results

Select a Role

Role: Regional Marketing Staff

Manage Permission for Role

Logged in as: user1 • [Logout](#)

Figure 18: Manage Permissions for Role Screen 1

2. Select a role from the Role drop-down list. The default roles are user and administrator.
3. Click **Manage Permission for Role** to see the Manage Permissions for Role screen 2. If you choose Regional Marketing Staff as the role, you see the Manage Permissions for <Role Name> screen on the Dashboard.

Manage Permissions for User															
<p>Role Permissions are used to manage the intersection between roles, permissions, and controlled object relationships. Permissions for a role are assigned on individual Controlled Object Relationships. Each permission assigned can be considered inheritable or non-inheritable. Inheritable permissions will propagate through to all controlled objects related to the child object in the relationship for which the permission is being defined. For example, inheritable World Read on the top level Company relationship will extend to all contacts, activities, files, cases, opportunities and other entities which are linked to all companies. Non-inheritable permissions mean that this permission is only valid for the current level of Controlled Object Relationship, and will not extend to child relationships.</p> <p>Permission Codes</p> <ul style="list-style-type: none"> • I - Permission is Inheritable • N - Permission is Non-Inheritable • empty - No Permission assigned 															
	World					Group					User				
	Create	Read	Update	Delete	Export	Create	Read	Update	Delete	Export	Create	Read	Update	Delete	Export
Company	I	I	I												
Contact -> Company															
Campaign	I	I	I												
Case -> Company															
Opportunity -> Company															
Activity -> Company															
Activity -> Contact															
Activity -> Campaign															
Activity -> Case															
Activity -> Division															
Activity -> Opportunity															
Activity -> Contact															
File -> Activity															
File -> Company															
File -> Case															
File -> Campaign															
File -> Contact															
File -> Opportunity															
File -> Email Template															
File -> Division															
File -> User															
Division -> Company															
Administration															
Email Template ->															

Figure 19: Manage Permissions for Role Screen 2

- Select the appropriate level of permission to give relevant permissions to the user or administrator. I indicates the permission will be inheritable, while N indicates that the permission should only apply to the particular controlled object relationship.
- After you select all the required permissions, click **Assign Permissions**.

4.1.11 Manage Data Sources

Data sources are used to manage permissions within databases other than the XRMS database. This is only useful if there are plugins that also use the ACL and define new controlled objects using the new data source, new controlled object relationships, and also register a hook in XRMS to provide database access to the ACL object for this data source.

It is recommended that administrators do not change values in Manage Data Sources, unless they are developing a plugin.

Navigate to the Administration>ACL link and click the **Manage Data Sources** link. You see the Manage Data Sources screen.

Manage Data Sources

Logged in as: user1 • [Logout](#)

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

ACL Administration

- [Manage Roles](#)
- [Manage Controlled Objects](#)
- [Manage Controlled Object Relationships](#)
- [Manage Groups](#)
- [Manage Group Users](#)
- [Manage Group Groups](#)
- [Manage Group Members](#)
- [Manage Permissions](#)
- [Manage Role Permissions](#)
- [Manage Role Permissions in Grid](#)
- [Manage Data Sources](#)
- [Test ACL Results](#)

Search Results

LINK	ID	Data Source Name
Edit	1	XRMS

[Add New](#)

Figure 20: Manage Data Sources Screen

For details of the procedure to add or edit a data source, see 4.1.1 Manage Roles, which follows a similar procedure for a role.

The only field involved in the procedure to add or edit is:

Data Source Name: The name of the data source.
--

4.1.12 Test ACL Results

The Test ACL Results feature is used to test the results of the ACL configuration that has been just built. This feature can be used in two ways in which ACL is called:

- ★ Return the Permissions on an individual object.
- ★ Return the list of objects on which the user has a particular permission.

Navigate to the Administration>ACL link and click the **Test ACL Results** link to reach the ACL Result Test screen.

ACL Results

Logged in as: user1 • [Logout](#)

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

ACL Administration

- [Manage Roles](#)
- [Manage Controlled Objects](#)
- [Manage Controlled Object Relationships](#)
- [Manage Groups](#)
- [Manage Group Users](#)
- [Manage Group Groups](#)
- [Manage Group Members](#)
- [Manage Permissions](#)
- [Manage Role Permissions](#)
- [Manage Role Permissions in Grid](#)
- [Manage Data Sources](#)
- [Test ACL Results](#)

ACL Result Test

Please select an action:

[Check Permission on an object for a user](#)

[Get list of objects for a user](#)

Figure 21: ACL Result Test Screen

You can:

- ★ Check permissions on an object for a user.
- ★ or
- ★ Get the list of objects for a user.

The following paragraphs give details of the procedure for each.

Check Permission on an Object for a User

To check permission on an object for a user, follow these steps:

1. Click on the **Check Permission on an object for a user** link in the ACL Result Test box. You then see the ACL Parameters box.

ACL Results

Logged in as: user1 • [Logout](#)

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

ACL Administration

- [Manage Roles](#)
- [Manage Controlled Objects](#)
- [Manage Controlled Object Relationships](#)
- [Manage Groups](#)
- [Manage Group Users](#)
- [Manage Group Groups](#)
- [Manage Group Members](#)
- [Manage Permissions](#)
- [Manage Role Permissions](#)
- [Manage Role Permissions in Grid](#)
- [Manage Data Sources](#)
- [Test ACL Results](#)

ACL Parameters

User:

Object:

[Get Results](#)

Figure 22: Check Permission on an Object for a User - Enter ACL Parameters

2. Choose the user from the drop-down list.
3. Choose the object from the drop-down list.

4. Click **Get Results**. You see the Search Results box that shows different user ids and the permissions they have to access different types of data.
5. To select the object for which you wish to check permissions, click the radio button in the select on what id column.
6. Click **Calculate Permissions** to see the ACL Results box. The box displays the permissions available to the user for the selected object.

The screenshot shows the 'ACL Results' window. At the top is a navigation bar with links: Home, Activities, Companies, Contacts, Campaigns, Opportunities, Cases, Files, Reports, Administration, and Preferences. Below this is a table with two columns. The left column lists 'ACL Administration' and its sub-items: Manage Roles, Manage Controlled Objects, and Manage Controlled Object Relationships. The right column shows the permissions available for each: 'Create' for ACL Administration, 'Read' for Manage Roles, 'Update' for Manage Controlled Objects, and 'Delete' for Manage Controlled Object Relationships.

ACL Results	
Home • Activities • Companies • Contacts • Campaigns • Opportunities • Cases • Files • Reports • Administration • Preferences	
ACL Administration	Permission Available: Create
Manage Roles	Permission Available: Read
Manage Controlled Objects	Permission Available: Update
Manage Controlled Object Relationships	Permission Available: Delete

Figure 23: Check Permission on an Object for a User - ACL Results

Get List of Objects for a User

To get a list of objects for a user, follow the steps below:

1. Click the **Get list of objects for a user** link in the ACL Result Test screen (See Figure 21). You see the ACL Parameters box.

The screenshot shows the 'ACL Parameters' window. It has a navigation bar at the top with links: Home, Activities, Companies, Contacts, Campaigns, Opportunities, Cases, Files, Reports, Administration, and Preferences. On the right, it says 'Logged in as: user1 • Logout'. The main area is divided into two sections. The left section, 'ACL Administration', lists various links: Manage Roles, Manage Controlled Objects, Manage Controlled Object Relationships, Manage Groups, Manage Group Users, Manage Group Groups, Manage Group Members, Manage Permissions, Manage Role Permissions, Manage Role Permissions in Grid, Manage Data Sources, and Test ACL Results. The right section, 'ACL Parameters', contains three dropdown menus: 'User' (set to 'User One'), 'Object' (set to 'Company'), and 'Permission' (set to 'Create'). Below these is a 'Get Results' button.

ACL Results	
Home • Activities • Companies • Contacts • Campaigns • Opportunities • Cases • Files • Reports • Administration • Preferences	
ACL Administration	ACL Parameters
Manage Roles	User: User One
Manage Controlled Objects	Object: Company
Manage Controlled Object Relationships	Permission: Create
Manage Groups	Get Results
Manage Group Users	
Manage Group Groups	
Manage Group Members	
Manage Permissions	
Manage Role Permissions	
Manage Role Permissions in Grid	
Manage Data Sources	
Test ACL Results	


Figure 24: Get List of Objects for a User - ACL Parameters

2. Choose the user from the drop-down list.
3. Choose the object from the drop-down list.
4. Choose the permission from the drop-down list.
5. Click **Get Results**. You see the ACL Results box that shows company ids, user ids, and other company data.

4.2 Activity Templates

Activity templates show the workflow that has been defined using Types and Statuses. An activity template is used to create a new activity when the status or type of a case or opportunity changes. Each activity is assigned to that user who has the corresponding role defined in the activity template and has the least number of open activities. For more information on Workflow, see Chapter 6.

Navigate to the **Administration > Activity Templates** link to reach the Manage Activity Templates screen.



Activity Templates		
Name	Status	Linked Table
Preliminary Discussions	Meeting	Opportunity Statuses
Pre-proposal Clarifications	Meeting	Opportunity Statuses

Figure 25: Manage Activity Templates Screen

NOTE: You can only view an activity template if one has been created.

4.2.1 Add an Activity Template

To add an activity template, see 5.2.1 Opportunity Statuses.

The Opportunity Status Details screen provides the option to link activities to opportunity statuses from the Link Activity To Opportunity Status box. When an activity is added to an opportunity status in the Opportunity Status Details screen, the activity is automatically updated to the Manage Activity Templates screen.

4.2.2 View, Edit, and Delete Activity Templates

Go to the **Administration** link and click **Activity Templates** to reach the Manage Activity Templates screen (See Figure 25) where the list of activities is shown.

To edit an activity template

Follow the steps below:

1. In the Manage Activity Templates screen (See Figure 25), click the name of the activity template you want to edit. You then reach the Activity Template Details: <Activity Name> screen.

Activity Template Details: Preliminary Discussions Logged in as: user1 • [Logout](#)

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

Delete Activity Template

Click the button below to permanently remove this item.

Note: This action CANNOT be undone!

[Delete](#)

Edit Activity Template Information

Title:

Duration:

Type: ▼

Role: ▼

Description:

Default Text:

Sort Order:

[Save Changes](#)

Figure 26: Activity Template Details Screen

2. Edit the fields as described in the table.

Title: Enter the title of the activity.

Duration: Enter the time period for the completion of the activity. The default measurement is in days.

Type: Choose the type of activity from the drop-down list.

Role: Select the appropriate option from the drop-down list.

Description: Enter a description about the activity.

Default Text: Standard text about the activity.

Sort Order: Defines the order that activities are created within a workflow. New activities will not be included in a workflow until all activities in the previous sort order are completed.

3. After you enter or edit the relevant details, click **Save Changes**. You return to the Manage Activity Templates screen.

To delete an activity template

Navigate to the Administration>Activity Templates link to reach the Manage Activity Templates screen (See Figure 25) where the list of activities is shown.

1. In the Manage Activity Templates screen, click the name of the activity you want to edit. You then reach the Activity Template Details: <Activity Name> screen (See Figure 26).
2. Go to the Delete Activity Template box on the left side of the screen. Click **Delete** to remove the activity template.

4.3 Email Templates

Email templates help to save time as they contain relevant information on a particular subject that can be re-used when necessary.

Navigate to the Administration>Email Templates link to reach the Manage Email Templates screen (See Figure 28). You also see a box with the title Manage Templates.



Figure 27: Manage Templates Box

This box has two links:

- ★ Manage Email Templates
- ★ Manage Email Template Types

The way the links function are described in the sections that follow.

4.3.1 Manage Email Templates

This feature helps you to create or edit email templates based on existing template types.

Click the **Manage Email Templates** link in the Manage Templates box to see the Manage Email Templates screen (See Figure 28) that shows the list of existing email templates. You see this screen by default when you click on the Email Templates link in the Administration screen (See Figure 1).

Click **Select Column Layouts** in the Manage Email Templates screen to change the onscreen display of fields. For details, see 4.1.4.1.

Manage Email Templates Logged in as: user1 • [Logout](#)

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

Manage Templates
[Manage Email Templates](#)
[Manage Email Template Types](#)

Email Templates [Hide](#)
Page 1/1 (6 records found)

Edit ▲	Title	Type (G)
Edit	Blank Template	Email Merge Letter
Edit	Introduction	Email Merge Letter
Edit	Sales Pitch	Email Merge Letter
Edit	Thanks for Your Business	Email Merge Letter
Edit	Customer Service Inquiry	Email Merge Letter
Edit	Customer Service Inquiry	

[Select Column Layouts](#)
[Add New](#)

Figure 28: Manage Email Templates Screen

4.3.1.1 Add an Email Template

To add an email template:

1. Click **Add New** in the Manage Email Templates screen (See Figure 28) to reach the Manage Email Template – Add screen.

Manage Email Template Logged in as: user1 • [Logout](#)

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

Manage Templates
[Manage Email Templates](#)
[Manage Email Template Types](#)

Email Template

email_template_id	<input type="text" value="5"/>
Email Template Type	<input type="text" value="Email Merge Letter"/>
Title	<input type="text"/>
Body	<div></div>
Create	
Return to List	

Figure 29: Manage Email Template - Add Screen

2. Enter an identification number for the template in email_template_id.

3. Select the type of template from the existing types in the Email Template Type drop-down list.
4. Enter a name for the template in Title.
5. Enter the text of the new template in Body.
6. Click **Create** to create a new email template. This displays a screen with the details of the email template you created.
7. Click **Return to List** to go to the Manage Email Templates screen.

4.3.1.2 Edit an Email Template

To edit an email template:

1. In the Manage Email Templates screen (See Figure 28), click the **Edit** link corresponding to the required email template in the Title column. You see the Manage Email Template – Edit screen, which is similar to the Manage Email Template – Add screen (See Figure 29). The only difference is that the Update button replaces the Create button in this screen.
2. Make changes to the appropriate fields as required.
3. Click **Update** to save and update the edited email template.
4. Click **Return to List** to go to the Manage Email Templates screen.

4.3.2 Manage Email Template Types

This feature helps you to create or edit different types of email templates.

Click the **Manage Email Template Types** link in the Manage Templates box (See Figure 27). You see the Manage Email Template Types screen (See Figure 30) that shows the list of existing email template types.

Click **Select Column Layouts** in the Manage Email Template Types screen to change the onscreen display of fields. For details, see 4.1.4.1.




Figure 30: Manage Email Template Types Screen

4.3.2.1 Add an Email Template Type

To add an email template type:

1. Click **Add New** in the Manage Email Template Types screen (See Figure 30) to see the Manage Email Template Types – Add screen.

The screenshot shows the 'Manage Email Template Types' screen. At the top, there's a navigation bar with links: Home, Activities, Companies, Contacts, Campaigns, Opportunities, Cases, Files, Reports, Administration, and Preferences. Below this, on the left, is a sidebar with 'Manage Email Template Types' selected. The main content area is titled 'Email Template' and contains a form. The form has two input fields: 'email_template_type_id' with the value '1' and 'Type Name'. Below these fields are two buttons: 'Create' and 'Return to List'.

Figure 31: Manage Email Template Types - Add Screen

2. Enter an identification number for the type of email template in email_template_type_id.
3. Enter a name for the new template type in Type Name.
4. Click **Create** to create a new type of email template. This displays a screen with the details of the email template type you created.
5. Click **Return to List** to go to the Manage Email Template Types screen.

4.3.2.2 Edit an Email Template Type

To edit an email template type:

1. In the Manage Email Template Types screen (See Figure 30), click the **Edit** link corresponding to the required email template type in the Name column. You see the Manage Email Template Types – Edit screen, which is similar to the Manage Email Template Types – Add screen (See Figure 31). The only difference is that the Update button replaces the Create button in this screen.
2. Make changes to the appropriate fields as required.
3. Click **Update** to save and update the edited email template type.
4. Click **Return to List** to go to the Manage Email Template Types screen.

4.4 Change Record Owner

To change the owner of open activities, companies, campaigns, opportunities or cases, follow the steps below:

1. Click the **Change Record Owner** link in the Administration screen (See Figure 1), to see the Change Record Owner screen.

Figure 32: Change Record Owner Screen

2. Choose the Current Owner of the activity, company, campaign, opportunity, or case from the drop-down list.
3. Choose the New Owner from the drop-down list.
4. Click **Change** to save the New Owner.

4.5 Country Localization Formats

To correctly represent different address and phone formats of countries around the world, follow the steps below:

To specify the Phone Format

1. Click the **Country Localization Formats** link in the Administration screen (See Figure 1) to see the Country Localization Formats screen that displays a list of countries in alphabetical order, as well as fields and links from which you can specify telephone and address formats.

Figure 33: Country Localization Formats

2. Scroll through the list of countries till you reach the one for which you would like to specify a phone or address format.
3. Enter the telephone number format using hashes to represent each digit in the phone number. For example if the country you wish to provide localization details for has a 4-digit state code and a seven-digit number, the hashes would be as follows: `(####) ###-####`.
4. Click **Update**.

To specify the Country Address Format

1. Click **Edit** corresponding to the required format in the Address Format column of the Country Localization Formats screen (See Figure 33). You see the Edit Country Address Format screen.
2. Update address details as necessary.
3. Click **Save Changes**.

4.6 System Preferences

Click the **Administration** link at the top of an XRMS screen to see the Administration screen (See Figure 1). In this screen, click the **System Preferences** link in the Manage box - Figure 4. You see the System Preferences screen.

System Preferences	
Language	English
Theme Color and Layout Theme for XRMS	basic
Hide SourceForge Image Hides the SourceForge Image which appears at the bottom of every page	Yes
Block SourceForge Link Disables the SourceForge image and link which appears at the bottom of every page	No
Company Search Type Search method used when searching company names	Name Contains
Default GST Offset Default timezone offset	-5
Audit Level What level of audit logging should be performed. 0 - no logging, 1 - inserts & updates, 2 - and login/logout, 3 - and views, 4 - and searches	4
Activities Default Behavior How will activities behave. Options are Fast or Long. Fast will keep user within current screen while Long will move to the activities/one screen for detailed description entry.	Fast
LDAP Version Version of the LDAP server. Will usually be 2 or 3.	2
RSS Feeds Enabled Provide RSS Feeds. y or n.	No
Maximum RSS Feed Entries Maximum number of entries to include in any RSS feed.	15
Sender Email Address Email address to use as the sender address when sending reports via email.	xrms@example.com
Reports--Use Horizontal Rule Use horizontal rule on reports.	Yes
Reports--Show No Items Found Show text for items with no result on reports.	No
Allow Unassigned Activities Unassigned activities are useful when creating activity pools, but can result in activities erroneously created without accountability.	No
Display Item Technical Details Expose ID numbers and other technical tidbits on production screens. Useful for developers tracking issues in production. Otherwise not necessary.	No
Show Logo Controls custom logo display in the head of every page in XRMS.	No
XRMS Version XRMS Version (read-only)	1.0
Session Data Storage Type Controls where the PHP session data is stored (files or database). Changing this parameter will cause all currently logged in users to be logged out.	Standard
pager_columns	
<input type="button" value="Save Preferences"/>	

Figure 34: System Preferences Screen

You can select the language of your choice and the theme (UI colors and presentation) from the relevant drop-down lists.

Click **Save Preferences** to save your choices.

The following sections explain the different system parameters used in XRMS.

4.6.1 Activities Default Behavior

It is possible to define specific behaviors for different system parameters that are listed in the Manage System Parameters screen.

Click the **Activities Default Behavior** link in Manage System Parameter screen, see Figure 34, to reach the System Parameter: Activities Default Behavior screen.

Figure 35: System Parameter - Activities Default Behavior

Choose the relevant option from the Activities Default Behavior drop-down list.

Available options are:

- ★ Fast: The user remains within the current screen.
- ★ Long: The user is taken to the activities/one screen for detailed description entry. *This is the recommended value for most uses of XRMS.*

After you select the option, click **Save Changes** to save the default behavior that you set.

4.6.2 Allow Unassigned Activities

This option allows Activities to not be assigned to an individual User of XRMS. In some environments, planned tasks or activities need to be unassigned initially, and will be assigned to particular users later based on a business process. In most cases, it would be better to use Workflow (See Chapter 6) Navigate to Administration>System Parameters and click the **Allow Unassigned Activities** link to see the System Parameter: Allow Unassigned Activities screen.

Figure 36: System Parameter - Allow Unassigned Activities

Choose the relevant option from the Allow Unassigned Activities drop-down list.

Available options are:

- ★ y (to allow activities to be created without being assigned to a specific owner)
- ★ n (to disallow an activity to be created without assigning it to a specific owner)

After you select the option, click **Save Changes**.

4.6.3 Audit Level

Navigate to Administration>System Parameters and click the **Audit Level** link to see the System Parameter: Audit Level screen.

Figure 37: System Parameter: Audit Level

Choose the Audit Level option from the drop-down list.

Possible options and what they signify are:

Option	Description
0-No Logging.	No audit log is created.
1-Inserts and Updates	Audit log created for inserts and updates to the database.
2-Insert and Updates and Login/Logout	Audit log created for inserts and updates to the database as well as logins and logouts.
3-Inserts and Updates, Login/Logout and Views	Audit log created for inserts and updates to the database, logins, logouts, and views.
4-Inserts and Updates, Login/Logout, Views and Searches	Audit log created for inserts and updates to the database, logins, logouts, views, and searches.

After you select the relevant option, click **Save Changes**.

4.6.4 Default GST Offset

Navigate to Administration>System Parameters and click the **Default GST Offset** link to see the System Parameter: Default GST Offset screen.

Figure 38: System Parameter - Default GST Offset

Enter a value in the text box beside Default GST Offset. The value you enter should indicate the number of hours ahead of (or behind) Greenwich Sidereal Time (GST). The format to enter this value is: 00:00:00 that corresponds to hours, minutes and seconds respectively.

NOTE: If the offset is negative, enter a minus sign in front of the offset. If the offset is positive, enter a plus sign in front of the offset.

After you enter the value, click **Save Changes** to store the offset.

4.6.5 Display Item Technical Details

Navigate to Administration>System Parameters and click the **Display Item Technical Details** link to see the System Parameter: Display Item Technical Details screen.

Figure 39: System Parameter - Display Item Technical Details

Choose the relevant option from the drop-down list beside Display Item Technical Details.

The possible options are:

- ★ n (technical details relevant to the items will not be displayed)
- ★ y (technical details relevant to the items will be displayed)

After you select the option, click **Save Changes**.

4.6.6 LDAP Version

You can set the appropriate version of the Lightweight Directory Access Protocol (LDAP) server in XRMS. This Internet protocol is used by email programs to look up contact information from a server.

Go to Administration>System Parameters and click the **LDAP Version** link to see the System Parameter: LDAP Version screen.

Figure 40: System Parameter - LDAP Version

Choose the appropriate LDAP version from the drop-down list. Current versions provided for in this list are: 2 and 3.

After you select the option, click **Save Changes** to save the LDAP version to be used.

4.6.7 Maximum RSS Feed Entries

Rich Site Summary or Really Simple Syndication (RSS) is a family of XML file formats used to access Web content available for distribution from an online publisher to Web users. RSS offers brief highlights of Web content with a link to the complete article. Web content made available for distribution online is delivered as an XML file and is called an RSS feed.

Setting the maximum of RSS feed entries allows organizations to define the highest number of RSS entries to be made available to XRMS users at any time. This is of particular relevance when the News plugin is enabled.

To set the maximum RSS feed entries, go to Administration>System Parameters and click the Maximum RSS Feed Entries link to see the System Parameter: Maximum RSS Entries screen.

Figure 41: System Parameter - Maximum RSS Feed Entries

Enter the value in the text box beside Maximum RSS Feed Entries.

After you enter the value, click **Save Changes**.

4.6.8 Reports - Show No Items Found

If a user generates a report and no items are found, it is possible to display a message to this effect. The text of the message would be "No items found." It is necessary to specify that this message should be displayed.

Go to Administration>System Parameters and click the **Reports-Show No Items Found** link to see the System Parameter: Reports-Show No Items Found screen.

Figure 42: System Parameter – Reports – Show No Items Found

Choose the relevant option from the drop-down list.

Available options are:

- ★ n (No message is displayed.)
- ★ y (Message "No Items Found" is displayed.)

After you select the option, click **Save Changes**.

4.6.9 Reports – Use Horizontal Rule

This feature is provided to define the appearance of X RMS reports. If a horizontal line is required at certain locations in a report it is important to set this feature.

Go to the Administration>System Parameters and click the **Reports-Use Horizontal Rule** link to see the System Parameter: Reports-Use Horizontal Rule screen.

Figure 43: System Parameter - Reports – Use Horizontal Rule

Choose the relevant option from the drop-down list.

The possible options are:

- ★ n (Use a horizontal line within X RMS reports)
- ★ y (Do not use a horizontal line within X RMS reports)

After you select the option, click **Save Changes**.

4.6.10 RSS Feeds Enabled

Web content made available for distribution online is delivered as an XML file and is called an RSS (Really Simple Syndication or Rich Site Summary) feed. If such feeds should be accessible from X RMS, it is necessary to enable the program to accept the feeds.

Go to Administration>System Parameters and click the **RSS Feeds Enabled** link to see the System Parameter: RSS Feeds Enabled screen.

Figure 44: System Parameter - RSS Feeds Enabled

Choose the option from the drop-down list.

Available options are:

- ★ n (Do not allow RSS Feeds)
- ★ y (Allow RSS Feeds)

After you select the option, click **Save Changes**.

4.6.11 Sender Email Address

When sending reports using email, you can set the email address of the sender using the Sender Email Address parameter.

Go to Administration>System Parameters and click the **Sender Email Address** link to see the System Parameter: Sender Email Address screen.

Figure 45: System Parameter - Sender Email Address

Enter the email address that needs to appear in the Sender box for emails in the text box beside Sender Email Address.

Click **Save Changes** to save the email id you have entered.

4.7 Users

You can add and edit user names, passwords, and select roles for users from the Manage Users screen.

Click on the **Users** link in the Administration screen (See Figure 1) to see the Manage Users screen.

Logged in as: user1 • [Logout](#)

Manage Users

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

Add New User	Users			
Role: User ▼	Enabled	Full Name	E-Mail	Username
Last Name: *		, Default		Default
First Names: 		Sim Verra		sverra
Username: *		Rina Wu		rinawu
Password: *				
E-Mail: 				
Language: English				
GMT Offset: -5				
Enabled: <input checked="" type="checkbox"/>				
Add				

Figure 46: Manage Users Screen

4.7.1 Add a User

1. Navigate to the Administration>Manage box.
2. Click the **Users** link to see the Manage Users screen. This screen shows a list of existing users and also displays the Add New User box.

Add New User	
Role	User <input type="button" value="v"/>
Last Name	Fergusson *
First Names	Dwight
Username	dwight *
Password	***** *
E-Mail	dwight@interninv.com
Language	English
GMT Offset	-5
Enabled	<input checked="" type="checkbox"/>
<input type="button" value="Add"/>	

Figure 47: Add New User Box

3. In the Add New User box, enter the fields as shown in the table.

Role: Choose the user's role from the drop-down list.

Last Name: Enter the last name of the user.

First Names: Enter the first name(s) of the user.

Username: Enter a login user name that is unique to this user.

Password: Enter a password for this user.

Email: Enter the email address of the user.

Language: This is a display field and shows the default language set.

GMT Offset: Number of hours added or subtracted from Greenwich Mean Time.

Enabled: Select this check box to activate the user.

4. To save the details of the new user, click **Add**. You see the new user added to the Users box in the Manage Users screen.

4.7.2 Edit User Details

User roles and groups can be managed from the User Details screen. A user can be assigned to roles within groups using the sidebar in the Edit User pages.

1. Navigate to the Administration>Manage box and click the **Users** link to reach the Manage Users screen.
2. Review the list of users and their details as shown in Figure 46 and click on the username of the user in the Manage Users screen whose details you want to change. You see the User Details screen.

User Details: Dwight Fergusson Logged in as: user1 • [Logout](#)

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

User Roles		
Group	Role	Action
Users	User	Delete
Users <input type="button" value="v"/>	<input type="button" value="v"/>	Add Role

Edit User Information

Last Name:

First Names:

Username:

E-Mail:

Language: English

GMT Offset:

Enabled: ☒

[Save Changes](#) [Change Password](#)

Delete User

Click the button below to permanently remove this item.

Note: This action CANNOT be undone!

[Delete](#)

Figure 48: User Details Screen

3. All the fields in this screen are the same as in the Add New User box (See 4.7.1 Add a User). The only fields missing here are Role and Password.
4. After you make the changes, click **Save Changes**.
5. To change the Password, click **Change Password**. You see the Change Password screen.

Change Password Logged in as: user1 • [Logout](#)

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

Change Password

New Password:

Confirm New Password:

[Save Changes](#)

Figure 49: Change Password Screen

6. Enter the new password in the fields and click **Save Changes**.

4.7.3 Delete a User

Follow these steps to delete an XRMS user.

1. Navigate to Administration>Manage box and click the **Users** link to see the Manage Users screen.

2. Click on the username of the person whose details you wish to delete to get to the User Details screen (See Figure 48).
3. Review details of the user in the User Details screen.
4. Click **Delete** in the Delete User box to delete the details of this user.
- 5.

5 Types and Statuses

Before XRMS can be implemented, it is necessary that the various default values to be used are reviewed and edited appropriately. Defaults can be added, modified, or deleted. However, when a default is deleted, it loses all its associations with companies, contacts, cases, and campaigns.

The different XRMS defaults are:

Types and Statuses
Account Statuses
Activity Types
Activity Resolution Types
Address Types
Campaign Statuses
Campaign Types
Case Priorities
Case Statuses
Case Types
Categories
Company Sources
Company Types
CRM Statuses
Industries
Opportunity Statuses
Opportunity Types
Ratings
Relationship Types
Salutations

Figure 50: Types and Statuses

There is no fixed limit on the number of items that can be added under a single group.

Types and statuses in Activity Templates are used to define the Workflow. For more details, see Chapter 6 Workflow.

5.1 Add a Default Value

This section is divided into two parts. Defaults that:

- ★ Follow a common procedure to add values.
- ★ Do not follow a common procedure to add values.

5.1.1 Defaults that Follow a Common Procedure to Add Values

The defaults that follow a common procedure to add values share many fields in common. The fields present in the different default screens are indicated by check marks in the table below.

XRMS Defaults	Short Name	Full Name	Full Plural Name	Display HTML	Score Adjustment	Description	Open Status
Account Statuses							
Activity Types							
Activity Resolution Types							
Campaign Statuses							
Campaign Types							
Case Priorities							
Case Types							
Categories							
Company Sources							
Company Types							
CRM Statuses							
Industries							

XRMS Defaults	Short Name	Full Name	Full Plural Name	Display HTML	Score Adjustment	Description	Open Status
Opportunity Statuses							
Opportunity Types							
Ratings							

To add values, click on the **Administration** link in the top bar to see the Administration screen (See Figure 1).

Go the Types and Statuses box (See Figure 50) to select the items for which you would like to add default values.

Since the procedure to add values is common across the types and statuses we will consider the following two defaults to see how values are added:

- ★ Opportunity Statuses that individually contains the largest number of fields.
- ★ Case Priorities that has some fields not available in Opportunity Statuses.

Together, these two items cover the entire list of fields.

5.1.1.1 Opportunity Statuses

Opportunity Statuses is a default to create different status levels for opportunities. New, Preliminaries, Discussions, and Negotiations are some examples of status levels.

To create a new opportunity status, follow the steps below:

1. Go to Administration>Types and Statuses and click the **Opportunity Statuses** link to see the Manage Opportunity Statuses screen.

2.

Manage Opportunity Statuses Logged in as: user1 • [Logout](#)

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

Add New Opportunity Status

Short Name:

Full Name:

Full Plural Name:

Display HTML:

Description:

Open Status:

Opportunity Statuses

Name	Description	Move
New		down
Preliminaries		up down
Discussion		up down
Negotiation		up down
Closed/Won		up down
Closed/Lost		up down
Closed/Lost		up down

Figure 51: Manage Opportunity Statuses

3. Enter the fields in the Add New Opportunity Status box as given in the table below:

Short Name:	Enter an abbreviation for the status. For example, OP for open.
Full Name:	Enter the complete name of the status. For example, Open.
Full Plural Name:	Enter the plural of the status name.
Display HTML:	Enter the HTML format of the status name.
Description:	Enter a description of the type of status that is being dealt with.
Open Status:	Choose the status of the opportunity from the drop-down list. The options are: open, closed and won, closed and lost.

4. When you have finished entering the fields, click **Add** to see the opportunity status added to the Opportunity Statuses table.

To Reorder Items in the Opportunity Statuses table

5. Click the **up** or **down** link as required in the Move column beside the opportunity status that you wish to reorder in the table.
6. The opportunity status moves up or down one row as appropriate.

To link an Opportunity Status to a Workflow Activity

1. Click on the name of an Opportunity Status in the Manage Opportunity Status screen, Figure 51. You see the Edit Opportunity Status Information screen with the Link Workflow Activity To Opportunity Status box where you can edit Opportunity Status information and link an Opportunity Status to a workflow activity.

Link Workflow Activity To Opportunity Status				
Title	Duration (defaults to days)	Type	Role	Sort Order
<input type="text"/>	<input type="text"/>	<input type="text" value="v"/>	<input type="text" value="v"/>	<input type="text"/> <input type="button" value="Add"/>
Preliminary Discussions	1	Meeting	User	1 down
Pre-proposal Clarifications	1	Client Meeting	Regional Marketing Staff	2 up

Figure 52: Link Opportunity Status to Workflow Activity Box

2. Enter details in the following fields.

Title:	Enter the name of the activity to which you wish to link an opportunity status.
Duration:	Enter the number of days by which the activity should be complete.
Type:	Select the opportunity type from the drop-down list.
Role:	Select to which the activity should be assigned from the drop-down list.
Sort Order:	Enter the order of display of this item in the table that is created.

3. Click **Add**. This saves the details and displays them in a row in the table below.

To Edit or Delete an Opportunity Status

To edit or delete an activity linked to an opportunity status, click the activity name to see the Activity Details screen. See 4.2.2 View, Edit, and Delete Activity Templates for more details.

5.1.1.2 Case Priorities

Case Priorities is a default to create different types of priority levels for cases. Low, Medium, High, and Critical are some examples of priority levels.

To create a new type of case priority, follow the steps below:

1. Go to Administration>Types and Statuses and click the **Case Priorities** link to see the Manage Case Priorities screen.

Figure 53: Manage Case Priorities Screen

2. Enter the fields in the Add New Priority Type box as given in the table below:

Short Name:	Enter a short name for the priority type.
Full Name:	Enter the entire name of the priority type.
Full Plural Name:	Enter the plural of the name.
Display HTML:	Enter the HTML format of the priority name.
Score Adjustment:	Deprecated – no longer used

3. After you enter values in the fields, click **Add**. The new value added is shown in the Case Priorities box.

Case Priorities	
	Name
Critical	
High	
Low	
Medium	
Very Low	

Figure 54: Case Priorities Box

5.1.2 Defaults that Do Not Follow a Common Procedure to Add Values

The defaults that do not follow a common procedure to add values are:

- ★ Address Types
- ★ Case Statuses
- ★ Relationship Types
- ★ Salutations

5.1.2.1 Address Types

Address Types is a default to create different types of addresses. Commercial and Residential are examples of address types.

To create a new address type, follow the steps below:

1. Go to Administration>Types and Statuses and click the **Address Types** link to see the Manage Address Types screen.

Manage Address Types		Logged in as: user1 • Logout
Home • Activities • Companies • Contacts • Campaigns • Opportunities • Cases • Files • Reports • Administration • Preferences		
Add New Address Type		Address Types
Address Type	<input type="text" value="individual"/>	Name
Sort Value	<input type="text" value="3"/>	unknown
<input type="button" value="Add"/>		commercial
		residential

Figure 55: Manage Address Types

2. Enter the fields in the Add New Address Type box as given in the table below:

<p>Address Type: Enter the name of the address type. For example, Individual.</p> <p>Sort Value: Sort order for the address type. The sort order helps you define the order in which the address types are displayed when an address type is created or edited.</p>

3. After you enter the fields, click **Add**. You see the new value displayed in the Address Types box of the Manage Address Types screen

Address Types	
	Name
unknown	
commercial	
individual	
residential	

Figure 56: Address Types Box

5.1.2.2 Case Statuses

Case Statuses are used to create different status levels for different status types.

To create a new case status, follow the steps below:

1. Go to Administration>Types and Statuses and click the **Case Statuses** link to see the Manage Case Statuses screen.
2. From the Case Type drop-down list, select the Case Type for which you wish to view, add, edit, or delete a case status. This takes you to the next Manage Case Statuses screen that list case statuses for this case type. You can also add a case status here.

Figure 57: Manage Case Statuses Screen

3. Enter the fields in the Add New Case Status box as given in the table below:

Short Name: Enter a short name for the case status.

Full Name: Enter the entire name of the case status.

Full Plural Name: Enter the plural of the case status.

Display HTML: Enter the HTML format of the case status.

Description: Enter a description for the case status that you plan to add.

4. After entering all the fields, click **Add**. You see the new value in the Case Statuses box of the Manage Case Statuses screen.

5.1.2.3 Relationship Types

XRMS handles different types of relationships between one company and another company, between contacts in different companies, and between a contact and a company, and vice versa. In fact, relationships can be defined between almost any entity in the system: companies, contacts, divisions and so on.

The Relationship Types default is used to create different relationship roles.

To create a new relationship type, follow the steps below:

1. Go to Administration>Types and Statuses and click the **Relationship Types** link to see the Manage Relationship Types screen.

Manage Relationship Types Logged in as: user1 • Logout

Home • Activities • Companies • Contacts • Campaigns • Opportunities • Cases • Files • Reports • Administration • Preferences

Add New Role

Relationship Name:

From What Table:

To What Table:

From Text:

To Text:

Pre-Text Formatting:

Post-Text Formatting:

Name	Tables	Relationship	Formatting
2nd Contact	contacts contacts	is 2nd Contact of has 2nd Contact	
2nd Contact	contacts contacts	has 2nd Contact is 2nd Contact of	
Accountant	contacts contacts	accountant of has accountant	
Accountant	contacts contacts	has accountant accountant of	
Administrative assistant	contacts contacts	administrative assistant of has administrative assistant	
Administrative assistant	contacts contacts	has administrative assistant administrative assistant of	
Analyst	contacts contacts	Analyst of has Analyst	
Analyst	contacts contacts	has Analyst Analyst of	

Figure 58: Manage Relationship Types Screen

2. Enter the fields in the Add New Role box as given in the table below:

Relationship Name: Enter the name of the relationship. For example, Consultant.

From What Table: Enter the name of the database table from which this relationship is being created.

To What Table: Enter the name of the database table to which the relationship is being created.

From Text: Enter information regarding the relationship in terms of how one entity (contact or company) relates to the other. For example: vendor of, consultant to, or subsidiary of.

To Text: Enter details of how the other entity is related to the first. For example, purchaser of, has consultant, or parent company.

Pre-Text Formatting and Post-Text Formatting: Used before and after the relationship name to result in appropriate HTML markup on the title. Example and in the corresponding fields will make the display of the relationship name bold.

- After you enter the fields, click **Add**. The new value is shown in the Relationship Types box of the Manage Relationship Types screen.

5.1.2.4 Salutations

The salutations feature is used to create different forms of addressing a contact.

To create a new salutation, follow the steps below:

- Go to Administration>Types and Statuses and click the **Salutations** link to see the Manage Salutations screen.

Figure 59: Manage Salutations Screen

- Enter the fields in the Add New Salutation box as given in the table below.

Salutation: Enter the name of the salutation. For example, Dean, Dr., and so on.

Sort Value: Enter the order the salutation should appear in the Salutations list. If you enter 5 here, it appears 5th in the list.

- After you enter the fields, click **Add**. The new value is shown in the Salutations box and is listed in the order you provided in Sort Value.

5.2 Edit and Delete Default Values

You can edit default values in the Default Value Details screen. The procedure to edit and delete a default value is the same for all defaults.

This guide provides the procedure to edit and delete values in Opportunity Statuses, Activity Types, and Categories. This information is presented in the following sections.

5.2.1 Opportunity Statuses

To edit an opportunity status, follow the steps below:

- Go to Administration>Types and Statuses and click the **Opportunity Statuses** link to see the Manage Opportunity Statuses screen (See Figure 51). The Opportunity Statuses box on the right of the screen lists all the values created for the default.

- Click the status to be edited. For example, Discussion. You would then see the Opportunity Status Details: Discussion screen.

3.

Figure 60: Opportunity Status Details Screen

- To edit information about the Opportunity status, go to the Edit Opportunity Status Information box. All the fields in this box are the same as in Add New Opportunity Status box in Figure 51: Manage Opportunity Statuses.
- After you make the required changes, click **Save Changes**.

To link a Workflow Activity to an Opportunity Status

You can link a workflow activity to a given opportunity.

- Enter the fields to link an activity as given in the table below:

Title: Enter the title of the activity.
Duration: Enter the duration of the activity.
Type: Choose the type of activity from the drop-down list.
Role: Select the role to be linked to the opportunity from the drop-down list.
Sort Order: Enter the order of this workflow activity.

- Click **Add**. The activity is displayed below the row of fields that you entered.

Figure 61: Link Workflow Activity to Opportunity Status

To delete an Opportunity Status

To delete an Opportunity Status, click **Delete** in the Delete Opportunity Status box in Figure 60. This deletes the Opportunity Status from all the drop-down lists in which it currently exists.

5.2.2 Activity Types

Activity Types are used to determine the different types of activities in the system. The activity types provided with XRMS cannot be edited, and are marked as such in the database. Any newly added user activity type could be edited.

To edit an activity type, do the following:

1. Go to Administration>Types and Statuses box and click the **Activity Types** link to see the Manage Activity Types screen.

Manage Activity Types Logged in as: user1 • [Logout](#)

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

Add New Activity Type

Short Name:

Full Name:

Full Plural Name:

Display HTML:

Score Adjustment:

Activity Types		Move
Name		
call to		down
call from		up down
e-mail to		up down
e-mail from		up down
fax to		up down
fax from		up down
letter to		up down
letter from		up down
internal		up down

Figure 62: Manage Activity Types Screen

2. The Activity Types box lists all the activities created. Click on the activity you wish to edit. For example, Fax. You see the Activity Type Details: Fax screen.

Activity Type Details: Fax Logged in as: user1 • [Logout](#)

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

Participant Positions

Advisor: [Edit](#)

Position Name:

Edit Activity Type Information

Short Name:

Full Name:

Full Plural:

Display HTML:

Score Adjustment:

Delete Activity Type

Click the button below to permanently remove this item.

Note: This action CANNOT be undone!

Figure 63: Activity Type Details Screen

3. To make changes, go to the Edit Activity Type Information box.

Modify any of the fields as given in the table below:

Short Name: Enter a short name for the activity type.
Full Name: Enter the entire name of the activity type.
Full Plural Name: Enter the plural of the name.
Display HTML: Enter the HTML format of the name.
Score Adjustment: Deprecated – no longer used

4. After you make all the changes, click **Save Changes**.

To add a new Participant Position

Participant positions link contacts to activities. The default position is Participant and exists in each activity type. Other participant positions need to be defined for each activity type. Example: CC and BCC and To and From are all positions defined for email types.

To define a participant position:

1. Go to the Participant Positions box in the Activity Type Details screen, Figure 63.
2. Enter a new role in the text box beside Position Name.
3. Click **Add New Participant Position** to save the new role.

To Edit an Existing Participant Position

1. In the Participant Positions box in the Activity Type Details screen (See Figure 63), click **Edit** beside the existing position that you wish to edit. You see the Edit Activity Participant Position screen.

Edit Activity Participant Position:		Logged in as: user1 • Logout
Home • Activities • Companies • Contacts • Campaigns • Opportunities • Cases • Files • Reports • Administration • Preferences		
Participant Position		
activity_participant_position_id	<input type="text" value="4"/>	
Activity Type	<input type="text" value="Client Seminar"/> ▼	
Participant Position	<input type="text" value="Advisor"/>	
Global	<input type="text"/>	
		<input type="button" value="Update"/>
		<input type="button" value="Return"/>

Figure 64: Edit Activity Participant Position Screen

2. Make changes to the fields as necessary.

3. Click **Update** to save the edited details and see the Participant Position Details screen.
4. Click **Return** to go back to the Activity Type Details screen.

To delete an Activity Type

To delete an activity type, click **Delete** in the Delete Activity Type box in Figure 63. This permanently deletes the activity from all screens.

5.2.3 Categories

To edit a category, follow the steps below:

1. Go to Administration>Types and Statuses and click the **Categories** link to see the Manage Categories screen.

Manage Categories		Logged in as: user1 • Logout
Home • Activities • Companies • Contacts • Campaigns • Opportunities • Cases • Files • Reports • Administration • Preferences		
Add New Category		Categories
Short Name	<input type="text" value="INSUR"/>	Name
Full Name	<input type="text" value="Insurance"/>	Consultant
Full Plural Name	<input type="text" value="Insurance"/>	Corporate Actions
Display HTML	<input type="text" value="Insurance"/>	General
<input type="button" value="Add"/>		Institutional
		International
		PCC
		Strategic Alliance

Figure 65: Manage Categories Screen

2. The Categories box on the right lists all the values created for the default. Click on the value to be edited. For example, General. You see the Category Details: General screen.

Figure 66: Category Details Screen

3. To edit category details, go to the Edit Category Information box.

Modify any of the fields as given in the table below:

Short Name: Enter a short name for the category.
Full Name: Enter the entire name of the category.
Full Plural Name: Enter the plural of the name.
Display HTML: Enter the HTML format of the name.

4. After you make all the changes, click **Save Changes**.

Other Tasks done from the Category Details Screen

Besides the edits mentioned, you can also do the following:

5. To	6. Do
<p>7. Set the scope of the category value in the Category Scopes box</p> <p>8. Items in the Associated With column are related to the category</p>	<p>9. Click on an item name in the Associated With column to move the item to the Not Associated With column.</p> <p>10. Similarly, click on an item in the Not Associated With column to move it to the Associated With column.</p>
<p>11. Delete a category</p>	<p>12. Click the name of the category you wish to delete in the Manage Categories screen (See Figure 65). You will now see the Category Details screen.</p> <p>13. Click Delete in the Delete Category box. This deletes the category from all X RMS</p>


screens.

6 Workflow

Workflow is currently applicable to the Opportunities and Cases features of XRMS. It will eventually apply to the Campaigns feature.

Activity Templates are used to define workflow using Types and Statuses, see Section 4.2 for more details on these templates. An Activity Template is used to create a new activity when the status or type of a case or opportunity changes. Every activity in the Activity Template is assigned to a user with the same role as that defined for the activity in the Activity Template. When numerous users have the same role, the sequence of activity assignment starts from those users with the same role that have the least number of open activities.

The concept of workflow can be represented as follows:



7 Plugins

Plugins are a convenient means of adding functionality to XRMS CRM or linking to external applications. Plugins can be activated in the XRMS Administration panel and some plugins require that other programs or components be installed.

7.1 Activating Plugins

Click on the **Plugin Activation** link in the Plugin box of the Administration screen (See Figure 1). You see the Plugin Administration screen.

Plugins	
apb	<input type="checkbox"/>
autostatus	<input checked="" type="checkbox"/>
censusfactsheet	<input type="checkbox"/>
cti	<input type="checkbox"/>
demo	<input type="checkbox"/>
googlenews	<input type="checkbox"/>
idphoto	<input type="checkbox"/>
info	<input type="checkbox"/>
journal	<input checked="" type="checkbox"/>
mapquest	<input type="checkbox"/>
mrtg	<input type="checkbox"/>
opportunitynotes	<input type="checkbox"/>
owl	<input type="checkbox"/>
phone	<input type="checkbox"/>
radtest	<input type="checkbox"/>
serverinfo	<input type="checkbox"/>
sitewx	<input type="checkbox"/>
tavi	<input type="checkbox"/>
useradmin	<input type="checkbox"/>
vcard	<input type="checkbox"/>
voicemail	<input checked="" type="checkbox"/>
webcalendar	<input checked="" type="checkbox"/>
webform	<input type="checkbox"/>
weblinks	<input type="checkbox"/>
whereis	<input type="checkbox"/>
<input type="button" value="Submit"/>	

Figure 67: Plugin Administration Screen

7.2 Plugins Included with XRMS CRM

Included Plugins and related information about them are in the table that follows:

Plugin Name	Activation	Description
Apb	Requires installation of apb.	Active PHP Bookmarks enable users to bookmark websites and share these bookmarks.
Cti	Installation required.	Connection to the Asterisk Open Source PBX http://www.asterisk.org/ voicemail system.
Demo	Administration Panel and addition of a webpage demo.php.	Link to a demo page within XRMS. The demo page would have to be provided.
Dunfinder	Installation required.	Dial-Up Number Finder for the US.
Idphoto		
Info	Installation required.	Additional values to track characteristics of computers.
Mapquest	Administration Panel only.	Passes address to mapquest.com to do an address lookup. Both whereis and mapquest cannot be activated at the same time.
MRTG	Installation required.	Multi Router Traffic Grapher.
opportunitynotes	Administration Panel only.	Add notes to an Opportunity.
owl	Installation required.	Uses OWL for file storage. Features file versioning, hierarchical mini-filesystem with folders, and searching within files.
Phone	Administration Panel.	Searches for phone numbers in Company or Contact.
Tavi		
Useradmin	Administration Panel only.	Selecting this plugin is NOT RECOMMENDED.
Vcard	Administration	Creates a vcard of the Contact

Plugin Name	Activation	Description
	Panel only.	
Webform	Installation required.	Creates a webform on your external website.
Weblinks		
Whereis	Administration Panel only.	Passes address to whereis.com.au (Australia) to do an address lookup. Both whereis and mapquest cannot be activated at the same time.

7.3 Developing Plugins

The plugin system in XRMS CRM is derived from the popular webmail system Squirrelmail. See: <http://www.squirrelmail.org/> Many thanks to the Squirrelmail development team for creating such a flexible plugin architecture that was so quickly adapted to use in XRMS (less than a day of work was required to add plugin functionality from Squirrelmail into XRMS)

This section of the XRMS Administration Guide is likewise adapted from the Squirrelmail Plugin documentation, which is also released under the GNU Free Documentation License. See: <http://www.squirrelmail.org/wiki/DevelopingPlugins> The SM pages may provide more detail in some places than this guide, but any incompatibilities will be solely the fault of the XRMS Development team.

7.3.1 Plugin Architecture

The plugin architecture of XRMS is designed to make it possible to add new features without having to patch XRMS itself. Traditionally, because of their position at the core of an enterprise architecture, CRM systems are heavily integrated to other systems.

The Idea

The idea is to be able to run random code at given places in the XRMS code. This random code should then be able to do whatever needed to enhance the functionality of XRMS. The places where code can be executed are called "hooks".

There are some limitations in what these hooks can do. It is difficult to use them to change the layout (this is done using Templates) and to change some core functionality that is already in XRMS.

Some way for the plugins to interact with the help subsystem and translations will be provided in the near future.

The Implementation

The plugin jumping off point in the main XRMS code is in the file plugin.php. In places where hooks are made available, they are executed by calling the function `do_hook('hookname')`. The `do_hook` function then traverses the array `$xrms_plugin_hooks['hookname']` and executes all the functions that are named in that array. Those functions are placed there when plugins register themselves with XRMS as discussed below. A plugin may add its own internal functions to this array under any hook name provided by the XRMS developers.

A plugin must reside in a subdirectory in the `plugins/` directory. The name of the subdirectory is considered to be the name of the plugin. (The plugin will not function correctly if this is not the case.)

When a plugin is registered, the file `plugins/plugin_name/setup.php` is included and the function `xrms_plugin_init_plugin_name()` is called with no parameters. That function is where the plugin may register itself against any hooks it wishes to take advantage of.

7.3.2 Writing Plugins

All plugins must contain a file called `setup.php` and must include a function called `xrms_plugin_init_plugin_name()` therein. Since including numerous plugins can slow

XRMS performance considerably, the setup.php file should contain little else. Any functions that are registered against plugin hooks should do little more than call another function in a different file.

Any other files used by the plugin should also be placed in the plugin directory (or subdirectory thereof) and should contain the bulk of the plugin logic.

The function `xrms_plugin_init_plugin_name()` is called to initialize a plugin. This function could look something like this (if the plugin was named "demo" and resided in the directory `plugins/demo/`):

```
function xrms_plugin_init_demo ()
{
    global $xrms_plugin_hooks;

    $xrms_plugin_hooks['generic_header']['demo'] = 'plugin_demo_header';
    $xrms_plugin_hooks['menuline']['demo'] = 'plugin_demo_menuline';
}
```

In this example, the "demo" plugin should also have two other functions in its setup.php file called `plugin_demo_header()` and `plugin_demo_menuline()`. The first of these might look something like this:

```
function plugin_demo_header()
{
    include_once($include_directory . 'plugins/demo/functions.php');
    plugin_demo_header_do();
}
```

The function called `plugin_demo_header_do()` would be in the file called `functions.php` in the demo plugin directory and would contain the plugin's core logic for the "generic_header" hook.

7.3.2.1 Including Other Files

A plugin may need to reference functionality provided in other files, and therefore need to include those files. Most of the core XRMS functions are already available to your plugin unless it has any files that are requested directly by the client browser (custom options page, etc.). In this case, you'll need to make sure you include the files you need (see below).

Files are included like this:

```
include_once($include_directory . 'include/validate.php');
```


When including files, please make sure to use the `include_once()` or `require_once()` functions and NOT `include()` or `require()`, since these all are much less efficient than `include_once()` and can have a cumulative effect on XRMS performance. In older versions of PHP (prior to PHP 4.3.11) `require_once()` was also less efficient than `include_once()`, but this is not true in newer versions of PHP.

The files that you may need to include in a plugin will vary greatly depending upon what the plugin is designed to do. For files that are requested directly by the client browser, we strongly recommend that you include the file `$include_directory.vars.php`, since it will set up the XRMS environment automatically. It will ensure the the user has been authenticated and is currently logged in, load all user preferences, include internationalization support, and initialize and include many other basic XRMS resources and functions.

7.3.2.2 Hook Types

`do_hook`

Most hook calls don't pass any data and don't ask for anything back. These always use the `do_hook` call. A limited number of `do_hook` calls do pass some extra parameters, in which case your plugin may modify the given data if you do so by reference. It is not necessary to return anything from your function in such a case; modifying the parameter data by reference is what does the job (although the hook call itself (in the source) must grab the return value for this to work). Note that in this case, the parameter to your hook function will be an array, the first element simply being the hook name, followed by any other parameters that may have been included in the actual hook call in the source. Modify parameters with care!

`do_hook_function`

This hook type was intended to be the main hook type used when the source needs to get something back from your plugin. It is somewhat limited in that it will only use the value returned from the LAST plugin registered against the hook. The source for this hook might use the return value for internal purposes, or might expect you to provide text or HTML to be sent to the client browser (you'll have to look at its use in context to understand how you should return values here). The parameters that your hook function gets will be anything you see AFTER the hook name in the actual hook call in the source. These cannot be changed in the same way that the `do_hook` parameters can be.

`concat_hook_function`

This is a hook type meant to address the shortcomings of `do_hook_function`; specifically in that it uses the return values of all plugins registered against the hook. In order to do so, the return value is assumed to be a string, which is just piled on top of whatever it got from the other plugins working on the same hook. Again, you'll

have to inspect the source code to see how such data is put to use, but most of the time, it is used to create a string of HTML to be inserted into the output page. The parameters that your hook function will get are the same as for the `do_hook_function`; they are anything AFTER the hook name in the actual hook call in the source.

`boolean_hook_function`

This hook type is used to let all plugins registered against the hook to "vote" for some action. What that action is is entirely dependent on how the hook is used in the source (look for yourself). Plugins make their "vote" by returning TRUE or FALSE. This hook may be configured to "tally votes" in one of three ways. This configuration is done with the third parameter in the hook call in the source:

- > 0 -- Any one or more TRUEs will override any FALSEs
- < 0 -- Any one or more FALSEs will override any TRUEs
- = 0 -- Majority wins. Ties are broken in this case with
the last parameter in the hook call in the source.

Your hook function will get the second parameter in the hook call in the source as its parameter (this might be an array if multiple values need to be passed).

See below for further discussion of special hook types and the values

7.3.2.3 List of Hooks

The table below shows all the hooks in XRMS CRM as of the last edit of this document. It describes:

- the name of the hook: this is the hook name that a plugin registers to handle
- any parameters passed to the hook
- the type of hook
(`do_hook`, `do_hook_function`, `concat_hook_function`, `boolean_hook`)
- the source file the hook appears in

Understanding some hooks should be possible just from reading this table. Other hooks will require scrutinizing the code to understand what they are intended to do. Some hooks will expect the plugin author to directly output any data that they wish to display: the sidebar hooks are a good example of this type of hook. Other hooks are deeply integrated into the XRMS code: authentication and file management hooks are a good example of these types of hooks. You will need to understand the requirements of the plugin you wish to create, and decide which hooks best meet your needs. If you are developing a plugin and need a hook somewhere in the code that does not currently have one, please contact the XRMS CRM core development team. We'll be happy to work with you to help you integrate your code.

Hook Name	Parameters	Hook Type	File
activity_content_bottom	\$param	do_hook_function	activities/one.php
activity_edit_2	\$param	do_hook_function	activities/edit-2.php
activity_inline_edit'	\$activity_rst	do_hook_function	activities/one.php
activity_new_2	\$rec	do_hook_function	activities/new-2.php
activity_sidebar_bottom'	\$param	do_hook_function	activities/one.php
admin_user_edit_sidebar	\$sidebar_rows	do_hook_function	admin/users/one.php
bodytags		do_hook	include/utills-interface.php
change_company_key	\$param	do_hook_function	include/utills-companies.php
company_accounting_inline_display	\$accounting_rows	do_hook_function	companies/one.php
company_accounting_inline_edit	\$accounting_rows	do_hook_function	companies/edit.php
company_accounting_inline_edit_2	\$accounting_rows	do_hook_function	companies/edit-2.php
company_buttons	\$company_buttons	do_hook_function	companies/one.php
company_content_bottom	\$bottom_rows	do_hook_function	companies/one.php
company_detail		do_hook_function	companies/one.php
company_detail		do_hook	plugins/phone/companies_one.php
company_edit_2	\$param	do_hook_function	companies/edit-2.php
company_edit_address_2	\$param	do_hook_function	companies/edit-address-2.php
company_edit_address_2	\$param	do_hook_function	companies/one-address.php
company_new_2	\$rec	do_hook_function	companies/new-2.php
company_sidebar_bottom	\$sidebar_rows_bottom	do_hook_function	companies/one.php
company_sidebar_bottom	\$sidebar_rows	do_hook_function	plugins/phone/companies_one.php
company_sidebar_top	\$sidebar_rows_top	do_hook_function	companies/one.php
contact_accounting_inline_display	\$accounting_rows	do_hook_function	contacts/one.php
contact_accounting_inline_edit	\$accounting_rows	do_hook_function	contacts/edit.php
contact_content_bottom	\$contact_id	do_hook	contacts/one.php
contact_custom_inline_edit_display	\$contact_custom_rows	do_hook_function	contacts/edit.php
contact_custom_inline_edit_validate	\$_POST	do_hook_function	contacts/edit-2.php
contact_custom_inline_new_display	\$contact_custom_rows	do_hook_function	contacts/new.php

Hook Name	Parameters	Hook Type	File
contact_edit_2	\$param	do_hook_function	include/utls-contacts.php
contact_edit_2	\$param	do_hook_function	include/utls-contacts.php
contact_edit_form_top		do_hook	contacts/edit.php
contact_edit_address_2	\$param	do_hook_function	contacts/edit-address-2.php
contact_new_2	\$contact_data	do_hook_function	include/utls-contacts.php
contact_sidebar_bottom	\$sidebar_rows_bottom	do_hook_function	contacts/one.php
contact_sidebar_top	\$sidebar_rows_top	do_hook_function	contacts/one.php
contact_transfer_3		do_hook	contacts/transfer-3.php
data_format_phone	\$phone_array	do_hook_function	include/utls-misc.php
division_sidebar_bottom'	\$sidebar	do_hook_function	companies/edit-division.php
edit_division_form	\$edit_division_form_extra	do_hook_function	companies/edit-division.php
edit_division_process	\$rec	do_hook_function	companies/edit-division-2.php
end_page		do_hook	include/utls-interface.php
file_add_file	\$file_plugin_params	do_hook_function	include/utls-files.php
file_add_file	&\$file_plugin_params	do_hook_function	files/new.php
file_add_folder	&\$folder_plugin_params	do_hook_function	plugins/owl/new_folder-2.php
file_browse_files	\$plugin_params	do_hook_function	files/sidebar.php
file_delete_file	&\$file_plugin_params	do_hook_function	files/delete.php
file_delete_folder	&\$folder_plugin_params	do_hook_function	plugins/owl/delete_folder.php
file_download_file	\$plugin_params	do_hook_function	files/download.php
file_get_file_info	&\$file_plugin_params	do_hook_function	files/one.php
file_get_one_file_html	&\$file_plugin_params	do_hook_function	files/one.php
file_search_files	\$file_plugin_params	do_hook_function	files/some.php
file_search_files	\$file_plugin_params	do_hook_function	plugins/owl/owl_plugin.php
file_search_files_callback	\$file_plugin_params	do_hook_function	files/some.php
file_update_file	&\$file_plugin_params	do_hook_function	files/edit-2.php

Hook Name	Parameters	Hook Type	File
file_update_file	&\$file_plugin_params	do_hook_function	files/edit-2.php
home_docs	\$param	do_hook_function	private/home.php
login_before		do_hook	login-2.php
login_cookie		do_hook	login.php
login_form		do_hook	login.php
login_verified		do_hook	login-2.php
loginbar		do_hook	include/utlis-interface.php
logout		do_hook	logout.php
menuline		do_hook	include/utlis-interface.php
new_division_form	\$new_division_form_extra	do_hook_function	companies/divisions.php
new_division_process	\$rec	do_hook_function	companies/add-division.php
one_contact_buttons	\$contact_buttons	do_hook_function	contacts/one.php
one_contact_buttons		do_hook	plugins/phone/contacts_one.php
one_contact_left		do_hook	contacts/one.php
one_contact_right		do_hook	contacts/one.php
opportunity_detail		do_hook	opportunities/one.php
opportunity_notes_buttons		do_hook	activities/one.php
plugin_admin		do_hook	admin/index.php
preference_possible_values	\$option_record	do_hook_function	include/utlis-preferences.php
private_front_splash		do_hook_function	private/home.php
private_body_bottom		do_hook_function	private/home.php
private_sidebar_bottom		do_hook_function	private/home.php
reports_bottom		do_hook	reports/index.php
run_on_completed	\$activity_id	do_hook_function	activities/edit-2.php
topofpage		do_hook	include/utlis-interface.php
workflow_addition	\$activity_template_id	do_hook_function	activities/workflow-activities.php
workflow_system	\$template_info	do_hook_function	activities/workflow-activities.php
xrms_acl_auth		do_hook_function	include/classes/acl/xrms_acl_config.php

XRMS Administrator Guide

Hook Name	Parameters	Hook Type	File
xrms_acl_database_access	\$options	do_hook_function	include/classes/acl/xrms_acl_config.php
xrms_install	\$con	do_hook_function	install/install.php
xrms_test_suite	\$suite_array	do_hook_function	tests/xrms_test.php
xrms_update	\$con	do_hook_function	admin/update.php
xrms_update	\$con	do_hook_function	admin/updateto2.0.php

7.4 Manage Info Types [\[\[This link is not seen in the current version ?\]\]](#)

There are different types of information that need to be maintained to ensure that the XRMS application runs according to user specifications. Administrators can add, edit, and delete fields that need to appear in different screens as well as specify where these fields should be displayed within a given screen.

7.4.1 Add an Info type

To add an info type, do the following:

1. Navigate to Administration>Plugins and click the **Manage Info Types** link to reach the Manage Info Types screen.

Add New Info Type		Info Type	Display On
Name	<input type="text" value="Quarterly Revenue"/>	Contact Custom Fields	contact_sidebar_top
Display On	<input type="text" value="Company Sidebar Bottom"/>	Company Custom Fields	company_sidebar_bottom
<input type="button" value="Add"/>			

Figure 68: Manage Info Types

2. In the Add New Info Type box, enter the fields as given in the table below:

Name: Enter the name of the new info type.
Display On: Choose the position of display of this info type to the user from the drop-down list.

3. Click **Add** to see the new info type added to the list of Info Types on the left side in the Manage Info Types screen.

7.4.2 Editing and Deleting Info Types

To edit an info type, follow the steps below:

1. Navigate to Administration>Plugins and click the **Manage Info Types** link to reach the Manage Info Types screen, see Figure 68.
2. From the list of info types on the left side of the screen, click the name of the info type that you want to edit. You see the Edit Info Type Information screen.

The screenshot shows two forms. The top form, titled 'Edit Info Type Information', has two input fields: 'Name' with the value 'Quarterly Revenue' and 'Display On' with a dropdown menu showing 'Company Sidebar Bottom'. Below these fields is a 'Save Changes' button. The bottom form, titled 'Delete Info Type', contains a text instruction: 'Click the button below to permanently remove this item.' followed by a note: 'Note: This action CANNOT be undone!'. At the bottom of this form is a 'Delete' button.

Figure 69: Info Type Details

3. To make changes, go to the Edit Info Type Information box. All the fields are explained in Manage Info Types screen, see Figure 68.
4. After you edit the fields, click **Save Changes**.

To delete an info type

Navigate to the Administration>Manage Info Types link to reach the Manage Info Types screen, see Figure 68.

From the list of info types on the left side of the Manage Info Types screen, click the name of the info type that you want to edit. You see the Info Type Details: < Info type> screen, see Figure 69.

In the Delete Info Type box, click **Delete** to remove the info type.

7.5 Manage Custom Fields

There are different types of information that need to be maintained to ensure that the XRMS application runs according to user specifications. Administrators can add, edit, and delete fields that need to appear in different screens as well as specify where these fields should be displayed within a given screen.

7.5.1 Warning

DO NOT enable both the custom_fields plugin and its predecessor, the info plugin, on the same installation of XRMS: it WILL break XRMS. If this is done inadvertently, edit the include/plugin-cfg.php file and remove one of the two plugins.

7.5.2 Section Author

This section was written by Keith Edmunds. Suggestions, errors and requests for use other than described in the previous paragraph should be sent to keith@tiger-computing.co.uk.

7.5.3 History

This plugin began life as the server plugin, and was specifically designed for a company that maintains servers at various customers' premises and wanted to record details of those servers within XRMS. It grew rapidly via contributions from both the core XRMS developers and external users, and was renamed the info plugin. This rapid growth and broadening of scope made the plugin far more useful, but it also made the code behind it too complex and very difficult to maintain. In the Summer of 2005 it was completely rewritten with a more appropriate internal architecture and was renamed the custom_fields plugin, the new name more accurately reflecting the role it had come to fill.

7.5.4 Function

This plugin displays user-defined fields within XRMS. These fields may appear in a variety of places including:

- as an integrated part of the information displayed in the detail of contacts or companies
- as a separate section below the company details
- as an addition to the home, contacts or companies sidebar with a link to show more detail

The plugin needs to be configured by an administrator, but the data shown can be edited by all users.

7.5.5 Installation

7.5.5.1 Preparation

Before installation, ensure that the include/plugin-cfg.php file is writeable by the webserver process (typically Apache).

7.5.5.2 Enabling the plugin

From the "Administration" screen click on "Plugin Activation" from the foot of the sidebar. On next screen tick the checkbox next to "custom_fields" and click on the Submit button. The page should refresh with "plugin-cfg.php Config written successfully." at the foot of the page.

7.5.5.3 Table creation

The current version of XRMS at the time of writing (September 2005) requires the custom_fields database tables to be created manually although this may be automated in a future version of XRMS. To create them, the following information is

required: the XRMS database name, the database username, and the database password. This information will be already defined in the include/vars.php file. Issue the following command, substituting the appropriate values for the uppercase italicised words:

```
$ cd YOUR-XRMS-DIRECTORY/plugins/custom-fields
```

```
$ mysql -u XRMS-USERNAME -p XRMS-DATABASE < custom-fields.sql
```

Enter the XRMS database user password when prompted.

7.5.6 Terminology

The custom_fields plugin is a very flexible and powerful plugin, and in order to clearly describe its functionality and management it is necessary to define some terms.

7.5.6.1 Custom Field

A Custom Field is the combination of a label and user data. Each field has a type; when being edited, the type determines how the user data may displayed (a radio button, checkbox, text box, text area or select box). When not being edited the user data is always shown as text. In the example below the label is shown in bold and the user data in normal font.

Example:

Server Name: MailServer01

7.5.6.2 Custom Fields Object

A Custom Fields Object is a collection of one or more custom fields definitions . The Custom Fields Object does not contain any user data (see also Object Instance), but it does have a name (for example, "Servers").

Example:

Server Name:

IP Address:

On maintenance contract?

7.5.6.3 Object Instance

An Object Instance is a specific instance of a Custom Fields Object. It differs from the Custom Fields Object by virtue of the fact that it includes user data. There may be multiple instances of a given Custom Fields Object.

An example of an instance of the "Servers" Custom Fields Object:

Server Name: MailServer01

IP Address: 10.0.4.1

On maintenance contract? Yes

7.5.7 Configuration

Configuration is carried out from the Manage Custom Fields screen, which in turn is accessed from the Administration screen by the Manage Custom Fields link located in the Plugins section. The layout of the Manage Custom Fields screen is shown below: On the left are a list of all defined Custom Field Objects. There are two pre-defined objects listed, Company Accounting and Contact Accounting. The second column of the table contains a link to enable the fields of the object to be edited, and the third column states where the object data will be displayed. On the right is a form for creating new Custom Field Objects, and below that is the current version of the custom_fields plugin.

The screenshot shows the 'Manage Custom Fields' interface. At the top right, it says 'XRMS Open Source CRM' and 'Logged in as: user1 • Logout'. Below the header is a navigation bar with links: Home • Activities • Companies • Contacts • Campaigns • Opportunities • Cases • Files • Reports • Administration • Preferences. The main content area is divided into two sections. On the left is a table with the following data:

Custom Fields Object Name	Fields	Display On
Company Accounting	Edit	company_accounting
Contact Accounting	Edit	contact_accounting

On the right is a form titled 'Add New Custom Fields Object' with the following fields:

- Name:
- Display On:
- Add:

At the bottom right, it says 'Custom Fields plugin X1.0'.

Figure 70: The Manage Custom Fields screen

7.5.7.1 About Display On

There are seven locations that may display custom fields, each described below.

company_accounting

Fields displayed on company_accounting are shown within the company detail screen. In the example below, the Accountant Name and VAT fields are custom fields displayed on company_accounting:

Logged in as: user1 • [Logout](#)

XRMS
Open Source CRM

Company Details : Bushwood Components

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

Changes saved.

Company Details		Categories
Company Name: Bushwood Components	Account Status: Approved	No categories
Code: BUSH01	Credit Limit: \$100,000.00	Manage
Industry: Other	Rating: Good	Opportunities Hide
CRM Status: Prospect	Terms: 10 days	Opportunity Type (G) Status (G) Close Date
Account Owner: User One	Accountant Name: James Smith	No matches
Phone: 8005552000	VAT: Yes	Select Column Layouts Sales Opportunity
Alt. Phone: 8005552001	Company Source: Other	New Search
Fax: 8005552002		Open Cases Hide
URL: http://www.bushwood.com		Case Priority (G) Type (G) Due
Address: 11 Platinum Drive Los Angeles, CA 90001	Created: 2003-01-01 by User One Last Modified: 2005-09-17 by User One	No matches
(Bushwood Components is a fictitious company.)<p>This field can be used to hold a paragraph or two of text (either plain or HTML) about a company.		Select Column Layouts
Edit Admin Clone Addresses Divisions		

Figure 71: An example of company_accounting field

contact_accounting

Fields displayed on contact_accounting are very similar to those displayed on company_accounting fields except that they are displayed within the contact detail page rather than the company detail page.

Activities [Filter Activities](#) [Hide](#)

Summary	Owner (G)	Type (G)	Contact (G)	About	Scheduled Start	Scheduled End
No matches						
Select Column Layouts Calendar View Export Mail Merge Browse						
Courses run						
Course Name: Etymology 101		Notes: Course was very well received with an average feedback mark of 9.98				
Date: 22 August 2005						
Number of attendees: 7						
Edit Delete						

Figure 72: Example of company_content_bottom data

company_content_bottom

Fields displayed on company_contact_bottom are shown as a separate section at the foot of the company detail page. In the following example some information about courses run for a company has been added to the foot of the company detail page:

Sidebar displays

There are four sidebar displays as detailed in the table below:

7.5.7.2 Display on Notes

- company_sidebar_bottom Shown at the bottom of the sidebar on the company detail page
- contact_sidebar_top Shown at the top of the sidebar on the contact detail page
- contact_sidebar_bottom Shown at the bottom of the sidebar on the contact detail page
- private_sidebar_bottom Shown at the bottom of the sidebar on the home page

Each sidebar displays some details of the object concerned, and has a link to show the full detail. In this example the bottom of the company sidebar shows some information about a server at this company:

Files			
Name	Size	Owner	Date
No attached files			
New			

Servers	
MailServer01	
IP address	10.0.8.4
New	

Figure 73: company_sidebar_bottom object

7.5.8 Creating and editing Custom Field Objects

7.5.8.1 Editing the Company and Contact Accounting fields

To edit the Accounting objects, click on the Edit link in the Fields column. This displays the Edit Field Definitions screen as shown below:

As there are currently no defined fields for this object, XRMS has helpfully inserted a blank field.

By way of example, we will create two fields in the Company Accounting Object. The first will be a text field labeled "Accountant Name", and the second will be a yes/no select box labelled VAT (a type of tax). In Label box type "Accountant Name" and click "Save and add another field". The screen will now appear as follows:

To define the second field, type "VAT" in the blank Label box and select "select" in the Type box. The range of possible values should be comma-separated, so before saving the screen will look as follows:

Click on the Save Changes button to return to the Manage Custom Fields screen.


 Logged in as: user1 • [Logout](#)

Edit Field Definitions: Company Accounting

[Home](#) • [Activities](#) • [Companies](#) • [Contacts](#) • [Campaigns](#) • [Opportunities](#) • [Cases](#) • [Files](#) • [Reports](#) • [Administration](#) • [Preferences](#)

Field Definitions				
Label	Type	Default Value	Possible Values	Order
<input type="text"/>	text	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Save Changes](#)
[Save and add another field](#)
[Back](#)

Figure 74: The Edit Field Definitions screen

XRMS
Open Source CRM

Logged in as: user1 • [Logout](#)

Edit Field Definitions: Company Accounting

Home • Activities • Companies • Contacts • Campaigns • Opportunities • Cases • Files • Reports • Administration • Preferences

Label	Type	Default Value	Possible Values	Order	
Accountant Name	text			0	Delete
	text				

Save Changes Save and add another field Back

Figure 75: Adding custom fields to an object

XRMS
Open Source CRM

Logged in as: user1 • [Logout](#)

Edit Field Definitions: Company Accounting

Home • Activities • Companies • Contacts • Campaigns • Opportunities • Cases • Files • Reports • Administration • Preferences

Label	Type	Default Value	Possible Values	Order	
Accountant Name	text			0	Delete
VAT	select		Yes,No		

Save Changes Save and add another field Back

Figure 76: The completed company_accounting field definitions

7.5.8.2 Creating a company_content_bottom object

In this example, we will create an object to display details of training courses we have run for each company. On the right of the Manage Custom Fields screen, create a "Courses run" object to be displayed on company_content_bottom as follows:

After clicking on Add, the "Courses run" object will appear in the Custom Fields Object Name list on the Manage Custom Fields page. Click on the corresponding Edit link and fill in the definitions as shown below. After entering the first field, Course Name, click on "Save and add another field" and enter the second field. Continue in this way until all field definitions are entered:

Note that the "Notes" field is of type "textarea" and also that it is to be displayed in column 2. The "order" and "column" attributes are discussed further in the next section. Click on "Save Changes" and go to a company detail page. The foot of that page now has an empty "Courses run" object:

Add New Custom Fields Object

Name: Courses run

Display On: company_content_bottom

Add

Figure 77: Creating the "Courses run" object

Label	Type	Default Value	Possible Values	Order	Column	
Course Name	text			0	1	Delete
Date	text			1	1	Delete
Number of attendees	text			2	1	Delete
Notes	textarea				2	

[Save Changes](#)
[Save and add another field](#)
[Back](#)

Figure 78: Field definitions for the "Courses run" object

Activities [Filter Activities](#) [Hide](#)

[Summary](#)
[Owner \(G\)](#)
[Type \(G\)](#)
[Contact \(G\)](#)
[About](#)
[Scheduled Start](#)
[Scheduled End](#)

No matches

[Select Column Layouts](#)
[Calendar View](#)
[Export](#)
[Mail Merge](#)
[Browse](#)

Courses run

[New](#)

Figure 79: Empty "Courses run" display

A user can click on "New" to enter details of a new course run. The example below shows two courses that have been added to a company page:

Note that each entry has its own Edit and Delete button, and that there is one New button for adding more courses.

7.5.8.3 Creating a sidebar object

For this example, we will create a "Servers" object and have it display at the foot of the company sidebar. On the right of the Manage Custom Fields screen, create an object named "Servers" to be displayed on `company_sidebar_bottom`. Add the fields as described earlier on page 9 to get the field definitions shown below:

Note the following points:

- The "IP address" field will be displayed in the sidebar ("Display in Sidebar" is checked), but the other fields will only be visible in the detailed view.
- Two columns are used, with "Configuration Notes" appearing in column two. There is no limit to

Courses run	
Course Name: Etymology 101 Date: 22 August 2005 Number of attendees: 7	Notes: Course was very well received with an average feedback mark of 9.98
Edit Delete	
Course Name: Housework for men 101 Date: 2 September 2005 Number of attendees: 2	Notes: Candidates were not well motivated.
Edit Delete	
New	

Figure 80: Two "Courses run" objects

Field Definitions							
Label	Type	Default Value	Possible Values	Order	Column	Display in Sidebar ?	
Server Name	text			0	1	<input type="checkbox"/>	Delete
IP address	text			1	1	<input checked="" type="checkbox"/>	Delete
Automatic backups?	checkbox			2	1	<input type="checkbox"/>	Delete
Vendor	select		HP,IBM,Dell	3	1	<input type="checkbox"/>	Delete
Configuration Notes	textarea			0	2	<input type="checkbox"/>	Delete


Name field: Server Name Save Changes Add new field Back

Figure 81: Field definitions for sidebar object

- the number of columns that can be defined, and each column can be given any arbitrary name.
- Columns will be displayed in alphabetical order, so "8" comes before "9", "10" comes before "2", and "middle" comes after "first" and also after "last".
- Within in any one column the fields are displayed in the order dictated by the "order" attribute following the same rules as for columns. If no order is specified then fields will be displayed in the order in which they are created.
- Any field can be deleted by clicking on the "Delete" button. Note: currently there is no confirmation before the field is deleted.
- At the foot of the screen the "Name field" selector. The field selected here will be used as the text of the link to display the full details of this object (see below). Only text fields may be selected as the Name Field.

After saving the above definitions, an entry will appear at the foot of the company sidebar:


- Clicking on the New button will allow a specific instance of a Servers object to be defined as shown below:



The screenshot shows two sections in a sidebar. The first section is titled 'Files' and contains a table with columns 'Name', 'Size', 'Owner', and 'Date'. Below the table, it says 'No attached files' and has a 'New' button. The second section is titled 'Servers' and also has a 'New' button.

Figure 82: Sidebar with empty object

- After saving this definition, the corresponding company sidebar will appear as shown below:



The screenshot shows the XRMS Open Source CRM interface. At the top right, it says 'Logged in as: user1' with a 'Logout' link. Below the header, there's a navigation bar with links: 'Home', 'Activities', 'Companies', 'Contacts', 'Campaigns', 'Opportunities', 'Cases', 'Files', 'Reports', 'Administration', and 'Preferences'. The main content area is titled 'Details' and shows the configuration for a server named 'MailServer01'. The configuration includes fields for 'Name', 'IP address' (10.0.8.4), 'Automatic backups?' (checked), and 'Vendor' (IBM). There's also a 'Configuration Notes' section with text: 'Debian system running Postfix and Dovecot. RAID-1 implement in kernel.' At the bottom, there are 'Save Changes' and 'Back' buttons.

Figure 83: Defining a sidebar instance

Note that the IP address (only) is show in the sidebar, and that the link to show the full details is the name of the server (the "Name field" defined for this object). Clicking on that link shows the full details:

7.5.9 Converting 'info' plugin data to 'custom_fields' plugin

5. Included with the custom_fields plugin is a script to import data from the
6. 'info' plugin.
- 7.
8. ***THIS SCRIPT IS NOT OFFICIALLY SUPPORTED: USE AT YOUR OWN RISK.***
- 9.
10. Steps to import data from the 'info' plugin:
11. Carry out a full backup of your XRMS database.
12. Create the custom_fields database tables (see the custom_fields plugin
13. documentation).
14. Ensure that you are the only person accessing the XRMS database.
15. In a browser, navigate to plugins/custom_fields/admin/info_to_cf.php under your XRMS root URL.
16. The script will run and output some information messages.
17. Navigate to your root XRMS URL, then disable the 'info' plugin and enable the 'custom_fields' plugin as described in the custom_fields plugin documentation.
18. Depending on the version of the 'info' plugin that was used to create the info fields, there may be some spurious 'Name' fields in non-sidebar displays. These can be cleaned up from the custom_fields administration screens.

Appendix 1–List of Country Codes

Country	Code	Country	Code
	1	Cayman Islands	41
Afghanistan	2	Central African Republic	42
Albania	3	Chad	43
Algeria	4	Chile	44
American Samoa	5	China	45
Andorra	6	Christmas Island	46
Angola	7	Cocos (Keeling) Islands	47
Anguilla	8	Colombia	48
Antarctica	9	Comoros	49
Antigua and Barbuda	10	Congo	50
Argentina	11	Cook Islands	51
Armenia	12	Costa Rica	52
Aruba	13	Croatia	53
Australia	14	Cuba	54
Austria	15	Cyprus	55
Azerbaijan	16	Czech Republic	56
Bahamas	17	Democratic People's Republic of Korea	57
Bahrain	18	Democratic Republic of the Congo	58
Bangladesh	19	Denmark	59
Barbados	20	Djibouti	60
Belarus	21	Dominica	61
Belgium	22	Dominican Republic	62
Belize	23	Ecuador	63
Benin	24	Egypt	64
Bermuda	25	El Salvador	65
Bhutan	26	Equatorial Guinea	66
Bolivia	27	Eritrea	67
Bosnia and Herzegovina	28	Estonia	68
Botswana	29	Ethiopia	69
Brazil	30	Faeroe Islands	70
British Virgin Islands	31	Falkland Islands (Malvinas)	71
Brunei Darussalam	32	Federated States of Micronesia	72
Bulgaria	33	Fiji	73
Burkina Faso	34	Finland	74
Burundi	35	France	75
??	36	France, metropolitan	76
Cambodia	37	French Guiana	77
Cameroon	38	French Polynesia	78
Canada	39	Gabon	79
Cape Verde	40	Gambia	80
Georgia	81	Lesotho	118
Germany	82	Liberia	119
Ghana	83	Libyan Arab Jamahiriya	120
Gibraltar	84	Liechtenstein	121

Country	Code	Country	Code
Greece	85	Lithuania	122
Greenland	86	Luxembourg	123
Grenada	87	Macau	124
Guadeloupe	88	Madagascar	125
Guam	89	Malawi	126
Guatemala	90	Malaysia	127
Guinea	91	Maldives	128
Guinea-Bissau	92	Mali	129
Guyana	93	Malta	130
Haiti	94	Marshall Islands	131
Holy See	95	Martinique	132
Honduras	96	Mauritania	133
Hong Kong Special Administrative Region of China	97	Mauritius	134
Hungary	98	Mayotte	135
Iceland	99	Mexico	136
India	100	Monaco	137
Indonesia	101	Mongolia	138
Iran	102	Montserrat	139
Iraq	103	Morocco	140
Ireland	104	Mozambique	141
Israel	105	Myanmar	142
Italy	106	Namibia	143
Jamaica	107	Nauru	144
Japan	108	Nepal	145
Jordan	109	Netherlands	146
Kazakhstan	110	Netherlands Antilles	147
Kenya	111	New Caledonia	148
Kiribati	112	New Zealand	149
Kuwait	113	Slovakia	187
Kyrgyzstan	114	Slovenia	188
Lao People's Democratic Republic	115	Solomon Islands	189
Latvia	116	Somalia	190
Lebanon	117	South Africa	191
Nicaragua	150	Spain	192
Niger	151	Sri Lanka	193
Nigeria	152	Sao Tome and Principe	194
Niue	153	Sudan	195
Norfolk Island	154	Suriname	196
Northern Mariana Islands	155	Swaziland	197
Norway	156	Sweden	198
Oman	157	Switzerland	199
Pakistan	158	Syrian Arab Republic	200
Palau	159	Taiwan	201
Panama	160	Tajikistan	202
Papua New Guinea	161	Thailand	203

Country	Code	Country	Code
Paraguay	162	The Former Yugoslav Republic of Macedonia	204
Peru	163	Togo	205
Philippines	164	Tonga	206
Poland	165	Trinidad and Tobago	207
Portugal	166	Tunisia	208
Puerto Rico	167	Turkey	209
Qatar	168	Turkmenistan	210
Republic of Korea	169	Turks and Caicos Islands	211
Republic of Moldova	170	Tuvalu	212
Romania	171	Uganda	213
Russian Federation	172	Ukraine	214
Rwanda	173	United Arab Emirates	215
Reunion	174	United Kingdom	216
Saint Helena	175	United Republic of Tanzania	217
Saint Kitts and Nevis	176	United States	218
Saint Lucia	177	United States Virgin Islands	219
Saint Pierre and Miquelon	178	Uruguay	220
Saint Vincent and the Grenadines	179	Uzbekistan	221
Samoa	180	Vanuatu	222
San Marino	181	Venezuela	223
Saudi Arabia	182	Zambia	227
Senegal	183	Zimbabwe	228
Seychelles	184		
Sierra Leone	185		
Singapore	186		
Viet Nam	224		
Yemen	225		
Yugoslavia	226		

Appendix 2–Default Import Formats

Category	Default Import	Column No.	Category	Default Import	Column No.
//company info	company_name	1	//contact info	first_name	22
	legal_name	2		last_name	23
	division_name	3		email	24
	website	4		work_phone	25
	tax_id	5		home_phone	26
	extref1	6		fax	27
	extref2	7		division	28
	extref3	8		salutation	29
	company_custom1	9		date_of_birth	30
	company_custom2	10		summary	31
	company_custom3	11		title	32
	company_custom4	12		description	33
	employees	13		cell_phone	34
	revenue	14		aol	35
	credit_limit	15		yahoo	36
	terms	16		msn	37
	company_profile	17		interests	38
	company_code	18		contact_custom1	39
	phone	19		contact_custom2	40
	phone2	20		contact_custom3	41
	fax	21		contact_custom4	42
			//address info	contact_profile	43
				gender	44
				address_name	45
				line1	46
				line2	47
				city	48
				state	49
				postal_code	50
				country	51
				address_body	52
				use_pretty_address	53

Index

A

Activity Template.....	55
Activity Templates.....	22
Activity Templates.....	
Manage.....	22
Administrator.....	8

B

boolean_hook_function.....	62
----------------------------	----

C

case status.....	46
category.....	52
change record owner.....	27
check permission.....	20
concat_hook_function.....	61
controlled object.....	10
Controlled object relationships.....	10

D

default values.....	48
defaults.....	40
details.....	
user.....	38
do_hook.....	61
do_hook_function.....	61

E

Email Templates.....	24
----------------------	----

I

Import company data.....	5
--------------------------	---

L

list of objects.....	21
----------------------	----

M

Manage Group Groups.....	13
Manage Groups.....	12
Manage Permissions.....	17

O

opportunity status.....	48
-------------------------	----

P

participant positions.....	51
permissions.....	15
plugin.....	56

R

relationship type.....	47
relationships.....	
company.....	47
contacts.....	47
role permissions.....	17
role permissions.....	
inherit or not.....	16

S

scope types.....	15
Select Column Layouts.....	12
status types.....	46

U

User.....	8, 36
-----------	-------

W

workflow.....	55
---------------	----

Questions/Comments

Section 3.3 [Export Companies/Contacts as LDAP/LDIF] and 3.4 [Export Companies with address and phone info] - What do we need to explain here??? When we click these options, we get the message *Unable to Open File for Writing*.

Section 4.1.5 [Manage Users in a Group] and Section 4.1.6 [Manage Groups within a Group] - There is some display error with the screens - Figure 13:Manage Group Users and Figure 14:Manage Group Groups respectively. The screens mention the number of records found but do not display this list of records. Hence we are unable to make the updates to these sections.

Section 4.6 System Preferences - The screen Figure 34:System Preferences has a display error - some drop-down lists are not displayed. Also, the sections under 4.6 have been highlighted in yellow, as the functioning is no longer the same.

Section 7.1 Manage Info Types - This link is not seen in the current X RMS version.