

PRODUCT EXPERIENCE

Multi-Division Timesheet and Work Management

A plain-language guide to every major user journey

Prepared for	PowerInAI stakeholders, operational leaders, and delivery teams
Product scope	Time, attendance, work, people, reviews, reporting, and administration
Snapshot date	10 September 2026

How to use this guide

Start with the role overview, then follow the numbered journeys. Each journey explains the human goal, the visible steps, the successful outcome, and what happens when an exception occurs.

1. Product story at a glance

This product gives one trusted view of work across five divisions: PowerInAI, PowerInAI Training, Government Projects, Computer Jagat, and WesternCF. Employees record where their time went; Team Leads resolve operational exceptions; HR protects employee records and verifies monthly periods; Management sees trends without editing; and Super Administrators configure the system.

The central promise

Record work once. Keep the division, project, and task detail. Add the day across all divisions. Protect sensitive information before any totals or reports are produced.

A normal workday

1	The employee signs in and lands on a dashboard tailored to their role.
2	They add work manually, run a timer, or copy a previous entry and then confirm the details.
3	Each entry is linked to an allowed division and, where relevant, an active project and task.
4	The system totals active work across every division for that local day and displays one separate break value.
5	The employee sees whether the day is Missing, Under-time, Complete, Overtime, or Critical and is guided to resolve any issue.
6	At month end, HR reviews exceptions, verifies the period, and locks it for formal reporting and payroll preparation.

Rules people need to understand

Rule	Plain-language meaning
Complete day	At least 7 hours of active work plus one separately recognized 1-hour break, producing an 8-hour total.
Under-time	The day is under-time if either the active-work target or the total-day target is missed.
Overtime	More than 8 hours and up to exactly 12 hours. A reason is required.
Critical	More than 12 hours. An explanation is required and both the Team Lead and HR are notified.
No daily approval	A Team Lead does not approve ordinary daily timesheets. They review exceptions and may request corrections.
No overlap	An employee cannot record two activities for the same moment, even in different divisions.
Locked month	After HR verifies a period, historical entries cannot be silently changed.

2. People and responsibilities

Person	What they come here to do	Important boundary
Employee	Record time; view own attendance; request WFH or leave; raise tasks; read notices and documents.	Sees only permitted work and personal information.
Team Lead	Understand team workload; review exceptions; request corrections; review WFH, leave, and employee-raised tasks.	Does not approve normal daily timesheets.
HR Manager	Maintain people records; oversee leave/WFH; verify and lock periods; manage evaluations; access finance capabilities only when separately granted.	Sensitive salary, cost, evaluation, and attachment data remains permission-based.
Management / View-Only	See organizational trends, utilization, attendance, and performance summaries.	Cannot create, edit, approve, verify, or export unless explicitly granted.
Super Administrator	Manage divisions, accounts, roles, policies, holidays, integrations, feature flags, and audit access.	Administrative power is audited and still deny-by-default for protected data.
Historical Finance Manager	May remain on old stored records for history.	No longer assigned as a current frontend role; HR absorbed the workflow, not automatic cost permission.

The trust model

- People see only the records and fields they are authorized to see.
- Protected government-project, salary, cost, evaluation, export, attachment, and audit information is hidden before calculations are made.
- A person who asks for a restricted record receives the same response as if the record did not exist.
- Every significant action creates an audit trail: who acted, what changed, when it happened, and why where applicable.

3. Employee journeys

E1. Sign in and orient

WHO	Employee	CURRENT STATE	Demo-ready frontend
GOAL	Reach the right personal workspace safely.	SUCCESS	The employee can immediately tell what needs attention today.

What the person does

1	Open the sign-in page and enter credentials.
2	Complete two-factor verification when required.
3	Arrive at the employee dashboard with today's status, useful shortcuts, and personal alerts.
4	Use the navigation to reach Timesheets, Tasks, WFH, Leave, Attendance, Documents, Messages, Notifications, or Profile.

When something is different

- Repeated failed attempts may lock the account.
- Expired sessions return the employee to a safe sign-in path without exposing data.

E2. Add time manually

WHO	Employee	CURRENT STATE	Demo-ready frontend
GOAL	Record work against the correct business context.	SUCCESS	The entry appears in the day and contributes integer minutes to the daily total.

What the person does

1	Choose the local work date.
2	Select a division currently assigned to the employee.
3	Optionally select an active project and an approved/active task that belongs to that context.
4	Enter a valid start and end time, then add the single general remark if useful.
5	Review the calculated duration and save.

When something is different

- Overlapping time is rejected, including overlap across divisions.
- Inactive projects, unassigned divisions, invalid ranges, approved-leave periods, and tasks still awaiting endorsement are rejected or clearly flagged.
- Every validation message identifies the field, the problem, and how to correct it.

E3. Track work with a timer

WHO	Employee	CURRENT STATE	Demo-ready frontend
GOAL	Capture work as it happens.	SUCCESS	Elapsed work becomes a normal time entry with the same validation rules as manual entry.

What the person does

1	Choose the division, project, and task context.
2	Start the timer.
3	See the active timer persist while moving around the application.
4	Stop the timer and review the resulting entry before saving.

When something is different

- The timer cannot create overlapping work.
- If the selected task or project becomes unavailable, the employee is asked to select a valid destination.

E4. Copy previous work

WHO	Employee	CURRENT STATE	Demo-ready frontend
GOAL	Reduce repetitive entry without copying mistakes.	SUCCESS	A new entry is created; the original remains unchanged.

What the person does

1	Open a previous day or entry.
2	Choose Copy.
3	The system creates an editable draft for the new date.
4	Review division, project, task, and time because availability may have changed.
5	Save only after validation succeeds.

When something is different

- A copied inactive task or expired assignment must be replaced.
- Copying never bypasses overlap or leave checks.

E5. Understand the day status

WHO	Employee	CURRENT STATE	Demo-ready frontend
GOAL	Know whether the workday is complete and what action is needed.	SUCCESS	The employee understands the status without relying on color alone.

What the person does

1	Open the daily timesheet.
2	Review active minutes, the one separate break value, and total scheduled time.
3	Read the text status and supporting visual indicator.
4	If overtime or critical, add the required reason or explanation.
5	Resolve missing or conflicting records before month end.

When something is different

- Exactly 12:00 is Overtime, not Critical.
- More than 12:00 is Critical and alerts the Team Lead and HR.
- A day is Under-time when either required threshold is missed.

E6. Correct a record

WHO	Employee and Team Lead	CURRENT STATE	Demo-ready frontend
GOAL	Repair an error without losing history.	SUCCESS	The corrected day is accurate and the original change history remains traceable.

What the person does

1	The employee or Team Lead identifies the incorrect entry.
2	A correction request explains what should change and why.
3	The employee opens the request, edits the permitted details, and resubmits.
4	The system recalculates the day using the central rules and records the audit history.

When something is different

- A locked payroll period cannot be directly edited.
- There is no daily approval state; this is an exception-and-correction process.

4. Requests and personal work journeys

R1. Request Work From Home

WHO	Employee; Team Lead; HR oversight	CURRENT STATE	Demo-ready frontend
GOAL	Ask to work remotely for a date or period.	SUCCESS	The decision is visible, attributable, and connected to attendance context.

What the person does

1	Employee opens WFH and creates a request with dates and reason.
2	The assigned Team Lead reviews the request and approves or rejects it with context.
3	The employee receives a notification and sees the updated status.
4	HR can oversee the process and use an audited override when authorized.

When something is different

- The reviewer cannot act outside their effective team scope.
- An HR override is exceptional and audited.

R2. Request leave

WHO	Employee; Team Lead; HR oversight	CURRENT STATE	Demo-ready frontend
GOAL	Request time away and keep attendance accurate.	SUCCESS	Approved leave is visible in the employee's schedule and prevents conflicting time entry.

What the person does

1	Employee checks available leave information and selects leave type and dates.
2	Employee submits the reason and any permitted supporting document.
3	Team Lead reviews and decides; HR maintains oversight and balances.
4	The employee receives the outcome and attendance reflects approved leave.

When something is different

- Protected documents require explicit permission.
- Insufficient balance or conflicting dates produce clear guidance.

R3. Raise a task

WHO	Employee; current Team Lead	CURRENT STATE	Demo-ready frontend
GOAL	Propose necessary work that was not already assigned.	SUCCESS	Only endorsed employee-raised work becomes selectable for time entry.

What the person does

1	Employee creates a narrowly scoped task for themselves with the correct division/project context.
2	The task is marked Pending review and cannot receive time.
3	The current effective Team Lead reviews the task.
4	Approval makes it ordinary active work; rejection requires a note and keeps it unavailable for time.

When something is different

- An employee cannot endorse their own task.
- A former or unrelated Team Lead cannot decide it.
- Repeated decisions are handled safely and do not create duplicate outcomes.

R4. View attendance and personal history

WHO	Employee	CURRENT STATE	Demo-ready frontend
GOAL	Understand attendance patterns and personal records.	SUCCESS	The employee can explain their own work history using consistent dates and durations.

What the person does

1	Open Attendance or Timesheets.
2	Filter or move through dates.
3	Review statuses, work contributions by division/project/task, leave/WFH context, and correction history.
4	Open a day for detail when necessary.

When something is different

- Restricted fields are omitted or marked Restricted, never displayed as zero.

R5. Receive notifications and communicate

WHO	All permitted users	CURRENT STATE	Demo-ready frontend
GOAL	Stay informed and resolve work questions.	SUCCESS	People receive actionable information without being shown unauthorized details.

What the person does

1	Open Notifications to see relevant decisions, exceptions, reminders, and system events.
2	Follow a notification to the related record when access is allowed.
3	Use lightweight Messages for operational communication when the feature is enabled.
4	Mark items read and return to the task at hand.

When something is different

- Documents, messages, global search, and integrations are runtime feature flags and may be switched off.

5. Team Lead journeys

T1. Start the day from the team dashboard

WHO	Team Lead	CURRENT STATE	Demo-ready frontend
GOAL	See where the team needs attention.	SUCCESS	The Team Lead prioritizes exceptions rather than checking every normal day.

What the person does

1	Open the dashboard and review team status summaries.
2	Move to Team or Workload for individual and capacity detail.
3	Use exception lists to focus on missing, under-time, overtime, critical, or conflicting records.
4	Open an employee/day detail only within the current effective team scope.

When something is different

- Counts and totals are calculated only from records the Team Lead may see.

T2. Review a time exception

WHO	Team Lead	CURRENT STATE	Demo-ready frontend
GOAL	Help correct unusual or incomplete time.	SUCCESS	The exception is explained or corrected before HR's monthly verification.

What the person does

1	Open the exception queue.
2	Review the employee's day, contribution split, remarks, and relevant context.
3	If something is wrong, create a correction request with clear guidance.
4	Track whether the employee has resolved it.

When something is different

- There is deliberately no Approve day or Approve timesheet action.

T3. Review WFH and leave

WHO	Team Lead	CURRENT STATE	Demo-ready frontend
GOAL	Make timely, accountable people decisions.	SUCCESS	The request has one clear status and auditable decision.

What the person does

1	Open the requests queue.
2	Review dates, reason, team coverage, and allowed supporting information.
3	Approve or reject the request.
4	The system records the decision and notifies the employee.

When something is different

- HR retains oversight and audited override authority.

T4. Plan workload

WHO	Team Lead	CURRENT STATE	Demo-ready frontend
GOAL	Balance assignments across people and divisions.	SUCCESS	Work is allocated with fewer avoidable overloads and missed deadlines.

What the person does

1	Open Workload and select the relevant period.
2	Compare planned allocations and actual work for visible team members.
3	Identify overload, under-allocation, deadlines, or gaps.
4	Adjust projects/tasks or discuss priorities outside the tool as appropriate.

When something is different

- An allocation total different from 100% is a warning, not an automatic rewrite of the data.

T5. Evaluate an employee

WHO	Team Lead with HR governance	CURRENT STATE	Demo-ready frontend
GOAL	Record a fair, structured performance review.	SUCCESS	A traceable evaluation is available only to authorized people.

What the person does

1	Open Evaluations and select an eligible employee and period.
2	Review permitted work and attendance context.
3	Complete the structured evaluation and supporting comments.
4	Submit through the governed evaluation process; HR manages visibility and records.

When something is different

- Evaluation information is deny-by-default and never included in broad summaries before authorization.

6. HR and finance-capability journeys

H1. Maintain an employee record

WHO	HR Manager	CURRENT STATE	Demo-ready frontend
GOAL	Keep the workforce directory accurate over time.	SUCCESS	Current information is accurate while old timesheets and audit history remain reproducible.

What the person does

1	Open Employees and search for the person.
2	Create or update identity, employment, department, location, and profile information.
3	Manage effective-dated division assignments, Team Lead relationship, primary assignment, and allocation.
4	Deactivate historical employees or assignments instead of deleting referenced history.

When something is different

- Temporary assignments require an end date.
- Overlapping primary assignments are rejected.
- Profile photos and attachments use protected short-lived access.

H2. Manage divisions, projects, and tasks

WHO	HR or authorized administrator	CURRENT STATE	Demo-ready frontend
GOAL	Keep valid work destinations available.	SUCCESS	People can select only valid work destinations and historical reporting stays intact.

What the person does

1	Create or update a configurable division.
2	Create a project with division, manager, dates, members, client label, and active status.
3	Create and assign tasks within the project's scope.
4	Deactivate completed or retired records rather than erasing history.
5	Review actual minutes derived from accepted time entries.

When something is different

- Actual time is calculated from saved records and cannot be manually overwritten.
- Inactive projects and tasks reject new time.

H3. Verify and lock a monthly period

WHO	HR Manager	CURRENT STATE	Demo-ready frontend
GOAL	Create a reliable payroll/reporting cutoff.	SUCCESS	The period becomes a stable historical record.

What the person does

1	Open HR Timesheets and select the month.
2	Review completeness, leave/WFH context, overtime, critical days, corrections, and unresolved exceptions.
3	Resolve exceptions or explicitly accept permitted remaining exceptions with accountability.
4	Choose Verify period, confirm the action, and lock the period.
5	Use the verified period for payroll preparation and formal reporting.

When something is different

- Verification is monthly, not a daily Team Lead approval.
- Later changes require a governed amendment path and audit trail.

H4. Prepare finance views and payroll export

WHO	HR Manager with finance.cost.view and export permission	CURRENT STATE	Demo-ready frontend
GOAL	Turn verified time into protected labor-cost and payroll information.	SUCCESS	Authorized users receive accurate, reproducible totals and an auditable export.

What the person does

1	Open finance reporting after the period is verified.
2	Choose division, project, employee, dates, billability, or overtime filters.
3	Review exact money values in BDT using authorized rates and integer minutes.
4	Configure the export, confirm sensitive-data handling, and generate the permitted format.
5	Use the audit record to trace who produced the output.

When something is different

- HR receives no automatic cost access from the retired Finance role.
- Unauthorized viewers receive no monetary value at all - not zero and not a blank placeholder.
- Money is calculated in minor units and rounded once at the end.

H5. Administer leave, WFH, attendance, and evaluations

WHO	HR Manager	CURRENT STATE	Demo-ready frontend
GOAL	Maintain consistent people operations across divisions.	SUCCESS	People operations share one consistent and auditable record.

What the person does

1	Use WFH and Leave administration to oversee balances, requests, and exceptional overrides.
2	Use Attendance to investigate patterns and reconcile approved absences.
3	Use Evaluations to manage periods, records, and authorized visibility.
4	Use reports to identify organization-level trends without leaking protected detail.

When something is different

- All override actions require authorization and an audit trail.

7. Management and administrator journeys

M1. View organizational performance

WHO	Management / View-Only	CURRENT STATE	Demo-ready frontend
GOAL	Understand the organization without changing operational data.	SUCCESS	Management can make informed decisions from consistent, protected summaries.

What the person does

1	Open the management dashboard.
2	Review authorized attendance, workload, utilization, division, project, and performance summaries.
3	Filter by permitted dates and organizational dimensions.
4	Open report detail where access is allowed.

When something is different

- No edit, approve, verify, override, delete, create, or export action appears without a separate grant.
- Authorization happens before aggregation, so even counts cannot leak hidden records.

A1. Configure organization and access

WHO	Super Administrator	CURRENT STATE	Demo-ready frontend
GOAL	Keep the application aligned with the operating model.	SUCCESS	The product changes safely without code edits for ordinary organizational configuration.

What the person does

1	Manage divisions and user accounts.
2	Assign current roles and fine-grained permissions.
3	Configure policies, holidays, and integration settings.
4	Enable or disable optional modules using runtime feature flags.
5	Review audit records for sensitive administrative actions.

When something is different

- The historical finance_manager value remains legal for old records but is not assigned as a current role.
- Feature flags change navigation and route access together.

A2. Investigate an audit event

WHO	Super Administrator or specifically authorized auditor	CURRENT STATE	Demo-ready frontend
GOAL	Understand who changed a sensitive record.	SUCCESS	A material action can be reconstructed without exposing unrelated protected records.

What the person does

1	Open Audit and apply permitted filters.
2	Locate the event by actor, record, action, or time.
3	Review before/after context and reason when available.
4	Follow operational procedures outside the system if remediation is needed.

When something is different

- Audit access is itself restricted and audited.

A3. Use search, documents, and integrations

WHO	Authorized users; administrator configuration	CURRENT STATE	Optional modules; feature-flag controlled
GOAL	Find information and connect supporting tools safely.	SUCCESS	Supporting capabilities improve findability without bypassing normal authorization.

What the person does

1	Administrator enables the relevant module.
2	User searches only across records they are allowed to see.
3	User opens a permitted document through protected access.
4	Configured integrations exchange only approved data and record failures safely.

When something is different

- These modules may be disabled in the current demo.
- Search results, file names, empty groups, and response timing must not reveal protected records.

8. Procurement and expense journeys

P1. Submit and decide a requisition

WHO	Employee/requester; assigned reviewers	CURRENT STATE	Demo-ready frontend
GOAL	Request a purchase through a consistent approval path.	SUCCESS	The request reaches a final, auditable outcome without skipping stages.

What the person does

1	Requester creates a requisition with purpose, items, amounts, and permitted attachments.
2	The shared approval chain routes it to the current responsible reviewer.
3	Each reviewer sees only their actionable stage and records a decision.
4	The requester follows status and receives notifications until completion.

When something is different

- Requisition and conveyance use the same approval-chain model so their behavior cannot drift.
- Protected attachments require explicit access.

P2. Submit and decide conveyance

WHO	Employee/claimant; assigned reviewers	CURRENT STATE	Demo-ready frontend
GOAL	Claim eligible travel or conveyance costs.	SUCCESS	The claim is traceable from submission to decision.

What the person does

1	Claimant creates the claim with date, route/purpose, exact amount, and permitted evidence.
2	The same governed approval chain routes the claim through its stages.
3	Reviewers approve or reject within their scope.
4	The claimant sees the final status and any required correction.

When something is different

- Amounts are fixed-precision values with a currency code, never floating-point numbers.

9. Reporting journey

X1. Build a report

WHO	Authorized HR, Management, Team Lead, or Administrator	CURRENT STATE	Demo-ready frontend
GOAL	Answer a business question with the right scope.	SUCCESS	The report matches the same calculations shown in operational screens.

What the person does

1	Choose a report appropriate to the role.
2	Set dates and relevant filters such as division, employee, project, task, status, billability, or overtime.
3	Review on-screen totals and drill into permitted detail.
4	Export only when the viewer has explicit export permission.
5	Retain the report or export according to policy.

When something is different

- Authorization is applied before totals and grouping.
- Durations remain integer-minute based and money remains fixed precision.
- Print and export views preserve labels so status is never color-only.

10. Cross-role lifecycle

The complete operating journey is a relay. Each role adds confidence without duplicating responsibility.

1	Administrator establishes divisions, users, permissions, policies, holidays, and optional modules.
2	HR creates employee records and effective assignments; authorized managers create projects and tasks.
3	Employees record work, submit personal requests, and respond to correction guidance.
4	Team Leads watch workload and exceptions, decide WFH/leave and employee-raised tasks, and request corrections where necessary.
5	HR resolves remaining issues, verifies the month, and locks the historical period.
6	Authorized HR finance capabilities prepare cost/payroll outputs; Management reviews protected trends.
7	Audit history preserves the chain of responsibility from setup through reporting.

What never happens

- A Team Lead never approves a normal daily timesheet.
- A break is never added once per time entry.
- An employee is never allowed to work in two recorded places at the same time.
- A restricted value is never disguised as zero.
- A verified historical record is never silently rewritten after a policy change.
- An employee-raised task never accepts time before the current Team Lead endorses it.

11. Product status and stakeholder expectations

Area	Current position	What this means for a demonstration
Frontend	Core product phases 0-8 and role consolidation are implemented; packaging Phase 9 remains.	Role-based screens and journeys are available with the established demo data.
Backend	Foundations, MySQL schema, authentication/authorization/audit, and organization/projects/tasks phases are complete.	Later operational modules may still use typed mock services until their backend phases are delivered.
Finance role	Merged into HR, with cost visibility retained as a separate per-user permission.	Choose an HR demo user with the grant when showing monetary reports.
Optional modules	Documents, Messages, Global Search, and Integrations default to off through runtime flags.	Enable deliberately before a demonstration if these journeys are in scope.
Demo data	Purpose-built sample organization; demo today is 2 September 2026.	Use it to explain behavior, not as stakeholder-approved production master data.

Recommended demonstration sequence

1	Employee: sign in, add a valid entry, then show how an overlap is prevented.
2	Employee: open a day and explain Complete, Overtime, and Critical using plain examples.
3	Employee and Team Lead: raise a task, show Pending review, approve it, then show it becomes available for time.
4	Team Lead: review exceptions and send a correction request without approving the day.
5	HR: maintain an assignment, review the month, and demonstrate verification and locking.
6	Authorized HR: show a protected cost report; then switch to a user without the cost grant to demonstrate safe redaction.
7	Management: finish with read-only organizational insights and no operational controls.

Stakeholder decisions still needed

Production employee data, division memberships, Team Lead mapping, holiday calendars, schedules, leave balances, initial projects, work-policy approval, payroll periods, cost-rate rules, and payroll-export rules must be confirmed by the business.

12. Plain-language glossary

Term	Meaning
Active time	Minutes spent working. Stored and calculated as whole minutes.
Break	One separately recognized break value for the day, not one break per entry.
Contribution	The portion of a day's work attributed to a division, project, task, or client label.
Effective-dated assignment	An assignment that is valid only between its start date and optional end date.
Exception	A record that needs attention, such as missing time, under-time, overtime, critical time, or a conflict.
Locked period	A month HR has verified so ordinary edits are no longer allowed.
Permission grant	A specific capability given to a person in addition to their general role.
Restricted	Information the current viewer is not allowed to receive.
Runtime feature flag	A switch that enables or disables a module immediately, including its navigation and route.
Work date	The local business date in Asia/Dhaka, retained alongside UTC timestamps and the applied policy version.

Source basis

This guide was synthesized from the implemented routes and feature modules, role-journey automation, product requirements, information architecture, demo setup, frontend and backend milestones, architecture notes, service contracts, and project memory. It explains the experience rather than prescribing technical implementation.

Document owner: Product Management | Version: 1.0 | Snapshot: 10 September 2026