
HOLY ANGEL UNIVERSITY

Name: Ong, Sean Keiffer S.
Section: CS-302

Date: September 20, 2026
Course: Computer Science

Final Design System (Revised)

A. The palette, as a ColorScheme



All pairs were verified above WCAG's 4:5:1 minimum for normal text.

Role	Hex	Used for
primary	#780F25	App bar, primary buttons,

		active navigation, branding
onPrimary	#FFFFFF	Text and Icons placed on HAU Maroon
secondary	#D5A02B	Selected buildings, map pins, highlights, secondary actions
surface	#FFFFFF	Cards, panes, dialogs, dashboard sections
onSurface	#242424	Headings and primary body text
error	#B3261E	Validation, destructive actions

ColorScheme Approach: A manually defined ColorScheme.light() is used instead of ColorScheme.fromSeed() because ligHAU follows an existing Holy Angel University brand palette. This preserves the exact HAU Maroon, Angelite Gold, surface, and text colors rather than generating alternative shades from a seed color.

Dark Mode: ligHAU will only use a single light ColorScheme. All colors will be defined centrally in the theme file and referenced through ThemeData, ColorScheme, or named color tokens. No colors should be hardcoded directly inside individual widgets.


B. The type scale, as a TextTheme

Your style	Flutter slot	Size	Weight	Used for
Heading	headlineSmall	24sp	Bold	Login title, Campus Map title, Admin Dashboard title
Subheading	titleLarge	20sp	Semi-Bold	Buildings, Search Results, Chatbot Assistant,

				Dashboard Sections
Body	bodyMedium	16sp	Regular	Building descriptions, facility information, Chatbot responses, list items
Caption	labelSmall	12sp	Regular	Buttons, navigation, form labels, secondary metadata

Font family: ligHAU uses Inter as its primary font family. The font will be accessed in Flutter through the google_fonts package, which provides the Inter typeface without requiring separate font asset files to be manually added to the project. Inter is applied globally through ThemeData and TextTheme, allowing all widgets to inherit the same font family consistently. Individual widgets will use named text styles such as headlineSmall, titleLarge, bodyMedium, labelLarge, and labelSmall instead of defining the font family and size repeatedly.

C. Spacing, as Constants



Spacing Type	Value

Base unit	8px
Screen edge padding	24px
Gap between list items	8px
Gap between list sections	16px


```
class AppSpacing {
  static const double xs = 4;
  static const double sm = 8;
  static const double md = 16;
  static const double lg = 24;
}
```

Used as padding:

const EdgeInsets.all(AppSpacing.md) everywhere – never a bare number.

D. Components as Files

1. **AppSideNav**



Component	File	Constructor Parameters	Appears on
AppSideNav	lib/widgets/app_side_nav.dart	int selectedIndex, ValueChanged<int> onDestinationSelected	Map Interface, Admin Dashboard

2.




Component	File	Constructor Parameters	Appears on
TopAppBar	lib/widgets/top_app_bar.dart	ValueChanged<String> onSearchChanged, VoidCallback onSettingsTap, VoidCallback onHelpTap, VoidCallback onProfileTap	Map Interface, Admin Dashboard

3. ChatbotButton




Component	File	Constructor Parameters	Appears on
ChatbotButton	lib/widgets/chatbot_button.dart	VoidCallback onPressed	Map Interface

4. FacilityCard



Component	File	Constructor Parameters	Appears on
FacilityCard	lib/widgets/facility_card.dart	String name, String location, String category, VoidCallback onMapTap, VoidCallback onInfoTap	Map Interface

5. CategoryFilter



Component	File	Constructor Parameters	Appears on
CategoryFilter	lib/widgets/category_filter.dart	List<String> categories, String selectedCategory, ValueChanged<String> onSelected	Map Interface

6. What changed, and why?

Element	Prelim Said	Now it says	Why it changed
Palette	Nine named color tokens were defined individually, including HAU Maroon, Angelite Gold, Warm White, Pathway Beige, and neutral colors. Colors were documented mainly as visual design tokens.	The palette is now mapped directly to a manually defined Flutter ColorScheme.light() using primary, onPrimary, secondary, surface, onSurface, and error. ligHAU is explicitly light only, and all text/background combinations were checked to meet the ***WCAG 4.5:1*** minimum for normal text.	After working with ThemeData in m4 and building the graded apps, I learned that colors need semantic Flutter roles rather than just named hex values. I kept the existing HAU brand colors instead of using ColorScheme.fromSeed() so Flutter would not generate alternative shades. The contrast check also confirmed that the selected text and background combinations remain readable.
Type Scale	Five custom type tokens were defined using literal sizes: 24, 20, 16, 14, and 12 sp, with Bold, Semi-Bold, Regular, and Medium weights. No Flutter TextTheme slots or app-wide font family were specified.	Typography is now mapped to Flutter TextTheme roles such as headlineSmall, titleLarge, bodyMedium, labelLarge, and labelSmall. Inter is the app-wide font family and will be supplied through the google_fonts package and applied globally through ThemeData.	Building Flutter interfaces in m4 and m5 showed that repeatedly assigning font sizes inside individual widgets makes styling harder to maintain. Mapping the same visual scale to named TextTheme styles lets every widget reuse the same typography and allows the whole app to be updated from one theme file.
Components	The prelim design system described	Repeated interface elements are now	After building complete Flutter apps

	visual UI elements but did not define them as reusable Flutter widget files with constructor parameters.	defined as reusable widgets: AppSideNav, TopAppBar, ChatbotButton, FacilityCard, and CategoryFilter, each with a file path and explicit data/callback parameters.	in m5, I understood that a reusable component needs a clear API, not only a drawing. The revised components receive data and callbacks from their parent screens instead of managing unrelated screen state themselves, making them reusable across the Map Interface and Admin Dashboard.