


4 (PPA) 845C 1721' FNAF-CBL-024-T PON9401SS, 325-348

CONSTRUCTION NOTE:  
1371' INNERDUCT C1-1.5 (PPA) 845C  
SEE TASK 5.6 ON PRINT#5

CABLE PLACEMENT ALONG UE OF NW 24TH CT  
R/W=50'  
EOP TO EOP=20'  
EOP TO R/W=15'  
GRASS=10'  
S/W= 5'  
UE=10'  
EOP TO PROPOSED CABLE=20'



CONSTRUCTION NOTE:  
AS TO CABLE PLACEMENT DETAILS AND TIE  
DOWNS PLEASE REFER TO PERMIT DRAWINGS

PROJECT # A053LM1		DATE SVC REQ'D 07/30/2025	
NPANNX 954741	GEO LOC E4410	CLLI ftldfisu	
PRIMARY ENGR.: MESSIAHDAS, ROBSON			
ENGR. ID: RX2644		PERMIT REQ'D.	Y
PHONE #: 3059292174		PRINT 8 OF 15	

5 (PPA) 845C 1935'  
FNAP-CBL-048-T  
PON9401SS, 229-276

CONSTRUCTION NOTE:  
49' FLEX-PIPE 4IN (PPA) 845C  
SEE TASK 3.4 ON PRINT#3  
330' FLEX-PIPE 4IN (PPA) 845C  
SEE TASK 3.8 ON PRINT#3  
1281' INNERDUCT1-1.5 (PPA) 845C  
SEE TASK 3.9 & 3.10 ON PRINT#3

6 (PPA) 845C 868'  
FNAP-CBL-216EUC  
A, 1-72  
PON9401SS, 85-228


CONSTRUCTION NOTE:  
49' FLEX-PIPE 4IN (PPA) 845C  
SEE TASK 3.4 ON PRINT#3  
330' FLEX-PIPE 4IN (PPA) 845C  
SEE TASK 3.8 ON PRINT#3  
339' FLEX-PIPE 3IN (PPA) 845C  
SEE TASK 3.12 ON PRINT#3

CABLE PLACEMENT ALONG OF NW 94TH WAY  
TO AVOID CANAL  
R/W=50'  
EOP TO EOP=20'  
EOP TO R/W=15'  
GRASS=10'  
S/W= 5'  
EOP TO PROPOSED CABLE=7'

CABLE PLACEMENT ALONG UE OF NW 94TH WAY  
R/W=50'  
EOP TO EOP=20'  
EOP TO R/W=15'  
GRASS=10'  
S/W= 5'  
UE=10'  
EOP TO PROPOSED CABLE=20'

INNERDUCT PLACEMENT ALONG OF NW 21ST MANOR  
R/W=50'  
EOP TO EOP=22'  
EOP TO R/W=14'  
GRASS=10'  
S/W= 4'  
EOP TO PROPOSED INNERDUCT=7'

CABLE PLACEMENT ALONG UE OF NW 21ST MANOR  
R/W=50'  
EOP TO EOP=22'  
GRASS=10'  
S/W= 4'  
UE=10'  
EOP TO PROPOSED CABLE=20'



HHOLE13X24X18  
EVLV4/100TIP  
X, 1-1  
PON9401SS, 227-228  
X, 4-4

PRINT 1  
PRINT 1  
PRINT 1

HHOLE13X24X18  
HH 1528403  
DETAIL  
EVLV4/100TIP  
X, 1-1  
PON9401SS, 225-226  
X, 4-4

PRINT 1  
PRINT 1  
PRINT 1

HHOLE13X24X18  
EVLV4/100TIP  
PON9401SS, 221-224

PRINT 1  
PRINT 1  
PRINT 1

CONSTRUCTION NOTE:  
AS TO CABLE PLACEMENT DETAILS AND TIE  
DOWNS PLEASE REFER TO PERMIT DRAWINGS


PROJECT # A053LM1		DATE SVC REQ'D 07/30/2025	
NPANNX 954741	GEO LOC E4410	CLLI ftldfisu	
PRIMARY ENGR.: MESSIAHDAS, ROBSON			
ENGR. ID: RX2644		PERMIT REQ'D.	Y
PHONE #: 3059292174		PRINT 9 OF 15	

PRINT 1

CONSTRUCTION NOTE:  
49' FLEX-PIPE 4IN (PPA) 845C  
SEE TASK 3.4 ON PRINT#3  
330' FLEX-PIPE 4IN (PPA) 845C  
SEE TASK 3.8 ON PRINT#3  
1281' INNERDUTC1-1.5 (PPA) 845C  
SEE TASK 3.9 & 3.10 ON PRINT#3

INNERDUCT PLACEMENT ALONG OF NW 21ST MANOR R/W=50' EOP TO EOP=22' EOP TO R/W=14' GRASS=10' S/W= 4' EOP TO PROPOSED INNERDUCT=7'
---

CABLE PLACEMENT ALONG UE OF NW 21ST MANOR  
R/W=50'  
EOP TO EOP=22'  
EOP TO R/W=14'  
GRASS=10'  
S/W= 4'  
UE=10'  
EOP TO PROPOSED CABLE=20'



CONSTRUCTION NOTE:  
AS TO CABLE PLACEMENT DETAILS AND TIE  
DOWNS PLEASE REFER TO PERMIT DRAWINGS

PROJECT # <b>A053LM1</b>		DATE SVC REQ'D <b>07/30/2025</b>	
NPANNX <b>954741</b>	GEO LOC <b>E4410</b>	CLLI <b>ftldflsu</b>	
PRIMARY ENGR.: <b>MESSIAHDAS, ROBSON</b>			
ENGR. ID: <b>RX2644</b>		PERMIT REQ'D.	<b>Y</b>
PHONE #: <b>3059292174</b>		PRINT <b>10</b> OF <b>15</b>	

PRINT 1

140

CONSTRUCTION NOTE:  
49' FLEX-PIPE 4IN (PPA) 845C  
SEE TASK 3.4 ON PRINT#3  
330' FLEX-PIPE 4IN (PPA) 845C  
SEE TASK 3.8 ON PRINT#3  
339' FLEX-PIPE 3IN (PPA) 845C  
SEE TASK 3.12 ON PRINT#3



PRINT 1

845C  
FIBER-TELCO  
1526 PLAC

SEE PRINT 12  
FOR 1.5 INNERDUCT PLACEMENT

PRINT 1

142

	845C  INNERDUCT1-1.5 2498 PLACAM		845C  FIBER-TELCO 3043 PLAC
---	---	---	--------------------------------------



CONSTRUCTION NOTE:  
2498' INNERDUTC1-1.5 (PPA) 845C  
SEE TASK 11.5

SEE PRINT 13, 14&15  
FOR 1.5 INNERDUCT PLACEMENT

CABLE PLACEMENT ALONG OF NW 94TH WAY  
TO AVOID CANAL  
R/W=50'  
EOP TO EOP=20'  
EOP TO R/W=15'  
GRASS=10'  
S/W= 5'  
EOP TO PROPOSED CABLE=7'

CABLE PLACEMENT ALONG UE OF NW 94TH WAY  
R/W=50'  
EOP TO EOP=20'  
EOP TO R/W=15'  
GRASS=10'  
S/W= 5'  
UE=10'  
EOP TO PROPOSED CABLE=20'

CABLE PLACEMENT ALONG UE OF NW 20TH PL  
R/W=50'  
EOP TO EOP=20'  
EOP TO R/W=15'  
GRASS=10'  
S/W= 4'  
UE=10'  
EOP TO PROPOSED CABLE=20'



CONSTRUCTION NOTE:  
AS TO CABLE PLACEMENT DETAILS AND TIE  
DOWNS PLEASE REFER TO PERMIT DRAWINGS


PROJECT # <b>A053LM1</b>		DATE SVC REQ'D <b>07/30/2025</b>	
NPANNX <b>954741</b>	GEO LOC <b>E4410</b>	CLLI <b>ftldflsu</b>	
PRIMARY ENGR.: <b>MESSIAHDAS, ROBSON</b>			
ENGR. ID: <b>RX2644</b>		PERMIT REQ'D.	<b>Y</b>
PHONE #: <b>3059292174</b>		PRINT <b>11</b> OF <b>15</b>	

PRINT 1

141

CONSTRUCTION NOTE:  
1226' INNERDUTC1-1.5 (PPA) 845C  
SEE TASK 11.1 ON PRINT#11

CABLE PLACEMENT ALONG UE OF NW 20TH PL  
R/W=50'  
EOP TO EOP=20'  
EOP TO R/W=15'  
GRASS=10'  
S/W= 4'  
UE=10'  
EOP TO PROPOSED CABLE=20'



CONSTRUCTION NOTE:  
AS TO CABLE PLACEMENT DETAILS AND TIE  
DOWNS PLEASE REFER TO PERMIT DRAWINGS

PROJECT # <b>A053LM1</b>		DATE SVC REQ'D <b>07/30/2025</b>	
NPANNX <b>954741</b>	GEO LOC <b>E4410</b>	CLLI <b>ftldflsu</b>	
PRIMARY ENGR.: <b>MESSIAHDAS, ROBSON</b>			
ENGR. ID: <b>RX2644</b>		PERMIT REQ'D.	<b>Y</b>
PHONE #: <b>3059292174</b>		PRINT	<b>12</b> OF <b>15</b>



PRINT 1

142

8

(PPA) 845C 3043'  
FNAP-CBL-144-T  
A,1-36  
PON9401SS,85-192

CONSTRUCTION NOTE:  
2498' INNERDUTC1-1.5 (PPA) 845C  
SEE TASK 11.5 ON PRINT#11

8A

(PPA) 845C 2840'  
FNAP-CBL-144-T  
A,1-36  
PON9401SS,85-144  
A,97-144

RESET LOOP

5

822C  
2 PCOIL

6

822C  
TREE  
140 TRIMA

CABLE PLACEMENT ALONG UE OF NW 19TH PL  
R/W=50'  
EOP TO EOP=24'  
EOP TO R/W=13'  
GRASS=9'  
S/W= 5'  
UE=10'  
EOP TO PROPOSED CABLE=18'

CABLE PLACEMENT ALONG UE OF NW 94TH WAY  
R/W=50'  
EOP TO EOP=20'  
EOP TO R/W=15'  
GRASS=10'  
S/W= 5'  
UE=10'  
EOP TO PROPOSED CABLE=20'

9

(PPA) 845C 1664'  
FNAP-CBL-048-T  
PON9401SS,145-192

PRINT 1

143

PRINT 1

144

PRINT 1

347

845C

1

INNERDUCT1-1.5  
101 PLACAM

845C

2

FIBER-TELCO  
197 PLAC

822C

3


FIBER-TELCO  
1467 PLAC

845C

4

1 PCOIL

CONSTRUCTION NOTE:  
101' INNERDUTC1-1.5 (PPA) 845C  
SEE TASK 13.1



PRINT 1

11

PRINT 1

150

PRINT 1

247

PRINT 1

14

PRINT 1

221

PRINT 1

318

PRINT 1

9

PRINT 1

176

PRINT 1

273

PRINT 1

8

PRINT 1

203

PRINT 1

300

PRINT 1

18

PRINT 1

224

PRINT 1

321

PRINT 1

13


PRINT 1

288

PRINT 1

191

HH 1446791  
DETAIL



ALL CABLES TO BE LASH  
TO EXISTING STRAND

CAUTION VOLTAGE RANGES  
FROM 301V TO 15KV

AERIAL CABLE PLACEMENT NOTE: MAINTAIN  
MINIMUM OF 15'6" OVER ROADS AND DRIVEWAYS

CONSTRUCTION NOTE:  
AS TO CABLE PLACEMENT DETAILS AND TIE  
DOWNS PLEASE REFER TO PERMIT DRAWINGS

PROJECT # A053LM1		DATE SVC REQ'D 07/30/2025	
NPANNX 954741	GEO LOC E4410	CLLI ftldfisu	
PRIMARY ENGR.: MESSIAHDAS, ROBSON			
ENGR. ID: RX2644		PERMIT REQ'D.	Y
PHONE #: 3059292174		PRINT 13 OF 15	

PRINT 1  
142

8A (PPA) 845C 3043'  
FNAP-CBL-144-T  
A,1-36  
PON9401SS,85-144  
A,97-144


CONSTRUCTION NOTE:  
2498' INNERDUTC1-1.5 (PPA) 845C  
SEE TASK 11.5 ON PRINT#11

PRINT 1  
143

9 (PPA) 845C 1664'  
FNAP-CBL-048-T  
PON9401SS,145-192

CONSTRUCTION NOTE:  
101' INNERDUTC1-1.5 (PPA) 845C  
SEE TASK 13.1 ON PRINT#13

INNERDUCT-1  
P-P=9'  
8645C  
INNERDUCT-1  
9 PLACAM



CABLE PLACEMENT ALONG OF NW 98TH AVE  
R/W=50'  
EOP TO EOP=24'  
EOP TO R/W=13'  
GRASS=8'  
S/W= 5'  
EOP TO PROPOSED CABLE=6'

CABLE PLACEMENT ALONG UE OF NW 19TH PL  
R/W=50'  
EOP TO EOP=24'  
EOP TO R/W=13'  
GRASS=9'  
S/W= 5'  
UE=10'  
EOP TO PROPOSED CABLE=18'

RESET LOOP  
2 822C  
2 PCOIL  
1 822C  
1 TREE  
105 TRIMA

ALL CABLES TO BE LASH  
TO EXISTING STRAND

CAUTION VOLTAGE RANGES  
FROM 301V TO 15KV

AERIAL CABLE PLACEMENT NOTE: MAINTAIN  
MINIMUM OF 15'6" OVER ROADS AND DRIVEWAYS


CONSTRUCTION NOTE:  
AS TO CABLE PLACEMENT DETAILS AND TIE  
DOWNS PLEASE REFER TO PERMIT DRAWINGS

PROJECT # A053LM1		DATE SVC REQ'D 07/30/2025	
NPANNX 954741	GEO LOC E4410	CLLI ftldfisu	
PRIMARY ENGR.: MESSIAHDAS, ROBSON			
ENGR. ID: RX2644		PERMIT REQ'D.	Y
PHONE #: 3059292174		PRINT 14 OF 15	

PRINT 1  
8A (PPA) 845C 3043'  
FNAP-CBL-144-T  
A,1-36  
PON9401SS,85-144  
A,97-144

CONSTRUCTION NOTE:  
2498' INNERDUTC1-1.5 (PPA) 845C  
SEE TASK 11.5 ON PRINT#11

CABLE PLACEMENT ALONG OF NW 98TH AVE  
R/W=50'  
EOP TO EOP=24'  
EOP TO R/W=13'  
GRASS=8'  
S/W= 5'  
EOP TO PROPOSED CABLE=6'



SEE PRINT 14

CONSTRUCTION NOTE:  
AS TO CABLE PLACEMENT DETAILS AND TIE  
DOWNS PLEASE REFER TO PERMIT DRAWINGS

PROJECT # A053LM1		DATE SVC REQ'D 07/30/2025	
NPANNX 954741	GEO LOC E4410	CLLI ftldfisu	
PRIMARY ENGR.: MESSIAHDAS, ROBSON			
ENGR. ID: RX2644		PERMIT REQ'D.	Y
PHONE #: 3059292174		PRINT 15 OF 15	