

PON TERMINAL TEST SHEET - A053LM1

SPLITTER COUNT	SPLITTER PORTS AVAILABLE	TERMINALS	TOTAL STRANDS	POWER TESTS	OTDR TESTS	TESTP	TESTPA
0	NO	97	348	97	251	97	0

GRANITE SPLITTERS WITH AVAILABLE PORTS

PPF	SPLITTER	SPL PROJECT	LO STRAND	HI STRAND	AVAILABLE PORTS	PON PATH STATUS
-----	----------	-------------	-----------	-----------	-----------------	-----------------

WALDO TERMINAL DETAIL

WALDO ID	TERMINAL	CABLE ID	POWER TEST STRAND	OTDR TEST STRAND(S)	TOTAL STRANDS	TESTP QTY	TESTPA QTY
<input type="checkbox"/> 225993657	F 2201 NW 98TH AVE CFST	PON9401SS	85	86-88	4	1	0
<input type="checkbox"/> 225993692	F 2161 NW 98TH AVE CFST	PON9401SS	89		2	1	0
<input type="checkbox"/> 225993715	F 2081 NW 98TH AVE CFST	PON9401SS	91		2	1	0
<input type="checkbox"/> 225993640	F 2041 NW 98TH AVE CFST	PON9401SS	93		2	1	0
<input type="checkbox"/> 225993695	F 1991 NW 98TH AVE CFST	PON9401SS	95		2	1	0
<input type="checkbox"/> 225993710	F 9790 NW 19TH PL CFST	PON9401SS	97		2	1	0
<input type="checkbox"/> 225993709	F 9774 NW 19TH PL CFST	PON9401SS	99		2	1	0
<input type="checkbox"/> 225993642	F 9742 NW 19TH PL CFST	PON9401SS	101		2	1	0
<input type="checkbox"/> 225993651	F 9710 NW 19TH PL CFST	PON9401SS	103		2	1	0
<input type="checkbox"/> 225993671	F 9680 NW 19TH PL CFST	PON9401SS	105	106-108	4	1	0
<input type="checkbox"/> 225993708	F 9652 NW 19TH PL CFST	PON9401SS	109	110-112	4	1	0
<input type="checkbox"/> 225993676	F 9624 NW 19TH PL CFST	PON9401SS	113	114-116	4	1	0
<input type="checkbox"/> 225993679	F 9590 NW 19TH PL CFST	PON9401SS	117	118-120	4	1	0
<input type="checkbox"/> 225993653	F 9558 NW 19TH PL CFST	PON9401SS	121	122-124	4	1	0
<input type="checkbox"/> 225993688	F 9526 NW 19TH PL CFST	PON9401SS	125	126-128	4	1	0
<input type="checkbox"/> 225993635	F 9494 NW 19TH PL CFST	PON9401SS	129	130-132	4	1	0



PON TERMINAL TEST SHEET - A053LM1

	WALDO ID	TERMINAL	CABLE ID	POWER TEST STRAND	OTDR TEST STRAND(S)	TOTAL STRANDS	TESTP QTY	TESTPA QTY
<input type="checkbox"/>	225993656	F 9466 NW 19TH PL CFST	PON9401SS	133	134-136	4	1	0
<input type="checkbox"/>	225993720	F 9438 NW 19TH PL CFST	PON9401SS	137	138-140	4	1	0
<input type="checkbox"/>	225993663	F 1980 NW 94TH WAY CFST	PON9401SS	141		2	1	0
<input type="checkbox"/>	225993667	F 2000 NW 94TH WAY CFST	PON9401SS	143		2	1	0
<input type="checkbox"/>	225993717	R 9790 NW 20TH PL CFST	PON9401SS	145	146-148	4	1	0
<input type="checkbox"/>	225993668	R 9750 NW 20TH PL CFST	PON9401SS	149	150-152	4	1	0
<input type="checkbox"/>	225993699	R 9690 NW 20TH PL CFST	PON9401SS	153	154-156	4	1	0
<input type="checkbox"/>	225993682	R 9675 NW 19TH PL CFST	PON9401SS	157	158-160	4	1	0
<input type="checkbox"/>	225993665	R 9631 NW 19TH PL CFST	PON9401SS	161	162-164	4	1	0
<input type="checkbox"/>	225993698	R 9601 NW 19TH PL CFST	PON9401SS	165	166-170	6	1	0
<input type="checkbox"/>	225993729	R 9570 NW 20TH PL CFST	PON9401SS	171	172-174	4	1	0
<input type="checkbox"/>	225993680	R 9551 NW 19TH PL CFST	PON9401SS	175	176-178	4	1	0
<input type="checkbox"/>	225993644	R 9470 NW 20TH PL CFST	PON9401SS	179	180-182	4	1	0
<input type="checkbox"/>	225993664	R 9450 NW 20TH PL CFST	PON9401SS	183	184-188	6	1	0
<input type="checkbox"/>	225993700	F 9410 NW 20TH PL CFST	PON9401SS	189	190-192	4	1	0
<input type="checkbox"/>	225993685	F 9711 NW 20TH PL CFST	PON9401SS	193	194-198	6	1	0
<input type="checkbox"/>	225993684	F 9671 NW 20TH PL CFST	PON9401SS	199		2	1	0
<input type="checkbox"/>	225993683	F 9651 NW 20TH PL CFST	PON9401SS	201		2	1	0
<input type="checkbox"/>	225993650	F 9631 NW 20TH PL CFST	PON9401SS	203		2	1	0
<input type="checkbox"/>	225993721	F 9591 NW 20TH PL CFST	PON9401SS	205		2	1	0
<input type="checkbox"/>	225993654	F 9551 NW 20TH PL CFST	PON9401SS	207		2	1	0
<input type="checkbox"/>	225993655	F 9491 NW 20TH PL CFST	PON9401SS	209		2	1	0
<input type="checkbox"/>	225993718	F 9471 NW 20TH PL CFST	PON9401SS	211	212-214	4	1	0
<input type="checkbox"/>	225993670	F 9431 NW 20TH PL CFST	PON9401SS	215		2	1	0



PON TERMINAL TEST SHEET - A053LM1

	WALDO ID	TERMINAL	CABLE ID	POWER TEST STRAND	OTDR TEST STRAND(S)	TOTAL STRANDS	TESTP QTY	TESTPA QTY
<input type="checkbox"/>	225993701	F 2060 NW 94TH WAY CFST	PON9401SS	217	218-220	4	1	0
<input type="checkbox"/>	225993638	F 2160 NW 94TH WAY CFST	PON9401SS	221	222-224	4	1	0
<input type="checkbox"/>	225993687	F 2190 NW 94TH WAY CFST	PON9401SS	225		2	1	0
<input type="checkbox"/>	225993677	F 2220 NW 94TH WAY CFST	PON9401SS	227		2	1	0
<input type="checkbox"/>	225993719	F 9710 NW 21ST MNR CFST	PON9401SS	229	230-234	6	1	0
<input type="checkbox"/>	225993641	F 9691 NW 21ST MNR FST	PON9401SS	235	236-246	12	1	0
<input type="checkbox"/>	225993691	F 9651 NW 21ST MNR FST	PON9401SS	247		2	1	0
<input type="checkbox"/>	225993722	F 9660 NW 21ST MNR CFST	PON9401SS	249		2	1	0
<input type="checkbox"/>	225993707	F 9630 NW 21ST MNR CFST	PON9401SS	251		2	1	0
<input type="checkbox"/>	225993636	F 9590 NW 21ST MNR CFST	PON9401SS	253		2	1	0
<input type="checkbox"/>	225993673	F 9550 NW 21ST MNR CFST	PON9401SS	255		2	1	0
<input type="checkbox"/>	225993703	F 9411 NW 21ST MNR FST	PON9401SS	257	258-268	12	1	0
<input type="checkbox"/>	225993639	F 9491 NW 21ST MNR FST	PON9401SS	269		2	1	0
<input type="checkbox"/>	225993702	F 9450 NW 21ST MNR CFST	PON9401SS	271	272-274	4	1	0
<input type="checkbox"/>	225993726	F 9410 NW 21ST MNR CFST	PON9401SS	275		2	1	0
<input type="checkbox"/>	225993725	R 9791 NW 24TH ST CFST	PON9401SS	277	278-280	4	1	0
<input type="checkbox"/>	225993694	R 9750 NW 24TH CT CFST	PON9401SS	281	282-284	4	1	0
<input type="checkbox"/>	225993728	R 9691 NW 24TH ST CFST	PON9401SS	285	286-288	4	1	0
<input type="checkbox"/>	225993643	R 9671 NW 24TH ST CFST	PON9401SS	289	290-292	4	1	0
<input type="checkbox"/>	225993658	R 9631 NW 24TH ST CFST	PON9401SS	293	294-296	4	1	0
<input type="checkbox"/>	225993666	R 9611 NW 24TH ST CFST	PON9401SS	297	298-300	4	1	0
<input type="checkbox"/>	225993706	R 9571 NW 24TH ST CFST	PON9401SS	301	302-304	4	1	0
<input type="checkbox"/>	225993660	R 9530 NW 24TH CT CFST	PON9401SS	305	306-308	4	1	0
<input type="checkbox"/>	225993690	R 9490 NW 24TH CT CFST	PON9401SS	309	310-312	4	1	0



PON TERMINAL TEST SHEET - A053LM1

	WALDO ID	TERMINAL	CABLE ID	POWER TEST STRAND	OTDR TEST STRAND(S)	TOTAL STRANDS	TESTP QTY	TESTPA QTY
<input type="checkbox"/>	225993674	R 9451 NW 24TH ST CFST	PON9401SS	313	314-318	6	1	0
<input type="checkbox"/>	225993637	R 9410 NW 24TH CT CFST	PON9401SS	319	320-322	4	1	0
<input type="checkbox"/>	225993686	F 2420 NW 94TH WAY CFST	PON9401SS	323		2	1	0
<input type="checkbox"/>	225993705	F 9731 NW 24TH CT CFST	PON9401SS	325	326-328	4	1	0
<input type="checkbox"/>	225993730	F 9691 NW 24TH CT CFST	PON9401SS	329		2	1	0
<input type="checkbox"/>	225993704	F 9661 NW 24TH CT CFST	PON9401SS	331		2	1	0
<input type="checkbox"/>	225993727	F 9631 NW 24TH CT CFST	PON9401SS	333		2	1	0
<input type="checkbox"/>	225993696	F 9611 NW 24TH CT CFST	PON9401SS	335		2	1	0
<input type="checkbox"/>	225993649	F 9571 NW 24TH CT CFST	PON9401SS	337		2	1	0
<input type="checkbox"/>	225993645	F 9511 NW 24TH CT CFST	PON9401SS	339		2	1	0
<input type="checkbox"/>	225993693	F 9471 NW 24TH CT CFST	PON9401SS	341		2	1	0
<input type="checkbox"/>	225993724	F 9431 NW 24TH CT CFST	PON9401SS	343		2	1	0
<input type="checkbox"/>	225993713	F 9401 NW 24TH CT CFST	PON9401SS	345		2	1	0
<input type="checkbox"/>	225993689	F 2440 NW 94TH WAY CFST	PON9401SS	347		2	1	0
<input type="checkbox"/>	225993731	F 9730 NW 24TH ST CFST	PON9401SS	349	350-354	6	1	0
<input type="checkbox"/>	225993669	F 9670 NW 24TH ST CFST	PON9401SS	355		2	1	0
<input type="checkbox"/>	225993652	F 9660 NW 24TH ST CFST	PON9401SS	357		2	1	0
<input type="checkbox"/>	225993714	F 9610 NW 24TH ST CFST	PON9401SS	359		2	1	0
<input type="checkbox"/>	225993723	F 9590 NW 24TH ST CFST	PON9401SS	361		2	1	0
<input type="checkbox"/>	225993716	F 9530 NW 24TH ST CFST	PON9401SS	363		2	1	0
<input type="checkbox"/>	225993647	F 9490 NW 24TH ST CFST	PON9401SS	365		2	1	0
<input type="checkbox"/>	225993678	F 9450 NW 24TH ST CFST	PON9401SS	367		2	1	0
<input type="checkbox"/>	225993681	F 9430 NW 24TH ST CFST	PON9401SS	369	370-372	4	1	0
<input type="checkbox"/>	225993672	F 2360 NW 94TH WAY CFST	PON9401SS	373	374-380	8	1	0

PON TERMINAL TEST SHEET - A053LM1

	WALDO ID	TERMINAL	CABLE ID	POWER TEST STRAND	OTDR TEST STRAND(S)	TOTAL STRANDS	TESTP QTY	TESTPA QTY
<input type="checkbox"/>	225993661	F 2320 NW 94TH WAY CFST	PON9401SS	381	382-384	4	1	0
<input type="checkbox"/>	225993712	F 9771 SUNSET STRIP CFST	PON9401SS	385	386-390	6	1	0
<input type="checkbox"/>	225993662	F 9690 SUNSET STRIP FST	PON9401SS	391	392-402	12	1	0
<input type="checkbox"/>	225993659	F 9750 SUNSET STRIP FST	PON9401SS	403		2	1	0
<input type="checkbox"/>	225993646	F 9651 SUNSET STRIP CFST	PON9401SS	405	406-408	4	1	0
<input type="checkbox"/>	225993711	F 9571 SUNSET STRIP CFST	PON9401SS	409	410-412	4	1	0
<input type="checkbox"/>	225993648	F 9510 SUNSET STRIP FST	PON9401SS	413	414-424	12	1	0
<input type="checkbox"/>	225993697	F 9491 SUNSET STRIP FST	PON9401SS	425		2	1	0
<input type="checkbox"/>	225993675	F 9431 SUNSET STRIP CFST	PON9401SS	427	428-432	6	1	0