


AUGUSTO RIGHI AND THE INTUITION OF THE EXPERIMENT

A SCIENTIFIC PORTRAIT OF ONE OF THE LEADING ITALIAN PHYSICISTS ACROSS THE END OF THE 19TH AND THE BEGINNING OF THE 20TH CENTURY

EUGENIO BERTOZZI (*)
Department of Physics and Astronomy and University Museum Network
University of Bologna, Bologna, Italy

Ingenious experimental physicist, talented professor and science communicator, committed Senator, Augusto Righi has been one of the greatest Italian physicists across two epochs of physics history – the end of the 19th and the beginning of the 20th century. By means of a close look into Righi's most significant experiments, apparatuses and documents, the paper provides on overview on Righi's major contributions to classical electromagnetism and structure of matter and sheds light on his peculiar "experimental intuition".

1 Introduction

Soon after the death of Augusto Righi, occurred on the 8th of June 1920, authoritative voices among scientists and intellectuals arose to pay their respect to the illustrious physicist and, by doing so, provided several perspectives on him.

The brilliant physicist, future politician and mentor of Enrico Fermi – Orso Mario Corbino – during the commemoration held at the *Accademia dei Lincei* wanted place Righi in a historical perspective by describing him as "the most eminent physicist that Italy had since the epoch of Alessandro Volta" [1]. Shortly afterwards, the President of the Royal Society and physics Noble Prized Joseph John Thomson wanted to focus on Righi's major subjects of investigation and the role he had played in his country:

"Prof. Righi had made important contributions to our knowledge of electrical waves and the passage of electricity through gases. He was one of the leading spirits in the great renaissance of scientific research in Italy, which has been so conspicuous a feature in its recent history" [2].

A more intimate portrait stems from the words of Righi's friend and colleague Giacomo Ciamician who, while taking the floor at the commemoration held at the Senate, wanted to emphasize Righi's research methodology:

"But I can tell you something more intimate about the way Righi worked, and how he conceived. He had what can be called the intuition of the experiment, in the sense that he thought by experimenting. As Senator Volterra has masterfully pointed out, the development of physics in the last fifty years is reflected in his works; every new fact, every new theory found an echo in his mind, and even more in his experimental intuition. When Righi was interested in some experience performed by others, he said: I want to repeat it; but to repeat it meant to transform it; day by day new facts were added to the facts and at the end of a month,

(*) E-mail: eugenio.bertozzi2@unibo.it

or a year a masterful work arose. Thus was born the optics of electric oscillations, whose sequel was known to all. So I was able to follow him in his scientific career from 1888 onwards, and I saw him rise from appreciation to celebrity" [3].

Retracing Righi's path from "appreciation" to "celebrity" and providing insights into his "experimental intuition" is the aim of the present paper. By following Righi's personal scientific career, an epoch of shifting paradigms in the history of physics unfolds: this epoch sees the major international physicists of the time engaged in the experimental completion of a well-grounded theory (Maxwell electromagnetic theory) and the experimental exploration of the atomic domain for which a coherent theory was still to come.

Section 2 provides an overview on Righi's experimental activities until 1888, the year in which he gained an international reputation with his experimental studies on the photoelectric effect. Section 3 focuses on Righi's path from appreciation to celebrity: in particular, his thorough study of the optical behaviour of electromagnetic waves and his "experimental intuition" on how perfecting Hertz's apparatuses in order to do so will be carefully analysed. Section 4 draws from Righi's celebrity period – which includes 15 consecutive years of nominations to the Nobel Prize, the nomination as Senator of the Kingdom of Italy and a successful career as popular science writer. Among the several studies carried out in this period, Righi researches on the Zeeman effect and magnetic rays will be addressed.

2 The building of a scientific career: Righi's activities until 1888

Born in Bologna on the 27th of August 1850, Righi attended the Royal Technical Institute of his town where he had the privilege of having a great figure of physicist and politician – Antonio Pacinotti – as teacher and mentor. Thereafter, during his studies in mathematics at the University of Bologna, Righi met Eugenio Beltrami, also a scientific reference for Righi's future career [4]. Righi's decision of completing his university training with a diploma for practicing the profession of civil engineer and architect should not mislead on a keen interest for the physics of the time, as attested by his publication record.

In fact, the object of Righi's dissertation was a small type of electrostatic generator, useful to measure small differences of potential and which he called "electrometer" [5] (fig. 1): the apparatus had the peculiarity that the belt carrying the charges went through a hollow sphere and it will be quoted as such by Robert Van de Graaff when introducing his homonymous generator [6]. After succeeding to Antonio Pacinotti as physics teacher at the Technical Institute in 1873, Righi became assistant to the Cabinet of Physics at the University and associate at the Academy of Sciences in Bologna. Along these years, Righi studies dealt with electrostatic (controversial points, Volta principles, electrical discharges), light behaviour in magnetized materials and a series of experiences with the new Crookes radiometer.




Fig. 1 Righi's induction electrometer (credit: Department of Physics and Astronomy, University of Bologna – DIFA).



Fig. 2 Righi's telephone (credit: Museo Crescenzi-Pacinotti).

Righi soon developed also a special attention for the technological frontiers of the time – the electrical communications – a sector in which he would provide a long-life contribution. In 1878, few months after the introduction of Bell's telephone in Italy, Righi introduced his "own telephone" (fig. 2), a device in which the communication between two people was extended to two groups of people. To the purpose, Righi transformed Bell's receiver into a loudspeaker and introduced the first conductive powders microphone [7].

Righi began his university career in 1880 as professor of experimental physics at the University of Palermo and quickly placed himself at the frontline of physics research. He published for example a short memory which contained the first observation of the hysteresis of steel [8], a discovery usually recognized to Emil Warburg and to his longer paper published the year after [9]. During these firsts years, Righi's methodology recalled by Ciamician – consisting in repeating and modifying experiments performed by others in order to extract new knowledge – quickly revealed: after William Crookes had showed that "shadow phenomena" were created by cathode rays in evacuated tubes subjected to a potential difference, Righi showed that electric shadows could form also in open air and that "electrified particles" able to move along the line of an electric field existed also in the atmosphere. In 1881, Righi referred to these particles as "ions of the gas, according to the new terminology" anticipating the German physicist Walther Giese who, in 1882, assumed gaseous ions to explain the electric conductivity of flames [10, 11]. Following the same method, after carrying out a detailed study on the variation of intensity of polarized light when it is reflected by magnetized materials – known as the "Kerr effect" [12] – Righi discovered the existence of a thermal analogue to the Hall effect, today still called "Righi-Leduc effect"[13].

However, Righi's encounters with the "great physics" of the time took place in Padua, when he would be professor from 1885 to 1888 and become one of the physicists involved in the first experimental investigation of the photoelectric effect. An effect whose name was coined by Righi himself and for which Albert Einstein would introduce the hypothesis of the photon.

In 1886, after discovering the existence of the electromagnetic waves predicted by Maxwell's electromagnetic theory and while performing experiments to study their behavior, the German physicist Heinrich Rudolph Hertz noticed that when the waves emitted by the oscillator were filtered with a quartz plate, the intensity of the discharge in the resonator would become higher. Hertz realized that the ultra-violet component was responsible of lowering the discharging potential between the electrodes and, by doing so, he identified the "core" of the photoelectric effect [14].

Following Hertz's steps, in the first months of 1888, his collaborator Wilhelm Hallwachs advanced the hypothesis that the phenomena could consist in a dispersion of negative charge from the negative electrode [15, 16]. Righi's contribution to the matter dates to April 1888 and consisted in a more complete experimental account of the phenomena: he showed that conducting or insulating materials, when irradiated with ultraviolet light, would become positively charged according to the proximity of the source and the extension of the metallic surface [17]. Two years later the German colleague, in the person of Hallwachs himself, would recognize Righi's merits by saying that:

"*If I therefore have to deny the priority of discovery, I would not like to omit to mention that the laws of the phenomenon, which we have gained up to now, are mainly due to him*" [18].

3 From appreciation to celebrity: "The optics of electrical oscillations"

Righi's interest in the electromagnetic, or "Hertzian", waves developed around 1892, during his professorship at the University of Bologna, which began in 1889. With four consecutive papers, Righi introduced some "new experimental settings to demonstrate and study the electrical oscillations of Hertz" [19]. The innovations consisted in a new type of oscillators for the emission of the waves, a new type of resonator to detect them and the replication of some of Hertz's experiences with the new equipments. Righi stated very clearly how further researches on the electromagnetic waves were hanging upon the resolution of a technical problem:

"It is known how uncomfortable and difficult it is to repeat the beautiful experiences of Hertz, which show the complete analogy between the propagation of the rays of electric force and that of light rays. Even when the wavelength is only 66 cm, as in the classic experience of Hertz, mirrors, lenses and prisms of colossal dimensions are needed, in order to show the reflection or refraction of electrical radiation, so that it would be not even thinkable to attempt the performance of many other optical experiences. I therefore believed that it would be worthwhile to try to experiment with much shorter wavelengths, and I have come to build rectilinear resonators with such a short vibratory period, as to respond clearly to electrical vibrations whose wavelength is few centimeters as well as the relative oscillators, capable of exciting them effectively" [20].

Since the beginning then, Righi's program was twofold:

a) Introduce suitable devices to reduce the wavelength of the electrical oscillations so that Hertz's experiences could be repeated in a laboratory environment, without being




Fig. 3 Electrical circuit and Hertz's apparatus for electromagnetic waves.




Fig. 4 Detail of Hertz's oscillator for the emission of electromagnetic waves.




Fig. 5 Righi's three-spark oscillator.

tied up to the use of "colossal mirrors, lenses and prisms". On this account, since his very first paper, Righi repeated Hertz's experiences on reflection, refraction, interference and diffraction with a wavelength of 7.5 cm (reflected by metallic mirrors of the size of 1 dm^2), a wavelength that he was going to reduce to few millimeters in the years to come.

b) Extend Hertz's experiments to the "ordinary optical experiences". In order to demonstrate that the new, Hertzian waves (radio waves, in modern terms) were the same thing as visible light (today, different regions of the electromagnetic spectrum), the totality of the optical phenomena such as double-refraction, total reflection and diffraction had to be verified in the new regime.

The completion of this scientific program is reported by Righi in the volume "*The optics of electrical oscillations*", published in 1897 [21].

3.1 Experimental intuition: the new apparatuses

In Hertz's apparatus, the wave was generated by the oscillating tension of an induction coil applied to a secondary circuit allowing huge amounts of charge to accumulate on the external spheres and discharge between the internal ones (figs. 3, 4).

The critical point of Hertz's setting was the total capacity of the system: the huge amount of charge which was at stake produced low-frequency oscillations with a high wavelength. On the other hand, reducing the size of the spheres would decrease the intensity of the signal, making it undetectable. Righi's intuition consisted in finding out the way to reduce the total capacity and preserving the detectability of the signal. The three sparks, or "Righi oscillator", was made of six spheres of small diameter in order to reduce the total capacity, the inductance of the circuit and its period of oscillation (fig. 5).

The spark generating the wave struck between the two central spheres, charged by induction by two couples of external ones. The immersion in a dielectric liquid – vaseline oil – increased the quantity of charge necessary for the spark, so to compensate the loss of intensity implied by the small size of the spheres. Righi gives an empirical




Fig. 6 Righi's electromagnetic bench (credit: DIFA).




Fig. 7 Metallic mirrors, thin sulphur layers and lenses (credit: DIFA).

correspondence between the diameter of the spheres arranged in this way and the wavelength of the emitted oscillation: 0.8 cm diameter corresponded to a wavelength of 2.6 cm, 3.75 cm to 10.6 cm and 8 cm to 20 cm of wavelength. Righi's oscillator and the empirical knowledge embedded in it for mastering the wavelength was quickly noticed by Guglielmo Marconi and included in his first patent for wireless telegraphy [22].

Righi's improvements of Hertz's apparatus concerned also the receiving system, or resonator, which in Hertz's case consisted in an open, metallic ring terminating with two spheres. According to the orientation of the spheres, the passage of an electromagnetic wave would induce a current through the ring, an accumulation of charge in the spheres and their discharge through a spark. Starting from the observation that the sparks became more visible when propagating on the surface of a conductor, Righi replaced Hertz's resonator with his "silver glass resonator", a small rectangular glass to which he applied a millimetric cut all along its length. The wave emitted by the oscillator was then detected by the resonator and visualized as a series of sparks connecting the two disconnected sections of the resonator, perpendicularly to the cut. An increase or loss of intensity would correspond to a higher/lower number of horizontal sparks sequencing each other. Oscillator and resonator were mounted by Righi in a single bench for the study of electromagnetic waves (fig. 6). The two arms of the bench could rotate around a central pin and two parables hosted the oscillator (on the left) and the resonator (on the right). Sparks in the resonator were observed from the back of the parable through a small telescope. The orientation of both oscillator and the resonator could be varied for polarizing the emitted/received wave. Devices such as metallic mirrors, thin sulphur layers, prisms of sulphur and selenite were positioned on the central platform (fig. 7).

3.2 Extending Hertz's experiences: the completion of a scientific program

Among the optical experiments allowed by the new apparatus, Righi tested the famous Fresnel's relations (fig. 8).

The wave was emitted in *O*, polarized according the angle α and received in *R* with the angle β. Righi verified that when the polarization plane of the emitted wave is perpendicular to the incidence plane, the reflected wave is also vertically polarized and its intensity increases according to the angle of incidence as predicted by Fresnel. Besides, Righi verified that, when the polarization angle is different from zero and the incidence angle is minor to the polarization angle, polarization changes its sign.

Righi's experiences did not only consist in repeating optical experiences but also in perfecting electrical experiences carried out by his contemporaries, as it was for the measurement of the wavelength. Righi remarked how the original experience, suggested by Boltzmann to his collaborators Ignaz Klemenčič and Paul Czermak, contained a critical point. In the original setting, two metal mirrors *AB* and *BC* were used (fig. 9). When these mirrors are combined to form a unique mirror, the resonator placed in *R* detects a maximum of intensity. When *BC* is then moved in the position B_1C_1 in a way that the difference between the optical paths




Fig. 8 Test of Fresnel's relations: scheme of the experiment (from ref. [21]).




Fig. 9 Measurement of the wavelength: Boltzmann, Klemenčič and Czermak experiment (from ref. [21]).




Fig. 10 Measurement of the wavelength: Righi's revision of the experiment (from ref. [21]).

of the two beams is a multiple of $\lambda/2$, the resonator should detect a minimum of intensity and should stop signaling.

Righi remarked that, even though this was theoretically correct, the performance of the experiment proceeded in a different manner. In fact, in order to reduce diffraction effects, the metal plates would be sensibly longer than the ones reported in fig. 9. This would not cause any problem when the mirrors are in the first position; however, when the second mirror *BC* would be moved forward, the resonator would receive more radiation from the second mirror than from the first. The result is that the complete extinction of the signal could not be observed, the position of the minimum would not be precisely determined and so it was for the wavelength of the radiation.

Righi's revision of the experiment foresaw the combined use of metal mirrors with a thin sulphur layer (fig. 10).

Once located the sulphur layers on the central platform to form an angle of 45°, the radiation emitted by *O* would cross the layer and reach the two metal mirrors *AB* and *BC*. Then, the radiation reflected by the mirrors would be reflected also by the sulphur layer to be detected by a resonator placed in *R*. By moving one of the two mirrors (*BC* in B_1C_1), the optical path of the two beams would vary so that in *R* maxima and minima of intensity would be clearly observed. From the measurement of the distance BB_1 and the optical relations (destructive interference when BB_1 is a multiple of $\lambda/4$) Righi could obtain a precise determination of the wavelength. It is worth noticing how the set up for this experience draws from the Michelson and Morley interferometer, an element which confirms Ciamician's perspective on Righi's peculiarity of adapting others' experiences to new environments.

3.3 Conclusion

As remarked by the historian of physics Mario Gliozzi, "*The optics of electrical oscillation*" is a title which means, and we should add closes, an epoch in the history of physics. After Righi's work of systematization and replication, visible light and Hertzian oscillations could be considered "oscillation of electromagnetic ether" and the electromagnetic nature of light could be finally stated. In that year 1897, J. J. Thomson's experiments clarified the nature of electrical currents, by identifying the "atoms of electricity" – already hypothesized by Helmholtz and Maxwell – in the fundamental particle universally known as "the electron". In the meanwhile, the discovery of radioactivity by Becquerel, the studies of Marie and Pierre Curie, together with the observation of astonishing new effects such as the so-called "Zeeman effect" pushed the community toward the understanding of the internal architectures of matter and the incoming atomic models. Righi, despite the achieved celebrity, would not step back from this new chapter of history.

4 Righi's celebrity and full maturity: the studies on the structure of matter and the "magnetic rays"

Righi's growing visibility and achievement of celebrity can be detected at different levels. At University level, he would become the Principal of the Faculty of Mathematical, Physical and Natural Sciences of the University of Bologna (1896–1902; 1912–1915). At national level, besides becoming member of prestigious societies such as the Accademia dei Lincei and "Accademia dei XL", he would be founder member and President of the Italian Physical Society (1897), alternating this presidency with the one of the "Accademia delle Scienze dell'Istituto di Bologna".

At the international level a series of honorary memberships include the Philosophical Society of London, the Royal Institution of Great Britain, the Royal Societies of London and Edinburgh, Uppsala and San Petersburg, the Academy of Sciences in Paris. In 1903, after the success of Marconi's intercontinental experiments and the publication of Righi's volume on the history of wireless telegraphy [23], the prestigious journal *Nature* wanted to underline that "Prof. Righi has considerable claims to be regarded as the father of practical wireless telegraphy" [24].

In those years, Righi's scientific recognition is enriched by an important institutional one: on the 4th of March 1905, Righi was nominated Senator of the Kingdom of Italy and in such capacity, he engaged in school and University reforms, water treatment plants for energetical purposes and organized the first service of air-mail in Italy (and Europe) [25].

A sign of celebrity must be identified also in the authoritativeness recognized to him in the the popularization of his own discipline. Starting from 1904, the publisher Cesare Zanichelli transformed Righi's conferences into books addressed to a large audience. In this way, a conference on radioactivity where Righi illustrated the principal discoveries of Becquerel, Marie e Pierre Curie using apparatuses introduced by himself – such as a special electrometer able to detect the activity of 15 mg of radio at 4 meters distance – was published as "*The Radio*" [26]. Along this line, Righi wrote his successful philosophical-oriented book "*The modern theory of physical phenomena*" [27]. In this essay, drawing from Lorentz's theory of electron, Righi explained how the electromagnetic theory of Maxwell and electron's discovery finally allowed to articulate the comprehension of the physical reality in terms of ponderable matter, electrons and ether. Righi would discuss these ideas also in a lesson-demonstration entitled "On the electrical constitution of matter", given on the occasion of the foundation of the Institute of Physics of the University of Bologna, in April 12th, 1907. Righi's ideas were noticed and appreciated by important philosophers of the time like Vladimir Lenin [28] and Benedetto Croce [29]. Righi's popular works include an analysis of the cometary phenomena (like the "comet tail") from the point of view of physics (such as the radiation pressure in gases or observations carried out in vacuum tubes). Presented in the form of a conference given at the Academy of Sciences in Bologna on the 22th of June 1910 for the passage of the Halley Comet, Righi's speech became the book "*Comets and electrons*" [30].

Despite the new activities, Righi's attention to frontier physics did not slow down. Since 1895, he had worked on the propagation of electricity in gas through the Röntgen rays and the comparison between Röntgen rays and ultra-violet light, showing that the new radiation creates dispersion of charges of both signs, differently from the UV in the photoelectric effect [31]. Starting from 1898, Righi focused on the Zeeman effect providing contributions which include an experimental setting to observe the phenomenon without using a spectroscope, the test of Lorentz's prevision according to which, when the gas is immersed in a magnetic field, each spectral line splits in two or three and the light is circularly polarized in case of a doublet and linearly polarized in the other case. Besides, following Lorentz's suggestion, Righi was among the first scientists to study the inverse Zeeman effect, occurring when a circularly polarized ray passes through a highly absorbing gas and magnetizes it [32].

After 1907, Righi's interests started to focus on one, single topic to which he devoted the

last part of his scientific activity, *i.e.* the intriguing subject of "magnetic rays". Righi's renewed attention to an "old topic" – physicists had known the magneto-cathodic rays since the first half of the 19th century – studied by means of an "old technique" – the passage of electricity through gases – was however accompanied by a "new attitude" concerning the way of making research and the role of experimentalists in physics.

In the addresses to the Italian Society for the Progress of Science during the conference of 1911, Righi remarked that in the last three or four decades

"little importance was accorded to scientific hypotheses […] and the main activities of the most eminent physicists was principally devoted to rigorous and patient measurements, to the verification of numerical values and constants to a higher level of precision, to the search and understanding of very specific phenomena, or, in the best occasion, to the invention of experimental methods which would allow the choice between antagonist hypotheses. Today, on the contrary, a different trend, though less severe, tends to be preferred by many of us. Explicative hypotheses are not rejected with horror, and intuition and scientific imagination are widely used as well" [33].

Between the lines, one can read the reference to Einstein's heuristic hypothesis for the interpretation of the photoelectric effect in 1905 and guess that Righi must have been impressed, also due to his longstanding involvement. However, Righi would never really get into the realm of the new quantum hypothesis concerning the interaction between radiation and matter or the atomic models; perhaps, he would stay on a more macroscopic level, proposing a semi-classical model for gas behavior when they are crossed by electricity in vacuum tubes. Before Righi, physicists such as Edouard Sarasin and Auguste de la Rive had tried to understand the beautifully colored and appealing phenomena which can be observed when the electric glow in a cathode tube is immersed in a magnetic field. At the beginning of the XX century, after the discovery of electron, eminent physicists like Paul Villard (discoverer of gamma rays) had brought up the subject that the green fluorescence typical of the cathodic rays did not suffice to explain the variety of these colored phenomena, called "magneto-cathodic" effects.

Righi's first contribution to the subject firstly consisted in the design and construction of an apparatus which was able to provide an almost complete separation between the well-known cathodic rays and the "other rays", which deserved further explanations. The horizontal tube in fig. 11 was commissioned by Righi to the famous instrument-maker Richard Müller-Uri in Braunschweig. It could be crossed horizontally by a magnetic field produced by the electromagnet *R* and, differently from any other apparatuses of this type, it had the anode (*A*) and cathode (*C*) in a vertical position. When the tube was evacuated and a tension applied, a green fluorescence – cathodic rays, or electrons – were observed in the vertical column between *C* and *A*. However, when the electromagnet was switched on, a blue column formed horizontally and by increasing the intensity of the field, the blue column increased its length until a maximal extension *E*. At this value of the field, a second column of a reddish color appeared between *E* and *D* [34].

Righi's theoretical proposal to interpret these horizontal rays ("magnetic rays") consisted in the hypothesis of "planetary doublets": electrons and ions in a gas crossed by electrical currents do not only exist in stable, bound state (molecule) or in an ionized one; according to Righi, they can exist on a third, weakly bound state in which they elliptically rotate around a common center of mass during their propagation, analogously to the double stars in the Universe (or comets around the Sun). The hypothesis was supported from the fact that, according to Maxwell theory, the magnetic field could give temporary stability to these electrical systems, as the gravitational force does for the masses: when sufficiently strong, the magnetic field could position the doublets in a stable orientation via the Lorentz force, provided that the sense of rotation of the electron be the same as the current generating the field. However, because of the current produced by the revolving electrons, the doublets would act as elementary magnetic dipoles, and move toward regions of decreasing field strengths, where they would dissolve either forming a molecule or an electron and an ion. Righi's proposal was to interpret the blue fluorescence between *B* and *E* as evidence for the formation of the magnetic rays and the red one between *E* and *F* as evidence for their dissolution. In fact, few electrons emitted from the cathode would escape toward the anode and combine with the ions of the gas to form the doublet which would form continuously. The existence of a threshold value in the magnetic field and the presence of a second column would be evidence that, below a certain value, the magnetic field would not be able to support the formation anymore. The fact that the left part of the tube contained ions and electrons in a separate state was reinforced by the observation that, when a magnetic pole *S* was placed near the tube, an electric current moving from *D* to *E* was observed: the ions of the broken doublets, because of their inertia, would remain close to the breaking-point (and so between *E* and *S*), while the fast electron would reach the bottom of the tube and recalled back by the magnet.

Righi's hypothesis clearly showed his belief that the






Fig. 11 Righi's apparatus for magnetic rays.

understanding of the intimate structure of matter – the microcosmo – should reflect the understanding of the whole – the macrocosm. In the same years, Ernst Rutherford suggested his planetary model for the structure of the atom and what an intriguing and inspirational coincidence the passage of the Halley comet in 1910 must have been.

Scholars have noticed that Righi's hypothesis, even though being the object of a lively controversy, was never really rejected through solid experimental refutation; perhaps, it was more "neglected" as time went by. The weakest point of it was probably Righi's decision of not entering the mechanism of how doublets released light by rearticulating the hypothesis within Bohr's theory of light emission [35].

During the years of the controversy and of the studies on magnetic rays, Righi's international reputation continued its course. The most evident sign are surely the 15 consecutive years during which he was nominated for the Nobel Prize by 40 of his colleagues. He was supported by many Italian scientists such as Orso Mario Corbino, Giacomo Ciamician and Vito Volterra, and European ones such as Henri Poincaré, Henri Becquerel, Oliver Lodge and Pieter Zeeman. In 1918, Righi became member of the Solvay Institute and sat on its scientific committee for the 1921 meeting – dedicated to "atoms and electrons" – along with H. A. Lorentz, Madame Curie, William Bragg and Ernst Rutherford. However, he could not participate to this meeting since he died on the 8th of June, 1920.

Righi's last paper, published with an unfinished final note, focused on another fundamental concept of 20th century physics, *i.e.* the theory of special relativity [36]. As many other experimental physicists until the '30s, Righi was re-analyzing the Michelson and Morley experiment, posing the "supreme question" on whether uniform motion does or does not affect the optical phenomena observed in it, planning new experiences to come. Still, he was not easily prone to banish away the nineteenth-century ether from the theoretical imaginary of physics.

5 Conclusions

This paper provides a scientific portrait of Augusto Righi through a close look into his major contributions to the history of physics, *i.e.* the experimental researches on Maxwell electromagnetic theory and the studies on the structure of matter.

The analysis shows that Righi's "experimental intuition" brought him to solve sophisticated technical problems as the reduction of the wavelength of the electrical oscillations, which

influenced the development of wireless telegraphy. However, the paper also shows that Righi's contributions must be understood beyond the wireless telegraphy in so far they concerned the pure development of physics: Righi had the merit of bringing to completion a scientific program began by Hertz and devoted to show that visible light and electric oscillations were both electromagnetic waves. The celebrity that Righi gained from this enterprise did not prevent him from engaging in the new physics which opened in the last years of the 19th century and flourished at the beginning of the 20th Century. Righi looked at the new epoch with the eyes of a Maxwellian, stretching at best the insights of the classical electromagnetic theory and becoming one of the most representative figures of that era of physics.

Acknowledgements

This research has been carried out for the project "Righi100" organized by the Department of Physics and Astronomy, the University Museum Network and the Rectorate of the University of Bologna to remember and celebrate Augusto Righi 100 years after his death. My grateful thanks go to the many people involved and to the editors of this journal for publishing these results.

References

[1] O. M. Corbino, *Atti R. Accademia Lincei*, 30 (1921) 215.
[2] J. J. Thomson, *Proc. R. Soc.*, 98 N. 692 (1921) 322.
[3] G. Ciamician, Senato del Regno, Atti parlamentari. Discussioni, 24 giugno 1920.
[4] G. Dragoni, *Quaderni Storia Fisica*, 19 (2017) 47.
[5] A. Righi, *Nuovo Cimento*, 7 (1), (1872) 123.
[6] R. J. Van de Graaff, K. T. Compton, L. C. Van Atta, *Phys. Rev.,* 43 (1933) 149.
[7] A. Righi, *Nuovo Cimento*, 4 (1), (1878) 233.
[8] A. Righi, *Nuovo Cimento*, 7(1), (1880) 135.
[9] E. G. Warburg, *Ann. Phys. Chem.*, 13 (1881) 141.
[10] A. Righi, *Mem. Accad. Scienze Ist. Bologna*, 12 Maggio 1881, s. 6, tomo 2 (1881), pp. 555–567.
[11] W. Giese, *Ann. Phys.*, 17 (1882) 1.
[12] A. Righi, *Mem. R. Accad. Lincei*, 19 Aprile 1883, s. IV, vol. I, 282 (1884-1885), pp. 367–416.
[13] A. Righi, *Rend. R. Accad. Lincei*, Seduta del 3 Giugno, 1883, vol. VII, 280 (1882-1883), pp. 262–263; A. Righi, *Mem. R. Accad. Lincei*, 1 Giugno 1884, s. III, tomo XIX, 28 (1884), pp. 307–308.
[14] H. R. Hertz, *Ann. Phys.*, 267 (1887) 983.
[15] W. Hallwachs, *Ann. Phys. Chem.*, 269 (1888) 301.
[16] W. Hallwachs, *Ann. Phys.*, 270 (8A), (1888) 731.
[17] A. Righi, *C. R. Hebd. Seances Acad. Sci.*, 2, tomo 107 (1888) 559.
[18] W. Hallwachs, *Ann. Phys. Chem.*, 276 (1890) 338.
[19] A. Righi, *Rend. R. Accad. Lincei*, 30 Aprile 1893, pp. 333-337.
[20] A. Righi, *Rend. R. Accad. Lincei*, settembre 1893, pp. 505-517.
[21] A. Righi, "*L'ottica delle oscillazioni elettriche. Studio sperimentale sulla produzione di fenomeni analoghi ai principali fenomeni ottici per mezzo delle onde elettromagnetiche*" (Zanichelli, Bologna) 1897.
[22] G. Marconi, British patent No. 12,039 (1897).
[23] A. Righi, B. Dessau, "*La telegrafia senza filo*" (Zanichelli, Bologna) 1903.
[24] A. Righi, "*La telegrafia senza filo*", *Nature*, 67 (1903) 582.
[25] M. Leone, N. Robotti, "*I Fisici Senatori*" (SIF, Bologna) 2019.
[26] A. Righi, "*Il radio*" (Zanichelli, Bologna) 1904.
[27] A. Righi, "*La moderna teoria dei fenomeni fisici (radioattività, ioni, elettroni)*" (Zanichelli, Bologna) 1904.
[28] V. I. Ulianov, "*Materialismo ed Empiriocriticismo*", I ed. 1909, tr. it. (Ed. Rinascita, Roma) 1953; cit., p. 241.
[29] B. Croce, "*Commemorazione per Augusto Righi*", Senato del Regno, Atti parlamentari. Discussioni, 24 giugno 1920.
[30] A. Righi, "*Comete ed Elettroni*" (Zanichelli, Bologna) 1910.
[31] A. Righi, *Rend. Accad. Sci. Istituto Bologna* (Maggio, 1896).
[32] A. Righi, *Nuovo Cimento*, 11 (1900) 177.
[33] G. C. Dalla Noce, G. Valle (a cura di), "*Scelta di scritti di Augusto Righi*" (Bologna, 1950), pp. 356-357.
[34] A. Righi, "*La materia radiante e i raggi magnetici*" (Zanichelli, Bologna) 1909.
[35] B. Carazza, H. Kragh, *Hist. Stud. Phys. Biol. Sci.*, 21 (1990) 1.
[36] A. Righi, *Nuovo Cimento*, 21 (1921) 187.

Eugenio Bertozzi

Eugenio Bertozzi is researcher in history of physics and responsible of the collection of physics instruments at the University of Bologna since 2019. He obtained his PhD in physics in 2010 within the physics education research group of the University of Bologna. From 2015 to 2016 he has been Humboldt Research Fellow at the Europa-Universität in Flensburg (Germany) with a research on the teaching use of the Wilson cloud chamber. From 2016 to 2017 he has been Scholar in Residence at the Deutsches Museum in Munich where he carried out a study on the bubble chamber physics.