

Cucumber Report

19-Apr-2023, 3:19:54 pm

Start : Apr 19, 3:19:20.576 pm

End : Apr 19, 3:19:52.868 pm

Duration : 32.292 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 2

SKIPPED - 0

PASSED - 2


FAILED - 4

SKIPPED - 0

PASSED - 21


FAILED - 4

SKIPPED - 16




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>feature to test google search functionality</u>	22.362 s	1	0	1	0	5	3	1	1
<u>Login Functionality</u>	22.899 s	2	2	0	0	10	10	0	0
<u>Ease My Trip Flight Booking</u>	32.245 s	3	0	3	0	26	8	3	15

#	Feature Name	Scenario Name
1	<u>feature to test google search functionality</u>	<u>Validate google search is working</u>
2	<u>Ease My Trip Flight Booking</u>	<u>E-Commerce end-to-end flow</u>
3		<u>User Booked One Way Flight</u>
4		<u>User Booked Round Trip Flight</u>





#	Feature Name	T	P	F	S	Duration
1	<u>feature to test google search functionality</u>	1	0	1	0	22.362 s
2	<u>Login Functionality</u>	2	2	0	0	22.899 s
3	<u>Ease My Trip Flight Booking</u>	3	0	3	0	32.245 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>feature to test google search functionality</u>	<u>Validate google search is working</u>	5	3	1	1	22.355 s
2	<u>Login Functionality</u>	<u>Test Login Functionality(Positive)</u>	5	5	0	0	22.894 s
3		<u>Test Login Functionality(Negative)</u>	5	5	0	0	21.986 s
4	<u>Ease My Trip Flight Booking</u>	<u>E-Commerce end-to-end flow</u>	7	1	1	5	7.121 s
5		<u>User Booked One Way Flight</u>	10	1	1	8	21.005 s
6		<u>User Booked Round Trip Flight</u>	9	6	1	2	32.208 s

feature to test google search functionality

FAILED	DURATION - 22.362 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 3:19:20.576 pm // 3:19:42.938 pm /					



Validate google search is working

<div>FAILED</div> <div>DURATION - 22.355 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:19:20.583 pm // 3:19:42.938 pm /				
feature to test google search functionality				


#	Step / Hook Details	Status	Duration
1	Given browser is open	PASSED	6.791 s
2	And user is on google search page	PASSED	3.643 s
3	When user enters a text in search box	PASSED	0.932 s
4	And hits enter org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.000 (Session info: chrome=112.0.5615.87) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d7ee44eb8e2260b7a5fed0e1404175d2, sendKeysToElement {id=65f768bc-91ae-4033-876e-2ed1a0530f00, value=[Ljava.lang.CharSequence;@3dfecb61}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:57802}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57802/devtoo..., se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d7ee44eb8e2260b7a5fed0e1404175d2)] -> name: qj Session ID: d7ee44eb8e2260b7a5fed0e1404175d2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	10.919 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at stepdefination_UI.GoogleSearchSteps.hits_enter(GoogleSearchSteps.java:53) at ?.hits enter(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/GoogleSearch.feature:7) * Not displayable characters are replaced by '?'. </pre>		
5	Then user is navigated to search results	SKIPPED	0.003 s
	<p>AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112) </pre>	FAILED	0.003 s

Login Functionality


PASSED	DURATION - 22.899 s	Scenarios		Steps	
/ 3:19:20.603 pm // 3:19:43.502 pm /		Total - 2		Total - 10	
		Pass - 2	2	Pass - 10	10
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Test Login Functionality(Positive)





#	Step / Hook Details	Status	Duration
1	Given browser is open for login	PASSED	6.827 s
2	And User is on login page	PASSED	8.421 s
3	When User enters markwill@gamil.com and Markwill@1234	PASSED	1.676 s
4	And user clicks in login button	PASSED	1.994 s
5	Then user is navigated to home page	PASSED	3.948 s

Test Login Functionality(Negative)





#	Step / Hook Details	Status	Duration
1	Given browser is open for invalid user	PASSED	6.814 s
2	And User is on login page for invalid user	PASSED	4.482 s
3	When User filled jonhgardner@gamil.com and john@1234 for invalid user	PASSED	1.666 s
4	And user clicks in login button for invalid user	PASSED	2.067 s
5	Then user get error	PASSED	6.930 s

Ease My Trip Flight Booking



FAILED	DURATION - 32.245 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 26 Pass - 8 Fail - 3 Skip - 15	
/ 3:19:20.623 pm // 3:19:52.868 pm /					

E-Commerce end-to-end flow

FAILED	DURATION - 7.121 s		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 3:19:20.624 pm // 3:19:27.745 pm /				
Ease My Trip Flight Booking				

#	Step / Hook Details	Status	Duration
1	Given Open the browser for E-commerce site	PASSED	7.047 s
2	And User is on the website java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at implementation.Ease_My_Trip_Methods.navigate_To_Ecommerce(Ease_My_Trip_Methods.java:269) at stepdefination_UI.Ease_My_Trip_Steps.user_is_on_the_website(Ease_My_Trip_Steps.java:150) at ?.User is on the website(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:32) * Not displayable characters are replaced by '?'. 	FAILED	0.030 s
3	And User complete the login process	SKIPPED	0.001 s
4	When User enter the item name and search the product	SKIPPED	0.001 s
5	And User add the product into the cart	SKIPPED	0.000 s
6	And fillup all the required address details and payment details	SKIPPED	0.001 s
7	Then User assert the order details	SKIPPED	0.000 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)	FAILED	0.016 s



User Booked One Way Flight

<div>FAILED</div> <div>DURATION - 21.005 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
/ 3:19:20.641 pm // 3:19:41.646 pm /				
Ease My Trip Flight Booking				

#	Step / Hook Details	Status	Duration
1	Given Open the browser for Ease My Trip	PASSED	11.099 s
2	And User is on the Ease my trip website <pre>org.openqa.selenium.StaleElementReferenceException: The element with the reference 3f05184c-7624-4553-b4c2-29376d74f046 is stale; either its node document is not the active document, or it is no longer connected to the DOM For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [b17ae489-821e-4513-937f-13f6c7d21884, clickElement {id=3f05184c-7624-4553-b4c2-29376d74f046}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 111.0.1, moz:accessibilityChecks: false, moz:buildID: 20230321111920, moz:debuggerAddress: 127.0.0.1:40568, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 5668, moz:profile: C:\Users\ONKARJ~1\AppData\Local\Temp\mozrunner\1711111920\profile\, moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:40568/devtools, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on WINDOWS (b17ae489-821e-4513-937f-13f6c7d21884)] -> class name: eb_widget_header_close] Session ID: b17ae489-821e-4513-937f-13f6c7d21884 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at implementation.Ease_My_Trip_Methods.navigate_To_EaseMyTrip(Ease_My_Trip_Methods.java:76)</pre>	FAILED	9.884 s

#	Step / Hook Details	Status	Duration
	at stepdefination_UI.Ease_My_Trip_Steps.user_is_on_the_ease_my_trip_website(Ease_My_Trip_Steps.java:24) at ?.User is on the Ease my trip website(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:5) * Not displayable characters are replaced by '?'.		
3	When User click on One Way Option	SKIPPED	0.002 s
4	And User-filled travel details for Mumbai to Delhi	SKIPPED	0.001 s
5	And User click on the search button	SKIPPED	0.001 s
6	And User navigated to search result page	SKIPPED	0.000 s
7	And User click on book button	SKIPPED	0.000 s
8	And User navigated to the flight details page	SKIPPED	0.001 s
9	And User filled the details and click on continue booking	SKIPPED	0.001 s
10	Then User complete the payment process	SKIPPED	0.001 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)	FAILED	0.003 s

User Booked Round Trip Flight

FAILED DURATION - 32.208 s / 3:19:20.660 pm // 3:19:52.868 pm / <i>Ease My Trip Flight Booking</i>		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
---	---	---	--

#	Step / Hook Details	Status	Duration
1	Given Open the broser for Ease My Trip for Round Trip	PASSED	14.210 s
2	And User is on the Ease My trip website for Round Trip	PASSED	7.197 s
3	When User click on the Round Trip Option	PASSED	0.243 s
4	And User fillup all travel details for Round Trip	PASSED	1.806 s
5	And User click on the Search button for Round Trip	PASSED	1.791 s
6	And User is navigated to search result page for round trip	PASSED	0.056 s

#	Step / Hook Details	Status	Duration
7	<p>And User select the flights and click on book button</p> <pre>org.openqa.selenium.ElementNotInteractableException: Element could not be scrolled into view Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [b17ae489-821e-4513-937f-13f6c7d21884, clickElement {id=9bcfaa51-979b-425c-95cd- c6b4b3a484e1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 111.0.1, moz:accessibilityChecks: false, moz:buildID: 20230321111920, moz:debuggerAddress: 127.0.0.1:40568, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 5668, moz:profile: C:\Users\ONKARJ~1\AppData\Local\Temp\moz-profile-20230321111920, moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:40568/devtools, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on WINDOWS (b17ae489-821e-4513-937f-13f6c7d21884)] -> xpath: (//a[@class="countnbtn"])[1]] Session ID: b17ae489-821e-4513-937f- 13f6c7d21884 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at implementation.Ease_My_Trip_Methods.book_button_round_trip(Ease_My_Trip_Methods.java:224) at stepdefination_UI.Ease_My_Trip_Steps.user_select_the_flights_and_click_on_book_button(Ease_My_Trip_Steps.java:124) at ?.User select the flights and click on book button(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/ cucumberbdd_UI/EaseMyTrip.feature:26) * Not displayable characters are replaced by '?'. </pre>	FAILED	6.894 s
8	And User filled the details and click on continue booking for round trip	SKIPPED	0.000 s
9	Then User complete the payment process for round trip	SKIPPED	0.000 s
	<p>AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112) </pre>	FAILED	0.002 s