

# Cucumber Report

19-Apr-2023, 3:16:04 pm

Start : Apr 19, 3:14:33.577 pm

End : Apr 19, 3:16:02.983 pm

Duration : 1 m 29.406 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 2  
SKIPPED - 0

PASSED - 3  
FAILED - 3  
SKIPPED - 0


PASSED - 25  
FAILED - 3  
SKIPPED - 13




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Ease My Trip Flight Booking</u>	1 m 29.406 s	3	1	2	0	26	12	2	12
<u>Login Functionality</u>	25.001 s	2	2	0	0	10	10	0	0
<u>feature to test google search functionality</u>	21.525 s	1	0	1	0	5	3	1	1

#	Feature Name	Scenario Name
1	<u>Ease My Trip Flight Booking</u>	<u>User Booked One Way Flight</u>
2		<u>E-Commerce end-to-end flow</u>
3	<u>feature to test google search functionality</u>	<u>Validate google search is working</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@search	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Ease My Trip Flight Booking</u>	3	1	2	0	1 m 29.406 s
2	<u>Login Functionality</u>	2	2	0	0	25.001 s
3	<u>feature to test google search functionality</u>	1	0	1	0	21.525 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Ease My Trip Flight Booking</u>	<u>User Booked One Way Flight</u>	10	1	1	8	59.389 s
2		<u>E-Commerce end-to-end flow</u>	7	2	1	4	44.199 s
3		<u>User Booked Round Trip Flight</u>	9	9	0	0	1 m 29.375 s
4	<u>Login Functionality</u>	<u>Test Login Functionality(Negative)</u>	5	5	0	0	25.001 s
5		<u>Test Login Functionality(Positive)</u>	5	5	0	0	15.053 s
6	<u>feature to test google search functionality</u>	<u>Validate google search is working</u>	5	3	1	1	21.524 s

## Ease My Trip Flight Booking

<b>FAILED</b>	<b>DURATION - 1 m 29.406 s</b>	Scenarios		Steps	
/ 3:14:33.577 pm // 3:16:02.983 pm /		Total - 3		Total - 26	
		Pass - 1		Pass - 12	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 12	



## User Booked One Way Flight

<div>FAILED</div> <div>DURATION - 59.389 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
/ 3:14:33.591 pm // 3:15:32.980 pm /				
Ease My Trip Flight Booking				

#	Step / Hook Details	Status	Duration
1	Given Open the browser for Ease My Trip	PASSED	6.567 s
2	And User is on the Ease my trip website  org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=112.0.5615.87) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b1d5939c189eef304e31359d646dcec6, clickElement {id=eb88cf5f-d6b3-4c97-8296-a43856065702}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\Local\Temp\112.0.5615.49\chromedriver-win64\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:57420}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57420/devtools, se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (b1d5939c189eef304e31359d646dcec6)] -> class name: eb_widget_header_close] Session ID: b1d5939c189eef304e31359d646dcec6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	52.757 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at implementation.Ease_My_Trip_Methods.navigate_To_EaseMyTrip(Ease_My_Trip_Methods.java:76) at stepdefination_UI.Ease_My_Trip_Steps.user_is_on_the_ease_my_trip_website(Ease_My_Trip_Steps.java:24) at ?.User is on the Ease my trip website(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	When User click on One Way Option	SKIPPED	0.002 s
4	And User-filled travel details for Mumbai to Delhi	SKIPPED	0.001 s
5	And User click on the search button	SKIPPED	0.001 s
6	And User navigated to search result page	SKIPPED	0.001 s
7	And User click on book button	SKIPPED	0.000 s
8	And User navigated to the flight details page	SKIPPED	0.001 s
9	And User filled the details and click on continue booking	SKIPPED	0.004 s
10	Then User complete the payment process	SKIPPED	0.003 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112) </pre>	FAILED	0.003 s

### E-Commerce end-to-end flow



<b>FAILED</b> DURATION - 44.199 s / 3:14:33.606 pm // 3:15:17.805 pm / Ease My Trip Flight Booking		Steps Total - 7 Pass - 2 Fail - 1 Skip - 4	
---	--	--	---



#	Step / Hook Details	Status	Duration
1	Given Open the browser for E-commarce site	PASSED	6.377 s
2	And User is on the website	PASSED	19.523 s
3	And User complete the login process	FAILED	18.280 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Login']} (Session info: chrome=112.0.5615.87) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b1d5939c189eef304e31359d646dcec6, findElement {using=xpath, value="//span[text()='Login']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\Local\Temp\chromeOptions: {debuggerAddress: localhost:57420}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57420/devtoo..., se.cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b1d5939c189eef304e31359d646dcec6</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at implementation.Ease_My_Trip_Methods.login_Ecommerce(Ease_My_Trip_Methods.java:273)  at stepdefination_UI.Ease_My_Trip_Steps.user_complete_the_login_process(Ease_My_Trip_Steps.java:153)  at ?.User complete the login process(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:33)</p> <p>* Not displayable characters are replaced by '?'. </p>		
4	When User enter the item name and search the product	SKIPPED	0.001 s
5	And User add the product into the cart	SKIPPED	0.000 s
6	And fillup all the required address details and payment details	SKIPPED	0.001 s
7	Then User assert the order details	SKIPPED	0.001 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)		

### User Booked Round Trip Flight


<div>PASSED</div>	<div>DURATION - 1 m 29.375 s</div>	<div></div>	<div><div>Steps</div><div>Total - 9</div><div>Pass - 9</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 3:14:33.608 pm // 3:16:02.983 pm /</div>			
<div>Ease My Trip Flight Booking</div>			

#	Step / Hook Details	Status	Duration
1	Given Open the broser for Ease My Trip for Round Trip	PASSED	6.358 s
2	And User is on the Ease My trip website for Round Trip	PASSED	37.930 s
3	When User click on the Round Trip Option	PASSED	15.134 s
4	And User fillup all travel details for Round Trip	PASSED	0.898 s
5	And User click on the Search button for Round Trip	PASSED	5.838 s
6	And User is navigated to search result page for round trip	PASSED	0.078 s
7	And User select the flights and click on book button	PASSED	10.972 s
8	And User filled the details and click on continue booking for round trip	PASSED	4.394 s
9	Then User complete the payment process for round trip	PASSED	7.753 s

### Login Functionality


<div>PASSED</div>	<div>DURATION - 25.001 s</div>	<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:14:33.600 pm // 3:14:58.601 pm /</div>					

### Test Login Functionality(Negative)





#	Step / Hook Details	Status	Duration
1	Given browser is open for invalid user	PASSED	6.350 s
2	And User is on login page for invalid user	PASSED	4.831 s
3	When User filled jonhgardner@gamil.com and john@1234 for invalid user	PASSED	0.986 s
4	And user clicks in login button for invalid user	PASSED	0.869 s
5	Then user get error	PASSED	11.934 s

### Test Login Functionality(Positive)





#	Step / Hook Details	Status	Duration
1	Given browser is open for login	PASSED	6.585 s
2	And User is on login page	PASSED	4.742 s
3	When User enters markwill@gamil.com and Markwill@1234	PASSED	0.910 s
4	And user clicks in login button	PASSED	1.208 s
5	Then user is navigated to home page	PASSED	1.600 s

feature to test google search functionality

<b>FAILED</b>	<b>DURATION - 21.525 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 3:14:33.654 pm // 3:14:55.179 pm /					

### Validate google search is working

<b>FAILED</b>	<b>DURATION - 21.524 s</b>		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 3:14:33.655 pm // 3:14:55.179 pm /				
feature to test google search functionality				
@search				

#	Step / Hook Details	Status	Duration
1	Given browser is open	PASSED	6.573 s
2	And user is on google search page	PASSED	3.177 s
3	When user enters a text in search box	PASSED	1.366 s
4	And hits enter org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.000 (Session info: chrome=112.0.5615.87) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0bdf59b013100ca3035b85e3b2645d3b, sendKeysToElement {id=512c793c-6c78-44b1-9453-4a8b46a3bd99, value=[Ljava.lang.CharSequence;@32bd002b}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\Local\Temp\112.0.5615.87\chromedriver\chrome-win32\chrome-win32.exe}, goog:chromeOptions: {debuggerAddress: localhost:57423}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57423/devtools/page/0bdf59b013100ca3035b85e3b2645d3b, se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0bdf59b013100ca3035b85e3b2645d3b)] -> name: qj Session ID: 0bdf59b013100ca3035b85e3b2645d3b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	10.373 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at stepdefination_UI.GoogleSearchSteps.hits_enter(GoogleSearchSteps.java:53) at ?.hits enter(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/GoogleSearch.feature:8) * Not displayable characters are replaced by '?'. </pre>		
5	Then user is navigated to search results	SKIPPED	0.001 s
	<pre> AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112) </pre>	FAILED	0.003 s