

# Cucumber Report

19-Apr-2023, 2:57:35 pm

Start : Apr 19, 2:56:09.087 pm

End : Apr 19, 2:57:33.022 pm

Duration : 1 m 23.935 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 2  
SKIPPED - 0

PASSED - 2  
FAILED - 4  
SKIPPED - 0


PASSED - 24  
FAILED - 4  
SKIPPED - 13




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Login Functionality</u>	22.710 s	2	2	0	0	10	10	0	0
<u>Ease My Trip Flight Booking</u>	1 m 23.909 s	3	0	3	0	26	11	3	12
<u>feature to test google search functionality</u>	19.300 s	1	0	1	0	5	3	1	1

#	Feature Name	Scenario Name
1	<u>Ease My Trip Flight Booking</u>	<u>User Booked One Way Flight</u>
2		<u>User Booked Round Trip Flight</u>
3		<u>E-Commerce end-to-end flow</u>
4	<u>feature to test google search functionality</u>	<u>Validate google search is working</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@search	1	0	1	0	1	0	1	0





#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Login Functionality</u>	2	2	0	0	22.710 s
2	<u>Ease My Trip Flight Booking</u>	3	0	3	0	1 m 23.909 s
3	<u>feature to test google search functionality</u>	1	0	1	0	19.300 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Functionality</u>	<u>Test Login Functionality(Negative)</u>	5	5	0	0	22.687 s
2		<u>Test Login Functionality(Positive)</u>	5	5	0	0	22.694 s
3	<u>Ease My Trip Flight Booking</u>	<u>User Booked One Way Flight</u>	10	8	1	1	1 m 23.908 s
4		<u>User Booked Round Trip Flight</u>	9	1	1	7	53.691 s
5		<u>E-Commerce end-to-end flow</u>	7	2	1	4	38.520 s
6	<u>feature to test google search functionality</u>	<u>Validate google search is working</u>	5	3	1	1	19.300 s

## Login Functionality



<b>PASSED</b>	DURATION - 22.710 s	Scenarios		Steps	
/ 2:56:09.087 pm // 2:56:31.797 pm /		Total - 2		Total - 10	
		Pass - 2		Pass - 10	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Test Login Functionality(Negative)

<div>PASSED</div>	<div>DURATION - 22.687 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:56:09.098 pm // 2:56:31.785 pm /</div>				
<div>Login Functionality</div>				



#	Step / Hook Details	Status	Duration
1	Given browser is open for invalid user	PASSED	6.456 s
2	And User is on login page for invalid user	PASSED	4.550 s
3	When User filled jonhgardner@gamil.com and john@1234 for invalid user	PASSED	0.965 s
4	And user clicks in login button for invalid user	PASSED	0.837 s
5	Then user get error	PASSED	9.821 s

## Test Login Functionality(Positive)



<div>PASSED</div>	<div>DURATION - 22.694 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:56:09.103 pm // 2:56:31.797 pm /</div>				
<div>Login Functionality</div>				

#	Step / Hook Details	Status	Duration
1	Given browser is open for login	PASSED	6.355 s
2	And User is on login page	PASSED	4.394 s
3	When User enters markwill@gamil.com and Markwill@1234	PASSED	0.934 s
4	And user clicks in login button	PASSED	1.234 s
5	Then user is navigated to home page	PASSED	9.726 s

## Ease My Trip Flight Booking

FAILED	DURATION - 1 m 23.909 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 26 Pass - 11 Fail - 3 Skip - 12	
/ 2:56:09.113 pm // 2:57:33.022 pm /					

## User Booked One Way Flight



FAILED		DURATION - 1 m 23.908 s			Steps Total - 10 Pass - 8 Fail - 1 Skip - 1	
/ 2:56:09.114 pm // 2:57:33.022 pm /						
Ease My Trip Flight Booking						

#	Step / Hook Details	Status	Duration
1	Given Open the browser for Ease My Trip	PASSED	6.410 s
2	And User is on the Ease my trip website	PASSED	32.264 s
3	When User click on One Way Option	PASSED	15.110 s
4	And User-filled travel details for Mumbai to Delhi	PASSED	1.651 s
5	And User click on the search button	PASSED	3.342 s
6	And User navigated to search result page	PASSED	0.173 s
7	And User click on book button	PASSED	7.093 s
8	And User navigated to the flight details page	PASSED	0.059 s



#	Step / Hook Details	Status	Duration
9	<p>And User filled the details and click on continue booking</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//label[@ng-class='NewSeatMapCss_Return(c,(row&gt;0?rs.LstRow[row]:rs.LstRow[row]))']}[1]"} (Session info: chrome=112.0.5615.87) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cdda77dbfe96dce084cfbdfd4dc7c1c, findElement {using=xpath, value=("//label[@ng-class='NewSeatMapCss_Return(c,(row&gt;0?rs.LstRow[row]:rs.LstRow[row]))']}[1]"} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:56971}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56971/devtools..., se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cdda77dbfe96dce084cfbdfd4dc7c1c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at implementation.Ease_My_Trip_Methods.user_Details(Ease_My_Trip_Methods.java:149) at stepdefination_UI.Ease_My_Trip_Steps.user_choose_insurance_option_and_click_on_continue_booking(Ease_My_Trip_Steps.java:67) at ?.User filled the details and click on continue booking(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:12) * Not displayable characters are replaced by '?'. </pre>	FAILED	17.777 s
10	Then User complete the payment process	SKIPPED	0.001 s
	<p>AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112) </pre>	FAILED	0.004 s



## User Booked Round Trip Flight

<div><div>FAILED</div><div>DURATION - 53.691 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 9</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 7</div></div>	<div></div>
/ 2:56:09.143 pm // 2:57:02.834 pm /				
Ease My Trip Flight Booking				

#	Step / Hook Details	Status	Duration
1	Given Open the broser for Ease My Trip for Round Trip	PASSED	6.561 s
2	And User is on the Ease My trip website for Round Trip <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=112.0.5615.87) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cdda77dbfe96dce084cfbdfd4dc7c1c, clickElement {id=74d7c57a-6a65-4be3-a391-75e6ba0a9bb9}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\Local\Temp\chrome-win-112.0.5615.49}, goog:chromeOptions: {debuggerAddress: localhost:56971}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56971/devtools, se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0cdda77dbfe96dce084cfbdfd4dc7c1c)] -&gt; class name: eb_widget_header_close] Session ID: 0cdda77dbfe96dce084cfbdfd4dc7c1c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at implementation.Ease_My_Trip_Methods.navigate_To_EaseMyTrip(Ease_My_Trip_Methods.java:76) at stepdefination_UI.Ease_My_Trip_Steps.user_is_on_the_ease_my_trip_website_for_round_trip(Ease_My_Trip_Steps.java:88)</pre>	FAILED	47.109 s

#	Step / Hook Details	Status	Duration
	at ?.User is on the Ease My trip website for Round Trip(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:21) * Not displayable characters are replaced by '?'. 3 When User click on the Round Trip Option 4 And User fillup all travel details for Round Trip 5 And User click on the Search button for Round Trip 6 And User is navigated to search result page for round trip 7 And User select the flights and click on book button 8 And User filled the details and click on continue booking for round trip 9 Then User complete the payment process for round trip		
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)		



### E-Commerce end-to-end flow

FAILED		DURATION - 38.520 s			<div>Steps</div> <div>Total - 7</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 2:56:09.152 pm // 2:56:47.672 pm /						
Ease My Trip Flight Booking						



#	Step / Hook Details	Status	Duration
1	Given Open the browser for E-commarce site	PASSED	6.315 s
2	And User is on the website	PASSED	10.480 s
3	And User complete the login process	FAILED	21.694 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Login']"} (Session info: chrome=112.0.5615.87) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cdda77dbfe96dce084cfbdfd4dc7c1c, findElement {using=xpath, value=//span[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:56971}, networkConnectionEnabled: false,		

#	Step / Hook Details	Status	Duration
	<p>pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56971/devtoo..., se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cdda77dbfe96dce084cfbdfd4dc7c1c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at implementation.Ease_My_Trip_Methods.login_Ecommerce(Ease_My_Trip_Methods.java:273)  at stepdefination_UI.Ease_My_Trip_Steps.user_complete_the_login_process(Ease_My_Trip_Steps.java:153)  at ?.User complete the login process(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:33)</p> <p>* Not displayable characters are replaced by '?'. </p>		
4	When User enter the item name and search the product	SKIPPED	0.000 s
5	And User add the product into the cart	SKIPPED	0.000 s
6	And fillup all the required address details and payment details	SKIPPED	0.000 s
7	Then User assert the order details	SKIPPED	0.001 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.014 s
	<p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null</p> <p>at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)</p>		

**feature to test google search functionality**

<b>FAILED</b>	<b>DURATION - 19.300 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 2:56:09.131 pm // 2:56:28.431 pm /					

### Validate google search is working

<b>FAILED</b>	<b>DURATION - 19.300 s</b>		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 2:56:09.131 pm // 2:56:28.431 pm /				
feature to test google search functionality				
@search				

#	Step / Hook Details	Status	Duration
1	Given browser is open	PASSED	6.570 s
2	And user is on google search page	PASSED	2.170 s
3	When user enters a text in search box	PASSED	0.228 s
4	And hits enter org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.000 (Session info: chrome=112.0.5615.87) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3390fdd90ba891532f53444307e6907b, sendKeysToElement {id=7e5bc589-ff93-4a98-951f-0597c4a653a9, value=[Ljava.lang.CharSequence;@6ef20998]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:56979}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56979/devtoo..., se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3390fdd90ba891532f53444307e6907b)] -> name: q] Session ID: 3390fdd90ba891532f53444307e6907b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	10.306 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at stepdefination_UI.GoogleSearchSteps.hits_enter(GoogleSearchSteps.java:53) at ?.hits enter(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/GoogleSearch.feature:8) * Not displayable characters are replaced by '?'. </pre>		
5	Then user is navigated to search results	SKIPPED	0.000 s
	<pre> AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112) </pre>	FAILED	0.004 s