Cucumber Report

| *Start : Apr 19, 2:50:09.855 pm*	*End : Apr 19, 2:50:59.057 pm*	*Duration : 49.202 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 1 FAILED - 5 SKIPPED - 0	PASSED - 14 FAILED - 5 SKIPPED - 22

Features: 3   Scenarios: 6   Steps: 41

Pass %: 0 %   16 %   34 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Ease My Trip Flight Booking	49.202 s	3	0	3	0	26	5	3	18
Login Functionality	31.407 s	2	1	1	0	10	6	1	3
feature to test google search functionality	24.625 s	1	0	1	0	5	3	1	1

#	Feature Name	Scenario Name
1	*Ease My Trip Flight Booking*	*User Booked Round Trip Flight*
2		*E-Commerce end-to-end flow*
3		*User Booked One Way Flight*
4	*Login Functionality*	*Test Login Functionality(Positive)*
5	*feature to test google search functionality*	*Validate google search is working*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@search	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Ease My Trip Flight Booking*	3	0	3	0	49.202 s
2	*Login Functionality*	2	1	1	0	31.407 s
3	*feature to test google search functionality*	1	0	1	0	24.625 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Ease My Trip Flight Booking	User Booked Round Trip Flight	9	2	1	6	49.194 s
2		E-Commerce end-to-end flow	7	2	1	4	49.110 s
3		User Booked One Way Flight	10	1	1	8	49.112 s
4	Login Functionality	Test Login Functionality(Positive)	5	1	1	3	31.402 s
5		Test Login Functionality(Negative)	5	5	0	0	21.883 s
6	feature to test google search functionality	Validate google search is working	5	3	1	1	24.625 s

Ease My Trip Flight Booking

FAILED	DURATION - 49.202 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 26 Pass - 5 Fail - 3 Skip - 18	
/ 2:50:09.855 pm // 2:50:59.057 pm /					

User Booked Round Trip Flight

FAILED	DURATION - 49.194 s		Steps Total - 9 Pass - 2 Fail - 1 Skip - 6	
/ 2:50:09.863 pm // 2:50:59.057 pm /				
Ease My Trip Flight Booking				

| #	Step / Hook Details	Status	Duration
1	Given Open the broser for Ease My Trip for Round Trip	PASSED	8.771 s
2	And User is on the Ease My trip website for Round Trip	PASSED	30.454 s
3	When User click on the Round Trip Option	FAILED	9.914 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.87) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5513dcd659cbd847cf0bea846e367dd6, findElement {using=xpath, value=//li[@id='rtrip']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56599/devtoo..., se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5513dcd659cbd847cf0bea846e367dd6
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at implementation.Ease_My_Trip_Methods.round_trip(Ease_My_Trip_Methods.java:184) at stepdefination_UI.Ease_My_Trip_Steps.click_on_the_round_trip_option(Ease_My_Trip_Steps.java:94) at ?.User click on the Round Trip Option(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:22) * Not displayable characters are replaced by '?'.		
4	And User fillup all travel details for Round Trip	SKIPPED	0.000 s
5	And User click on the Search button for Round Trip	SKIPPED	0.000 s
6	And User is navigated to search result page for round trip	SKIPPED	0.000 s
7	And User select the flights and click on book button	SKIPPED	0.000 s
8	And User filled the details and click on continue booking for round trip	SKIPPED	0.000 s
9	Then User complete the payment process for round trip	SKIPPED	0.000 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)		

E-Commerce end-to-end flow

FAILED	DURATION - 49.110 s
/ 2:50:09.865 pm // 2:50:58.975 pm /	
Ease My Trip Flight Booking	

Steps
Total - 7
Pass - 2
Fail - 1
Skip - 4

7

#	Step / Hook Details	Status	Duration
1	Given Open the browser for E-commarce site	PASSED	8.918 s
2	And User is on the website	PASSED	14.822 s
3	And User complete the login process	FAILED	25.306 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //span[text()='Login'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at implementation.Ease_My_Trip_Methods.login_Ecommerce(Ease_My_Trip_Methods.java:273)
	    at stepdefination_UI.Ease_My_Trip_Steps.user_complete_the_login_process(Ease_My_Trip_Steps.java:153)
	    at ?.User complete the login process(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:33)
	* Not displayable characters are replaced by '?'.		

4	When User enter the item name and search the product	SKIPPED	0.000 s
5	And User add the product into the cart	SKIPPED	0.001 s
6	And fillup all the required address details and payment details	SKIPPED	0.000 s
7	Then User assert the order details	SKIPPED	0.010 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)		

User Booked One Way Flight

FAILED	DURATION - 49.112 s
/ 2:50:09.886 pm // 2:50:58.998 pm /	
Ease My Trip Flight Booking	

Steps
Total - 10
Pass - 1
Fail - 1
Skip - 8

10

#	Step / Hook Details	Status	Duration
1	Given Open the browser for Ease My Trip	PASSED	9.195 s

#	Step / Hook Details	Status	Duration
2	And User is on the Ease my trip website	FAILED	39.861 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.87) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5513dcd659cbd847cf0bea846e367dd6, findElements {using=class name, value=eb_widget_header_close}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56599/devtoo..., se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5513dcd659cbd847cf0bea846e367dd6
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElements(ElementLocation.java:179)
	  at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:108)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:367)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:359)
	  at implementation.Ease_My_Trip_Methods.navigate_To_EaseMyTrip(Ease_My_Trip_Methods.java:73)
	  at stepdefination_UI.Ease_My_Trip_Steps.user_is_on_the_ease_my_trip_website(Ease_My_Trip_Steps.java:24)
	  at ?.User is on the Ease my trip website(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:5)
	* Not displayable characters are replaced by '?'.		

3	When User click on One Way Option	SKIPPED	0.001 s
4	And User-filled travel details for Mumbai to Delhi	SKIPPED	0.001 s
5	And User click on the search button	SKIPPED	0.001 s
6	And User navigated to search result page	SKIPPED	0.001 s
7	And User click on book button	SKIPPED	0.000 s
8	And User navigated to the flight details page	SKIPPED	0.000 s
9	And User filled the details and click on continue booking	SKIPPED	0.000 s
10	Then User complete the payment process	SKIPPED	0.001 s

| #	Step / Hook Details	Status	Duration
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)		

Login Functionality

FAILED	DURATION - 31.407 s		Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0	2	Steps Total - 10 Pass - 6 Fail - 1 Skip - 3	10
/ 2:50:09.877 pm // 2:50:41.284 pm /						

Test Login Functionality(Positive)

FAILED	DURATION - 31.402 s		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	5
/ 2:50:09.882 pm // 2:50:41.284 pm /				
Login Functionality				

| #	Step / Hook Details	Status	Duration
1	Given browser is open for login	PASSED	9.096 s
2	And User is on login page	FAILED	10.704 s
	org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 8.514 (Session info: chrome=112.0.5615.87) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b9be9a8c3ff0b7e26b8b432974838713, get {url=https://naveenautomationlabs.com/opencart/index.php?route=account/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56598}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56598/devtoo..., se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b9be9a8c3ff0b7e26b8b432974838713		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at stepdefination_UI.Login_steps.user_is_on_login_page(Login_steps.java:37) at ?.User is on login page(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/Login_Test.feature:4) * Not displayable characters are replaced by '?'.		
3	When User enters markwill@gamil.com and Markwill@1234	SKIPPED	0.001 s
4	And user clicks in login button	SKIPPED	0.000 s
5	Then user is navigated to home page	SKIPPED	0.001 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario) failedScreenshot 	PASSED	11.568 s

Test Login Functionality(Negative)

PASSED	DURATION - 21.883 s		
/ 2:50:09.916 pm // 2:50:31.799 pm /			
Login Functionality			

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given browser is open for invalid user	PASSED	9.143 s
2	And User is on login page for invalid user	PASSED	4.967 s
3	When User filled jonhgardner@gamil.com and john@1234 for invalid user	PASSED	1.067 s
4	And user clicks in login button for invalid user	PASSED	0.939 s
5	Then user get error	PASSED	5.741 s

feature to test google search functionality

FAILED	DURATION - 24.625 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	5
/ 2:50:09.934 pm // 2:50:34.559 pm /					

Validate google search is working

FAILED	DURATION - 24.625 s		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	5
/ 2:50:09.934 pm // 2:50:34.559 pm /				
feature to test google search functionality				
@search				

#	Step / Hook Details	Status	Duration
1	Given browser is open	PASSED	8.776 s
2	And user is on google search page	PASSED	4.605 s
3	When user enters a text in search box	PASSED	0.770 s
4	And hits enter	FAILED	10.438 s
	org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.000 (Session info: chrome=112.0.5615.87) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8899d4b707ec35e0cf931fedbee903c3, sendKeysToElement {id=32ce7875-79cc-45e5-af35-61f7763bf075, value=[Ljava.lang.CharSequence;@368a19fd}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56602}, networkConnectionEnabled: false,		

#	Step / Hook Details	Status	Duration

	pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56602/devtoo..., se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (8899d4b707ec35e0cf931fedbee903c3)] -> name: q] Session ID: 8899d4b707ec35e0cf931fedbee903c3
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	   at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113)
	   at stepdefination_UI.GoogleSearchSteps.hits_enter(GoogleSearchSteps.java:53)
	   at ?.hits enter(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/GoogleSearch.feature:8)
	* Not displayable characters are replaced by '?'.		

5	Then user is navigated to search results	SKIPPED	0.003 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)		